

- Cheng, H. R. & N. Jiang. 2006. Extremely rapid extraction of DNA from bacteria and yeasts. *Biotechnology Letters*. 28(1): 55–59. <https://doi.org/10.1007/s10529-005-4688-z>.
- Djatmiko, H. A., B. Prakoso, & N. Patminingsih. 2011. Penentuan patotipe dan keragaman genetik *Xanthomonas oryzae* pv. *oryzae* pada tanaman padi di wilayah karesidenan Banyumas. *Jurnal HPT Tropika*. 11(1): 35-46. <https://doi.org/10.23960/j.hptt.11135-46>.
- Djedatin, G., M. N. Ndjiondjop, A. Sanni, M. Lorieux, V. Verdier, & A. Ghesquiere. 2016. Identification of novel major and minor QTLs associated with Xoo (African strains) resistance in rice (*Oryza sativa* L.). *Rice*. 9(18): 1-10. <https://doi.org/10.1186/s12284-016-0090-9>.
- Erkes, A., M. Reschke, J. Boch, & J. Grau. 2023. AnnoTALE 2.0: predicting TALE targets in the era of high-quality plant genomes. *Nucleic Acids Research*. 51(W1): W126–W133. <https://doi.org/10.1093/nar/gkad414>.
- Fatimah, F. & J. Prasetyono. 2020. Pemanfaatan piramida gen ketahanan terhadap penyakit hawar daun bakteri dalam mendukung perakitan varietas unggul padi. *Jurnal Penelitian dan Pengembangan Pertanian*. 39(1): 11–20. <https://doi.org/10.21082/jp3.v39n1.2020.p11-20>.
- Fiyaz, R., A. K. Singh, & A. K. Singh. 2022. Genetic improvement of rice for bacterial blight resistance: current status and future prospects. *Science of The Total Environment*. 806: 150450. <https://doi.org/10.1016/j.scitotenv.2021.150450>.
- García, M. J., R. Martínez, & A. López. 2019. In silico analysis of genetic diversity in plant pathogenic bacteria. *Journal of Plant Pathology*. 101(3): 567-576. <https://doi.org/10.1007/s42161-019-00456-7>.
- George, M. L. C., R. J. Nelson, R. S. Zeigler, & H. Leung. 1997. Rapid population analysis of *Xanthomonas oryzae* pv. *oryzae* by site-directed amplification of DNA sequences flanking IS1112. *Phytopathology*. 87(11): 1143–1149. <https://doi.org/10.1094/PHTO.1997.87.11.1143>.
- Hadianto, W., L. Hakim, & Bakhtiar. 2015. Ketahanan beberapa genotipe padi terhadap penyakit hawar daun bakteri (*Xanthomonas oryzae* pv. *oryzae*). *Jurnal HPT Tropika*. 15(2): 152–163.
- Hifni, H. R. & M. K. Kardin. 1998. Pengelompokan isolat *Xanthomonas oryzae* pv. *oryzae* dengan menggunakan galur isogenik padi IRRI. *Jurnal Hayati*. 5(3): 66–72.
- Indian Council of Rice Research (ICRR). 2015. Annual Report 2014-2015. Hyderabad: Indian Council of Rice Research.
- International Rice Research Institute (IRRI). 2014. Standard Evaluation System for Rice. Los Banos: International Rice Research Institute.
- Irpawa, D. M. I., T. Arwiyanto, & S. Sulandari. 2024. The characterization, pathotype distribution and genetic diversity of Xoo in rice production centers of the

marker for plant disease diagnosis: a case study of bacterial blight of rice. *Phytopathology*. 100(11): 1171–1181. <https://doi.org/10.1094/PHYTO-04-10-0118>.

Lardi, S. 2018. *Agribisnis Budidaya Padi*. Yogyakarta: Lily Publisher.

Lelliott, R. A. & D. E. Stead. 1987. *Methods for the Diagnosis of Bacterial Diseases of Plants*. Oxford: Blackwell Scientific Publications.

Li, W., S. Chen, C. Wang, A. Feng, J. Su, W. Wang, J. Feng, B. Chen, M. Zhang, J. Yang, L. Zeng, & X. Zhu. 2021. Xa7, a small orphan gene harboring promoter trap for AvrXa7, leads to durable resistance to *Xanthomonas oryzae* pv. *oryzae*. *Rice*. 14(1): 1-16. <https://doi.org/10.1186/s12284-021-00490-z>.

Li, Z., S. Alma, E. Angeles, S. Singh, G. Djedatin, H. Ning, & G. S. Khush. 2001. Are the dominant and recessive plant disease resistance genes similar? : a case study of rice R genes and *Xanthomonas oryzae* pv. *oryzae* races. *Genetics*. 159(2): 757-765.

Metsalu, T. & J. Vilo. 2015. ClustVis: a web tool for visualizing clustering of multivariate data using Principal Component Analysis and heatmap. *Nucleic Acids Research*. 43(W1): W566–W570. <https://doi.org/10.1093/nar/gkv468>.

Mishra, D., M. R. Vishnupriya, M. G. Anil, K. Konda, Y. Raj, & R. V. Sonti. 2013. Pathotype and genetic diversity amongst Indian isolats of *Xanthomonas oryzae* pv. *oryzae*. *PLoS One*. 8(11): e81996. <https://doi.org/10.1371/journal.pone.0081996>.

Mondal, K. K., B. R. Meena, J. Ahmed, G. Verma, C. Mani, D. Majumder, M. Khicher, S. Kumar, & S. Banik. 2014. Pathotyping and genetic screening of type III effectors in Indian strains of *Xanthomonas oryzae* pv. *oryzae* causing bacterial leaf blight of rice. *Physiological and Molecular Plant Pathology*. 86: 98-106. <https://doi.org/10.1016/j.pmpp.2014.03.001>.

Müller, D., J. Leclercq, & M. Rott. 2008. Characterization of *Xanthomonas oryzae* pv. *oryzae* strains from different geographic origins using molecular markers. *Journal of Plant Pathology*. 90(2): 345-352. <https://doi.org/10.4454/jpp.v90i2.673>.

Mulrean, E. N. & M. N. Schroth. 1981. A semiselective medium for the isolation of *Xanthomonas campestris* pv. *juglandis* from walnut buds and catkins. *Phytopathology*. 71(3): 336-339. <https://doi.org/10.1094/Phyto-71-336>.

Noda, T., H. Kaku, & N. Shibuya. 2001. Molecular analysis of resistance genes against *Xanthomonas oryzae* pv. *oryzae* in rice. *Plant Molecular Biology*. 45(4): 499-508. <https://doi.org/10.1023/A:1010660627705>.

Noer, I. S., S. Suwarno, & R. Rosana. 2021. Genetic diversity and virulence of *Xanthomonas oryzae* pv. *oryzae* causing bacterial leaf blight of rice in Indonesia. *Hayati Journal of Biosciences*. 28(2): 145–152. <https://doi.org/10.4308/hjb.28.2.145>.

- Noer, Z., H. Hasanuddin, L. Lisnawita, & D. Suryanto. 2021. Analysis of genetic diversity of bacteria *Xanthomonas oryzae* pv. *oryzae* causes leaf blight in North Sumatra. *Biogenesis: Jurnal Ilmiah Biologi*. 9(2): 131-141. <https://doi.org/10.24252/bio.v9i2.24092>.
- Nurkartika, R., S. Ilyas, & M. Machmud. 2017. Aplikasi agens hayati untuk mengendalikan hawar daun bakteri pada produksi benih padi. *Jurnal Agronomi Indonesia*. 45(3): 235–242. <https://doi.org/10.24831/jai.v45i3.13627>.
- Onasanya, A., A. Basso, E. Somado, E. R. Gasore, F. E. Nwilene, I. Ingelbrecht, J. Lamo, K. Wydr, M. M. Ekperigin, M. Langa, O. Oyelakin, Y. Sete, S. Winter, & R. O. Onasanya. 2010. Development of combined molecular diagnostic and DNA fingerprinting technique for rice bacteria pathogens in Africa. *Biotechnology*. 9(2): 89-105. <https://doi.org/10.3923/biotech.2010.89.105>.
- Ou, S. H. 1985. *Rice Diseases*. Kew Surrey: Commonwealth Mycological Institute.
- Ozturk, M. & R. Aslin. 2010. Role of exopolysaccharides in protecting *Xanthomonas* against desiccation and oxidative stress. *Journal of Bacteriology & Mycology*. 4(2): 88-94.
- Pathak, M. D. & Z. R. Khan. 1994. *Insect Pests of Rice*. Los Baños: International Rice Research Institute (IRRI).
- Pinem, T. & Z. Syarif. 2018. Intensitas serangan Xoo pada beberapa varietas padi sawah dan dampaknya terhadap pertumbuhan dan hasil panen. *Jurnal Proteksi Tanaman (JPT)*. 2(1): 9-17.
- Premi, M. S. G., R. Narmadha, & T. Bernatin. 2019. A brief survey on diseases of paddy plant. *Journal of Pharmaceutical Sciences and Research*. 11(7): 2739–2743.
- Putrie, R. W. 2013. *Karakterisasi Fisiologis dan Virulensi Isolat Xanthomonas oryzae pv. oryzae pada Berbagai Varietas Padi*. [Skripsi]. Bogor: Institut Pertanian Bogor.
- Raghunandana, A., D. Pramesh, & S. Kumar. 2023. Genetic diversity and pathotype profiling of *Xanthomonas oryzae* pv. *oryzae* isolats from diverse rice growing ecosystems of Karnataka state of India. *Plant Protection Science*. 59(1): 31-45. <https://doi.org/10.17221/10/2023-PPS>.
- Rana, N., S. Kumar, & R. Kapoor. 2022. Cell wall degrading enzymes of *Xanthomonas oryzae* pv. *oryzae*: orchestrating the invasion in rice. *Plant Pathology Journal*. 38(4): 267-280. <https://doi.org/10.5423/PPJ.RW.05.2022.0063>.
- Rao, P. S. & H. E. Kauffman. 1977. Potential yield losses in dwarf rice varieties due to bacterial blight in India. *Journal of Phytopathology*. 90(3): 266-272. <https://doi.org/10.1111/j.1439-0434.1977.tb02653.x>.
- Rashid, M. H. & A. Kornberg. 2000. Inorganic polyphosphate is needed for swimming, swarming, and biofilm formation of *Pseudomonas aeruginosa*. *Proceedings of*

- the National Academy of Sciences (PNAS). 97(9): 4885-4890. <https://doi.org/10.1073/pnas.060030097>.
- Saha, S., R. Garg, A. Biswas, & A. B. Rai. 2015. Bacterial diseases of rice: an overview. *Journal of Pure and Applied Microbiology*. 9(1): 725-736.
- Salman, A. 2014. The crystal structure of type III effector protein XopQ from *Xanthomonas oryzae* complexed with adenosine diphosphate ribose. *Proteins*. 82(11): 2910-2914. <https://doi.org/10.1002/prot.24696>.
- Schaad, N. W., J. B. Jones, & W. Chun. 2001. *Laboratory Guide for Identification of Plant Pathogenic Bacteria*. Edisi ke-3. St. Paul: American Phytopathological Society.
- Shaheen, R., M. Z. Sharif, L. Amrao, A. Zheng, M. Manzoor, D. Majeed, H. Kiran, M. Jafir, & A. Ali. 2019. Investigation of bacterial leaf blight of rice through various detection tools and its impact on crop yield in Punjab, Pakistan. *Pakistan Journal of Botany*. 51(1): 307-312. [[https://doi.org/10.30848/PJB2019-1\(35\)](https://doi.org/10.30848/PJB2019-1(35))]([https://doi.org/10.30848/PJB2019-1\(35\)](https://doi.org/10.30848/PJB2019-1(35))).
- Shankara, K., M. B. Patil, D. Pramesh, G. Sunkad, S. T. Yenjerappa, M. Ibrahim, N. L. Rajesh, & Chikkannaswamy. 2017. Characterization of *Xanthomonas oryzae* pv. *oryzae* isolats from rice growing regions of southern India. *International Journal of Pure and Applied Bioscience*. 5(4): 452-461. <https://doi.org/10.18782/2320-7051.2436>.
- Shanti, M. L., G. L. Devi, G. N. Kumar, & H. E. Shashidhar. 2010. Molecular marker-assisted selection: a tool for insulating parental lines of hybrid rice against bacterial leaf blight. *International Journal of Plant Pathology*. 1(3): 114-123. <https://doi.org/10.3923/ijpp.2010.114.123>.
- Sudir & D. Yuliani. 2016. Dinamika Populasi *Xanthomonas oryzae* pv. *oryzae* dan Perkembangan Penyakit Hawar Daun Bakteri di Jawa Barat. *Jurnal Penelitian Pertanian Tanaman Pangan*. 35(3): 209-218. <https://doi.org/10.21082/jpptp.v35n3.2016.p209-218>.
- Sudir, B. Nuryanto, & T. S. Kadir. 2012. Epidemiologi, patotipe, dan strategi pengendalian penyakit hawar daun bakteri pada tanaman padi. *lptek Tanaman Pangan*. 7(2): 79-87.
- Sullivan, M., E. Daniells, & C. Southwick. 2011. CPHST Pest Datasheet for *Xanthomonas oryzae* pv. *oryzae*. USDA-APHIS-PPQ-CPHST.
- Suryadi, Y., I. M. Samudra, T. P. Priyatno, D. N. Susilowati, P. Lestari, F. Fatimah, & T. S. Kadir. 2016. Determination of pathotypes from Indonesian *Xanthomonas oryzae* pv. *oryzae* population causing bacterial leaf blight and their reactions on differential rice. *Makara Journal of Science*. 20(3): 109-118. <https://doi.org/10.7454/mss.v20i3.6241>.
- Swings, J., M. V. D. Mooter, L. Vauterin, B. Hoste, M. Gillis, T. W. Mew, & K. Kersters. 1990. Reclassification of the causal agents of bacterial blight (*Xanthomonas campestris* pv. *oryzae*) and bacterial leaf streak (*Xanthomonas campestris* pv. *oryzicola*) of rice as pathovars of *Xanthomonas oryzae* (ex Ishiyama 1922) sp.

- Vojnov, A. A. & J. M. Dow. 2009. The role of polysaccharides in the virulence of *Xanthomonas*. *Molecular Plant Pathology*. 10(5): 683-696. <https://doi.org/10.1111/j.1364-3703.2009.00559.x>.
- Wahyudi, A. T., S. Meliah, & A. A. Nawangsih. 2011. *Xanthomonas oryzae* pv. *oryzae* bakteri penyebab hawar daun pada padi: isolasi, karakterisasi, dan telaah mutagenesis dengan transposon. *Makara Journal of Science*. 15(1): 89-96. <https://doi.org/10.7454/mss.v15i1.782>.
- Wartono, Giyanto, & K. H. Mutaqin. 2015. Efektivitas formulasi spora *Bacillus subtilis* B12 sebagai agen pengendali hayati penyakit hawar daun bakteri pada tanaman padi. *Jurnal Penelitian Pertanian Tanaman Pangan*. 34(1): 21-28. <https://doi.org/10.21082/jpntp.v34n1.2015.p21-28>.
- Wening, R. H., U. Susanto, & Satoto. 2016. Varietas unggul padi tahan hawar daun bakteri: perakitan dan penyebaran di sentra produksi. *Iptek Tanaman Pangan*. 11(2): 123-132.
- Yildirim, I., M. Ceyhan, C. Ecevit, A. Aydogan, A. Ornek, & N. Salman. 2011. Molecular characterization of bacterial isolats using DNA markers. *African Journal of Biotechnology*. 10(45): 9123-9130. <https://doi.org/10.5897/AJB11.1234>.
- Yuan, M., S. Chu, S. Li, C. Xu, & S. Wang. 2016. The rice *Xa5* gene, a recessive allele for resistance to bacterial blight, blocks the expression of sugar transporter genes for sugar efflux. *Molecular Plant-Microbe Interactions*. 29(10): 1317-1325. <https://doi.org/10.1094/MPMI-05-16-0082-R>.
- Yugander, A., R. M. Sundaram, D. Ladhakshmi, S. K. Hajira, V. Prakasam, M. S. Prasad, M. S. Madhav, V. R. Babu, & G. S. Laha. 2017. Virulence profiling of *Xanthomonas oryzae* pv. *oryzae* isolats, causing bacterial blight of rice in India. *European Journal of Plant Pathology*. 149(1): 171-191. <https://doi.org/10.1007/s10658-017-1176-y>.
- Yuliani, D., Sudir, & M. J. Mejaya. 2017. Komposisi dan dominasi patotipe *Xanthomonas oryzae* pv. *oryzae* penyebab hawar daun bakteri pada tanaman padi dengan pola tanam tidak serempak. *Jurnal Penelitian Pertanian Tanaman Pangan*. 1(2): 133-142. <https://doi.org/10.21082/jpntp.v1n2.2017.p133-142>.
- Yuliani, D., W. R. Rohaeni, & Sudir. 2018. Resistance evaluation of international rice bacterial blight lines to bacterial leaf blight and identification of Xoo pathotype from Central Java Province based on IRBB lines. *Jurnal Ilmu Pertanian Indonesia*. 23(1): 52-59. <https://doi.org/10.18343/jipi.23.1.52>.
- Zeng, L., X. Li, & F. F. White. 2021. Recent advances in understanding the evolution and mechanisms of virulence in *Xanthomonas oryzae*. *Current Opinion in Plant Biology*. 62: 102045. <https://doi.org/10.1016/j.pbi.2021.102045>.