

DAFTAR PUSTAKA

- Aban, I. B., & George, B. (2015). Statistical considerations for preclinical studies. *Experimental Neurology*, 270, 82–87. <https://doi.org/10.1016/j.expneurol.2015.02.024>
- Abbaszadeh, H., Ghorbani, F., Derakhshani, M., Movassaghpour, A. A., Yousefi, M., Talebi, M., & Shamsasenjan, K. (2020). *Regenerative potential of Wharton's Jelly-derived MSC.pdf*.
- Allela, O. Q. B., Ali, N. A. M., Sanghvi, G., Roopashree, R., Kashyap, A., Krithiga, T., Panigrahi, R., Kubaev, A., Kareem, R. A., Sameer, H. N., Yaseen, A., Athab, Z. H., & Adil, M. (2025). The Role of Viral Infections in Acute Kidney Injury and Mesenchymal Stem Cell-Based Therapy. *Stem Cell Reviews and Reports*. <https://doi.org/10.1007/s12015-025-10873-0>
- Ammirati, A. L. (2019). Chronic Kidney Disease. *The Perioperative Medicine Consult Handbook: Third Edition*, 66(Suppl 1), 301–305. https://doi.org/10.1007/978-3-030-19704-9_38
- Andrianova, N. V., Buyan, M. I., Zorova, L. D., Pevzner, I. B., Popkov, V. A., Babenko, V. A., Silachev, D. N., Plotnikov, E. Y., & Zorov, D. B. (2019). Kidney Cells Regeneration : Differentiation of Tubular Epithelium , Resident Stem Cells and Possible Niches for Renal Progenitors. *International Journal of Molecular Sciences*.
- Arfian, N., Ats-tsani, H. K., Sayekti, P. I., Lakabela, D. A., Febriyanto, T., Rutyana, H., Antonio, P., & Wibisono, D. P. (2018). *Prolonged Kidney Ischemia-Reperfusion Injury Associates with Inflammation , Vascular Remodelling , and Myofibroblast Formation*. 50(1), 1–14.
- Arfian, N., Wahyudi, D. A. P., Zulfatina, I. B., Citta, A. N., Anggorowati, N., Multazam, A., Romi, M. M., & Sari, D. C. R. (2019). Chlorogenic acid attenuates kidney ischemic/reperfusion injury via reducing inflammation, tubular injury, and myofibroblast formation. *BioMed Research International*, 2019. <https://doi.org/10.1155/2019/5423703>
- Arsad, S. S. (2014). Histopathologic Changes in Liver and Kidney Tissues from Male Sprague Dawley Rats Treated with Rhabdiphora Decursiva (Roxb.) Schott Extract. *Journal of Cytology & Histology*, s4(01). <https://doi.org/10.4172/2157-7099.s4-001>
- Avasthi, P., Maser, R. L., & Tran, P. V. (2017). *Epithelial to Mesenchymal Transition (EMT) and Endothelial to Mesenchymal Transition (EndMT): Role and Implications in Kidney Fibrosis*. 60, 281–321. <https://doi.org/10.1007/978-3-319-51436-9>
- Barr, S. I., Abd El-Azeem, E. M., Bessa, S. S., & Mohamed, T. M. (2025). Role of exosomes in pathogenesis, diagnosis, and treatment of diabetic nephropathy. *BMC Nephrology*, 26(1). <https://doi.org/10.1186/s12882-025-04120-4>
- Barzilay, J. I., Farag, Y. M. K., & Durthaler, J. (2024). Albuminuria: An Underappreciated Risk Factor for Cardiovascular Disease. *Journal of the American Heart Association*, 13(2), 1–14. <https://doi.org/10.1161/JAHA.123.030131>
- Bazira, P. J. (2022). Anatomy of the kidney and ureter. *Surgery (United Kingdom)*,

- 40(8), 481–488. <https://doi.org/10.1016/j.mpsur.2022.05.008>
- Birtwistle, L., Chen, X. M., & Pollock, C. (2021). Mesenchymal stem cell-derived extracellular vesicles to the rescue of renal injury. *International Journal of Molecular Sciences*, 22(12). <https://doi.org/10.3390/ijms22126596>
- Black, L. M., Lever, J. M., & Agarwal, A. (2019). Renal Inflammation and Fibrosis: A Double-edged Sword. *Journal of Histochemistry and Cytochemistry*, 67(9), 663–681. <https://doi.org/10.1369/0022155419852932>
- Bose, M., Almas, S., & Prabhakar, S. (2017). *Wnt signaling and podocyte dysfunction in diabetic nephropathy*. 1–9. <https://doi.org/10.1136/jim-2017-000456>
- Bruno, S., Chiabotto, G., Cedrino, M., Ceccotti, E., Pasquino, C., De Rosa, S., Grange, C., Tritta, S., & Camussi, G. (2022). Extracellular Vesicles Derived from Human Liver Stem Cells Attenuate Chronic Kidney Disease Development in an In Vivo Experimental Model of Renal Ischemia and Reperfusion Injury. *International Journal of Molecular Sciences*, 23(3). <https://doi.org/10.3390/ijms23031485>
- Carlos, J., Moreno, A., Bahmad, H. F., Febres-aldana, C. A., Pirela, A., Azuero, A., Salami, A., & Poppiti, R. (2021). *Post-mortem assessment of vimentin expression as a biomarker for renal tubular regeneration following acute kidney injury*. 369–379.
- Carlström, M., Wilcox, C. S., & Arendshorst, W. J. (2015). Renal autoregulation in health and disease. *Physiological Reviews*, 95(2), 405–511. <https://doi.org/10.1152/physrev.00042.2012>
- Chen, D. Q., Cao, G., Zhao, H., Chen, L., Yang, T., Wang, M., Vaziri, N. D., Guo, Y., & Zhao, Y. Y. (2019). Combined melatonin and poricoic acid A inhibits renal fibrosis through modulating the interaction of Smad3 and β -catenin pathway in AKI-to-CKD continuum. *Therapeutic Advances in Chronic Disease*, 10, 1–19. <https://doi.org/10.1177/2040622319869116>
- Chen, L., Chen, D. Q., Wang, M., Liu, D., Chen, H., Dou, F., Vaziri, N. D., & Zhao, Y. Y. (2017). Role of RAS/Wnt/ β -catenin axis activation in the pathogenesis of podocyte injury and tubulo-interstitial nephropathy. *Chemico-Biological Interactions*, 273, 56–72. <https://doi.org/10.1016/j.cbi.2017.05.025>
- Chen, S. J., Lv, L. L., Liu, B. C., & Tang, R. N. (2020). Crosstalk between tubular epithelial cells and glomerular endothelial cells in diabetic kidney disease. *Cell Proliferation*, 53(3), 1–8. <https://doi.org/10.1111/cpr.12763>
- Chen, T., & Vunjak-novakovic, G. (2018). *In Vitro Models of Ischemia-Reperfusion Injury*. 142–153.
- Chen, W., Yan, Y., Song, C., Ding, Y., & Du, T. (2017). Microvesicles derived from human Wharton’s Jelly mesenchymal stem cells ameliorate ischemia-reperfusion-induced renal fibrosis by releasing from G2/M cell cycle arrest. In *Biochemical Journal* (Vol. 474, Issue 24). <https://doi.org/10.1042/BCJ20170682>
- Chen, Y., & Xue, C. (2024). Cross-talk of renal cells through WNT signal transduction in the development of fibrotic kidneys. *Frontiers in Cell and Developmental Biology*, 12(February), 1–10. <https://doi.org/10.3389/fcell.2024.1517181>
- Cheung, A. K., Chang, T. I., Cushman, W. C., Furth, S. L., Hou, F. F., Ix, J. H.,

- Knoll, G. A., Muntner, P., Pecoits-Filho, R., Sarnak, M. J., Tobe, S. W., Tomson, C. R. V., & Mann, J. F. E. (2021). KDIGO 2021 Clinical Practice Guideline for the Management of Blood Pressure in Chronic Kidney Disease. *Kidney International*, 99(3), S1–S87. <https://doi.org/10.1016/j.kint.2020.11.003>
- Chevalier, R. L., & Forbes, M. S. (2008). Generation and evolution of atubular glomeruli in the progression of renal disorders. *Journal of the American Society of Nephrology*, 19(2), 197–206. <https://doi.org/10.1681/ASN.2007080862>
- Cunanan, J., Zhang, D., Peired, A. J., & Barua, M. (2025). Podocytes in health and glomerular disease. *Frontiers in Cell and Developmental Biology*, 13(April), 1–14. <https://doi.org/10.3389/fcell.2025.1564847>
- D'hoore, E., Neiryneck, N., Schepers, E., Vanholder, R., Verbeke, F., Van Thielen, M., & Van Biesen, W. (2015). Chronic kidney disease progression is mainly associated with non-recovery of acute kidney injury. *Journal of Nephrology*, 28(6), 709–716. <https://doi.org/10.1007/s40620-015-0181-5>
- Dai, C., Stolz, D. B., Kiss, L. P., Monga, S. P., Holzman, L. B., & Liu, Y. (2009). *Wnt β -Catenin Signaling Promotes Podocyte Dysfunction and Albuminuria.pdf*.
- Dai, R., Cheng, M., Peng, C. Y., Cao, Z. P., Jin, H., Wang, D., Wang, Y. P., & Zhang, L. (2025). Renal tubular epithelial cell-derived Exosomal miR-330-3p plays a key role in fibroblast activation and renal fibrosis by regulating CREBBP. *Stem Cell Research and Therapy*, 16(1). <https://doi.org/10.1186/s13287-025-04338-x>
- Denic, A., Glassock, R. J., & Rule, A. D. (2016). Structural and Functional Changes With the Aging Kidney. *Advances in Chronic Kidney Disease*, 23(1), 19–28. <https://doi.org/10.1053/j.ackd.2015.08.004>
- Denton, J. (2024). The Complete Guide to Immunohistochemistry. *Abcam*, 24(31), 1–30.
- Dlugos, C. P., Picciotto, C., Lepa, C., Krakow, M., Stöber, A., Eddy, M. L., Weide, T., Jeibmann, A., Krahn, M. P., Van Marck, V., Klingauf, J., Ricker, A., Wedlich-Söldner, R., Pavenstädt, H., Klämbt, C., & George, B. (2019). Nephtrin signaling results in integrin β 1 activation. *Journal of the American Society of Nephrology*, 30(6), 1006–1019. <https://doi.org/10.1681/ASN.2018040362>
- Fan, Y.-P., Hsia, C.-C., Tseng, K.-W., Liao, C.-K., Fu, T.-W., Ko, T.-L., Chiu, M.-M., Shih, Y.-H., Huang, P.-Y., Chiang, Y.-C., Yang, C.-C., & Fu, Y.-S. (2016). The Therapeutic Potential of Human Umbilical Mesenchymal Stem Cells From Wharton's Jelly in the Treatment of Rat Peritoneal Dialysis-Induced Fibrosis. *Stem Cells Translational Medicine*, 5(2), 235–247. <https://doi.org/10.5966/sctm.2015-0001>
- Farris, A. B., & Colvin, R. B. (2012). Renal interstitial fibrosis: Mechanisms and evaluation. *Current Opinion in Nephrology and Hypertension*, 21(3), 289–300. <https://doi.org/10.1097/MNH.0b013e3283521cfa>
- Frańk, W., Dąbek, B., Balcerczyk-Lis, M., Motor, J., Radzioch, E., Młynarska, E., Rysz, J., & Franczyk, B. (2024). Role of Uremic Toxins, Oxidative Stress, and Renal Fibrosis in Chronic Kidney Disease. *Antioxidants*, 13(6), 1–19. <https://doi.org/10.3390/antiox13060687>
- Garsen, M., Rops, A. L. W. M. M., Rabelink, T. J., Berden, J. H. M., & Van Der Vlag, J. (2014). The role of heparanase and the endothelial glycocalyx in the

- development of proteinuria. *Nephrology Dialysis Transplantation*, 29(1), 49–55. <https://doi.org/10.1093/ndt/gft410>
- Glassock, R. J., & Rule, A. D. (2016). Aging and the Kidneys: Anatomy, Physiology and Consequences for Defining Chronic Kidney Disease. *Nephron*, 134(1), 25–29. <https://doi.org/10.1159/000445450>
- Guo, J., Guan, Q., Liu, X., Wang, H., Gleave, M. E., & Nguan, C. Y. C. (2016). Relationship of clusterin with renal inflammation and fibrosis after the recovery phase of ischemia-reperfusion injury. *BMC Nephrology*, 1–15. <https://doi.org/10.1186/s12882-016-0348-x>
- Habiba, U. E., Khan, N., Greene, D. L., Shamim, S., & Umer, A. (2024). The therapeutic effect of mesenchymal stem cells in diabetic kidney disease. In *Journal of Molecular Medicine* (Vol. 102, Issue 4). Springer Berlin Heidelberg. <https://doi.org/10.1007/s00109-024-02432-w>
- He, K., Zhou, X., Zhao, J., Du, H., Guo, J., Deng, R., & Wang, J. (2024). Identification and Functional Mechanism Verification of Novel MicroRNAs Associated with the Fibrosis Progression in Chronic Kidney Disease. *Biochemical Genetics*, 62(6), 4472–4493. <https://doi.org/10.1007/s10528-024-10688-7>
- Heo, J. S., Choi, Y., Kim, H. S., & Kim, H. O. (2016). Comparison of molecular profiles of human mesenchymal stem cells derived from bone marrow, umbilical cord blood, placenta and adipose tissue. *International Journal of Molecular Medicine*, 37(1), 115–125. <https://doi.org/10.3892/ijmm.2015.2413>
- Hesketh, E. E., Czopek, A., Clay, M., Borthwick, G., Ferenbach, D., Kluth, D., & Hughes, J. (2014). *Renal Ischaemia Reperfusion Injury: A Mouse Model of Injury and Regeneration*. June, 1–8. <https://doi.org/10.3791/51816>
- Heung, M., Steffick, D. E., Zivin, K., Gillespie, B. W., Banerjee, T., Hsu, C. Y., Powe, N. R., Pavkov, M. E., Williams, D. E., Saran, R., & Shahinian, V. B. (2016). Acute Kidney Injury Recovery Pattern and Subsequent Risk of CKD: An Analysis of Veterans Health Administration Data. *American Journal of Kidney Diseases*, 67(5), 742–752. <https://doi.org/10.1053/j.ajkd.2015.10.019>
- Hidayangsih, P. S., Tjandrarini, D. H., Widya Sukoco, N. E., Sitorus, N., Dharmayanti, I., & Ahmadi, F. (2023). Chronic kidney disease in Indonesia: evidence from a national health survey. *Osong Public Health and Research Perspectives*, 14(1), 23–30. <https://doi.org/10.24171/j.phrp.2022.0290>
- Hill, N. R., Fatoba, S. T., L.Oke, J., Hirst, J. A., O’Callegan, C. A., Lasserson, D. S., & Hobbs, F. D. R. (2016). Global Prevalence of Chronic Kidney Disease – A Systematic Review and Meta-Analysis. *PLoS ONE*, 67(5), 103–116. <https://doi.org/10.4103/0019-5359.122734>
- Hoang, D. M., Pham, P. T., Bach, T. Q., Ngo, A. T. L., Nguyen, Q. T., Phan, T. T. K., Nguyen, G. H., Le, P. T. T., Hoang, V. T., Forsyth, N. R., Heke, M., & Nguyen, L. T. (2022). Stem cell-based therapy for human diseases. *Signal Transduction and Targeted Therapy*, 7(1). <https://doi.org/10.1038/s41392-022-01134-4>
- Horinouchi, I., Nakazato, H., Kawano, T., Iyama, K. I., Furuse, A., Arizono, K., Machida, J., Sakamoto, T., Endo, F., & Hattori, S. (2003). In situ evaluation of podocin in normal and glomerular diseases. *Kidney International*, 64(6), 2092–

2099. <https://doi.org/10.1046/j.1523-1755.2003.00303.x>
- Hosszu, A., Fekete, A., & Szabo, A. J. (2025). *Sex and Gender in Renal Health and Function Sex differences in renal ischemia-reperfusion injury*. 4, 149–154. <https://doi.org/10.1152/ajprenal.00099.2020>
- Hsu, R. K., & Hsu, C. yu. (2016). The Role of Acute Kidney Injury in Chronic Kidney Disease. *Seminars in Nephrology*, 36(4), 283–292. <https://doi.org/10.1016/j.semnephrol.2016.05.005>
- Hu, L., Ding, M., & He, W. (2022). Emerging Therapeutic Strategies for Attenuating Tubular EMT and Kidney Fibrosis by Targeting Wnt/ β -Catenin Signaling. *Frontiers in Pharmacology*, 12(January), 1–10. <https://doi.org/10.3389/fphar.2021.830340>
- Huang, D., Li, G., Zhang, Q., Bhat, O. M., Zou, Y., Ritter, J. K., & Li, P. L. (2021). Contribution of podocyte inflammatory exosome release to glomerular inflammation and sclerosis during hyperhomocysteinemia. *Biochimica et Biophysica Acta - Molecular Basis of Disease*, 1867(7), 166146. <https://doi.org/10.1016/j.bbadis.2021.166146>
- Huang, J., Cao, H., Cui, B., Ma, X., Gao, L., Yu, C., & Shen, F. (2022). *Mesenchymal Stem Cells-Derived Exosomes Ameliorate Ischemia / Reperfusion Induced Acute Kidney Injury in a Porcine Model*. 10(May), 1–17. <https://doi.org/10.3389/fcell.2022.899869>
- Humphreys, B. D. (2018). Mechanisms of Renal Fibrosis. *Annual Review of Physiology*, 80, 309–326. <https://doi.org/10.1146/annurev-physiol-022516-034227>
- Hussain, S., Romio, L., Saleem, M., Mathieson, P., Serrano, M., Moscat, J., Diaz-Meco, M., Scambler, P., & Koziell, A. (2009). Nephtrin deficiency activates NF- κ B and promotes glomerular injury. In *Journal of the American Society of Nephrology* (Vol. 20, Issue 8, pp. 1733–1743). <https://doi.org/10.1681/ASN.2008111219>
- Jaya, I. F. (2023). Edukasi Pengetahuan Pembatasan Cairan pada Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisis. *Indonesian Journal Of Community Service*, 3(2), 61–68. <http://ijocs.rcipublisher.org/index.php/ijocs/article/view/254/195>
- Jelkmann, W. (2011). *Regulation of erythropoietin production*. 6, 1251–1258. <https://doi.org/10.1113/jphysiol.2010.195057>
- Jiang, S., Luo, M., Bai, X., Nie, P., Zhu, Y., Cai, H., Li, B., & Luo, P. (2022). Cellular crosstalk of glomerular endothelial cells and podocytes in diabetic kidney disease. *Journal of Cell Communication and Signaling*, 16(3), 313–331. <https://doi.org/10.1007/s12079-021-00664-w>
- Jiang, Y. S., Jiang, T., Huang, B., Chen, P. S., & Ouyang, J. (2013). Epithelial – mesenchymal transition of renal tubules : Divergent processes of repairing in acute or chronic injury ? *Medical Hypotheses*, 81(1), 73–75. <https://doi.org/10.1016/j.mehy.2013.03.020>
- Jiang, Z. Z., Liu, Y. M., Niu, X., Yin, J. Y., Hu, B., Guo, S. C., Fan, Y., Wang, Y., & Wang, N. S. (2016). Exosomes secreted by human urine-derived stem cells could prevent kidney complications from type i diabetes in rats. *Stem Cell Research and Therapy*, 7(1), 1–13. <https://doi.org/10.1186/s13287-016-0287-2>

- Jin, C., Wu, P., Li, L., Xu, W., & Qian, H. (2021). Exosomes: Emerging Therapy Delivery Tools and Biomarkers for Kidney Diseases. *Stem Cells International*, 2021. <https://doi.org/10.1155/2021/7844455>
- Jin, J., Shi, Y., Gong, J., Zhao, L., Li, Y., He, Q., & Huang, H. (2019). Exosome secreted from adipose-derived stem cells attenuates diabetic nephropathy by promoting autophagy flux and inhibiting apoptosis in podocyte. *Stem Cell Research and Therapy*, 10(1), 1–15. <https://doi.org/10.1186/s13287-019-1177-1>
- Jing, Z., Wei-jie, Y., & Yi-feng, Z. ge. (2015). Down-regulation of Wt1 activates Wnt/ β -catenin signaling through modulating endocytic route of LRP6 in podocyte dysfunction in vitro. *Cellular Signalling*, 27(9), 1772–1780. <https://doi.org/10.1016/j.cellsig.2015.05.018>
- Kalogeris, T., Baines, C. P., Krenz, M., & Korthuis, R. J. (2017). Ischemia/reperfusion. *Comprehensive Physiology*, 7(1), 113–170. <https://doi.org/10.1002/cphy.c160006>
- Kato, H., & Susztak, K. (2012). Repair Problems in Podocytes: Wnt, Notch, and Glomerulosclerosis. *Seminars in Nephrology*, 32(4), 350–356. <https://doi.org/10.1016/j.semnephrol.2012.06.006>
- Kementerian Kesehatan. (2020). Peraturan Kemenkes. *Keputusan Menteri Kesehatan Republik Indonesia*, 11, 1–189. <https://www.kemkes.go.id/id/pnpk-2023---tata-laksana-penyakit-ginjal-kronik>
- Kencana, S. M. S., Arfian, N., Yuniartha, R., Saputri, R. L. A. A. N. W., Munawaroh, F., & Sari, D. C. R. (2024). Chlorogenic Acid Inhibits Progressive Pulmonary Fibrosis in a Diabetic Rat Model. *Iranian Journal of Medical Sciences*, 49(2), 110–120. <https://doi.org/10.30476/ijms.2023.96535.2868>
- Kheradmand, A., Hashemitabar, M., Kheradmand, P., Valizadeh, F., & Kavosh, A. (2020). Protective Effect of Wharton’s Jelly-derived Mesenchymal Stem Cells on Renal Fibrosis in Rats with Unilateral Ureteral Obstruction. *European Urology Open Science*, 20, 48–53. <https://doi.org/10.1016/j.euro.2020.06.004>
- Kholia, S., Sanchez, M. B. H., Deregibus, M. C., Sassoè-pognetto, M., Camussi, G., & Brizzi, M. F. (2021). Human liver stem cell derived extracellular vesicles alleviate kidney fibrosis by interfering with the β -catenin pathway through mir29b. *International Journal of Molecular Sciences*, 22(19). <https://doi.org/10.3390/ijms221910780>
- Kim, I. Y., Song, S. H., Seong, E. Y., Lee, D. W., Bae, S. S., & Lee, S. B. (2023). Akt1 is involved in renal fibrosis and tubular apoptosis in a murine model of acute kidney injury-to-chronic kidney disease transition. *Experimental Cell Research*, 424(2), 113509. <https://doi.org/10.1016/j.yexcr.2023.113509>
- Kovesdy, C. P. (2022). Epidemiology of chronic kidney disease: an update 2022. *Kidney International Supplements*, 12(1), 7–11. <https://doi.org/10.1016/j.kisu.2021.11.003>
- Kriz, W., Hähnel, B., Hossler, H., Rösener, S., & Waldherr, R. (2014). Structural analysis of how podocytes detach from the glomerular basement membrane under hypertrophic stress. *Frontiers in Endocrinology*, 5(DEC), 1–10. <https://doi.org/10.3389/fendo.2014.00207>
- Kriz, W., & Lemley, K. V. (2017). Mechanical challenges to the glomerular filtration barrier: adaptations and pathway to sclerosis. *Pediatric Nephrology*, 32(3), 405–

417. <https://doi.org/10.1007/s00467-016-3358-9>
- Li, S., Merino, A., Korevaar, S., van den Bosch, T. P. P., Baan, C. C., Reinders, M. E. J., & Hoogduijn, M. J. (2025). Mesenchymal stromal cell-derived membrane particles suppress kidney fibrosis. *Stem Cell Research and Therapy*, *16*(1). <https://doi.org/10.1186/s13287-025-04522-z>
- Li, S. S., Sun, Q., Hua, M. R., Suo, P., Chen, J. R., Yu, X. Y., & Zhao, Y. Y. (2021). Targeting the Wnt/ β -Catenin Signaling Pathway as a Potential Therapeutic Strategy in Renal Tubulointerstitial Fibrosis. In *Frontiers in Pharmacology* (Vol. 12). <https://doi.org/10.3389/fphar.2021.719880>
- Li, X., Chen, M., Cao, J., Chen, X., Song, H., Shi, S., He, B., Zhang, B., & Zhang, Z. (2024). Human umbilical cord mesenchymal stem cell-derived exosomes mitigate diabetic nephropathy via enhancing M2 macrophages polarization. *Heliyon*, *10*(17), e37002. <https://doi.org/10.1016/j.heliyon.2024.e37002>
- Li, Y., Kang, Y. S., & Dai, C. (2008). *Epithelial-to-Mesenchymal Transition Is a Potential Pathway Leading to Podocyte Dysfunction and Proteinuria*. *172*(2), 299–308. <https://doi.org/10.2353/ajpath.2008.070057>
- Li, Z., Li, X., Zhou, Y., Wang, B., Lv, L., & Liu, B. (2024). Review Renal tubular epithelial cells response to injury in acute kidney injury. *EBioMedicine*, *107*, 105294. <https://doi.org/10.1016/j.ebiom.2024.105294>
- Liu, C., Li, Q., Ma, J., Lu, B., Criswell, T., & Zhang, Y. (2024). Exosome-mediated renal protection : Halting the progression of fibrosis. *Genes & Diseases*, *11*(6), 101117. <https://doi.org/10.1016/j.gendis.2023.101117>
- Liu, F., Chen, J., Luo, C., & Meng, X. (2022). *Pathogenic Role of MicroRNA Dysregulation in Podocytopathies*. *13*(June), 1–14. <https://doi.org/10.3389/fphys.2022.948094>
- Lopes, T. G., de Souza, M. L., da Silva, V. D., dos Santos, M., da Silva, W. I. C., Itaquy, T. P., Garbin, H. I., & Veronese, F. V. (2019). Markers of renal fibrosis: How do they correlate with podocyte damage in glomerular diseases? *PLoS ONE*, *14*(6), 1–21. <https://doi.org/10.1371/journal.pone.0217585>
- Lopez-Giacoman, S. (2015). Biomarkers in chronic kidney disease, from kidney function to kidney damage. *World Journal of Nephrology*, *4*(1), 57. <https://doi.org/10.5527/wjn.v4.i1.57>
- Löwik, M. M., Groenen, P. J., Levchenko, E. N., Monnens, L. A., & Van Den Heuvel, L. P. (2009). Molecular genetic analysis of podocyte genes in focal segmental glomerulosclerosis—a review. *European Journal of Pediatrics*, *168*(11), 1291–1304. <https://doi.org/10.1007/s00431-009-1017-x>
- Lu, C. C., Wang, G. H., Lu, J., Chen, P. P., Zhang, Y., Hu, Z. B., & Ma, K. L. (2019). Role of Podocyte Injury in Glomerulosclerosis. In *Advances in Experimental Medicine and Biology* (Vol. 1165). https://doi.org/10.1007/978-981-13-8871-2_10
- Luna, Y. H., Lozano, M., Pasten, C., Multhoff, G., & Irrazabal, C. E. (2022). The Ischemia and Reperfusion Injury Involves the Toll-Like Receptor-4 Participation Mainly in the Kidney Cortex. *Cellular Physiology*, 613–628. <https://doi.org/10.33594/000000586>
- Malek, M., & Nematbakhsh, M. (2015). *Renal ischemia / reperfusion injury ; from pathophysiology to treatment*. *4*(2), 20–27. <https://doi.org/10.12861/jrip.2015.06>

- Marote, A., Teixeira, F. G., Mendes-Pinheiro, B., & Salgado, A. J. (2016). MSCs-derived exosomes: Cell-secreted nanovesicles with regenerative potential. *Frontiers in Pharmacology*, 7(AUG), 1–8. <https://doi.org/10.3389/fphar.2016.00231>
- Marrapu, S., & Kumar, R. (2025). Transition from acute kidney injury to chronic kidney disease in liver cirrhosis patients: Current perspective. *World Journal of Nephrology*, 14(1), 1–14. <https://doi.org/10.5527/wjn.v14.i1.102381>
- Martin, C. E., & Jones, N. (2018). Nephtrin signaling in the podocyte: An updated view of signal regulation at the slit diaphragm and beyond. *Frontiers in Endocrinology*, 9(JUN), 1–12. <https://doi.org/10.3389/fendo.2018.00302>
- Moinuddin, Z., & Dhanda, R. (2015). Anatomy of the kidney and ureter. *Anaesthesia and Intensive Care Medicine*, 16(6), 247–252. <https://doi.org/10.1016/j.mpaic.2015.04.001>
- Mollet, G., Ratelade, J., Boyer, O., Muda, A. O., Morisset, L., Lavin, T. A., Kitzis, D., Dallman, M. J., Bugeon, L., Hubner, N., Gubler, M. C., Antignac, C., & Esquivel, E. L. (2009). Podocin inactivation in mature kidneys causes focal segmental glomerulosclerosis and nephrotic syndrome. *Journal of the American Society of Nephrology*, 20(10), 2181–2189. <https://doi.org/10.1681/ASN.2009040379>
- Moreno-Gómez-Toledano, R., Arenas, M. I., González-Martínez, C., Olea-Herrero, N., Reventún, P., Di Nunzio, M., Sánchez-Esteban, S., Arilla-Ferreiro, E., Saura, M., & Bosch, R. J. (2020). Bisphenol A impaired cell adhesion by altering the expression of adhesion and cytoskeleton proteins on human podocytes. *Scientific Reports*, 10(1), 1–15. <https://doi.org/10.1038/s41598-020-73636-6>
- Morya, R., Kumar, K., & Kumar, P. (2018). Anatomical and Physiological Similarities of Kidney in Different Experimental Animals Used for Basic Studies. *Journal of Clinical & Experimental Nephrology*, 03(02), 1–6. <https://doi.org/10.21767/2472-5056.100060>
- Mutsaers, H. A. M., Stribos, E. G. D., Glorieux, G., Vanholder, R., & Olinga, P. (2015). Chronic kidney disease and fibrosis: The role of uremic retention solutes. *Frontiers in Medicine*, 2(AUG), 1–7. <https://doi.org/10.3389/fmed.2015.00060>
- Nagata, M. (2016). Podocyte injury and its consequences. *Kidney International*, 89(6), 1221–1230. <https://doi.org/10.1016/j.kint.2016.01.012>
- Nakatani, K., Asai, O., Konishi, N., & Iwano, M. (2021). Role of fibroblast specific protein 1 expression in the progression of adriamycin-induced glomerulosclerosis. *Biochemical and Biophysical Research Communications*, 567, 148–153. <https://doi.org/10.1016/j.bbrc.2021.06.041>
- Nalesso, F., Garzotto, F., Cattarin, L., Bettin, E., Cacciapuoti, M., Silvestre, C., Stefanelli, L. F., Furian, L., & Calò, L. A. (2024). The Future for End-Stage Kidney Disease Treatment: Implantable Bioartificial Kidney Challenge. *Applied Sciences (Switzerland)*, 14(2). <https://doi.org/10.3390/app14020491>
- Orieux, A., Prezelin-Reydit, M., Prevel, R., Combe, C., Gruson, D., Boyer, A., & Rubin, S. (2023). Clinical trajectories and impact of acute kidney disease after acute kidney injury in the intensive care unit: a 5-year single-centre cohort

- study. *Nephrology Dialysis Transplantation*, 38(1), 167–176.
<https://doi.org/10.1093/ndt/gfac054>
- Panizo, S., Martínez-Arias, L., Alonso-Montes, C., Cannata, P., Martín-Carro, B., Fernández-Martín, J. L., Naves-Díaz, M., Carrillo-López, N., & Cannata-Andía, J. B. (2021). Fibrosis in chronic kidney disease: Pathogenesis and consequences. *International Journal of Molecular Sciences*, 22(1), 1–19.
<https://doi.org/10.3390/ijms22010408>
- Pefanis, A., Ierino, F. L., Murphy, J. M., & Cowan, P. J. (2019). Regulated necrosis in kidney ischemia-reperfusion injury. *Kidney International*, 96(2), 291–301.
<https://doi.org/10.1016/j.kint.2019.02.009>
- Piazza, M. (2021). *Novel aspects of the Renin-Angiotensin-Aldosterone System* (Issue 2021). <https://doi.org/10.26481/dis.20211004mp>
- Pohl, L., & Schiessl, I. M. (2023). Endothelial cell plasticity in kidney fibrosis and disease. *Acta Physiologica*, 239(2), 1–24. <https://doi.org/10.1111/apha.14038>
- Quaglia, M., Merlotti, G., Fornara, L., Colombatto, A., & Cantaluppi, V. (2022). Extracellular Vesicles Released from Stem Cells as a New Therapeutic Strategy for Primary and Secondary Glomerulonephritis. *International Journal of Molecular Sciences*, 23(10). <https://doi.org/10.3390/ijms23105760>
- Radi, Z. A. (2019). Kidney Pathophysiology, Toxicology, and Drug-Induced Injury in Drug Development. *International Journal of Toxicology*, 38(3), 215–227.
<https://doi.org/10.1177/1091581819831701>
- Rayego-Mateos, S., Marquez-Expósito, L., Rodrigues-Diez, R., Sanz, A. B., Guiteras, R., Doladé, N., Rubio-Soto, I., Manonelles, A., Codina, S., Ortiz, A., Cruzado, J. M., Ruiz-Ortega, M., & Sola, A. (2022). Molecular Mechanisms of Kidney Injury and Repair. *International Journal of Molecular Sciences*, 23(3), 1–20. <https://doi.org/10.3390/ijms23031542>
- Reiser, J., & Altintas, M. M. (2016). Podocytes. *F1000Research*, 5, 1–19.
<https://doi.org/10.12688/f1000research.7255.1>
- Reiss, A. B., Jacob, B., Zubair, A., Srivastava, A., Johnson, M., & De Leon, J. (2024). Fibrosis in Chronic Kidney Disease: Pathophysiology and Therapeutic Targets. *Journal of Clinical Medicine*, 13(7).
<https://doi.org/10.3390/jcm13071881>
- Rhee, C. M., & Kovesdy, C. P. (2015). Spotlight on CKD deaths—increasing mortality worldwide. *Nature Reviews Nephrology*, 11(4), 199–200.
<https://doi.org/10.1038/nrneph.2015.25>
- Ruiz-Ortega, M., Lamas, S., & Ortiz, A. (2022). Antifibrotic Agents for the Management of CKD: A Review. *American Journal of Kidney Diseases*, 80(2), 251–263. <https://doi.org/10.1053/j.ajkd.2021.11.010>
- Ruiz-Ortega, M., Rayego-Mateos, S., Lamas, S., Ortiz, A., & Rodrigues-Diez, R. R. (2020). Targeting the progression of chronic kidney disease. *Nature Reviews Nephrology*, 16(5), 269–288. <https://doi.org/10.1038/s41581-019-0248-y>
- Russell, P. S., Hong, J., Windsor, J. A., Itkin, M., & Phillips, A. R. J. (2019). Renal lymphatics: Anatomy, physiology, and clinical implications. *Frontiers in Physiology*, 10(MAR), 1–18. <https://doi.org/10.3389/fphys.2019.00251>
- Salvadori, M., Rosso, G., & Bertoni, E. (2015). *Update on ischemia-reperfusion injury in kidney transplantation: Pathogenesis and treatment*. 5(2), 52–68.

<https://doi.org/10.5500/wjt.v5.i2.52>

- Schunk, S. J., Floege, J., Fliser, D., & Speer, T. (2021). WNT- β -catenin signalling — a versatile player in kidney injury and repair. In *Nature Reviews Nephrology* (Vol. 17, Issue 3, pp. 172–184). <https://doi.org/10.1038/s41581-020-00343-w>
- Sheng, L., & Zhuang, S. (2020). New Insights Into the Role and Mechanism of Partial Epithelial-Mesenchymal Transition in Kidney Fibrosis. *Frontiers in Physiology*, 11(September), 1–11. <https://doi.org/10.3389/fphys.2020.569322>
- Shi, Y., Xie, J., Yang, M., Ma, J., & Ren, H. (2019). Transplantation of umbilical cord mesenchymal stem cells into mice with focal segmental glomerulosclerosis delayed disease manifestation. *Annals of Translational Medicine*, 7(16), 383–383. <https://doi.org/10.21037/atm.2019.07.71>
- Shirata, N., Ihara, K. I., Yamamoto-Nonaka, K., Seki, T., Makino, S. I., Trejo, J. A. O., Miyake, T., Yamada, H., Campbell, K. N., Nakagawa, T., Mori, K., Yanagita, M., Mundel, P., Nishimori, K., & Asanuma, K. (2017). Glomerulosclerosis induced by deficiency of membrane-associated guanylate kinase inverted 2 in kidney podocytes. *Journal of the American Society of Nephrology*, 28(9), 2654–2669. <https://doi.org/10.1681/ASN.2016121356>
- Shu, S., Wang, Y., Zheng, M., Liu, Z., Cai, J., Tang, C., & Dong, Z. (2019). Hypoxia and hypoxia-inducible factors in kidney injury and repair. *Cells*, 8(3), 1–21. <https://doi.org/10.3390/cells8030207>
- Singh, B. M. K., & Mathew, M. (2022). Epithelial-Mesenchymal Transition and its Role in Renal Fibrogenesis. *Brazilian Archives of Biology and Technology*, 65. <https://doi.org/10.1590/1678-4324-2022210260>
- Smobio®. (2023). *Reverse Transcription Kit II*.
- Somanader, D. V. N., Zhao, P., Widdop, R. E., & Samuel, C. S. (2024). The involvement of the Wnt/ β -catenin signaling cascade in fibrosis progression and its therapeutic targeting by relaxin. In *Biochemical Pharmacology* (Vol. 223). <https://doi.org/10.1016/j.bcp.2024.116130>
- Sowah, S. O., Amaama, L. A., Okyere, P., Adoba, P., Afrifa, J., Donkor, I., Ametepe, S., & Ephraim, R. K. (2023). Dilemma of Chronic Kidney Disease of Unknown Origin. *Integrated Health Research Journal*, 1(2), 54–63. <https://doi.org/10.47963/ihrj.v1i2.1374>
- Sun, J., Jia, Y., Chen, S., Bian, Y., Liang, H., & Du, X. (2025). *Adipose mesenchymal stem cell-derived extracellular vesicles alleviate renal fibrosis by reducing epithelial-mesenchymal transition via the FOXS1 Wnt β -catenin signaling pathway.pdf*. Elsevier.
- Suriyong, P., Ruengorn, C., Shayakul, C., Anantachoti, P., & Kanjanarat, P. (2022). Prevalence of chronic kidney disease stages 3–5 in low- and middle-income countries in Asia: A systematic review and meta-analysis. *PLoS ONE*, 17(2 February), 1–18. <https://doi.org/10.1371/journal.pone.0264393>
- Tan, R. J., Li, Y., Rush, B. M., Cerqueira, D. M., Zhou, D., Fu, H., Ho, J., Stolz, D. B., & Liu, Y. (2019). Tubular injury triggers podocyte dysfunction by β -catenin-driven release of MMP-7. *JCI Insight*, 4(24). <https://doi.org/10.1172/jci.insight.122399>
- Tanaka, T. (2017). A mechanistic link between renal ischemia and fibrosis. *Medical Molecular Morphology*, 50(1), 1–8. <https://doi.org/10.1007/s00795-016-0146-3>

- Tavafi, M. (2015). *Suggestions for attenuation of renal ischemia reperfusion injury based on mechanisms involved in epithelial cells damages*. 4(1), 1–3.
- Thongboonkerd, V. (2020). Roles for exosome in various kidney diseases and disorders. *Frontiers in Pharmacology*, 10(January), 1–14. <https://doi.org/10.3389/fphar.2019.01655>
- Vansthertem, D., Gossiaux, A., Decl, A., Caron, N., Nonclercq, D., & Legrand, A. (2010). *Expression of Nestin, Vimentin, and NCAM by Renal Interstitial Cells after Ischemic Tubular Injury*. 2010. <https://doi.org/10.1155/2010/193259>
- Verma, R., Venkatareddy, M., Kalinowski, A., Li, T., Kukla, J., Mollin, A., Cara-Fuentes, G., Patel, S. R., & Garg, P. (2018). Nephrin is necessary for podocyte recovery following injury in an adult mature glomerulus. *PLoS ONE*, 13(6), 1–24. <https://doi.org/10.1371/journal.pone.0198013>
- Wang, C., Zhu, G., He, W., Yin, H., Lin, F., Gou, X., & Li, X. (2019). BMSCs protect against renal ischemia-reperfusion injury by secreting exosomes loaded with miR-199a-5p that target BIP to inhibit endoplasmic reticulum stress at the very early reperfusion stages. *FASEB Journal*, 33(4), 5440–5456. <https://doi.org/10.1096/fj.201801821R>
- Wang, D., Dai, C., Li, Y., & Liu, Y. (2011). *Canonical Wnt β -catenin signaling mediates transforming growth factor- β 1-driven podocyte injury and proteinuria*.
- Wang, J. J., Zheng, Y., Li, Y. L., Xiao, Y., Ren, Y. Y., & Tian, Y. Q. (2025). Emerging role of mesenchymal stem cell-derived exosomes in the repair of acute kidney injury. *World Journal of Stem Cells*, 17(3), 1–13. <https://doi.org/10.4252/wjsc.v17.i3.103360>
- Wang, J., Zhong, J., Yang, H. C., Fogo, A. B., & Harris, R. C. (2025). Crosstalk between glomeruli and tubules. *Toxicologic Pathology*, 46(8), 189–199. <https://doi.org/10.1038/s41581-024-00907-0>
- Wang, Y., Xiao, T., Zhao, C., & Li, G. (2024). The Regulation of Exosome Generation and Function in Physiological and Pathological Processes. *International Journal of Molecular Sciences*, 25(1). <https://doi.org/10.3390/ijms25010255>
- Wang, Z., Divanyan, A., Jourdeuil, F. L., Goldman, R. D., Ridge, K. M., Jourdeuil, D., & Lopez-Soler, R. I. (2018). Vimentin expression is required for the development of EMT-related renal fibrosis following unilateral ureteral obstruction in mice. *American Journal of Physiology - Renal Physiology*, 315(4), F769–F780. <https://doi.org/10.1152/ajprenal.00340.2017>
- Wang, Z., Yu, Y., Jin, L., Tan, X., Liu, B., Zhang, Z., Wang, Z., Long, C., Shen, L., Wei, G., & He, D. (2023a). *HucMSC exosomes attenuate partial bladder outlet obstruction induced renal injury and cell proliferation via the Wnt β -catenin pathway.pdf*. Elsevier.
- Wang, Z., Yu, Y., Jin, L., Tan, X., Liu, B., Zhang, Z., Wang, Z., Long, C., Shen, L., Wei, G., & He, D. (2023b). *HucMSC exosomes attenuate partial bladder outlet obstruction-induced renal injury and cell proliferation via the Wnt β -catenin pathway*. Elsevier.
- Webster, A. C., Nagler, E. V., Morton, R. L., & Masson, P. (2017). Chronic Kidney Disease. *The Lancet*, 389(10075), 1238–1252. <https://doi.org/10.1016/S0140->

6736(16)32064-5

- White, K. E. (2012). Research into the structure of the kidney glomerulus - making it count. *Micron*, 43(10), 1001–1009.
<https://doi.org/10.1016/j.micron.2012.04.013>
- Xiang, E., Han, B., Zhang, Q., Rao, W., Wang, Z., Chang, C., Zhang, Y., Tu, C., Li, C., & Wu, D. (2020). Human umbilical cord-derived mesenchymal stem cells prevent the progression of early diabetic nephropathy through inhibiting inflammation and fibrosis. *Stem Cell Research and Therapy*, 11(1), 1–14.
<https://doi.org/10.1186/s13287-020-01852-y>
- Xiao, L., Zhou, D., Tan, R. J., Fu, H., Zhou, L., Hou, F. F., & Liu, Y. (2016). Sustained activation of Wnt/b-catenin signaling drives AKI to CKD progression. *Journal of the American Society of Nephrology*, 27(6), 1727–1740.
<https://doi.org/10.1681/ASN.2015040449>
- Xu, A., Wang, L., Wang, J., Jiang, Y., Xianxian, Liao, X., Lin, R., & Yang, H. (2025). Exploring kidney disease diagnosis: Unveiling the novel prospects of exosomes as microscopic messengers. *Bioengineering and Translational Medicine*, May. <https://doi.org/10.1002/btm2.70030>
- Yan, M. T., Chao, C. Ter, & Lin, S. H. (2021). Chronic kidney disease: Strategies to retard progression. *International Journal of Molecular Sciences*, 22(18).
<https://doi.org/10.3390/ijms221810084>
- Yang, R. C., Zhu, X. L., Wang, J., Wan, F., Zhang, H. Q., Lin, Y., Tang, X. L., & Zhu, B. (2018). Bone marrow mesenchymal stem cells attenuate the progression of focal segmental glomerulosclerosis in rat models. *BMC Nephrology*, 19(1), 1–10. <https://doi.org/10.1186/s12882-018-1137-5>
- Ying, Q., & Wu, G. (2017). Molecular mechanisms involved in podocyte EMT and concomitant diabetic kidney diseases: An update. *Renal Failure*, 39(1), 474–483. <https://doi.org/10.1080/0886022X.2017.1313164>
- Yu, S. M. W., & Bonventre, J. V. (2020). Acute kidney injury and maladaptive tubular repair leading to renal fibrosis. *Current Opinion in Nephrology and Hypertension*, 29(3), 310–318.
<https://doi.org/10.1097/MNH.0000000000000605>
- Yuan, Q., Tang, B., & Zhang, C. (2022). Signaling pathways of chronic kidney diseases, implications for therapeutics. *Signal Transduction and Targeted Therapy*, 7(1). <https://doi.org/10.1038/s41392-022-01036-5>
- Zeisberg, M., & Neilson, E. G. (2009). *Biomarkers for epithelial-mesenchymal transitions*. 119(6), 1429–1437. <https://doi.org/10.1172/JCI36183>.protected
- Zeng, L., Fung, W. W. S., Chan, G. C. K., Ng, J. K. C., Chow, K. M., & Szeto, C. C. (2023). Urinary and Kidney Podocalyxin and Podocin Levels in Diabetic Kidney Disease: A Kidney Biopsy Study. *Kidney Medicine*, 5(1), 100569.
<https://doi.org/10.1016/j.xkme.2022.100569>
- Zhang, G., Yu, S., Sun, S., Zhang, L., Zhang, G., Xu, K., Zheng, Y., Xue, Q., & Chen, M. (2019). Extracellular-vesicles derived from human Wharton-Jelly mesenchymal stromal cells ameliorated cyclosporin A-induced renal fibrosis in rats. *Int J Clin Exp Med*, 12(7), 8943–8949. www.ijcem.com/
- Zhang, Y., Jin, D., Kang, X., Zhou, R., Sun, Y., Lian, F., & Tong, X. (2021). Signaling Pathways Involved in Diabetic Renal Fibrosis. *Frontiers in Cell and*

Developmental Biology, 9(July), 1–17.

<https://doi.org/10.3389/fcell.2021.696542>

- Zhao, H., Alam, A., Pac, A., George, A. J. T., & Ma, D. (2018). Ischemia-Reperfusion Injury Reduces Long Term Renal Graft Survival : Mechanism and Beyond. *EBioMedicine*, 28, 31–42. <https://doi.org/10.1016/j.ebiom.2018.01.025>
- Zheng, W., Alex, D., France, L. J., Robert, D. G., Karen, M. R., David, J., & Reynold, I. L.-S. (2026). *Vimentin expression is required for the development of EMT-related renal fibrosis following unilateral ureteral obstruction in mice. vim.* <https://doi.org/10.1152/ajprenal.00340.2017>
- Zhou, D., Wang, Y., Gui, Y., Fu, H., Zhou, S., Wang, Y., Bastacky, S. I., Stolz, D. B., & Liu, Y. (2022). *Non-canonical Wnt / calcium signaling is protective against podocyte injury and glomerulosclerosis Activation of canonical Wnt signaling has been implicated in podocyte injury and proteinuria . As Wnts are secreted proteins , whether Wnts derived from pod.*
- Zhou, L., & Liu, Y. (2015). Wnt/ β -catenin signalling and podocyte dysfunction in proteinuric kidney disease. *Nature Reviews Nephrology*, 11(9), 535–545. <https://doi.org/10.1038/nrneph.2015.88>
- Zilberman Itskovich, S., Sova, M., Abu-Hamad, R., Frage, N., Esawi, S., Stark, M., Neuman, S., Sela-Tzuriano, L., Slavin, S., & Efrati, S. (2025). Effects of Small Extracellular Vesicles Derived From Mesenchymal Stromal Cells on Acute Kidney Injury: A Rat Ischemia-Reperfusion Model. *Cureus*, 17(5). <https://doi.org/10.7759/cureus.84411>
- Zuo, Y., & Liu, Y. (2018). *New insights into the role and mechanism of Wnt/ β -catenin signalling in kidney fibrosi.* Asian Pacific Society of Nephrology.