

DAFTAR PUSTAKA

- Adamson, A.W., 1990, *Physical Chemistry of Surface*, 4th Ed., Wiley, New York.
- Al-Duri, B., 1995, A Review in Equilibrium in Single and Multicomponent Liquid Adsorption System, *Rev. Chem. Eng.*, 11 (2), 101-143.
- Atkins, P.W., 1999, *Physical Chemistry*, 8th Ed., W.H. Freeman and Company, New York.
- Chaubey, O.P., Bohre, P., and Singhal, P.K. 2012. Impact of Bio-reclamation of Coal Mine Spoil on Nutritional and Microbial Characteristics – A Case study. *Int. J. Bio-Sci. and Bio-Tech.*, 4, 69-79.
- Cheng, C.H., Lehmann, J., Thies, J.E., and Burton, S., 2008, Stability of Black Carbon in Soils Across a Climatic Gradient, *J. Geophys. Res.*, 13, G02027
- Chia, C. H., Sigh, B. P., Joseph, S., Graber, E. R. and Munroe, P., 2014, Characterization of an Enriched Biochar, *J. Anal. Appl. Pyrolysis.*, 108, 26-34.
- Chowdhury, S., and Saha, P, 2010, Sea Shell Powder as a New Adsorbent to Remove Basic Green 4 (Malachite Green) from Aqueous Solutions : Equilibrium, Kinetics and Thermodynamics Studies, *Chem. Eng. J.*, 164, 1, 168-177.
- Durdureanu-Angheluta, A., Pinteala, M., and Simionescu, 2012, Tailored and Functionalized Magnetite Particles for Biomedical and Industrial Application, *Mater. Sci. Technol.*, 149-178.
- Faraji, M., Yamini, Y., and Rezaee, M., 2010, Magnetic Nanoparticles: Synthesis, Stabilization, Functionalization, Characterization, and Applications, *J. Iran. Chem. Soc.*, 7, 1-37.
- Farhan A. M., Al-Dujaili, A.H. and Awwad A.M., 2013, Equilibrium and Kinetic Studies of Cadmium(II) and Lead(II) Ions Biosorption onto Ficus Carcia Leaves, *Int. J. Ind. Chem.*, 4, 24.
- Fransisco, M., Mlinar, A. N., Yoo, B., Bell, A. T., and Prausnitz, J. M., 2011, Recovery of Glucose from An Aqueous Ionic Liquid by Adsorption onto A Zeolite-Based Solid, *Chem. Eng. J.*, 172, 184-199.
- Freeman, G. G., 1967, Studies on Potassium Nutrition of Plants II: Some effects of potassium deficiency on the organic acids of leaves, *J. Sci. Fd Agric.*, 1967, 18, 574.

- Garlapalli, R.K., Wirth, B. and Reza, M.T., 2016, Pyrolysis of Hydrochar From Digestate: Effect of Hydrothermal Carbonization and Pyrolysis Temperatures on Pyrochar Formation, *J. Biotech.*, 220, 168–174.
- Gimbert, F., Marin-Crini, N., Renault, F., Badot, P.M., and Crini, G., 2008, Adsorption Isotherm Models for Dye Removal by Cationized Starch-based Material in a Single Component System : Error Analysis, *J. Hazard. Mater.*, 1 (157), 34-36.
- Gupta, S.S. dan Bhattacharyya, K.G., 2005, Interaction of Metal Ions with Clays: A Case Study with Pb(II), *Appl. Clay. Sci.*, 30, 199-208.
- Hu, Z., Zhang, F. S. and Wu, J., 2010, Characterization and Application of Chars Produced from Pinewood Pyrolysis and Hydrothermal Treatment, *Fuel*, 89(2), 510-514.
- Ho, Y.S. and McKay, G., 1998, Pseudo-Second Order Model for Sorption Processes, *Process Biochem.*, 34, 451-465.
- Javadian, H., 2014, Application of Kinetic, Isotherm, and Thermodynamic Models for The Adsorption of Co(II) Ions on Polyaniline/Polypyrrole Copolymer nanofibers from Aqueous Solution, *J. Ind. Eng. Chem.*, 20, 4233-4241.
- Jindo, K., Mizumoto, H., Sawada, Y., Sanchez-Monodero, M. A. and Sonoki, T., 2014, Physical and Chemical Characterization of Biochar Derived from Different Agricultural Residues, *Bio-Geosci.*, 11, 6613-6621.
- Kaihatu, T. S., 2014, Manajemen Pengemasan, CV Andi Offset, Yogyakarta.
- Kanzler, M., Bohm, C., Freese, D., 2015, Impact of P Fertilisation on the Growth Performance of Black Locust (*Robinia pseudoacacia* L.) in A Lignite Post-mining Area in Germany. *Anal. Forest Res.*, 58, 39-54.
- Kennedy, L. J., Vijaya, J. J., and Sekaran, G., 2005, Electrical Conductivity Study of Porous Carbon Composite Derived from Rice Husk, *Mater. Chem. Phys.* 91, 471-476.
- Klaewkla, R., Arend, M., and Hoelderich, W.F., 2011, *Mass Transfer-Advanced Aspects*, In tech, ISBN 978-953-307-636-2, Germany.
- Kowalski, S., Lukasiewicz, M., Chodak-Duda, A., and Ziec, G., 2013, 5-Hydroxymethyl-2-Furfural (HMF)- Heat Induced Formation, Occurrence in Food and Biotransformation-a Review, *Pol. J. Food Nutr. Sci.*, 63-4, 207-225.

- Kuykendall, H., 2008, *Soil Quality Physical Indicators: Selecting Dynamic Soil Properties to Asses Soil Function*, USDA NRCS Soil Quality National Technology Development Team, Soil Quality Technical Note No. 10.
- Laird, D. A., 2008, The Charcoal Vision: a Win-Win-Win Scenario for Simultaneously Producing Bioenergy, Permanently Sequestering Carbon, while Improving Soil and Water Quality, *Agron J.*, 100, 178-181.
- Libra, J.A., Ro, K.S., Kamman, C., Funke, A., Berge, N.C., Neubauer, Y., Titirici, M-M., Fuhner, C., Bens, O., Kern, J. and Emmerich, K.H., 2011, Hydrothermal Carbonization of Biomass Residuals: A Comparative Review of the Chemistry, Processes and Applications of Wet and Dry Pyrolysis, *Biofuels*, 2, 89-124.
- Lynam, M.M., Kilduf, J.E. and Weber, J., W.J., 1995, Adsorption of p-Nitrophenol from Dilute Aqueous Solution, *J. Chem. Edu.*, 72, 1, 80-84.
- Malghani, S., Gleixner, G., and Trumbore, S.E., 2013, Chars Produce by Slow Pyrolysis and Hydrothermal Carbonization Vary in Carbon Sequestration Potential and Greenhouse Gases Emissions, *Soil Boil. Biochem.*, 62, 137-146.
- McKay, G., 2002, Dioxin Characterisation, Formation and Minimisation during Municipal Solid Waste (MSW) Incineration, *Chem. Engr. J.*, 86, 343-368.
- Moore, W.J., 1995, *Physical Chemistry*, 2nd Ed., Prentice-Hall Inc., Great Britain.
- Muhdarina, Mohammad, A. W., dan Muchtar, A., 2014, Potensi Adsorpsi Polutan Anorganik oleh Lempung cengar: Kajian Isoterma dan Mekanisme Adsorpsi Batch Kation Ni (II) di Dalam Media Air, *Repository Universitas Riau*, Riau, 19-28.
- Muslem, 2017, Karbonisasi Polivinil Klorida dan Preparasi Komposit Arang-Fe₃O₄ Sebagai Adsorben Co(II) dengan Metode hidrotermal dan Hidrotermal-Pirolisis, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Nugroho, K., Alkasuma, P.W., Wahdini, A.H., Suhardjo, dan Widjaja-Ali, I.P.G., 1991, *Laporan Akhir*, Penentuan Areal Potensial Lahan Pasang Surut, Rawa, dan Pantai skala 1:500.000, Laporan Teknik No. 1/PSRP/1991, Proyek Penelitian Sumber Daya Lahan, Puslittanah dan Agroklimat, Bogor.
- Nuryono, N., Rosiati, N., M, Rusdiarso, B., Sakti, S., C., W., and Tanak, S., 2014, Coating of Mercapto Modified Rice Hull Ash Silica in A One-Pot Process, *Spinger Plus*, 3, 515, 1-12.

- Oliveira, L.C.A., Rios, R.V.R.A, Fabris, J.D., Spang, K., Garg, V.K., Largo, R.M., 2003, Clay-Iron Oxide Magnetic Composites for The Adsorption Contaminan In Water., *Appl. Clay Sci.*, 22, 169-177.
- Oscik, J., 1982, *Adsorption*, John Wiley and Sons Inc., New York.
- Osipow, L.I., 1962, *Surface Chemistry : Theory and Industrial Application*, Reinhold Publishing Cooperation, New York.
- Rattanachueskul, N., Saning, A., Kaowphong, S., Chumha, N., and Chuenchom, L., 2017, Magnetic Carbon Composite with Hierarchial Structure for Adsorption of Tetracycline Prepared from Sugarcane Bagasse via Hydrothermal Carbonization Coupled with Simple Heat Treatment process, *Biotech*, 226, 164-172.
- Rima, V., 2002, Acidification of soil-the indicator of chemical soil degradation process. *Paper for World 17th Congress of Soil Science*, 14-21 August 2002, Thailand, No. 10: 1-7.
- Rubcumintara, T., 2015, Adsorptive Recovery of Au (III) from Aqueous Solution Using Modified Bagasse Biosorbent, *IJCEA*, 6(2), 95-100.
- Schwartz, M.M., 1984, *Composite Material Handbook*, Mc Graw Hill, Singapore.
- Sevilla, M., and Fuestes, A. B., 2009, The Production of Carbon Materials by Hydrothermal Carbonization of Cellulose, *Carbon*, 47, 2281-2289.
- Sevilla, M., Macia-Agullo, J.A. and Fuertes, A.B., 2011, Hydrothermal Carbonization of Biomass as a Route for The Sequestration of CO₂: Chemical and Structural Properties of The Carbonized Products, *Biomass Bioenergi*, 35, 3152–3159.
- Shrivastava, I.H., 2002, K⁺ versus Na⁺ Ions in K-channel Selectivity Filter: A Simulation Study, *Bio-Phys. J.*, 83, 633-645
- Sogancioglu, M., Yel, E., and Ahmetli, G., 2017, Pyrolysis of Waste High Density Polyethylene (HDPE) and Low Density Polyethylene Plastics and Production of Epoxy Composites with Their Pyrolysis Char, *J. of Cleaner Production*, 165, 369-381.
- Tinoco Jr., I., Sauer, K., and Wang, J.C., 1995, *Physical Chemistry Principles and Applications in Biological Sciences*, 3rd Ed., ISBN 0-13-186545-5, Prentice Hall, New Jersey.

- Titrici, M. M., Antonietti, M., and Baccile, N., 2008, Hydrothermal Carbon from Biomassa: A Comparison of the Local Structure from Poly- to Monosaccharides and Pentoses/Hexoses, *Green Chem*, 10, 1204-1212.
- Trisyandika, A., 2017, Metode Karbonisasi Hidrotermal (HTC) dan Pirolisis untuk Sintesis Komposit Arang-Fe₃O₄ dari Polivinil Klorida (PVC) serta Aplikasinya sebagai Adsorben Ion Pb(II), *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Tu, Y., Peng, Z., Xu, P., Lin, H., Wu, X., Yang, L. and Huang, J., 2017, Characterization and Application of Magnetic Biochars from Corn Stalk by Pyrolysis and Hydrothermal Treatment, *Bioresources*, 12(1), 1077-1089.
- Warlina, L., Noor, E., Fauzi, A., Tarumingkeng, R.C., Suthajo, H.S., 2008, Kebijakan Manajemen Lingkungan untuk Emisi Dioksin/Furan yang Bersumber dari Industri Logam, *J. Organisasi dan Manajemen*, 4 (2): 63-72.
- Waskita, S. F., 2017, Preparasi Komposit Arang-Fe₃O₄ dari Polivinil Klorida dengan Metode Kombinasi Kaarbonisasi Hidrotermal dan Pirolisis serta Uji Adsorpsinya terhadap Ion Cd(II), *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Zafira, 2010, Studi Kemampuan Lumpur Alum untuk Menurunkan Konsentrasi Fluorida dalam Air Limbah Industri Pupuk, *Skripsi*, Institut Teknologi Sepuluh November, Surabaya.
- Zhu, K., Fu, H., Zhan, J., Lv, X., Tang, J. and Xu, X., 2012, Studies on Removal of NH₄-N from Aqueous Solution by Using The Activated Carbons Derived from Rice Husk, *Biomass Energy*, 43, 18-25.