UNIVERSITAS
GADJAH MADA
EKSPLORASI DAN IDENTIFIKASI NEMATODA ENTOMOPATOGEN PADA LAHAN PERTANAMAN SALAK UNTUK PENGELOLAAN
LALAT BUAH
Juan Bastian, Prof. Dr. Ir. Siwi Indarti, M.P. ; Dr. Suputa, S.P., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

# DAFTAR PUSTAKA

Aatif, H. M., Hanif, M. S., Ferhan, M., Raheel, M., Shakeel, Q., Ashraf, W., ... & Ali, S. 2019. Assessment of the entomopathogenic nematodes against maggots and pupae of the oriental fruit fly, *Bactrocera dorsalis* (Hendel)(Diptera: Tephritidae), under laboratory conditions. *Egyptian Journal of Biological Pest Control*. 29(1): 51.

Afifah, L., Rahardjo, B.T. and Tarno, H., 2013. Eksplorasi nematoda entomopatogen pada lahan tanaman jagung, kedelai dan kubis di Malang serta virulensinya terhadap *Spodoptera litura* Fabricius. *Jurnal Hama dan Penyakit Tumbuhan*, *1*(2), pp.1-9.

Ahmed, M., Roberts, N.G., Adediran, F., Smythe, A.B., Kocot, K.M. and Holovachov, O., 2022. Phylogenomic analysis of the phylum Nematoda: conflicts and congruences with morphology, 18S rRNA, and mitogenomes. *Frontiers in Ecology and Evolution*, *9*, p.769565.

Ajri, M., Aisyah, D.D. and Ulilalbab, A.R., 2023. Exploration of Entomopathogenic Nematodes in Organic Rice Field in Sleman Regency. *SEAS (Sustainable Environment Agricultural Science)*, *7*(2), pp.153-160.

Alviani, V. 2015. Identifikasi dan preferensi lalat buah *Bactrocera* spp. (Diptera: Tephritidae) yang menyerang buah salak. Electronic theses and dissertations Universitas Gadjah Mada, Yogyakarta. Dari http://etd.repository.ugm.ac.id/index.php.

Aryal, S., Nielsen, U.N., Sumaya, N.H., Wilson, C. and Riegler, M., 2022. Virulence, penetration rate and reproductive potential of entomopathogenic nematodes from eastern Australia in Queensland fruit fly, *Bactrocera tryoni*. *Biological Control*, *169*, p.104871.

Asril, M., Ohiwal, M., Sepe, M., Bulawan, J.A., Lestari, W., Arsi, A., Sari, S.P., Windriyati, R.D.H., Ramdan, E.P. and Apriliyanto, E., 2023. Pengendalian Hayati. Penerbit Kita Menulis.

Ataullah, M., Riaz, S., Tariq, M., Aslam, A., Qadir, A., Asghar, A., Shehzad, M. and Akhtar, M.F., 2024. In Vitro Exploration of Entomopathogenic Nematodes as Potential Biocontrol Agents of Brinjal Borer *Leucinodes Orbonalis* Guenée (Lepidoptera: Crambidae). *Plant Protection*, *8*(1), pp.79-85.

UNIVERSITAS
GADJAH MADA
EKSPLORASI DAN IDENTIFIKASI NEMATODA ENTOMOPATOGEN PADA LAHAN PERTANAMAN SALAK UNTUK PENGELOLAAN
LALAT BUAH
Juan Bastian, Prof. Dr. Ir. Siwi Indarti, M.P. ; Dr. Suputa, S.P., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Badan Karantina Pertanian. 2015. Pedoman pemantauan dini lalat buah. Badan karantina pertanian.

Bedding, R. A., & Akhurst, R. J. 1975. A simple technique for the detection of insect parasites by means of "insect traps." *International Organization for Biological Control of Noxious Animals, West Palearctic Regional Section Bulletin*, *1975*(3), 43-44.

Bhat, A. H., Chaubey, A. K., Shokoohi, E., and MaChado, R. A. 2021. Molecular and phenotypic characterization of *Heterorhabditis indica* (Nematoda: Rhabditida) nematodes isolated during a survey of agricultural soils in Western Uttar Pradesh, India. *Acta Parasitologica* 66, 236–252.

Bolnick, D.I., Amarasekare, P., Araújo, M.S., Bürger, R., Levine, J.M., Novak, M., Rudolf, V.H., Schreiber, S.J., Urban, M.C. and Vasseur, D.A., 2011. Why intraspecific trait variation matters in community ecology. *Trends in ecology & evolution*, *26*(4), pp.183-192.

Campos-Herrera, R., del Mar González-Trujillo, M., Vicente-Díez, I., Carpentero, E., Puelles, M., Vaquero, E. and Cepulyte, R., 2023. Exploring entomopathogenic nematodes for the management of *Lobesia botrana* (Lepidoptera: Tortricidae) in vineyards: Fine-tuning of application, target area, and timing. *Crop Protection*, *174*, p.106392.

Chaerani, C., Prabowo, H. and Indrayani, I.G.A.A., 2018. Isolation and molecular identification of entomopathogenic nematodes (*Steinernema* and *Heterorhabditis*) from East Java and Bali. *Jurnal AgroBiogen*, *14*(2), pp.85-96.

De Ley, P., De Ley, I.T., Morris, K., Abebe, E., Mundo-Ocampo, M., Yoder, M., Heras, J., Waumann, D., Rocha-Olivares, A., Jay Burr, A.H. and Baldwin, J.G., 2005. An integrated approach to fast and informative morphological vouchering of nematodes for applications in molecular barcoding. *Philosophical Transactions of the Royal Society B: Biological Sciences*, *360*(1462), pp.1945-1958..

Deny, S. 2018. Ekspor Buah Salak Terkendala Hama Lalat. http://m.liputan6.com/ekspor-salak-rimasih-terkendala-hama-lalat , (diakses, 20 Mei 2025)

Derycke, S., Fonseca, G., Vierstraete, A., Vanfleteren, J., Vincx, M. and Moens, T., 2008. Disentangling taxonomy within the Rhabditis (*Pellioditis*) marina (Nematoda, Rhabditidae) species complex using molecular and morhological tools. *Zoological journal of the Linnean Society*, *152*(1), pp.1-15.

UNIVERSITAS
GADJAH MADA
EKSPLORASI DAN IDENTIFIKASI NEMATODA ENTOMOPATOGEN PADA LAHAN PERTANAMAN SALAK UNTUK PENGELOLAAN
LALAT BUAH
Juan Bastian, Prof. Dr. Ir. Siwi Indarti, M.P. ; Dr. Suputa, S.P., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Elqdhy, M. B., Ait Hamza, M., Askarne, L., Cantalapiedra-Navarrete, C., Castillo, P., Obidari, T., ... & Boubaker, H. 2025. First record of *Heterorhabditis indica* (Rhabditida: Heterorhabditidae) from Morocco and its virulence against *Ceratitis capitata* (Wiedemann 1824)(Diptera: Tephritidae*). Egyptian Journal of Biological Pest Control*, *35*(1), 13.

Erdiansyah, I. and Fauziah, A.N., 2024. Eksplorasi, Identifikasi, dan Karakterisasi Nematoda Entomopatogen Pada Lahan Jagung dan Padi. *Jurnal Ilmu Pertanian Indonesia*, *29*(2), pp.173-178.

Fitrah, R., Pranowo, D., & Suputa, S. 2020. Oviposition preference of *Bactrocera dorsalis* hendel (Diptera: Tephritidae) on different fruit in snake fruit orchard. *Jurnal Perlindungan Tanaman Indonesia*, *24*(2), 224-228.

Godjo, A., Chabi, N., Zadji, L., Dossou, P., Batcho, O., Baimey, H., ... & Afouda, L. 2021. Evaluation of the ability of indigenous nematode isolates of *Heterorhabditis taysearae* and *Steinernema kandii* to control mango fruit fly *Bactrocera dorsalis* under laboratory, semi-field and field conditions in Northern Benin. *Crop Protection*, *149*, 105754.

Godjo, A.; Zadji, L.; Decraemer, W.; Willems, A.; Afouda, L. 2018. Pathogenicity of indigenous entomopathogenic nematodes fro Benin against mango fruit fly (*Bactrocera dorsalis*) under laboratory conditions. *Biological Control*, 117, 68–77

Gozel, U. and Gozel, C., 2016. Entomopathogenic nematodes in pest management. *Integrated pest management (IPM): environmentally sound pest management*, *55*.

Grewal, P.S., Ehlers, R.U. and Shapiro-Ilan, D.I. eds., 2005. *Nematodes as biocontrol agents*. Cabi publishing.

Hajek, A. E. 2004. *Natural Enemies: An Introduction to Biological Control*. Cornell University Press.

Hein, N., Hainz, A. A., Wehren, T., & Fischer, K. 2023 . Effects of an entomopathogenic nematode applied against *Thaumetopoea processionea* on non-target arthropods under field conditions. Biological Control, *179*, 105177.

Herawati, Wiwik, T. Chasanah & Kamsinah. 2012. Karakteristik Salak Lokal Banyumas ( *Salacca zalacca* (Gaert) Voss) Sebagai Upaya Pelestarian Spesies Indigenous. *Prosiding seminar nasional*. Pengembangan Sumber Daya Pedesaan dan Kearifan Lokal Berkelanjutan I

UNIVERSITAS
GADJAH MADA
EKSPLORASI DAN IDENTIFIKASI NEMATODA ENTOMOPATOGEN PADA LAHAN PERTANAMAN SALAK UNTUK PENGELOLAAN
LALAT BUAH
Juan Bastian, Prof. Dr. Ir. Siwi Indarti, M.P. ; Dr. Suputa, S.P., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Herdatiarni, F., Himawan, T., & Rachmawati, R. 2014. Eksplorasi Cendawan Entomopatogen *Beauveria* Sp. Menggunakan Serangga Umpan Pada Komoditas Jagung, Tomat Dan Wortel Organik Di Batu, Malang. *Jurnal HPT (Hama Penyakit Tumbuhan)*, 2(1), 130– 140.

Hou, B., Xie, Q. and Zhang, R., 2006. Depth of pupation and survival of the Oriental fruit fly, Bactrocera dorsalis (Diptera: Tephritidae) pupae at selected soil moistures. *Applied Entomology and Zoology*, *41*(3), pp.515-520. 0

Hunt, D. J., & Subbotin, S. A. 2005. Taxonomy, identification and phylogeny of Steinernematidae and Heterorhabditidae. In: Grewal, P. S., Ehlers, R. U., and Shapiro-Ilan, D. I. (Eds), Entomopathogenic Nematology. *CABI Publishing*, Wallingford, UK, pp. 101-146.

Joyce, S.A., Reid, A.P., Driver, F. & Curran, J. 1994. Application of polymerase chain reaction (PCR) methods to identification of entomopathogenic nematodes. In: Burnell, A.M., Ehlers, R.U. & Masson, J.P. (eds.) Biotechnology: Genetics of entomopathogenic nematode-bacterium complexes. *Luxembourg, European Commission*, pp. 178–187.

Kaya, H. K., & Gaugler, R. 1993. Entomopathogenic nematodes. *Annual Review of Entomology*, *38*(1), 181-206.

Kooliyottil, R., Upadhyay, D., Inman III, F., Mandjiny, S., & Holmes, L. 2013. A comparative analysis of entomoparasitic nematodes *Heterorhabditis bacteriophora* and *Steinernema carpocapsae*. *Open Journal of Animal Sciences*, *3*(04), 326.

Londoño, D.K. and Frettinger, P., 2024. Safety and Regulation of Entomopathogenic Nematodes. *In* Entomopathogenic Nematodes as Biological Control Agents (pp. 219-228). GB: CABI.

Lucskai, A., 2000. Identification key to entomopathogenic nematode species. *Acta Phytopathologica et Entomologica Hungarica*, *34*(4), pp.317-325.

Mallikarjun, G., Lalson Wesly, J., Rajaswaminathan, V., Venkadesh, G., and Katakam Rupini, K. 2024. Ecology, adaptation, and parasitism of entomopathogenic nematodes. *In* S. Mukherjee and S. Ray (Eds.), *Nematodes-Ecology Adaptation Parasitism.* (Chapter 2). Rijeka, Croatia: IntechOpen.

Mason, P. G., Lake, E. C., Minteer, C. R., & Daane, K. M. 2021. Importation biological control. *In* Biological Control: Global Impacts, Challenges and Future Directions of Pest Management (pp. 90-109). CSIRO Publishing.

UNIVERSITAS
GADJAH MADA
EKSPLORASI DAN IDENTIFIKASI NEMATODA ENTOMOPATOGEN PADA LAHAN PERTANAMAN SALAK UNTUK PENGELOLAAN
LALAT BUAH
Juan Bastian, Prof. Dr. Ir. Siwi Indarti, M.P. ; Dr. Suputa, S.P., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Nasmith, C.G., Speranzini, D., Jeng, R. & Hubbes, M. 1996. RFLP analysis of PCR amplified ITS and 26S ribosomal RNA genes of selected entomopathogenic nematodes (Steinernematidae, Heterorhabditidae). *Journal of Nematology*, 28 (1), 15–25.

Nguyen, K.B. and Smart Jr, G.C., 1996. Identification of entomopathogenic nematodes in the Steinernematidae and Heterorhabditidae (Nemata: Rhabditida). *Journal of nematology*, *28*(3), p.286.

Oliveira, N., Susila, I. W., & Supartha, I. W. (2016). Keragaman Jenis lalat buah dan tingkat parasitisasi parasitoid yang berasosiasi dengan tanaman buah-buahan di distrik lautem, Timor Leste. *E-Jurnal Agroekoteknologi Tropika*, 5(1), 93-102.

Orozco, R.A., Lee, M.M. and Stock, S.P., 2014. Soil sampling and isolation of entomopathogenic nematodes (Steinernematidae, Heterorhabditidae). *Journal of visualized experiments: JoVE*, (89), p.52083.

Phan, K. L., Subbotin, S. A., Nguyen, N. C., & Moens, M. 2003. *Heterorhabditis baujardi* sp. n.(Rhabditida: Heterorhabditidae) from Vietnam and morphometric data for *H. indica* populations. *Nematology*, *5*(3), 367-382.

Poinar Jr, G.O., 1990. Taxonomy and biology of *Steinernema* and *Heterorhabditis*. *Entomopathogenic Nematodes for Biological Control. CRC Press, Boca Raton, FL*, pp.23-61.

Poinar, G. O. Jr., Karunakar, G. K., and David, H. 1992. *Heterorhabditis indicus* n. sp. (Rhabditida: Nematoda) from India: Separation of *Heterorhabditis* spp. by infective juveniles. Fundam. Appl. *Nematology.* 15, 467–472.

Pramono, Y.A. 2025. Produksi salak di Sleman Capai 30.000 Ton Sepanjang 2024. https://jogjapolitan.harianjogja.com/ (diakses 30 April 2025)

Priyatno, T. P. et al. 2016. Eksplorasi Dan Karakterisasi Entomopatogen Asal Berbagai Inang Dan Lokasi. *Jurnal Ilmu-ilmu Hayati*, 15(1), hal. 69–79.

Purnomo, H. 2010. *Budidaya Salak Pondoh*. Semarang: Penerbit Aneka Ilmu

Purnomo , S.W. 2024. Sleman Tingkatkan Produktivitas Buah Salak. https://www.rri.co.id/daerah/1061400/sleman-tingkatkan-produktivitas -buah-salak (diakses 30 April 2025)

Putri, Y. D., Gunadi, R., Pranowo, D., Affandi, A., & Suputa, S. 2024. Population dynamic of fruit fly pests *Bactrocera* spp. in salacca orchard in relation to host plants and climate factors. *AGRIVITA Journal of Agricultural Science*, *46*(1), 1-14.

UNIVERSITAS
GADJAH MADA
EKSPLORASI DAN IDENTIFIKASI NEMATODA ENTOMOPATOGEN PADA LAHAN PERTANAMAN SALAK UNTUK PENGELOLAAN
LALAT BUAH
Juan Bastian, Prof. Dr. Ir. Siwi Indarti, M.P. ; Dr. Suputa, S.P., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rolston A, Meade C, Boyle S, Kakouli-Duarte T, Downes M. 2009. Intraspecific variation among isolates of the entomopathogenic nematode *Steinernema feltiae* from Bull Island, Ireland. *Nematology* 11:439–451.

Sallam, R.F., Shalaby, F.F., Hafez, A.A., Abdel-Hameid, N.F. and Shairra, S.A., 2024. Efficacy of different entomopathogenic nematode isolates, against the peach fruit fly, *Bactrocera zonata* (Saund.)(Diptera: Tephritidae). *Egyptian Journal of Biological Pest Control*, *34*(1), p.12.

Schuiling, D. L., & Mogea, J. P. 1991. *Salacca zalacca. In Edible fruits and nuts* (No. 2, pp. 281-284).

Siregar, A. 2024. Identifikasi Hama Lalat Buah (*Bactrocera* Spp.) Pada Sentra Pertanaman Cabai Rawit (*Capsicum Frutescens* L.) Di Pekanbaru . *Doctoral dissertation*. Universitas Islam Negeri Sultan Syarif Kasim Riau.

Siwi, SS, Purnama Hidayat & Suputa. 2006. *Taksonomi dan Bioekologi Lalat Buah Penting di Indonesia (Diptera:Tephritidae)*. Yogyakarta : BB-Biogen

Stiling, P., & Cornelissen, T. (2005). What makes a successful biocontrol agent? A meta-analysis of biological control agent performance. *Biological Control*, 34(3), 236-246.

Stock, S.P. & Kaya, H.K. 1996. A multivariate analysis of morphometric characters of *Heterorhabditis* species (Nemata: Heterorhabditidae)and the role of morphometrics in the taxonomy of species of the genus. *Journal of Parasitology*. 82, 806-813.

Stuart, R. J., Barbercheck, M. E., & Grewal, P. S. 2015. Entomopathogenic nematodes in the soil environment: distributions, interactions and the influence of biotic and abiotic factors. *Nematode Pathogenesis of Insects and Other Pests: Ecology and Applied Technologies for Sustainable Plant and Crop Protection*, 97-137.

Sudhaus, W., 2008. Evolution of insect parasitism in rhabditid and diplogastrid nematodes. *Advances in arachnology and developmental biology*, *12*, pp.143-161.

Suputa, Cahyani, Anik K., Medirena R., Issusilaningtyas U.H., & Warastin P.M. 2006. *Pedoman Pengelolaan Hama Lalat Buah*. Yogyakarta : Direktorat Perlindungan Tanaman Hortikultura Direktorat Jenderal Hortikultura.

Toledo, J., Morán-Aceves, B.M., Ibarra, J.E. and Liedo, P., 2023. Can entomopathogenic nematodes and their symbiotic bacteria suppress fruit fly pests? a review. *Microorganisms*, *11*(7), p.1682.

UNIVERSITAS
GADJAH MADA
EKSPLORASI DAN IDENTIFIKASI NEMATODA ENTOMOPATOGEN PADA LAHAN PERTANAMAN SALAK UNTUK PENGELOLAAN
LALAT BUAH
Juan Bastian, Prof. Dr. Ir. Siwi Indarti, M.P. ; Dr. Suputa, S.P., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Torrini, G., Mazza, G., Benvenuti, C., Simoncini, S., Landi, S., Frosinini, R., Rocchini, A. and Roversi, P.F., 2020. Entomopathogenic nematodes as potential biocontrol agents against *Bactrocera oleae* (Diptera: Tephritidae). *Biocontrol Science and Technology*, *30*(9), pp.909-919.

Trejo-Meléndez, V.J., Ibarra-Rendón, J. and Contreras-Garduño, J., 2024. The evolution of entomopathogeny in nematodes. *Ecology and Evolution*, *14*(2), p.e10966.

Usman, M., Gulzar, S., Wakil, W., Pinero, J. C., Leskey, T. C., Nixon, L. J., ... & Shapiro-Ilan, D. 2020. Potential of entomopathogenic nematodes against the pupal stage of the apple maggot *Rhagoletis pomonella* (Walsh)(Diptera: Tephritidae). *Journal of Nematology*, 52, e2020-79.

Usman, M., Wakil, W. and Shapiro-Ilan, D.I., 2021. Entomopathogenic nematodes as biological control agent against *Bactrocera zonata* and *Bactrocera dorsalis* (Diptera: Tephritidae). *Biological Control*, *163*, p.104706.

Valadas, V., Laranjo, M., Mota, M. and Oliveira, S., 2014. A survey of entomopathogenic nematode species in continental Portugal. *Journal of Helminthology*, *88*(3), pp.327-341.

Vanlalhlimpuia, Lalramliana, Lalramnghaki, H. C., & Vanramliana. 2018. Morphological and molecular characterization of entomopathogenic nematode, *Heterorhabditis baujardi* (Rhabditida, Heterorhabditidae) from Mizoram, northeastern India. *Journal of Parasitic Diseases*, *42*(3), 341-349.

Yuda, AP. 2025. Serangan Lalat Buah Tekan Produksi Salak Turi hingga 60 Persen https://jogjapolitan.harianjogja.com/read/2025/11/15/512/1235623/serangan-lalat-buah-tekan-produksi-salak-turi-hingga-60-persen , (diakses pada 10 November 2025)