

## DAFTAR PUSTAKA

- Abou-Arab, O., Kamel, S., Beyls, C., Huette, P., Bar, S., Lorne, E., Galmiche, A., & Guinot, P. G. (2020). Vasoplegia After Cardiac Surgery Is Associated With Endothelial Glycocalyx Alterations. *Journal of Cardiothoracic and Vascular Anesthesia*, 34(4), 900–905. <https://doi.org/10.1053/J.JVCA.2019.09.004>
- Agarwal, H. S., Wolfram, K. B., Saville, B. R., Donahue, B. S., & Bichell, D. P. (2014). Postoperative complications and association with outcomes in pediatric cardiac surgery. *Journal of Thoracic and Cardiovascular Surgery*, 148(2). <https://doi.org/10.1016/j.jtcvs.2013.10.031>
- Alam, S., Shalini, A., Hegde, R. G., Mazahir, R., & Jain, A. (2018). A comparative study of the risk stratification models for pediatric cardiac surgery. *The Egyptian Journal of Critical Care Medicine*, 6(1), 5–8. <https://doi.org/10.1016/J.EJCCM.2018.03.001>
- Aldecoa, C., Llau, J. V., Nuvials, X., & Artigas, A. (2020). Role of albumin in the preservation of endothelial glycocalyx integrity and the microcirculation: a review. *Annals of Intensive Care* 2020 10:1, 10(1), 1–12. <https://doi.org/10.1186/S13613-020-00697-1>
- Alexopoulou, A. N., Multhaupt, H. A. B., & Couchman, J. R. (2007). Syndecans in wound healing, inflammation and vascular biology. *The International Journal of Biochemistry & Cell Biology*, 39(3), 505–528. <https://doi.org/10.1016/J.BIOCEL.2006.10.014>
- Aljure, O. D., & Fabbro, M. (2019). Cardiopulmonary Bypass and Inflammation: The Hidden Enemy. *Journal of Cardiothoracic and Vascular Anesthesia*, 33(2), 346–347. <https://doi.org/10.1053/J.JVCA.2018.05.030>
- Aydin, N. B., Gercekoglu, H., Aksu, B., Ozkul, V., Sener, T., Kiygil, I., Turkoglu, T., Cimen, S., Babacan, F., & Demirtas, M. (2003). Endotoxemia in coronary artery bypass surgery: A comparison of the off-pump technique and conventional cardiopulmonary bypass. *Journal of Thoracic and Cardiovascular Surgery*, 125(4), 843–848. <https://doi.org/10.1067/mtc.2003.323>
- Bautista-Hernandez, V., Karamanlidis, G., McCully, J. D., & Del Nido, P. J. (2016). *Send Orders for Reprints to reprints@benthamsience.ae Cellular and Molecular Mechanisms of Low Cardiac Output Syndrome after Pediatric Cardiac Surgery*.
- Boethig, D., Jenkins, K. J., Hecker, H., Thies, W. R., & Breyman, T. (2004). The RACHS-1 risk categories reflect mortality and length of hospital stay in a large German pediatric cardiac surgery population. *European Journal of Cardio-Thoracic Surgery*, 26(1), 12–17. <https://doi.org/10.1016/j.ejcts.2004.03.039>

- Brettner, F., Chappell, D., Nebelsiek, T., Hauer, D., Schelling, G., Becker, B. F., Rehm, M., & Weis, F. (2019). Preinterventional hydrocortisone sustains the endothelial glycocalyx in cardiac surgery. *Clinical Hemorheology and Microcirculation*, *71*(1), 59–70. <https://doi.org/10.3233/CH-180384>
- Brown, K. L., Ridout, D., Pagel, C., Wray, J., Anderson, D., Barron, D. J., Cassidy, J., Davis, P. J., Rodrigues, W., Stoica, S., Tibby, S., Utley, M., & Tsang, V. T. (2019). Incidence and risk factors for important early morbidities associated with pediatric cardiac surgery in a UK population. *Journal of Thoracic and Cardiovascular Surgery*, *158*(4), 1185–1196.e7. <https://doi.org/10.1016/j.jtcvs.2019.03.139>
- Brudney, C. S., Gosling, P., & Manji, M. (2005). Pulmonary and renal function following cardiopulmonary bypass is associated with systemic capillary leak. *Journal of Cardiothoracic and Vascular Anesthesia*, *19*(2), 188–192. <https://doi.org/10.1053/j.jvca.2005.01.029>
- Bruegger, D., Brettner, F., Rossberg, I., Nussbaum, C., Kowalski, C., Januszewska, K., Becker, B. F., & Chappell, D. (2015). Acute degradation of the endothelial glycocalyx in infants undergoing cardiac surgical procedures. *The Annals of Thoracic Surgery*, *99*(3), 926–931. <https://doi.org/10.1016/J.ATHORACSUR.2014.10.013>
- Busro, P., E, M., Budiwardhana N, Cg, K., Ps, R., Au, R., Gm, H., Fakhri, D. \*, & Rachmat, J. (2007). Predictor and Clinical Result. *Jurnal Kardiologi Indonesia J Kardiol Ind*, *28*(1), 10–18.
- Butts, R. J., Scheurer, M. A., Atz, A. M., Zyblewski, S. C., Hulsey, T. C., Bradley, S. M., & Graham, E. M. (2012). Comparison of maximum vasoactive inotropic score and low cardiac output syndrome as markers of early postoperative outcomes after neonatal cardiac surgery. *Pediatric Cardiology*, *33*(4), 633–638. <https://doi.org/10.1007/S00246-012-0193-Z>
- Cabreres, P., Salazar Vázquez, B. Y., Tsai, A. G., & Intaglietta, M. (2007). Microvascular and capillary perfusion following glycocalyx degradation. *Journal of Applied Physiology (Bethesda, Md. : 1985)*, *102*(6), 2251–2259. <https://doi.org/10.1152/JAPPLPHYSIOL.01155.2006>
- Callum, J., Skubas, N. J., Bathla, A., Keshavarz, H., Clark, E. G., Rochweg, B., Fergusson, D., Arbous, S., Bauer, S. R., China, L., Fung, M., Jug, R., Neill, M., Paine, C., Pavenski, K., Shah, P. S., Robinson, S., Shan, H., Szczepiorkowski, Z. M., ... Wood, E. (2024). Use of Intravenous Albumin: A Guideline From the International Collaboration for Transfusion Medicine Guidelines. *CHEST*, *166*(2), 321–338. <https://doi.org/10.1016/J.CHEST.2024.02.049>
- Castellano, G., Hutchens, M., Meng, Y., Teng, J., Xu, X., Xu, J., Jiang, W., Li, Y., Li, H., Geng, X., Chen, X., Hu, J., Shen, B., Wang, Y., Fang, Y., Wang, C.,

- Luo, Z., Tu, G., Hu, J., & Ding, X. (2021). Association Between Syndecan-1, Fluid Overload, and Progressive Acute Kidney Injury After Adult Cardiac Surgery. *Front. Med*, 8, 648397. <https://doi.org/10.3389/fmed.2021.648397>
- Cavalcante, C. T. D. M. B., Castelo Branco, K. M., Pinto Júnior, V. C., Meneses, G. C., De Oliveira Neves, F. M., De Souza, N. M. G., Penaforte, K. L., Martins, A. M. C., & Libório, A. B. (2016). Syndecan-1 improves severe acute kidney injury prediction after pediatric cardiac surgery. *The Journal of Thoracic and Cardiovascular Surgery*, 152(1), 178-186.e2. <https://doi.org/10.1016/J.JTCVS.2016.03.079>
- Chandler, H. K., & Kirsch, R. (2016). Send Orders for Reprints to [reprints@benthamscience.ae](mailto:reprints@benthamscience.ae) Management of the Low Cardiac Output Syndrome Following Surgery for Congenital Heart Disease. In *Current Cardiology Reviews* (Vol. 12).
- Chaney, M. A. (2002). Corticosteroids and cardiopulmonary bypass : a review of clinical investigations. *Chest*, 121(3), 921–931. <https://doi.org/10.1378/CHEST.121.3.921>
- Chappell, D., Jacob, M., Hofmann-Kiefer, K., Bruegger, D., Rehm, M., Conzen, P., Welsch, U., & Becker, B. F. (2007). Hydrocortisone preserves the vascular barrier by protecting the endothelial glycocalyx. *Anesthesiology*, 107(5), 776–784. <https://doi.org/10.1097/01.ANES.0000286984.39328.96>
- Chew, M. S., Brix-Christensen, V., Ravn, H. B., Brandslund, I., Ditlevsen, E., Pedersen, J., Hjortholm, K., Hansen, O. K., Tønnesen, E., & Hjortdal, V. E. (2002). Effect of modified ultrafiltration on the inflammatory response in paediatric open-heart surgery: a prospective, randomized study. *Perfusion*, 17(5), 327–333. <https://doi.org/10.1191/0267659102PF595OA>
- Cicala, C., & Cirino, G. (1998). Linkage between inflammation and coagulation: An update on the molecular basis of the crosstalk. *Life Sciences*, 62(20), 1817–1824. [https://doi.org/10.1016/S0024-3205\(97\)01167-3](https://doi.org/10.1016/S0024-3205(97)01167-3)
- Clarizia, N. A., Manlhiot, C., Schwartz, S. M., Sivarajan, V. Ben, Maratta, R., Holtby, H. M., Gruenwald, C. E., Caldarone, C. A., Van Arsdell, G. S., & McCrindle, B. W. (2011). Improved outcomes associated with intraoperative steroid use in high-risk pediatric cardiac surgery. *Annals of Thoracic Surgery*, 91(4), 1222–1227. <https://doi.org/10.1016/j.athoracsur.2010.11.005>
- Coulson, T. G., McPhilimey, E., Falter, F., Abu-Omar, Y., & Klein, A. A. (2020). The Association Between Pulsatile Cardiopulmonary Bypass and Acute Kidney Injury After Cardiac Surgery: A Before-and-After Study. *Journal of Cardiothoracic and Vascular Anesthesia*, 34(1), 108–113. <https://doi.org/10.1053/j.jvca.2019.05.021>

- Curry, F. E., & Adamson, R. H. (2012). Endothelial glycocalyx: Permeability barrier and mechanosensor. In *Annals of Biomedical Engineering* (Vol. 40, Issue 4, pp. 828–839). <https://doi.org/10.1007/s10439-011-0429-8>
- Davies, M. J., Nguyen, K., Gaynor, J. W., Elliott, M. J., De Leval, M. R., Penkoske, P. A., & Daggett, C. W. (1998). Modified ultrafiltration improves left ventricular systolic function in infants after cardiopulmonary bypass. *The Journal of Thoracic and Cardiovascular Surgery*, *115*(2), 361–370. [https://doi.org/10.1016/S0022-5223\(98\)70280-6](https://doi.org/10.1016/S0022-5223(98)70280-6)
- Dekker, N. A. M., Van Leeuwen, A. L. I., Van Strien, W. W. J., Majolée, J., Szulcek, R., Vonk, A. B. A., Hordijk, P. L., Boer, C., & Van Den Brom, C. E. (2019). Microcirculatory perfusion disturbances following cardiac surgery with cardiopulmonary bypass are associated with in vitro endothelial hyperpermeability and increased angiopoietin-2 levels. *Critical Care*, *23*(1). <https://doi.org/10.1186/s13054-019-2418-5>
- Dekker, N. A. M., Veerhoek, D., Koning, N. J., van Leeuwen, A. L. I., Elbers, P. W. G., van den Brom, C. E., Vonk, A. B. A., & Boer, C. (2019). Postoperative microcirculatory perfusion and endothelial glycocalyx shedding following cardiac surgery with cardiopulmonary bypass. *Anaesthesia*, *74*(5), 609. <https://doi.org/10.1111/ANA.14577>
- Dewi, R., Christie, C. D., Wardhana, A., Fadhillah, R., & Pardede, S. O. (2019). Score “pediatric logistic organ dysfunction 2 (PELOD 2)” et prédiction de mortalité chez l’enfant brûlé. *Annals of Burns and Fire Disasters*, *32*(2), 135–142. <https://scholar.ui.ac.id/en/publications/score-pediatric-logistic-organ-dysfunction-2-pelod-2-et-pr%C3%A9dictio>
- Dingankar, A. R., Cave, D. A., Anand, V., Sivarajan, V. Ben, Nahirniak, S., Sheppard, C., Hanot, J., & Guerra, G. G. (2018a). Albumin 5% Versus Crystalloids for Fluid Resuscitation in Children After Cardiac Surgery. *Pediatric Critical Care Medicine : A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, *19*(9), 846–853. <https://doi.org/10.1097/PCC.0000000000001657>
- Dingankar, A. R., Cave, D. A., Anand, V., Sivarajan, V. Ben, Nahirniak, S., Sheppard, C., Hanot, J., & Guerra, G. G. (2018b). Albumin 5% versus crystalloids for fluid resuscitation in children after cardiac surgery. *Pediatric Critical Care Medicine*, *19*(9), 846–853. <https://doi.org/10.1097/PCC.0000000000001657>
- Dubniks, M., Persson, J., & Grände, P. O. (2007). Plasma volume expansion of 5% albumin, 4% gelatin, 6% HES 130/0.4, and normal saline under increased microvascular permeability in the rat. *Intensive Care Medicine*, *33*(2), 293–299. <https://doi.org/10.1007/S00134-006-0454-5>

- Duke, T., Butt, W., South, M., & Karl, T. R. (1997). Early markers of major adverse events in children after cardiac operations. *The Journal of Thoracic and Cardiovascular Surgery*, *114*(6), 1042–1052. [https://doi.org/10.1016/S0022-5223\(97\)70018-7](https://doi.org/10.1016/S0022-5223(97)70018-7)
- Duncan, A. E., Kartashov, A., Robinson, S. B., Randall, D., Zhang, K., Lubner, J., James, R. A., Halvorson, S., & Bokesch, P. (2022). Risk factors, resource use, and cost of postoperative low cardiac output syndrome. *Journal of Thoracic and Cardiovascular Surgery*, *163*(5), 1890–1898.e10. <https://doi.org/10.1016/j.jtcvs.2020.06.125>
- Edmunds, L. H. (1998). Inflammatory response to cardiopulmonary bypass. *The Annals of Thoracic Surgery*, *66*(5 Suppl). [https://doi.org/10.1016/S0003-4975\(98\)00967-9](https://doi.org/10.1016/S0003-4975(98)00967-9)
- Epting, C. L., McBride, M. E., Wald, E. L., & Costello, J. M. (2016). Send Orders for Reprints to [reprints@benthamscience.ae](mailto:reprints@benthamscience.ae) Pathophysiology of Post-Operative Low Cardiac Output Syndrome From the Divisions of Cardiology and Critical Care, Departments of Pediatrics 1 and Pathology. In *Current Vascular Pharmacology* (Vol. 14).
- Ernest, D., Belzberg, A. S., & Dodek, P. M. (2001). Distribution of normal saline and 5% albumin infusions in cardiac surgical patients. *Critical Care Medicine*, *29*(12), 2299–2302. <https://doi.org/10.1097/00003246-200112000-00011>
- Finfer, S. (2013). Reappraising the role of albumin for resuscitation. *Current Opinion in Critical Care*, *19*(4), 315–320. <https://doi.org/10.1097/MCC.0B013E3283632E42>
- Gaies, M. G., Gurney, J. G., Yen, A. H., Napoli, M. L., Gajarski, R. J., Ohye, R. G., Charpie, J. R., & Hirsch, J. C. (2010). Vasoactive-inotropic score as a predictor of morbidity and mortality in infants after cardiopulmonary bypass. *Pediatric Critical Care Medicine*, *11*(2), 234–238. <https://doi.org/10.1097/PCC.0b013e3181b806fc>
- Gillespie, M., Kuijpers, M., Van Rossem, M., Ravishankar, C., Gaynor, J. W., Spray, T., & Clark, B. (2006). Determinants of intensive care unit length of stay for infants undergoing cardiac surgery. *Congenital Heart Disease*, *1*(4), 152–160. <https://doi.org/10.1111/J.1747-0803.2006.00027.X>
- González Cortés, R., Urbano Villaescusa, J., Solana García, M. J., López González, J., Fernández Lafever, S. N., Ramírez Gómez, B., Fuentes Moran, J. R., Hidalgo García, I., Peleteiro Pensado, A., Pérez-Caballero Martínez, R., Pardo Prado, C. A., Rodríguez Ogando, A., López Blazquez, M., & López-Herce Cid, J. (2021). Microcirculatory Changes in Pediatric Patients During Congenital Heart Defect Corrective Surgery. *Journal of Cardiovascular Translational Research*, *14*(6), 1173–1185. <https://doi.org/10.1007/S12265-021-10132-W>

- Götte, M. (2003). Syndecans in inflammation. *FASEB Journal: Official Publication of the Federation of American Societies for Experimental Biology*, 17(6), 575–591. <https://doi.org/10.1096/FJ.02-0739REV>
- Greeley, W. J. (1987). *Effects of Cardiopulmonary Bypass on the Pediatric Patient*. 216–223. [https://doi.org/10.1007/978-94-009-3295-1\\_25](https://doi.org/10.1007/978-94-009-3295-1_25)
- Hahn, R. G., Patel, V., & Dull, R. O. (2021). Human glycocalyx shedding: Systematic review and critical appraisal. *Acta Anaesthesiologica Scandinavica*, 65(5), 590–606. <https://doi.org/10.1111/AAS.13797>
- Hariri, G., Joffre, J., Deryckere, S., Bigé, N., Dumas, G., Baudel, J. L., Maury, E., Guidet, B., & Ait-Oufella, H. (2018). Albumin infusion improves endothelial function in septic shock patients: a pilot study. *Intensive Care Medicine*, 44(5), 669–671. <https://doi.org/10.1007/S00134-018-5075-2>
- Hoffman, T. M., Wemovskey, G., Atz, A. M., Kulik, T. J., Nelson, D. P., Chang, A. C., Bailey, J. M., Akbary, A., Kocsis, J. F., Kaczmarek, R., Spray, T. L., & Wessel, D. L. (2003). Efficacy and safety of milrinone in preventing low cardiac output syndrome in infants and children after corrective surgery for congenital heart disease. *Circulation*, 107(7), 996–1002. <https://doi.org/10.1161/01.CIR.0000051365.81920.28>
- Hughes, A., Carter, K., Cyrus, J., & Karam, O. (2020). Pleural Effusions After Congenital Cardiac Surgery Requiring Readmission: A Systematic Review and Meta-analysis. *Pediatric Cardiology*, 41(6), 1145–1152. <https://doi.org/10.1007/s00246-020-02365-4>
- Jacobs, J. P., Jacobs, M. L., Lacour-Gayet, F. G., Jenkins, K. J., Gauvreau, K., Bacha, E., Maruszewski, B., Clarke, D. R., Tchervenkov, C. I., Gaynor, J. W., Spray, T. L., Stellin, G., O'Brien, S. M., Elliott, M. J., & Mavroudis, C. (2009). Stratification of complexity improves the utility and accuracy of outcomes analysis in a Multi-Institutional Congenital Heart Surgery Database: Application of the Risk Adjustment in Congenital Heart Surgery (RACHS-1) and Aristotle Systems in the Society of Thoracic Surgeons (STS) Congenital Heart Surgery Database. *Pediatric Cardiology*, 30(8), 1117–1130. <https://doi.org/10.1007/S00246-009-9496-0>
- Jenkins, K. J., & Gauvreau, K. (2002). Center-specific differences in mortality: Preliminary analyses using the risk adjustment in congenital heart surgery (RACHS-1) method. *Journal of Thoracic and Cardiovascular Surgery*, 124(1), 97–104. <https://doi.org/10.1067/mtc.2002.122311>
- Kang, N., Cole, T., Tsang, V., Elliott, M., & De Leval, M. (2004). Risk stratification in paediatric open-heart surgery. *European Journal of Cardio-Thoracic Surgery: Official Journal of the European Association for Cardio-Thoracic Surgery*, 26(1), 3–11. <https://doi.org/10.1016/J.EJCTS.2004.03.038>

- Kansy, A., Tobota, Z., Maruszewski, P., & Maruszewski, B. (2010). *Analysis of 14,843 Neonatal Congenital Heart Surgical Procedures in the European Association for Cardiothoracic Surgery Congenital Database*. <https://doi.org/10.1016/j.athoracsur.2010.01.003>
- Kilger, E., Weis, F., Briegel, J., Frey, L., Goetz, A. E., Reuter, D., Nagy, A., Schuetz, A., Lamm, P., Knoll, A., & Peter, K. (2003). Stress doses of hydrocortisone reduce severe systemic inflammatory response syndrome and improve early outcome in a risk group of patients after cardiac surgery. *Critical Care Medicine*, *31*(4), 1068–1074. <https://doi.org/10.1097/01.CCM.0000059646.89546.98>
- Kim, H. Bin, Soh, S., Kwak, Y. L., Bae, J. C., Kang, S. H., & Song, J. W. (2020). High Preoperative Serum Syndecan-1, a Marker of Endothelial Glycocalyx Degradation, and Severe Acute Kidney Injury after Valvular Heart Surgery. *Journal of Clinical Medicine* 2020, Vol. 9, Page 1803, *9*(6), 1803. <https://doi.org/10.3390/JCM9061803>
- Koponen, T., Karttunen, J., Musialowicz, T., Pietiläinen, L., Uusaro, A., & Lahtinen, P. (2019). Vasoactive-inotropic score and the prediction of morbidity and mortality after cardiac surgery. *British Journal of Anaesthesia*, *122*(4), 428–436. <https://doi.org/10.1016/j.bja.2018.12.019>
- Kristeller, J. L., Jankowski, A., & Reinaker, T. (2014). Role of Corticosteroids During Cardiopulmonary Bypass. *Hospital Pharmacy*, *49*(3), 232. <https://doi.org/10.1310/HPJ4903-232>
- Kusumajaya, R., Advani, N., Yanuarso, P. B., & Effendy, Z. (2021). Biomarkers in low cardiac output syndrome after open cardiac surgery in children. *Paediatrica Indonesiana*, *61*(4), 223–228. <https://doi.org/10.14238/PI61.4.2021.223-8>
- Larsen, S. H., Pedersen, J., Jacobsen, J., Johnsen, S. P., Hansen, O. K., & Hjortdal, V. (2005). The RACHS-1 risk categories reflect mortality and length of stay in a Danish population of children operated for congenital heart disease. *European Journal of Cardio-Thoracic Surgery: Official Journal of the European Association for Cardio-Thoracic Surgery*, *28*(6), 877–881. <https://doi.org/10.1016/J.EJCTS.2005.09.008>
- Leclerc, F., Duhamel, A., Deken, V., Grandbastien, B., & Leteurtre, S. (2017). Can the Pediatric Logistic Organ Dysfunction-2 Score on Day 1 Be Used in Clinical Criteria for Sepsis in Children? *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, *18*(8), 758–763. <https://doi.org/10.1097/PCC.0000000000001182>

- Leteurte, S. (2013). PELOD-2: An Update of the PEdiatric Logistic Organ Dysfunction Score. *Critical Care Medicine*, 1761–1773. <https://doi.org/10.1097/CCM.ObOI>
- Leteurtre, S., Martinot, A., Duhamel, A., Gauvin, F., Grandbastien, B., Nam, T. V., Proulx, F., Lacroix, J., & Leclerc, F. (1999). Development of a Pediatric Multiple Organ Dysfunction Score. *Medical Decision Making*, 19(4), 399–410. <https://doi.org/10.1177/0272989X9901900408>
- Lin, L., Niu, M., Gao, W., Wang, C., Wu, Q., Fang, F., Wang, Y., & Wang, W. (2024). Predictive role of glycocalyx components and MMP-9 in cardiopulmonary bypass patients for ICU stay. *Heliyon*, 10(1). <https://doi.org/10.1016/j.heliyon.2023.e23299>
- Lomivorotov, V. V., Efremov, S. M., Kirov, M. Y., Fominskiy, E. V., & Karaskov, A. M. (2017). Low-Cardiac-Output Syndrome After Cardiac Surgery. In *Journal of Cardiothoracic and Vascular Anesthesia* (Vol. 31, Issue 1, pp. 291–308). W.B. Saunders. <https://doi.org/10.1053/j.jvca.2016.05.029>
- Madhok, A. B., Ojamaa, K., Haridas, V., Parnell, V. A., Pahwa, S., & Chowdhury, D. (2006). Cytokine response in children undergoing surgery for congenital heart disease. *Pediatric Cardiology*, 27(4), 408–413. <https://doi.org/10.1007/S00246-006-0934-Y/METRICS>
- Marwali, E. M., Purnama, Y., Roebiono, P. S., Eva, K. :, Marwali, M., & Pustaka, T. (n.d.). *Modalitas Deteksi Dini Penyakit Jantung Bawaan di Pelayanan Kesehatan Primer*.
- Massé, L., & Antonacci, M. (2005). Low cardiac output syndrome: identification and management. *Critical Care Nursing Clinics of North America*, 17(4), 375–383. <https://doi.org/10.1016/J.CCELL.2005.07.005>
- Matebele, M. P., Ramanan, M., Thompson, K., Cornmell, G., Naidoo, R. V., & Shekar, K. (2020a). Albumin Use after Cardiac Surgery. *Critical Care Explorations*, 2(7), E0164. <https://doi.org/10.1097/CCE.0000000000000164>
- Matebele, M. P., Ramanan, M., Thompson, K., Cornmell, G., Naidoo, R. V., & Shekar, K. (2020b). Albumin Use After Cardiac Surgery. *Critical Care Explorations*, 2(7), E0164. <https://doi.org/10.1097/CCE.0000000000000164>
- Medikonda, R., Ong, C. S., Wadia, R., Goswami, D., Schwartz, J., Wolff, L., Hibino, N., Vricella, L., Nyhan, D., Barodka, V., & Steppan, J. (2019). Trends and Updates on Cardiopulmonary Bypass Setup in Pediatric Cardiac Surgery. *Journal of Cardiothoracic and Vascular Anesthesia*, 33(10), 2804–2813. <https://doi.org/10.1053/J.JVCA.2019.01.025>
- Moodie, D., Credit, C., & Cardiology, P. (2011). *Current Trends in Aortic and Cardiothoracic Surgery Conference; Houston*.
- Murni, I. K., Djer, M. M., Yanuarso, P. B., Putra, S. T., Advani, N., Rachmat, J., Perdana, A., & Sukardi, R. (2019). Outcome of pediatric cardiac surgery and

- predictors of major complication in a developing country. *Annals of Pediatric Cardiology*, 12(1), 38–44. [https://doi.org/10.4103/apc.APC\\_146\\_17](https://doi.org/10.4103/apc.APC_146_17)
- Murphy, G. S., Whitlock, R. P., Gutsche, J. T., & Augoustides, J. G. T. (2013). Steroids for adult cardiac surgery with cardiopulmonary bypass: update on dose and key randomized trials. *Journal of Cardiothoracic and Vascular Anesthesia*, 27(5), 1053–1059. <https://doi.org/10.1053/J.JVCA.2013.04.022>
- Myers, S. S., Smith, M. R., Guth, S., Golden, C. D., Vaitla, B., Mueller, N. D., Dangour, A. D., & Huybers, P. (2017). Climate Change and Global Food Systems: Potential Impacts on Food Security and Undernutrition. *Annual Review of Public Health*, 38(Volume 38, 2017), 259–277. <https://doi.org/10.1146/ANNUREV-PUBLHEALTH-031816-044356/CITE/REFWORKS>
- Nan, Z., Soh, S., Shim, J.-K., Bin Kim, H., Seok Yang, Y., Lan Kwak, Y., & Wook Song, J. (2024). *Effect of 5% albumin on endothelial glycocalyx degradation during off-pump coronary artery bypass* *Effet de l'albumine a ` 5 % sur la dégradation du glycocalyx endothélial lors de pontage aortocoronarien a ` coeur battant*. <https://doi.org/10.1007/s12630>
- Nelson, A., Johansson, J., Tydén, J., & Bodelsson, M. (2017). Circulating syndecans during critical illness. *APMIS*, 125(5), 468–475. <https://doi.org/10.1111/apm.12662>
- Ohri, S. K., Bjarnason, I., Pathi, V., Somasundaram, S., Bowles, C. T., Keogh, B. E., Khaghani, A., Menzies, I., Yacoub, M. H., & Taylor, K. M. (1993). Cardiopulmonary Bypass Impairs Small Intestinal Transport and Increases Gut Permeability. *Ann Thorac Surg*, 55, 1080–1086. [https://doi.org/10.1016/0003-4975\(93\)90011-6](https://doi.org/10.1016/0003-4975(93)90011-6)
- Pesonen, E., Keski-Nisula, J., Andersson, S., Palo, R., Salminen, J., & Suominen, P. K. (2016). High-dose methylprednisolone and endothelial glycocalyx in paediatric heart surgery. *Acta Anaesthesiologica Scandinavica*, 60(10), 1386–1394. <https://doi.org/10.1111/AAS.12785>
- Pesonen, E., Vlasov, H., Suojaranta, R., Hiippala, S., Schramko, A., Wilkman, E., Eränen, T., Arvonen, K., Mazanikov, M., Salminen, U. S., Meinberg, M., Vähäsilta, T., Petäjä, L., Raivio, P., Juvonen, T., & Pettilä, V. (2022). Effect of 4% Albumin Solution vs Ringer Acetate on Major Adverse Events in Patients Undergoing Cardiac Surgery With Cardiopulmonary Bypass: A Randomized Clinical Trial. *JAMA*, 328(3), 251–258. <https://doi.org/10.1001/JAMA.2022.10461>
- Potter, D. R., Jiang, J., & Damiano, E. R. (2009). The recovery time course of the endothelial cell glycocalyx in vivo and its implications in vitro. *Circulation Research*, 104(11), 1318–1325. <https://doi.org/10.1161/CIRCRESAHA.108.191585>

- Rabin, J., Meyenburg, T., Lowery, A. V., Rouse, M., Gammie, J. S., & Herr, D. (2017). Restricted Albumin Utilization Is Safe and Cost Effective in a Cardiac Surgery Intensive Care Unit. *The Annals of Thoracic Surgery*, *104*(1), 42–48. <https://doi.org/10.1016/J.ATHORACSUR.2016.10.018>
- Rabin, J., Meyenburg, T., Lowery, A. V., Rouse, M., Gammie, J. S., Herr, D., & Cowley, R. A. (2017). Restricted Albumin Utilization Is Safe and Cost Effective in a Cardiac Surgery Intensive Care Unit. *The Annals of Thoracic Surgery*, *104*, 42–48. <https://doi.org/10.1016/j.athoracsur.2016.10.018>
- Rauf, A., Joshi, R. K., Aggarwal, N., Agarwal, M., Kumar, M., Dinand, V., & Joshi, R. (2021). Effect of Albumin Addition to Cardiopulmonary Bypass Prime on Outcomes in Children Undergoing Open-Heart Surgery (EACPO Study)—A Randomized Controlled Trial. *World Journal for Pediatric and Congenital Heart Surgery*, *12*(1), 61–69. <https://doi.org/10.1177/2150135120959088;PAGE:STRING:ARTICLE/CHAPTER>
- Reitsma, S., Slaaf, D. W., Vink, H., Van Zandvoort, M. A. M. J., & Oude Egbrink, M. G. A. (2007). The endothelial glycocalyx: Composition, functions, and visualization. In *Pflugers Archiv European Journal of Physiology* (Vol. 454, Issue 3, pp. 345–359). <https://doi.org/10.1007/s00424-007-0212-8>
- Riddington, D. W., Venkatesh, B., Boivin, C. M., Bonser, R. S., Elliott, T. S. J., Marshall, T., Mountford, P. J., & Bion, J. F. (1996). Intestinal Permeability, Gastric Intramucosal pH, and Systemic Endotoxemia in Patients Undergoing Cardiopulmonary Bypass. *JAMA*, *275*(13), 1007–1012. <https://doi.org/10.1001/JAMA.1996.03530370045029>
- Rocke, D. A., Gaffin, S. L., Wells, M. T., Koen, Y., & Brock-Utine, J. G. (1987). Endotoxemia associated with cardiopulmonary bypass. *The Journal of Thoracic and Cardiovascular Surgery*, *93*, 832–837. [https://doi.org/10.1016/S0022-5223\(19\)37043-6](https://doi.org/10.1016/S0022-5223(19)37043-6)
- Russell, J. A., Navickis, R. J., & Wilkes, M. M. (2004). Albumin versus crystalloid for pump priming in cardiac surgery: meta-analysis of controlled trials. *Journal of Cardiothoracic and Vascular Anesthesia*, *18*(4), 429–437. <https://doi.org/10.1053/j.jvca.2004.05.019>
- Sarkar, M., & Prabhu, V. (2017). Basics of cardiopulmonary bypass. *Indian Journal of Anaesthesia*, *61*(9), 760–767. [https://doi.org/10.4103/IJA.IJA\\_379\\_17](https://doi.org/10.4103/IJA.IJA_379_17)
- Savluk, O. F., & Ari, A. (2018). Clinical effects of serum albumin and globulin in pediatric cardiac surgery. *Journal of Cardiothoracic and Vascular Anesthesia*, *32*, S41–S42. <https://doi.org/10.1053/j.jvca.2018.08.091>
- Sedrakyan, A., Gondek, K., Paltiel, D., & Eleftheriades, J. A. (2003). Volume expansion with albumin decreases mortality after coronary artery bypass graft

- surgery. *Chest*, 123(6), 1853–1857.  
<https://doi.org/10.1378/CHEST.123.6.1853>
- Skhirtladze, K., Base, E. M., Lassnigg, A., Kaider, A., Linke, S., Dworschak, M., & Hiesmayr, M. J. (2014a). Comparison of the effects of albumin 5%, hydroxyethyl starch 130/0.4 6%, and Ringer's lactate on blood loss and coagulation after cardiac surgery. *British Journal of Anaesthesia*, 112(2), 255–264. <https://doi.org/10.1093/BJA/AET348>
- Steppan, J., Hofer, S., Funke, B., Brenner, T., Henrich, M., Martin, E., Weitz, J., Hofmann, U., & Weigand, M. A. (2011). Sepsis and major abdominal surgery lead to flaking of the endothelial glycocalix. *Journal of Surgical Research*, 165(1), 136–141. <https://doi.org/10.1016/j.jss.2009.04.034>
- Suari, N. M. R., Latief, A., & Pudjiadi, A. H. (2021). New pelod-2 cut-off score for predicting death in children with sepsis. *Paediatrica Indonesiana (Paediatrica Indonesiana)*, 61(1), 39–45. <https://doi.org/10.14238/pi61.1.2021.39-45>
- Svennevig, K., Hoel, T. N., Thiara, A. S., Kolset, S. O., Castelheim, A., Mollnes, T. E., Brosstad, F., Fosse, E., & Svennevig, J. L. (2008). Syndecan-1 plasma levels during coronary artery bypass surgery with and without cardiopulmonary bypass. *Perfusion*, 23(3), 165–171. <https://doi.org/10.1177/0267659108098215>
- Talvasto, A., Ilmakunnas, M., Raivio, P., Vlasov, H., Hiippala, S., Suojaranta, R., Wilkman, E., Petäjä, L., Helve, O., Juvonen, T., & Pesonen, E. (2023). Albumin Infusion and Blood Loss After Cardiac Surgery. *Annals of Thoracic Surgery*, 116(2), 392–399. <https://doi.org/10.1016/j.athoracsur.2023.03.041>
- Temel, H., Kumbasar, U., Büber, E., Aksoy, Y., Cavdar, S., Dogan, R., Demircin, M., & Pasaoglu, I. (2020). Comparison of antioxidant reserve capacity of children with acyanotic & cyanotic congenital heart disease. *The Indian Journal of Medical Research*, 152(6), 626. [https://doi.org/10.4103/IJMR.IJMR\\_2215\\_18](https://doi.org/10.4103/IJMR.IJMR_2215_18)
- Uchimido, R., Schmidt, E. P., & Shapiro, N. I. (2019). The glycocalyx: a novel diagnostic and therapeutic target in sepsis. *Critical Care (London, England)*, 23(1). <https://doi.org/10.1186/S13054-018-2292-6>
- Ugenti, V., Romano, A. C., & Tibirica, E. (2018). Microvascular endothelial dysfunction during cardiopulmonary bypass in surgery for correction of cyanotic and acyanotic congenital heart disease. *Microvascular Research*, 120, 55–58. <https://doi.org/10.1016/J.MVR.2018.06.004>
- Ulate, K. P., Yanay, O., Jeffries, H., Baden, H., Di Gennaro, J. L., & Zimmerman, J. (2017). An Elevated Low Cardiac Output Syndrome Score Is Associated With Morbidity in Infants After Congenital Heart Surgery. *Pediatric Critical Care Medicine : A Journal of the Society of Critical Care Medicine and the*

- World Federation of Pediatric Intensive and Critical Care Societies*, 18(1), 26–33. <https://doi.org/10.1097/PCC.0000000000000979>
- Van Der Bom, T., Zomer, A. C., Zwinderman, A. H., Meijboom, F. J., Bouma, B. J., & Mulder, B. J. M. (2011). The changing epidemiology of congenital heart disease. In *Nature Reviews Cardiology* (Vol. 8, Issue 1, pp. 50–60). <https://doi.org/10.1038/nrcardio.2010.166>
- Van Golen, R. F., Van Gulik, T. M., & Heger, M. (2012). Mechanistic overview of reactive species-induced degradation of the endothelial glycocalyx during hepatic ischemia/reperfusion injury. *Free Radical Biology & Medicine*, 52(8), 1382–1402. <https://doi.org/10.1016/J.FREERADBIOMED.2012.01.013>
- Vlasov, H., Juvonen, T., Hiippala, S., Suojaranta, R., Peltonen, M., Schramko, A., Arvonen, K., Salminen, U. S., Kleine Budde, I., Eränen, T., Mazanikov, M., Meinberg, M., Vähäsilta, T., Wilkman, E., Pettilä, V., & Pesonen, E. (2020). Effect and safety of 4% albumin in the treatment of cardiac surgery patients: study protocol for the randomized, double-blind, clinical ALBICS (ALBumin In Cardiac Surgery) trial. *Trials*, 21(1). <https://doi.org/10.1186/S13063-020-4160-3>
- Weinbaum, S., Cancel, L. M., Fu, B. M., & Tarbell, J. M. (2020). The Glycocalyx and Its Role in Vascular Physiology and Vascular Related Diseases. *Cardiovascular Engineering and Technology*, 12(1), 37. <https://doi.org/10.1007/S13239-020-00485-9>
- Whiting, D., Yuki, K., & DiNardo, J. A. (2015). Cardiopulmonary bypass in the pediatric population. *Best Practice & Research. Clinical Anaesthesiology*, 29(2), 241–256. <https://doi.org/10.1016/J.BPA.2015.03.006>
- Wigmore, G. J., Anstey, J. R., St. John, A., Greaney, J., Morales-Codina, M., Presneill, J. J., Deane, A. M., MacIsaac, C. M., Bailey, M., Tatoulis, J., & Bellomo, R. (2019). 20% Human Albumin Solution Fluid Bolus Administration Therapy in Patients After Cardiac Surgery (the HAS FLAIR Study). *Journal of Cardiothoracic and Vascular Anesthesia*, 33(11), 2920–2927. <https://doi.org/10.1053/J.JVCA.2019.03.049>
- Wigmore, G. J., Deane, A. M., Presneill, J. J., Eastwood, G., Serpa Neto, A., Maiden, M. J., Bihari, S., Baker, R. A., Bennetts, J. S., Ghanpur, R., Anstey, J. R., Raman, J., Bellomo, R., Peck, L., Young, H., Dovenya, W., Xu, K., Maeda, A., Xu, K., ... Snowdon, M. (2024). Twenty percent human albumin solution fluid bolus administration therapy in patients after cardiac surgery-II: a multicentre randomised controlled trial. *Intensive Care Medicine*, 50(7), 1075–1085. <https://doi.org/10.1007/s00134-024-07488-3>
- Yanase, F., Naorungroj, T., & Bellomo, R. (2020). Glycocalyx damage biomarkers in healthy controls, abdominal surgery, and sepsis: a scoping review. *Biomarkers: Biochemical Indicators of Exposure, Response, and*

- Susceptibility to Chemicals*, 25(6), 425–435.  
<https://doi.org/10.1080/1354750X.2020.1787518>
- Yavuz, Y., & Ukil Isildak, F. (2021). Preoperative nutritional status effects postoperative outcome in patients undergoing surgery for congenital heart disease. *Nutrition Clinique et Métabolisme*, 35(4), 253–259.  
<https://doi.org/10.1016/J.NUPAR.2021.03.004>
- Ziganshin, B. A., & Elefteriades, J. A. (2013). Deep hypothermic circulatory arrest. *Annals of Cardiothoracic Surgery*, 2(3), 30315–30315.  
<https://doi.org/10.3978/J.ISSN.2225-319X.2013.01.05>
- Zimmerman, M. S., Smith, A. G. C., Sable, C. A., Echko, M. M., Wilner, L. B., Olsen, H. E., Atalay, H. T., Awasthi, A., Bhutta, Z. A., Boucher, J. L. A., Castro, F., Cortesi, P. A., Dubey, M., Fischer, F., Hamidi, S., Hay, S. I., Hoang, C. L., Hugo-Hamman, C., Jenkins, K. J., ... Kassebaum, N. J. (2020). Global, regional, and national burden of congenital heart disease, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *The Lancet Child and Adolescent Health*, 4(3), 185–200. [https://doi.org/10.1016/S2352-4642\(19\)30402-X](https://doi.org/10.1016/S2352-4642(19)30402-X)
- Zou, Z. Y., Wang, B., Peng, W. J., Zhou, Z. P., Huang, J. J., Yang, Z. J., Zhang, J. J., Luan, Y. Y., Cheng, B., & Wu, M. (2022). Early Combination of Albumin With Crystalloid Administration Might Reduce Mortality in Patients With Cardiogenic Shock: An Over 10-Year Intensive Care Survey. *Frontiers in Cardiovascular Medicine*, 9, 879812.  
<https://doi.org/10.3389/FCVM.2022.879812/FULL>