

## DAFTAR PUSTAKA

- Afonso, J., Bessa, C., Pinto, F., Ribeiro, D., Moura, B., Rocha, T., Vinicius, M., Canário-Lemos, R., Peixoto, R., Clemente, F.M., 2020. Structural and Functional Asymmetries in Humans. pp. 9–16. [https://doi.org/10.1007/978-981-15-2549-0\\_3](https://doi.org/10.1007/978-981-15-2549-0_3)
- Alder-Price, A.C., Pilch, W., Zhuang, C.B., McLean, J., Bain, G.I., 2022. Inferior angle of scapula fractures: A retrospective case series. *Journal of Orthopaedic Surgery* 30. <https://doi.org/10.1177/10225536221088633>
- Alton, T.B., Gardner, M.J., 2015. Scapular fractures: Diagnosis and treatment plan. *Curr. Orthop. Pract.* <https://doi.org/10.1097/BCO.0000000000000206>
- Bittner-Frank, M., Strassl, A., Unger, E., Hirtler, L., Kainberger, F., Windhager, R., Moscato, F., Benca, E., 2024. Effect of hot water maceration, rehydration, and soft tissue presence on 3D geometry of bone. *Forensic Sci. Med. Pathol.* 21, 98–106. <https://doi.org/10.1007/s12024-024-00845-0>
- Blache, Y., Begon, M., 2018. Influence of shoulder kinematic estimate on joint and muscle mechanics predicted by musculoskeletal model. *IEEE Trans. Biomed. Eng.* 65. <https://doi.org/10.1109/TBME.2017.2716186>
- Bonczek, S.J., Hutchinson, R., Chakravarthy, J., 2015. An innovative method of fracture reduction in an arthroscopically assisted cannulated screw fixation of an Ideberg type III glenoid fracture. *Int. J. Shoulder Surg.* <https://doi.org/10.4103/0973-6042.154770>
- Borrini, M., Mannucci, P., Valoriani, S., Scalia Tomba, G., 2023. The postmortem fate of osteometric measurements: taphonomic alteration of landmarks and its implication for biological profiling. *Archivio per l'Antropologia e la Etnologia* 153, 21–30. <https://doi.org/10.36253/aae-2340>
- Botero-González, D., Agudelo, M., 2019. Comparison of macerations with dermestid larvae, potassium hydroxide and sodium hypochlorite in Wistar rat crania. *Anatomy* 13, 149–154. <https://doi.org/10.2399/ana.19.080>
- Briel, S., Olivier, B., Mudzi, W., 2020. An electromyographic and kinematic study of the scapular stabilisers. *South African Journal of Physiotherapy* 76. <https://doi.org/10.4102/sajp.v76i1.1413>
- Budhiparama, N.C., Lumban-Gaol, I., Ifran, N.N., de Groot, P.C.J., Utomo, D.N., Nelissen, R.G.H.H., 2021. Mismatched knee implants in Indonesian and Dutch patients: a need for increasing the size. *Knee Surgery, Sports Traumatology, Arthroscopy* 29, 358–369. <https://doi.org/10.1007/s00167-020-05914-9>
- Burton, William S., Sintini, I., Chavarria, J.M., Brownhill, J.R., Laz, P.J., 2019. Assessment of scapular morphology and bone quality with statistical models. *Comput. Methods Biomech. Biomed. Engin.* 22, 341–351. <https://doi.org/10.1080/10255842.2018.1556260>

- Burton, W S, Sintini, I., Chavarria, J.M., Brownhill, J.R., Laz, P.J., 2019. Assessment of scapular morphology and bone quality with statistical models. *Comput. Methods Biomech. Biomed. Engin.* <https://doi.org/10.1080/10255842.2018.1556260>
- Cabezas, A.F., Krebes, K., Hussey, M.M., Santoni, B.G., Kim, H.S., Frankle, M.A., Oh, J.H., 2016. Morphologic variability of the shoulder between the populations of North American and East Asian. *Clin. Orthop. Surg.* <https://doi.org/10.4055/CIOS.2016.8.3.280>
- Cabot, J.H., Dang, K.H., Dutta, A.K., 2019. Free-Floating Scapular Spine: A Rare Shoulder Injury. *Case Rep. Orthop.* 2019, 1–4. <https://doi.org/10.1155/2019/1839375>
- Celik, N.G., Erdem, S., Kocak, M., 2024. Volumetric Analysis of Carpal Bones by Sex with 3D Slicer Software Program. *International Journal of Morphology* 42, 1005–1010. <https://doi.org/10.4067/S0717-95022024000401005>
- Chakrabarti, B., Kumar, S., Singh, R., Dimitrova, N., 2012. Genetic diversity and admixture patterns in Indian populations. *Gene* 508, 250–255. <https://doi.org/10.1016/j.gene.2012.07.047>
- Charilaou, J., Dey, R., Burger, M., al., et, 2021. Quantitative fit analysis of acromion fracture plating systems using three-dimensional reconstructed scapula fractures: A multi-observer study. *SICOT. J.* 7, 5. <https://doi.org/10.1051/sicotj/2021028>
- Chaudhury, S., Ghosh, S., 2020. Management of scapular fractures: A review of clinical outcomes. *Journal of Orthopaedic Surgery* 28, 1–9. <https://doi.org/10.1177/2309499020912345>
- Chen, J., Zhang, W., Pang, G., al., et, 2022a. Influence of coracoglenoid space on glenoid morphology: a three-dimensional analysis. *J. Orthop. Surg. Res.* 17, 238. <https://doi.org/10.1186/s13018-022-03134-3>
- Chen, J., Zhang, W., Pang, G., Meng, Q., Zhu, Y., Deng, X., 2022b. Influence of coracoglenoid space on scapular neck fracture stability: Biomechanical study. *BMC Musculoskelet. Disord.* <https://doi.org/10.1186/s12891-021-04974-3>
- Colman, K.L., Dobbe, J.G.G., Stull, K.E., Ruijter, J.M., Oostra, R.-J., van Rijn, R.R., van der Merwe, A.E., de Boer, H.H., Streekstra, G.J., 2017. The geometrical precision of virtual bone models derived from clinical computed tomography data for forensic anthropology. *Int. J. Legal Med.* 131, 1155–1163. <https://doi.org/10.1007/s00414-017-1548-z>
- Costa, A.C.O., Albuquerque, P.P.F. de, Albuquerque, P.V. de, Oliveira, B.D.R. de, Albuquerque, Y.M.L. de, Caiaffo, V., 2016a. Morphometric analysis of the scapula and their differences between females and males. *International Journal of Morphology.* <https://doi.org/10.4067/S0717-95022016000300057>
- Costa, A.C.O., de Albuquerque, P.P.F., de Albuquerque, P. V, 2016b. Morphometric analysis of the scapula and their differences between females and males.

International Journal of Morphology 34, 850–856.  
<https://doi.org/10.4067/S0717-95022016000300057>

Damas, C.N., Silva, J., Sá, M.C., Torres, J., 2016. Computed tomography morphological analysis of the scapula and its implications in shoulder arthroplasty. *European Journal of Orthopaedic Surgery & Traumatology* 26, 127–132. <https://doi.org/10.1007/s00590-015-1721-3>

Das, S.R., Champatray, S., Nayak, G., Panda, S.K., 2022. Coracoid Process in Adult Human Scapula in Eastern Odisha Population: A Morphometric Analysis, in: *Current Practice in Medical Science Vol. 7*. Book Publisher International (a part of SCIENCEDOMAIN International), pp. 12–22. <https://doi.org/10.9734/bpi/cpms/v7/16816D>

Deng, H.-W., Deng, X.-T., Conway, T., Xu, F.-H., Heaney, R., Recker, R.R., 2002. Determination of Bone Size of Hip, Spine, and Wrist in Human Pedigrees by Genetic and Lifestyle Factors. *Journal of Clinical Densitometry* 5, 45–56. <https://doi.org/10.1385/JCD:5:1:045>

Dey, R., Sivarasu, S., Charilaou, J., Roche, S., Hansson, F., 2020. Evaluating the Fit of Current Anatomical Scapula Reconstruction Plates: A Study Using Fifty Scapulae, in: *2020 Design of Medical Devices Conference*. American Society of Mechanical Engineers. <https://doi.org/10.1115/DMD2020-9079>

Donders, J.C.E., Prins, J., Kloen, P., 2020. Three-dimensional topography of scapular nutrient foramina. *Surgical and Radiologic Anatomy*. <https://doi.org/10.1007/S00276-020-02441-7>

Elshahhat, A., Basyoni, Y., Nour, K., 2025. Comprehensive analysis of bony scapula morphology and anthropometry in a homogeneous population. *BMC Med. Imaging* 25, 262. <https://doi.org/10.1186/s12880-025-01793-z>

Ernat, J.J., Golijanin, P., Peebles, A.M., Eble, S.K., Midtgaard, K.S., Provencher, M.T., 2022. Anterior and posterior glenoid bone loss in patients receiving surgery for glenohumeral instability is not the same: a comparative 3-dimensional imaging analysis. *JSES Int.* 6, 581–586. <https://doi.org/10.1016/j.jseint.2022.02.007>

Errickson, D., Grueso, I., Griffith, S.J., Setchell, J.M., Thompson, T.J.U., Thompson, C.E.L., Gowland, R.L., 2017. Towards a Best Practice for the Use of Active Non-contact Surface Scanning to Record Human Skeletal Remains from Archaeological Contexts. *Int. J. Osteoarchaeol.* 27, 650–661. <https://doi.org/10.1002/oa.2587>

Gara, R., Lakshmi, V.V. V., 2019. Morphometric study and its application in sexual dimorphism of scapula. *Indian Journal of Basic and Applied Medical Research* 8, 171–188.

Gauci, M.-O., Jacquot, A., Boux de Casson, F., Deransart, P., Letissier, H., Berhouet, J., 2022. Glenoid inclination: Choosing the transverse axis is critical—A 3D automated versus manually measured study. *J. Clin. Med.* <https://doi.org/10.3390/jcm11206050>

- Geelan-Small, P., Sawang, M., 2022. A predictive model for the critical shoulder angle based on a three-dimensional analysis of scapular angular and linear morphometrics. *BMC Musculoskelet. Disord.* <https://doi.org/10.1186/s12891-022-05941-2>
- Gopal, K., Singh, A., Singh, O., Sharma, C., 2018. MORPHOMETRIC EVALUATION OF GLENOID CAVITY AND OTHER DIMENSIONS OF DRY HUMAN SCAPULAE. *International Journal of Anatomy and Research* 6, 5339–5345. <https://doi.org/10.16965/ijar.2018.199>
- Green, H., 2010. A geometric morphometric approach to cranial variation of southeast Asians in a global context. *Before Farming* 2010, 1–14. <https://doi.org/10.3828/bfarm.2010.3.1>
- Griffith, J.F., 2019. Measuring glenoid and humeral bone loss in shoulder dislocation. *Quant. Imaging Med. Surg.* 9, 134–143. <https://doi.org/10.21037/qims.2019.01.06>
- Guo, Z., Guo, Y., Wang, Y., Bi, Y., Deng, Y., Cao, Y., Huang, M., 2024. Finite element analysis of the treatment of a minimally invasive approach combined with a novel anatomical locking plate for scapular body fractures. *J. Orthop. Surg. Res.* 19, 410. <https://doi.org/10.1186/s13018-024-04905-7>
- Hanihara, T., 2008. Morphological variation of major human populations based on nonmetric dental traits. *Am. J. Phys. Anthropol.* 136, 169–182. <https://doi.org/10.1002/ajpa.20792>
- Hatta, T., Yamamoto, N., Sano, H., Omori, Y., Sugamoto, K., Suzuki, K., Itoi, E., 2017. Three-dimensional morphometric analysis of the coracohumeral distance using magnetic resonance imaging. *Orthop. Rev. (Pavia)*. <https://doi.org/10.4081/OR.2017.6999>
- Hochreiter, B., Beeler, S., Hofstede, S.B., Widmer, J., Farshad, M., Gerber, C., 2023. Posterior stability of the shoulder depends on acromial anatomy: a biomechanical study of 3D surface models. *J. Exp. Orthop.* 10. <https://doi.org/10.1186/s40634-023-00623-x>
- Huang, Y., Robinson, D.L., Pitocchi, J., Lee, P.V.S., Ackland, D.C., 2022. Glenohumeral joint reconstruction using statistical shape modeling. *Biomech. Model. Mechanobiol.* 21, 249–259. <https://doi.org/10.1007/s10237-021-01533-6>
- Huflage, H., Fieber, T., Färber, C., Knarr, J., Veldhoen, S., Jordan, M.C., Gilbert, F., Bley, T.A., Meffert, R.H., Grunz, J.-P., Schmalzl, J., 2022. Interobserver reliability of scapula fracture classifications in intra- and extra-articular injury patterns. *BMC Musculoskelet. Disord.* 23, 189. <https://doi.org/10.1186/s12891-022-05146-7>
- Inui, H., Tanaka, H., Nobuhara, K., 2014. Glenohumeral relationships at different angles of abduction. *Surgical and Radiologic Anatomy* 36, 1009–1014. <https://doi.org/10.1007/s00276-014-1315-5>

- Iwashita, S., Sugamoto, K., Hashiguchi, H., Yoneda, M., Takai, S., 2020. Morphological evaluation of the scapula by three-dimensional computed tomography to elucidate shoulder joint function. *Clinical Anatomy*. <https://doi.org/10.1002/CA.23541>
- Jacobson, A., Gilot, G.J., Hamilton, M.A., Greene, A., Flurin, P.-H., Wright, T.W., Zuckerman, J.D., Roche, C.P., 2015. Glenohumeral Anatomic Study. A Comparison of Male and Female Shoulders with Similar Average Age and BMI. *Bull. Hosp. Jt. Dis.* (2013) 73 Suppl 1, S68-78.
- Jaffar, M., Murlimanju, B. V., Saralaya, V. V., Prabhu, L. V., Prashanth, K.U., Krishnamurthy, A., 2012. Bone morphometry. *Bratislava Medical Journal* 113, 673–675. [https://doi.org/10.4149/BLL\\_2012\\_152](https://doi.org/10.4149/BLL_2012_152)
- Jones, D., Scholuebbbers, G., Matthias, H.H., 1988. Wolff's law, piezo-electricity and mechanical stress responses in the skeleton, in: *Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society*. IEEE, p. 994 vol.2. <https://doi.org/10.1109/IEMBS.1988.95307>
- Joshi, S.D., Joshi, S.S., 2018. Proximal attachment of long head of biceps brachii to the bicipital tubercle of scapula and its functional significance. *J. Anat. Soc. India*. <https://doi.org/10.1016/J.JASI.2018.04.002>
- Kadavkolan, A.S., Jawhar, A., 2018. Glenohumeral joint morphometry with reference to anatomic shoulder arthroplasty. *Curr. Orthop. Pract.* 29, 71–83. <https://doi.org/10.1097/BCO.0000000000000552>
- Kalra, S., Thamke, S., Khandelwal, A., Khorwal, G., 2016. Morphometric analysis and surgical anatomy of coracoid process and glenoid cavity. *J. Anat. Soc. India*. <https://doi.org/10.1016/J.JASI.2017.01.004>
- Knapik, D.M., Cumsky, J., Tanenbaum, J.E., Voos, J.E., Gillespie, R.J., 2018. Differences in Coracoid and Glenoid Dimensions Based on Sex, Race, and Age: Implications for Use of the Latarjet Technique in Glenoid Reconstruction. *HSS J.* 14, 238–244. <https://doi.org/10.1007/s11420-018-9618-4>
- Kolmodin, J., Davidson, I.U., Jun, B.J., Sodhi, N., Subhas, N., Patterson, T.E., Li, Z.-M., Iannotti, J.P., Ricchetti, E.T., 2018. Scapular Notching After Reverse Total Shoulder Arthroplasty. *Journal of Bone and Joint Surgery* 100, 1095–1103. <https://doi.org/10.2106/JBJS.17.00242>
- Koukiasa, A.E., Eliopoulos, C., Manolis, S.K., 2017. Biometric sex estimation using the scapula and clavicle in a modern Greek population. *Anthropologischer Anzeiger*. <https://doi.org/10.1127/anthranz/2017/0658>
- Kusuma, P., Cox, M.P., Brucato, N., Sudoyo, H., Letellier, T., Ricaut, F.-X., 2016. Western Eurasian genetic influences in the Indonesian archipelago. *Quaternary International* 416, 243–248. <https://doi.org/10.1016/j.quaint.2015.06.048>
- Kuwahara, Y., Yuri, T., Fujii, H., Kiyoshige, Y., 2017. Functions of the subregions of the infraspinatus during lateral rotation. *Surgical and Radiologic Anatomy* 39, 1331–1336. <https://doi.org/10.1007/s00276-017-1886-z>

- Langley, N.R., Jantz, L.M., McNulty, S., Maijanen, H., Ousley, S.D., Jantz, R.L., 2018. Data for validation of osteometric methods in forensic anthropology. *Data Brief* 19, 21–28. <https://doi.org/10.1016/j.dib.2018.04.148>
- Lee, E.C.S., Lawrence, R.L., Rainbow, M.J., 2024. Sexual dimorphism and allometry in human scapular morphology. <https://doi.org/10.1101/2024.03.18.585525>
- Machado Sanchez, H., Gouveia de Morais Sanchez, E., 2018. Scapular dyskinesia: biomechanics, evaluation and treatment. *International Physical Medicine & Rehabilitation Journal* 3. <https://doi.org/10.15406/ipmrj.2018.03.00157>
- Mangasah, H., Aminata, I.W., 2023. Three-dimensional morphometric analysis of glenoid in the Indonesian population and its clinical significance. *J. Orthop.* 37, 27–33. <https://doi.org/10.1016/j.jor.2023.02.002>
- Mathews, S., Burkhard, M.D., Serrano, N., Walch, G., Favard, L., Gerber, C., 2017. Glenoid morphology in light of anatomical and reverse total shoulder arthroplasty: A dissection- and 3D-CT-based study in male and female body donors. *BMC Musculoskelet. Disord.* 18, 9. <https://doi.org/10.1186/S12891-016-1373-4>
- Matsuo, T., Morita, F., Tani, D., Nakamura, H., Higurashi, Y., Ohgi, J., Luziga, C., Wada, N., 2019. Anatomical variation of habitat-related changes in scapular morphology. *Anat. Histol. Embryol.* 48, 218–227. <https://doi.org/10.1111/ahc.12426>
- Min, L., Zhou, Y., Tang, F., Zhang, W., Luo, Y., Duan, H., Tu, C., 2017. Reconstruction with scapular hemiarthroplasty endoprosthesis after scapulectomy for malignant tumour. *Int. Orthop.* 41, 1057–1063. <https://doi.org/10.1007/s00264-017-3429-y>
- Moncayo-Matute, F.P., Peña-Tapia, P.G., Vázquez-Silva, E., Torres-Jara, P.B., Abad-Farfán, G., Moya-Loaiza, D.P., Andrade-Galarza, A.F., 2022. Description and application of a comprehensive methodology for custom implant design and surgical planning. *Interdisciplinary Neurosurgery* 29, 101585. <https://doi.org/10.1016/j.inat.2022.101585>
- Nayak, G., Panda, S.K., Chinara, P.K., 2020. Acromion, coracoid and glenoid processes of scapula: an anatomical study. *Int. J. Res. Med. Sci.* 8, 570. <https://doi.org/10.18203/2320-6012.ijrms20200237>
- Nayyar, A.K., Ghatak, S., 2021. Bone Preparation from Embalmed Human Cadavers - A Retrieval and Curation Technique. *Austin Journal of Anatomy* 8, 1098.
- Nebelung, W., Reichwein, F., Nebelung, S., 2016. A simplified arthroscopic bone graft transfer technique in chronic glenoid bone deficiency. *Knee Surgery, Sports Traumatology, Arthroscopy* 24, 1884–1887. <https://doi.org/10.1007/s00167-014-3025-2>
- Nieves, J.W., Formica, C., Ruffing, J., Zion, M., Garrett, P., Lindsay, R., Cosman, F., 2005. Males Have Larger Skeletal Size and Bone Mass Than Females, Despite Comparable Body Size. *Journal of Bone and Mineral Research* 20, 529–535. <https://doi.org/10.1359/JBMR.041005>

- O'Brien, L.K., Waterman, B.R., 2024. Radiographic and Advanced Imaging to Assess Anterior Glenohumeral Bone Loss, in: *Shoulder Instability in the Athlete*. CRC Press, Boca Raton, pp. 67–78. <https://doi.org/10.1201/9781003526391-9>
- Oliveira Costa, A.C., Feitosa de Albuquerque, P.P., de Albuquerque, P. V, Ribeiro de Oliveira, B.D., Lima de Albuquerque, Y.M., Caiaffo, V., 2016. Morphometric analysis of the scapula and their differences between females and males. *International Journal of Morphology* 34, 1164–1168. <https://doi.org/10.4067/S0717-95022016000300057>
- Öncü, T., Akgün, K., Çetin, A., 2022. Three-dimensional morphometric evaluation of scapular anatomy: Relevance for shoulder surgeries. *Surgical and Radiologic Anatomy* 44, 2037–2045. <https://doi.org/10.1007/s00276-022-02961-5>
- Panagiotopoulos, A.C., Crowther, I.M., 2019. Scapular dyskinesia, the forgotten culprit of shoulder pain and how to rehabilitate. *SICOT. J.* 5. <https://doi.org/10.1051/sicotj/2019029>
- Parveiz Malik Parvaiz, Y., 2023. Morphological Variations in Columns of Scapula & Reverse Total Shoulder Arthroplasty. *International Journal of Science and Research (IJSR)* 12, 962–966. <https://doi.org/10.21275/SR23215125428>
- Peckmann, T.R., Scott, S., Meek, S., Mahakkanukrauh, P., 2017. Sex estimation from the scapula in a contemporary Thai population: Applications for forensic anthropology. *Science & Justice* 57, 270–275. <https://doi.org/10.1016/j.scijus.2017.02.005>
- Pier, T., Milligan, K., Wuthrich, Z., Carpenter, R.D., Ayers, R., Jesse, M., Kleck, C., Patel, V., 2022. Morphometric analysis of the sacrum using statistical shape modelling. *Comput. Methods Biomech. Biomed. Eng. Imaging Vis.* 10, 76–84. <https://doi.org/10.1080/21681163.2021.1977716>
- Rachuene, P., Dey, R., Motchon, Y.D., Sivarasu, S., Stephen, R., 2023. An interpopulation comparison and correlation of 3D morphometric measurements of the scapula, in: *Orthopaedic Proceedings*. <https://doi.org/10.1302/1358-992X.2023.15.017>
- Revathi, S., 2020. A morphological study of variations in the shape of suprascapular notch in dry human scapula. *Journal of Medical Science and Clinical Research*. <https://doi.org/10.18535/JMSCR/V8I3.28>
- Saha, S., Bandyopadhyay, D., Chattopadhyay, A., 2020. Clinical considerations in scapular fracture management. *Int. Orthop.* 44, 1621–1628. <https://doi.org/10.1007/s00264-020-04602-0>
- Said, H.G., Fetih, T.N., Abd-Elzaher, H.E., Lambert, S.M., 2020. Radiographic parameters and a novel fluoroscopic control view for posterior screw fixation of coracoid base fractures: A cadaveric study. *SICOT. J.* <https://doi.org/10.1051/SICOTJ/2020008>

- Saini, S.S., Shah, S.S., Curtis, A.S., 2020. Scapular dyskinesia and the kinetic chain: recognizing dysfunction and treating injury in the tennis athlete. *Curr. Rev. Musculoskelet. Med.* 13. <https://doi.org/10.1007/s12178-020-09672-6>
- Sakata-Haga, H., Uchishiba, M., Shimada, H., Tsukada, T., Mitani, M., Arikawa, T., Shoji, H., Hata, T., 2018. A rapid and nondestructive protocol for whole-mount bone staining of small fish and *Xenopus*. *Sci. Rep.* 8, 7453. <https://doi.org/10.1038/s41598-018-25836-4>
- Salhi, A., Burdin, V., Brochard, S., Mutsvangwa, T.E., Borotikar, B., 2020. Clinical relevance of augmented statistical shape model of the scapula in the glenoid region. *Med. Eng. Phys.* 76, 88–94. <https://doi.org/10.1016/j.medengphy.2019.11.007>
- Sathe, S., Sathe, V., Sathe, R., 2016. SEXUAL DIMORPHISM OF SCAPULA BY VISUAL METHODS. *International Journal of Anatomy and Research* 4, 2921–2926. <https://doi.org/10.16965/ijar.2016.372>
- Saygin, D.A., Türkoğlu, F.N., Aydin, A., 2022. A morphometric and morphologic analysis of superior border of dry scapulae. *Medical Records – International Medical Journal* 4, 173–180. <https://doi.org/10.37990/medr.1176471>
- Schwartz, C., Croisier, J.L., Rigaux, E., Bröls, O., Denoël, V., Forthomme, B., 2016. Gender effect on the scapular 3D posture and kinematics in healthy subjects. *Clin. Physiol. Funct. Imaging* 36, 188–196. <https://doi.org/10.1111/cpf.12212>
- Sehrawat, J.S., Pathak, R.K., 2016. Variability in anatomical features of human clavicle: Its forensic anthropological and clinical significance. *Translational Research in Anatomy* 3–4, 5–14. <https://doi.org/10.1016/j.tria.2016.08.001>
- Seth, A., Matias, R., Veloso, A.P., Delp, S.L., 2016. A biomechanical model of the scapulothoracic joint to accurately capture scapular kinematics during shoulder movements. *PLoS One* 11. <https://doi.org/10.1371/journal.pone.0141028>
- Shah, A., Judge, A., Delmestri, A., Edwards, K., Arden, N.K., Prieto-Alhambra, D., Holt, T.A., Pinedo-Villanueva, R.A., Hopewell, S., Lamb, S.E., Rangan, A., Carr, A.J., Collins, G.S., Rees, J.L., 2017. Incidence of shoulder dislocations in the UK, 1995–2015: a population-based cohort study. *BMJ Open* 7, e016112. <https://doi.org/10.1136/bmjopen-2017-016112>
- Sharma, Ritika, Sharma, Rajan, Singla, R.K., Kullar, J.S., 2024. A study of morphology and morphometry of scapula in North Indian population and its evolutionary significance. *Italian Journal of Anatomy and Embryology* 128, 31–36. <https://doi.org/10.36253/ijae-15451>
- Shrestha, A., Khan, G.A., Gautam, A., Shakya, S., 2022. DETERMINATION OF SCAPULAR INDEX IN HUMAN SCAPULA. *Journal of Chitwan Medical College* 12, 55–58. <https://doi.org/10.54530/jcmc.1122>
- Sidduswamy, N., Aricat, D.P., Sultana, Q., 2023. Morphometric study of scapula and related surgical importance of suprascapular notch among West Coastal

- population of South India. *Acta Morphologica et Anthropologica* 30, 65–68. <https://doi.org/10.7546/ama.30.1-2.2023.10>
- Sindhu, V., Soundarapandian, S., 2019. Three-dimensional modelling of femur bone using various scanning systems for modelling of knee implant and virtual aid of surgical planning. *Measurement* 141, 190–208. <https://doi.org/10.1016/j.measurement.2019.04.017>
- Singroha, R., Verma, U., Malik, P., Rathee, S.K., 2017. Morphometric study of acromion process in scapula of North Indian population. *Int. J. Res. Med. Sci.* <https://doi.org/10.18203/2320-6012.IJRMS20174953>
- Sládek, V., Hora, M., Wall-Scheffler, C., Struška, M., Berner, M., 2025. Bone health: Age-related changes in diaphyseal structural properties among European Holocene humans during the last 9000 years. *Sci. Adv.* 11. <https://doi.org/10.1126/sciadv.adx7981>
- Stulp, G., Barrett, L., 2016. Evolutionary perspectives on human height variation. *Biological Reviews* 91, 206–234. <https://doi.org/10.1111/brv.12165>
- Suter, T., Henninger, H.B., Zhang, Y., Wylie, J.D., Tashjian, R.Z., 2016. Comparison of measurements of the glenopolar angle in 3D CT reconstructions of the scapula and 2D plain radiographic views. *Bone Joint J.* 98-B, 1510–1516. <https://doi.org/10.1302/0301-620X.98B11.37800>
- Tao, M.A., Garrigues, G.E., 2015. Arthroscopic-Assisted Fixation of Ideberg Type III Glenoid Fractures. *Arthrosc. Tech.* 4, e119–e125. <https://doi.org/10.1016/j.eats.2014.11.012>
- Tomei, E., Sartori, A., Nissman, D., Al Ansari, N., Battisti, S., Rubini, A., Stagnitti, A., Martino, M., Marini, M., Barbato, E., Semelka, R.C., 2014. Value of MRI of the hand and the wrist in evaluation of bone age: Preliminary results. *Journal of Magnetic Resonance Imaging* 39, 1198–1205. <https://doi.org/10.1002/jmri.24286>
- Torimitsu, S., Makino, Y., Saitoh, H., Sakuma, A., Ishii, N., Yajima, D., Inokuchi, G., Motomura, A., Chiba, F., Yamaguchi, R., Hashimoto, M., Hoshioka, Y., Iwase, H., 2016. Sex estimation based on scapula analysis in a Japanese population using multidetector computed tomography. *Forensic Sci. Int.* 262, 285.e1–285.e5. <https://doi.org/10.1016/j.forsciint.2016.02.023>
- Totlis, T., Gowd, A.K., Bernardoni, E.D., Cole, B.J., Verma, N.N., Natsis, K., 2018. A simple method to directly evaluate the lateral extension of the acromion: an anatomic study of 128 cadaveric scapulae. *J. Shoulder Elbow Surg.* 27, 1694–1699. <https://doi.org/10.1016/j.jse.2018.02.072>
- Ülker, M., Farımaz, M., Ataç, G.K., Kırıcı, Y., Karaagaoglu, E., Aldur, M., 2023. Sex determination from scapula by volume rendering technique in Turkish population. *International Journal of Morphology* 41, 569–576. <https://doi.org/10.4067/S0717-95022023000200569>

- Vaishnani, H., Jethva, K., Rathwa, A., Sharma, P., 2018. MORPHOMETRY AND MORPHOLOGY OF GLENOID CAVITY OF SCAPULA. *International Journal of Anatomy and Research* 6, 4798–4802. <https://doi.org/10.16965/ijar.2017.467>
- Vaishnani, H. V, Jethva, K., Rathwa, A., Sharma, P., 2018. Morphometry and morphology of glenoid cavity of scapula. *International Journal of Approximate Reasoning*. <https://doi.org/10.16965/IJAR.2017.467>
- Vassallo, S., Davies, C., Biehler-Gomez, L., 2022. Sex estimation using scapular measurements: discriminant function analysis in a modern Italian population. *Australian Journal of Forensic Sciences* 54, 785–798. <https://doi.org/10.1080/00450618.2020.1868575>
- Venken, K., Bouillon, R., Vanderschueren, D., 2008. Androgens versus Estrogens: different theories about opposing actions on periosteal bone expansion. *IBMS Bonekey* 5, 130–136. <https://doi.org/10.1138/20080308>
- Vijay, L.V.G., Avadhani, R., 2022. Correlation between morphological variations and morphometry of scapula and suprascapular notch with its clinical significance in South Indian population. *International Journal of Research and Review*. <https://doi.org/10.52403/ijrr.20220340>
- Wang, G., Tang, Y., Wu, X., Yang, H., 2020. Finite element analysis of a new plate for Pauwels type III femoral neck fractures. *Journal of International Medical Research* 48. <https://doi.org/10.1177/0300060520903669>
- Wang, L., He, K., Chen, Z., 2016. Statistical Analyses of Femur Parameters for Designing Anatomical Plates. *Comput. Math. Methods Med.* 2016, 1–12. <https://doi.org/10.1155/2016/1247560>
- Warden, S.J., 2010. Extreme Skeletal Adaptation to Mechanical Loading. *Journal of Orthopaedic & Sports Physical Therapy* 40, 188–188. <https://doi.org/10.2519/jospt.2010.0404>
- White, T.D., Black, M.T., Folkens, P.A., 2012. *Human osteology*, 3rd ed. Elsevier Academic Press.
- Widyanti, A., Susanti, L., Satalaksana, I.Z., Muslim, K., 2015. Ethnic differences in Indonesian anthropometry data: Evidence from three different largest ethnics. *Int. J. Ind. Ergon.* 47, 72–78. <https://doi.org/10.1016/j.ergon.2015.02.008>
- Zhang, H., Xu, S., Ding, X., Xiong, M., Duan, P., 2025. Design of internal fixation implants for fracture: A review. *J. Orthop. Translat.* 50, 306–332. <https://doi.org/10.1016/j.jot.2024.09.012>
- Zhao, L., Lu, M., He, L., Xing, J., Xu, T., Wang, C., 2021. Arthroscopic Autologous Iliac Crest Bone Grafting for Reconstruction of the Glenoid: A Nonrigid Fixation Technique. *Arthrosc. Tech.* 10, e2597–e2605. <https://doi.org/10.1016/j.eats.2020.10.007>