

DAFTAR PUSTAKA

- Abro, A, Qi, G., Aamir, M. & Ali, Z. (2022). Joint Intent Detection and Slot Filling using Weighted Finite State Transducer and BERT, *Applied Intelligence*.
- Abro, A., Aicher, A., Rach, N., Ultes, S., Minker, W. & Qi, G. (2022). Natural Language Understanding for Argumentative Dialogue Systems in the Opinion Building Domain, *Knowledge-Based Systems*, 242.
- Ahsani, H., Hartono, R., Hamidi, R. & Arrahman, Y. (2015). Location-based Pada Perangkat Mobile dengan Menggunakan Metode Weighted Product (Wp), 1, 1.
- Anki, P., Bustamam, A., Al-Ash, S. & Sarwinda, D. (2021), Intelligent Chatbot Adapted from Question and Answer System Using RNN-LSTM Model, *Journal of Physics: Conference Series*, 1844, 1.
- Argenza, M. & Utomo, P. (2021). Sistem Rekomendasi Kuliner Semarang Berbasis Web Mobile (E-Semar), *JIPETIK: Jurnal Ilmiah Penelitian*, 2(1), 19–28.
<http://journal.upgris.ac.id/index.php/jipetik/article/download/7946/4182>.
- Ariyanto, Y., Widiyanigtyas, T. & Zaeni, E. (2024). Enhancing Movie Recommendations: A Demographic-Integrated Cosine-KNN Collaborative Filtering Approach, *International Journal of Intelligent Engineering and Systems*, 17(6), 791–803.
- Astuti, W., Putri, I., Wibawa, P., Salim, Y., Purnawansyah & Ghosh, A. (2021). Predicting Frequently Asked Questions (FAQs) on the COVID-19 Chatbot using the DIET Classifier, *3rd 2021 East Indonesia Conference on Computer and Information Technology, EIconCIT 2021*, 25–29.
- Awienoor, G., & Setiawan, B. (2024). Movie Recommendation System Based on Tweets Using Switching Hybrid Filtering with Recurrent Neural Network, *International Journal of Intelligent Engineering and Systems*, 17(2), 277–293.

- Azizi, M. (2021). A tag-based recommender system for regression test case prioritization, *Proceedings - 2021 IEEE 14th International Conference on Software Testing, Verification and Validation Workshops, ICSTW 2021* April, 146–157.
- Badan Pusat Statistik. (2023). Statistik Penyediaan Makanan dan Minuman 2023. Jakarta: Badan Pusat Statistik. <https://www.bps.go.id/id/publication/2024/12/23/f2c7743c4712aaeaa4abf694/statistik-penyediaan-makanan-dan-minuman-2023.html>.
- Bag, S., Kumar, K., & Tiwari, K. (2019). An Efficient Recommendation Generation using Relevant Jaccard Similarity, *Information Sciences*, 483, 53–64.
- Biswas, P., Sharan, A. & Malik, N. (2014). A framework for restricted domain Question Answering System, *Proceedings of the 2014 International Conference on Issues and Challenges in Intelligent Computing Techniques, ICICT 2014*, 613–620.
- Bocklisch, T., Faulkner, J., Pawlowski, N. & Nichol, A. (2017). Rasa: Open Source Language Understanding and Dialogue Management, 1–9. <http://arxiv.org/abs/1712.05181>.
- Bollen, D., Knijnenburg, B., Willemsen, M., & Graus, M. (2010). Understanding Choice Overload, *RecSys '10: Proceedings of the fourth ACM conference on Recommender systems*, 63–70.
- Bordes, A., Lan, Y. & Weston, J. (2017). Learning End-to-End Goal-Oriented Dialog, *5th International Conference on Learning Representations, ICLR 2017 - Conference Track Proceedings*, 1–15.
- Bunk, T., Varshneya, D., Vlasov, V. & Nichol, A. (2020). DIET: Lightweight Language Understanding for Dialogue Systems, <http://arxiv.org/abs/2004.09936>.
- Chan, C.H. & Kittler, J. (2020). Angular sparsemax for face recognition, *25th International Conference on Pattern Recognition (ICPR)*, 10473–10479.
- Chandra, A., Winarko, E. & Priyanta, S. (2020). Adwords Keyword Set Selection Decision Support System Using AHP and TOPSIS Method, 14(2).

- Chandra, W. & Suyanto, S. (2019). Indonesian Chatbot of University Admission using a Question Answering System based on Sequence-to-Sequence Model, *Procedia Computer Science*, 157, 367–374. <https://doi.org/10.1016/j.procs.2019.08.179>.
- Chen, Q., Zhuo, Z. & Wang, W. (2019). BERT for Joint Intent Classification and Slot Filling, <http://arxiv.org/abs/1902.10909>.
- Dhyani, M. & Kumar, R. (2019). An Intelligent Chatbot using Deep Learning with Bidirectional RNN and Attention Model, *Materials Today: Proceedings*, 34, xxxx, 817–824. <https://doi.org/10.1016/j.matpr.2020.05.450>.
- Fadhlurohman, A., Sulasikin, A., Nugraha, Y., Husna, R., Aminanto, E. & Kanggrawan, I. (2023). Development of Indonesian Language Intelligent Chatbot for Public Services in JAKI Application, *Proceedings of 2023 IEEE International Smart Cities Conference, ISC2 2023*, 1–7.
- Fakhri, A., Baizal, A. & Setiawan, B. (2019). Restaurant Recommender System Using User-Based Collaborative Filtering Approach: A Case Study at Bandung Raya Region, *Journal of Physics: Conference Series*, 1192, 1.
- Fadhlullah, G., & Baizal, Z. (2021). Conversational Recommender Systems Based on Mobile Chatbot for Culinary, *Jurnal Media Informatika Budidarma*, 5(4), 1233-1241 ISSN 2614-5278. <http://stmik-budidarma.ac.id/ejurnal/index.php/mib/article/view/3242/2214>.
- Francesco, R., Lior, R. & Bracha, S. (2015). Recommender Systems Handbook, ISBN 978-1-4899-7636-9, *Springer Science+Business Media*. <https://edyaaaleh.wordpress.com/wp-content/uploads/2016/02/recommendersystemshandbook.pdf>.
- Gonçalo, C., Vlad, N. & Andre, T. (2019). Adaptively Sparse Transformers, *Conference on Empirical Methods in Natural Language Processing (EMNLP), 2019, Hong Kong*.
- Goo, W., Gao, G., Hsu, K., Huo, L., Chen, C., Hsu, W. & Chen, N. (2018). Slot-Gated Modeling for Joint Slot Filling and Intent Prediction, *NAACL HLT 2018 - 2018 Conference of the North American Chapter of the*

Association for Computational Linguistics: Human Language Technologies - Proceedings of the Conference, 2, 753–757.

Haihong, E., Niu, P., Chen, Z. & Song, M. (2020). A Novel Bi-Directional Interrelated Model for Joint Intent Detection and Slot Filling, *ACL 2019 - 57th Annual Meeting of the Association for Computational Linguistics, Proceedings of the Conference, 5467–5471.*

Haihong, E., Zhang, W. & Song, M. (2019). KB-Transformer: Incorporating Knowledge into End-to-End Task-Oriented Dialog Systems, *Proceedings - 15th International Conference on Semantics, Knowledge and Grids: On Big Data, AI and Future Interconnection Environment, SKG 2019, 44–48.*

Hao, J., Li, R., Fei, H. & Tao, Y. (2021). A Medical Dialogue System Based on Diet and Knowledge Graph, *Proceedings - 2021 International Conference on Health Big Data and Smart Sports, HBDSS 2021, 56–59.*

Haryanto, A. & Witriyono, H. (2022). Sistem Rekomendasi Pemilihan Lensa Kacamata Menggunakan Metode Weighting Product (WP) Pada Toko Optik Berkah, *Jurnal Media Infotama, 18(1), 15–22.*

Hori, C., Perez, J., Higashinaka, R., Hori, T., Boureau, Y.L., Inaba, M., Tsunomori, Y., Takahashi, T., Yoshino, K. & Kim, S. (2019). Overview of the Sixth Dialog System Technology Challenge: DSTC9, *Computer Speech and Language, 55, 1–25.*

Hosseini-Asl, E., McCann, B., Wu, C.S., Yavuz, S. & Socher, R. (2020). A Simple Language Model for Task-Oriented Dialogue, *Advances in Neural Information Processing Systems, 2020-Decem, NeurIPS.*

Hosseini-Asl, E., McCann, B., Wu, S., Yavuz, S. & Socher, R. (2020). A Simple Language Model for Task-Oriented Dialogue, <http://arxiv.org/abs/2005.00796>.

Hwang, H., Shin, J., Seo, H., Im, S. & Cho, H. (2021). KoRASA: Pipeline Optimization for Open-Source Korean Natural Language Understanding Framework Based on Deep Learning, *Mobile Information Systems, 2021, 1.*

Jannach, D., Manzoor, A., Cai, W. & Chen, L. (2021). A Survey on Conversational Recommender Systems, *ACM Computing Surveys, 54, 5.*

<https://arxiv.org/pdf/2004.00646>.

- Jayalakshmi, S. & Sheshasaayee, A. (2017). Automated Question Answering System using Ontology and Semantic Role, *IEEE International Conference on Innovative Mechanisms for Industry Applications, ICIMIA 2017 - Proceedings*, 528–532.
- Kenton, C., Kristina, L. & Devlin, J. (1953). BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding.
- Khadilkar, A., Patil, Y. & Sundaramali. (2021). Context Sentences to Single Vector Compression using Convolutional Transformers for Deep Learning based NLG Tasks, *2021 International Conference on Computer Communication and Informatics, ICCCI 2021*, 25–29.
- Khin, N. & Soe, M. (2020). Question Answering based University Chatbot using Sequence to Sequence Model, *Proceedings of 2020 23rd Conference of the Oriental COCOSDA International Committee for the Co-Ordination and Standardisation of Speech Databases and Assessment Techniques, O-COCOSDA 2020*, 55–59.
- Kingma, P. & Ba, L. (2015). Adam: A Method for Stochastic Optimization, *3rd International Conference on Learning Representations, ICLR 2015 - Conference Track Proceedings*, 1–15.
- Nagarajan, S. (2019). Server-Less Rule-Based Chatbot using Deep Neural Network, <http://www.teknat.uu.se/student>.
- Lai, T., Bui, T., & On, P. (2018). A Review on Deep Learning Techniques Applied to Answer Selection, *27th International Conference on Computational Linguistics*, 2132–2144.
- Lautraite, H., Naji, N., Marceau, L., Queudot, M. & Charton, E. (2021). Multi-stage Clarification in Conversational AI: The case of Question-Answering Dialogue Systems, 1–10. <http://arxiv.org/abs/2110.15235>.
- Lei, H., Lu, W., Ji, A., Bertram, E., Gao, P., Jiang, X. & Barman, A. (2021). COVID-19 Smart Chatbot Prototype for Patient Monitoring, <http://arxiv.org/abs/2103.06816>.
- Lei, W., Jin, X., Ren, Z., He, X., Kan, Y. & Yin, D. (2018) Sequicity:

- Simplifying Task-Oriented Dialogue Systems with Single Sequence-To-Sequence Architectures, *ACL 2018 - 56th Annual Meeting of the Association for Computational Linguistics, Proceedings of the Conference (Long Papers)*, 1, 1437–1447.
- Liang, W., Tian, Y., Chen, C. & Yu, Z. (2019). MOSS: End-to-End Dialog System Framework with Modular Supervision, <http://arxiv.org/abs/1909.05528>.
- Liu, B. & Lane, I. (2017). An End-to-End Trainable Neural Network Model with Belief Tracking for Task-Oriented Dialog, *Proceedings of the Annual Conference of the International Speech Communication Association, INTERSPEECH*, 2017, 2506–2510.
- Liu, B. & Lane, I. (2016). Attention-based Recurrent Neural Network Models for Joint Intent Detection and Slot Filling, *Proceedings of the Annual Conference of the International Speech Communication Association, INTERSPEECH*, 08-12-Sept, 1, 685–689.
- Lorenc, P. (2021). Joint Model for Intent and Entity Recognition, 1–5. <http://arxiv.org/abs/2109.03221>.
- Malamas, N. & Symeonidis, A. (2021). Embedding Rasa in Edge Devices: Capabilities and Limitations, *Procedia Computer Science*, 192(2019), 109–118. <https://doi.org/10.1016/j.procs.2021.08.012>.
- Martins, T. & Astudillo, F. (2016). From Softmax to Sparsemax : A Sparse Model of Attention and Multi-Label Classification, *Proceedings of the 33rd International Conference on Machine Learning (ICML)*, 48, 1614–1623.
- Miller, G. 1956. The Magical Number Seven, Plus or Minus Two : Some Limits on our Capacity for Processing Information, *Psychological Review*, 63, 81-97.
- Muangkammuen, P. (2018). Automated Thai-FAQ Chatbot using RNN-LSTM, *2018 22nd International Computer Science and Engineering Conference (ICSEC)*, 1–4.
- Narendra, W. & Setyaningsih, R. (2021). Designing a Transactional Smart Assistant in Indonesian using Rasa Framework, *7th International*

Conference on Electrical, Electronics and Information Engineering: Technological Breakthrough for Greater New Life - ICEEIE 2021.

Nguyen, T., Tien, M., Viet, P., Vu, T. & Nguyen, H. (2021). Building a Chatbot for Supporting the Admission of Universities, 1–6.

Nurjayanti, A., & Faraby, S. (2022). Learning Contextual Meaning for Question Retrieval using Siamese LSTM on Islamic Question Answering, *ICIC Express Letters*, 16(9), 1011–1017.

Okur, E., Sahay, S. & Nachman, L. (2022). Data Augmentation with Paraphrase Generation and Entity Extraction for Multimodal Dialogue System, <http://arxiv.org/abs/2205.04006>.

Pandean, S. & Hansun, S. (2018). Aplikasi WEB untuk Rekomendasi Restoran Menggunakan Weighted Product, *Jurnal Teknologi Informasi dan Ilmu Komputer*, 5(1), 87.

Peixeiro, M., Naji, N. & Charton, E. (2021). Direct Answer Threshold Optimization in Dialogue Systems, *Proceedings of the Canadian Conference on Artificial Intelligence*, 1–6.

Perkasa, F. (2022). Sistem Rekomendasi Emiten Saham Berdasarkan Analisis Fundamental Menggunakan Metode Weighted Product: Studi Kasus Emiten Saham Berbasis Syariah dan Konvensional, *Skripsi*.

Peters, F. & Wehenkel, L. (2018). Design and Implementation of a Chatbot in the Context of Customer Support, *University of Liège - Faculty of Applied Sciences Master Thesis*, 77.

Purwarianti, A., Tsuchiya, M. & Nakagawa, S. (2007). A Machine Learning Approach for an Indonesian-English Cross Language Question Answering System, *IEICE Transactions on Information and Systems*, 11, 1841–1852.

Brick, E., Alonso, V., O'Brien, C., Tong, S., Tavernier, E., Parekh, A., Addelee, A. & Lemon, O. (2021). *Am i Allergic to This? Assisting Sight Impaired People in the Kitchen*, Association for Computing Machinery.

Rustamov, S., Bayramova, A. & Alasgarov, E. (2021). Development of Dialogue Management System for Banking Services, *Applied Sciences (Switzerland)*, 11(22).

- Saitta, L. (1995). Support-Vector Networks, 297, 273–297.
- Serban, V., Lowe, R., Henderson, P., Charlin, L. & Pineau, J. (2018). A Survey of Available Corpora for Building Data-Driven Dialogue Systems: The Journal Version, *Dialogue and Discourse*, 9(1), 1–49.
- Shirsat, N., Khan, J., Wable, A., Mandalik, B. & Jagtap, T. (2022). Healthcare Chatbot System Using Multinomial Naïve Bayes Algorithm, 2, 1826–1831.
- Sihaloho, P., Sipayung, P. & Tarigan, W. (2022). Sistem Pendukung Keputusan Pemilihan Karyawan Terbaik dengan Metode Weighted Product (WP) Pada CV. Neosoft Art Medan, *Jurnal Minfo Polgan*, 11, 1–8.
- Sofia, N. (2019). Implementasi Sistem Web Semantik *Question Answering* dalam Bidang Restoran dan Kuliner di Daerah Istimewa Yogyakarta, *Skripsi*.
- Strigér, A. (2017). End-to-End Trainable Chatbot for Restaurant Recommendations, *KTH Royal Institute of Technology School of Computer Science and Communication*.
- Sukhbaatar, S., Szlam, A., Weston, J. & Fergus, R. (2015). End-to-End Memory Networks, *Advances in Neural Information Processing Systems*, 2440–2448.
- Sun, H., Dhingra, B., Zaheer, M., Mazaitis, K., Salakhutdinov, R., Cohen, W. (2021) BART: Denoising Sequence-to-Sequence Pre-training for Natural Language Generation, Translation, and Comprehension, *Proceedings of the Annual Conference of the International Speech Communication Association*, 1(1), 1437–1447. <http://arxiv.org/abs/2009.03457>.
- Sun, H., Dhingra, B., Zaheer, M., Mazaitis, K., Salakhutdinov, R., Socher, R. (2019). Sentiment Adaptive End-to-End Dialog Systems, *Lecture Notes in Computer Science*, 1(1), 1–13. <http://arxiv.org/abs/1712.05181>.
- Sutskever, I., Vinyals, O. & Le, V. (2014). Sequence to Sequence Learning With Neural Networks, *Advances in Neural Information Processing Systems*, 4, 3104–3112.
- Tamin, J., Robiani, B., Teguh, M. & Mukhlis, M. (2024). Food And Beverage Industry Sector Linkages In Indonesia, *Equity: Jurnal Ekonomi*, 12(1), 83–

94.

- Tchiazé, E. & Nouvel, D. (2020). NLU-Co at SemEval-2020 Task 5: NLU/SVM based Model Apply Tocharacterise and Extract Counterfactual Items on Raw Data, *Proceedings of the Fourteenth Workshop on Semantic Evaluation*, 670–676. <https://aclanthology.org/2020.semeval-1.87>.
- Tur, G., & Mori, R. (2011). Spoken Language Semantic Information from Speech Spoken Language, *Spoken Language Understanding: Systems for Extracting Semantic Information from Speech, First Edition*.
- Vanzo, A., Bastianelli, E. & Lemon, O. (2019). Hierarchical Multi-Task Natural Language Understanding for Cross-Domain Conversational AI: HERMIT NLU, *SIGDIAL 2019 - 20th Annual Meeting of the Special Interest Group Discourse Dialogue - Proceedings of the Conference*, September, 254–263.
- Varghese, S., Sarang, S., Yadav, V., Karotra, B. & Gandhi, N. (2019). Bidirectional LSTM Joint Model for Intent Classification and Named Entity Recognition in Natural Language Understanding, *International Journal of Hybrid Intelligent Systems*, 16(1), 13–23.
- Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, N., Kaiser, Ł. & Polosukhin, I. (2017). Attention is All You Need, *Advances in Neural Information Processing Systems*, NIPS, 5999–6009.
- Weld, H., Huang, X., Long, S., Poon, J. & Han, C. (2022). A Survey of Joint Intent Detection and Slot Filling Models in Natural Language Understanding, *ACM Computing Surveys*, 37(4).
- Wilie, B., Vincentio, K., Winata, I., Cahyawijaya, S., Li, X., Lim, Y., Soleman, S., Mahendra, R., Fung, P., Bahar, S. & Purwarianti, A. (2020) IndoNLU: Benchmark and Resources for Evaluating Indonesian Natural Language Understanding, <http://arxiv.org/abs/2009.05387>.
- Williams, D., Asadi, K. & Zweig, G., 2017, Hybrid Code Networks: Practical and Efficient End-to-End Dialog Control with Supervised and Reinforcement Learning, *ACL 2017 - 55th Annual Meeting of the Association for Computational Linguistics, Proceedings of the Conference*

(Long Papers), 1, 665–677.

- Winarko, E. & Suryanti, D. (2025). Development of Chatbot for Pre-Diagnosis and Recommendation of Anxiety Disorder Using Diet and Sentence Transformer Models, *IJCCS (Indonesian Journal of Computing and Cybernetics Systems)*, 19(3), 259–270.
- Windiatmoko, Y., Rahmadi, R. & Hidayatullah, F. (2021). Developing Facebook Chatbot Based on Deep Learning Using RASA Framework for University Enquiries, *IOP Conference Series: Materials Science and Engineering*, 1077(1).
- Wistiani, A., Prasetya, W., Havaluddin, H. & Herdianti, D. (2024). DIET Classifier Model Analysis for Words Prediction in Academic Chatbot, *Prodi Teknik Informatika FIK Universitas Muslim Indonesia*, 16.
- Xiaodong, Z. & Houfeng, W. (2016). A Joint Model of Intent Determination and Slot Filling for Spoken Language Understanding, *IJCAI International Joint Conference on Artificial Intelligence*, , 2993–2999.
- Yang, Y., Li, Y., Quan, X., Khadilkar, A., Patil, Y., Yu, Z. (2021). Intelligent Chatbot Adapted from Question and Answer System Using RNN-LSTM Model, *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 1(1), 1–13. <http://arxiv.org/abs/1909.05528>.
- Ye, F., Manotumruksa, J. & Yilmaz, E. (2021). MultiWOZ 2.4: A Multi-Domain Task-Oriented Dialogue Dataset with Essential Annotation Corrections to Improve State Tracking Evaluation, <http://arxiv.org/abs/2104.00773>.
- Zeng, Y. & Nie, Y. (2020). Jointly Optimizing State Operation Prediction and Value Generation for Dialogue State Tracking, <http://arxiv.org/abs/2010.14061>.
- Zhu, Q., Zhang, Z., Fang, Y., Li, X., Takanobu, R., Li, J., Peng, B., Gao, J., Zhu, X. & Huang, M. (2020). ConvLab-2: An Open-Source Toolkit for Building, Evaluating, and Diagnosing Dialogue Systems, 142–149.