

## DAFTAR PUSTAKA

- Acquaah, G. (2012). Principles of Plant Genetiks and Breeding. John Wiley & Sons, Ltd. Oxford. p: 3-6.
- Ahmed, S., Quamruzzaman, A. K. M., & Islam, M. R. (2011). Estimate of herosis in tomato (*Solanum lycopersicum* L.). *Bangladesh Journal of Agricultural Research*, 36(3), 521527.
- Aina O, Dixon A, Paul I, Akinrinde E. 2009. GxE interaction effects on yield and yield components of cassava (landraces and improved) genotypes in the savanna regions of Nigeria. *Afr J Biotechnol* 8 (19): 4933-4945.
- Alam, T., Suryanto, P., Supriyanta, Basunanda, P., Wulandari, R. A., Kastono, D., Widyawan, M. H., Nurmansyah, & Taryono. (2021). Rice cultivar selection in an agroforestry sistem through gge-biplot and eblup. *Biodiversitas*, 22(11), 4750–4757.
- Almira, A., Yulianah, I., & Purnamaningsih, S. L. (2023). Evaluasi Penampilan Fenotipik Enam Calon Varietas Hibrida Tomat (*Solanum lycopersicum* L.). *Produksi Tanaman*, 011(02), 118–125.
- Alwala S, Kwolek T, McPherson M. 2010. A comprehensive comparison between Eberhart and Russel joint regression and GGE biplot analysis to identify stable and high yielding maize hybrids. *Field Crops Res* 119: 225-230.
- Anasari, N. R., Kendarini, N., & Purnamaningsih, S. L. (2017). Interaksi Genotip x Lingkungan Pada Empat Genotip Pakchoy (*Brassica rapa* L.) di Tiga Lokasi. *Jurnal Produksi Tanaman*, 5(1), 54–60.
- Anomsari, S. D., & Prayudi, B. (2012). Budidaya tomat. Balai Pengkajian Teknologi Pertanian Jawa Tengah.
- Apriastika, P.A., I.M. Sudana, I.M. Sudarma. 2015. Hubungan sifat fisika dan kimia tanah dengan persentase penyakit layu pada tanaman cengkeh (*Syzygium aromaticum* L.) yang disebabkan oleh jamur akar putih (*Rigidoporus* sp.) di desa Unggahan Kabupaten Buleleng. *E-J. Agroekoteknologi Trop*. 4:293-296
- Astutik, L. W., & Tripama, B. (2023). Peningkatan produksi tanaman tomat (*Lycopersicum esculentum* mill.) Melalui pemberian pupuk fosfor (p) dan mangan (mn). 1(2), *Journal of Agrotechnology Sciense*. 1(2), 1–8.
- Aulia, R., Rosmayati, E.S. Bayu. 2014. Respons pertumbuhan dan produksi beberapa varietas kedelai hitam (*Glycine max* L.) berdasarkan ukuran biji. *J. Online Agroekote-knologi*. 1(3): 440–452. Doi: 10.32734/jaet.v2i4.8422.
- Badriyah, I.N., Taryono., Murti, R.H. 2015. Keragaan hasil gula dan hasil biji beberapa kultivar sorghum manis di tiga wilayah lahan kering Kabupaten Pekalongan dan Batang, Jawa Tengah. *PROS SEM NAS MASY BIODIV INDON*. 1(4), 809-813.
- Becker, H. C., & Leon, J. (1988). Stability analysis in plant breeding. *Plant Breeding*, 101, 1–23.
- Boulard, T., Raepfel, C., Brun, R., Lecompte, F., Hayer, F., Carmassi, G., &

- Gaillard, G. (2011). Environmental impact of greenhouse tomato production in France. *Agronomy for Sustainable Development*, 31(4), 757–777.
- Cahyono, B. 2008. Usaha Tani dan Penanganan Pascapanen Tomat. Yogyakarta, ID.
- Charvel, F., Sjoifjan, J., & Ardian, A. (2014). Pertumbuhan dan produksi beberapa galur dan varietas tomat (*Lycopersicum esculentum* Mill.) di dataran rendah [Doctoral dissertation, Riau University].
- Chattopadhyay A, Chakraborty I, Siddique W. 2013. Characterization of Determinate Tomato Hybrids: Search for Better Processing Qualities. *J Food Process Technol*. 04(04): 1-6.
- Conversa, G., Lazzizzera, C., Bonasia, A., Cifarelli, S., Losavio, F., Sonnante, G., & Elia, A. (2020). Exploring on-farm agro-biodiversity: A study case of vegetable landraces from Puglia region (Italy). *Biodiversity and Conservation*, 29, 747–770.
- Dalimunthe, S. R., Bin Arif, A., Sujiprihati, S., & Syukur, D. M. (2015). Pendugaan Parameter Genetik pada Persilangan Dialel Beberapa Tetua Cabai (*Capsicum annum* L.). *Informatika Pertanian*. 24(1), 1–8.
- Daryanto, A., Sujiprihati, S., & Syukur, M. (2010). Heterosis dan Daya Gabung Karakter Agronomi Cabai (*Capsicum annum* L.) Hasil Persilangan Half Dialel Heterosis and Combining Ability of Chilli Genotypes (*Capsicum annum* L.) for Agronomy Characters in Half Dialel Crosses. *J. Agron. Indonesia*, 38(2), 113–121.
- Datta, D. R., Rafii, M. Y., Misran, A., Jusoh, M., Yusuff, O., Haque, A., & Jatto, M. I. (2021). Half Dialel Analysis for Biochemical and Morphological Traits in Cultivated Eggplants (*Solanum melongena* L.). *Agronomy*, 1–18.
- De Bie, T. H., Balvers, M. G. J., de Vos, R. C. H., Witkamp, R. F., & Jongsma, M. A. (2022). The influence of a tomato food matrix on the bioavailability and plasma kinetics of oral  $\gamma$ -aminobutyric acid (GABA) and its precursor glutamate in healthy men. *Food & Function*, 13. <https://doi.org/10.1039/d2fo01358d>
- Dewi, SM. (2023). Keragaan 14 Genotipe Tomat (*Solanum lycopersicum* L.) di Empat Lingkungan Dataran Rendah. *Agroteksos*, 33(1).
- Duarah, D. P. (2022). Determination of growth and yield stability in Tomato (*Solanum lycopersicum* L.) genotypes by using AMMI and GGE Biplot Analysis in different districts of Assam. *Research Square*, 1–15. <https://doi.org/https://doi.org/10.21203/rs.3.rs-2036640/v1> License:
- Dogra, B. S., & Kanwar, M. S. (2011). Exploitation of combining ability in cucumber (*Cucumis sativus* L.). *Research Journal of Agricultural Sciences*, 2(1), 55–59.
- Dolores, LM 1996, 'Management of pepper viruses', in AVNET-II. Final Workshop Proc. AVRDC, Tainan, Taiwan, pp. 334-42.
- Dwivedi, S. L., Ceccarelli, S., Blair, M. W., Upadhyaya, H. D., Are, A. K., & Ortiz, R. (2016). Landrace germplasm for improving yield and abiotic stress adaptation. *Trends in Plant Science*, 21, 31–42.



- Eberhart, S. A., & Russell, W. A. (1966). Stability Parameters for Comparing Varieties 1. *Crop Science*, 6(1), 36–40.
- Estriana, R., & Syukur, M. (2018). Heterosis serta keragaan karakter vegetatif tomat (*Lycopersicon esculentum* Mill.) hasil persilangan half diallel. *Comm. Horticulturae Journal*, 2(1), 35–41.
- Fadhilah, A. N., Farid, M., Ridwan, I., Anshori, M. F., & Yassi, A. (2022). Genetik parameters and selection index of high-yielding tomato F2 populations. *SABRAO Journal of Breeding and Genetiks*, 54(5), 1026–1036.
- Falconer, D.S. and Mackay, T.F.C. (1996) *Introduction to Quantitative Genetiks*. 4 Edition. Addison Wesley Longman. Harlow.
- Farhah, N., Daryanto, A., Istiqlal, M. R. A., Pribadi, E. M., & Widiyanto, S. (2022). Estimasi nilai ragam genetik dan heritabilitas tomat tipe determinate pada dua lingkungan tanam di dataran rendah. *Jurnal AGRO*, 8(1), 80–94.
- Farid, M., Anshori, M. F., Ridwan, I., Dungga, N. E., & Ermiyanti, I. (2022). Half diallel of F1 tomato hybrid and its double cross-compatibility. *Biodiversitas*, 23(4), 1813–1821.
- Fasahat P, Rajabi A, Rad J M and Derera J. 2016. Principles and utilization of combining ability in plant breeding. *Biometrics and Biostatistics International Journal* 4(1): 1–24.
- Fehr WR. 1987. Heritability. In: Fehr WR (Ed.). *Principles of Cultivar Development, Theory and Technique Volume 1*. pp. 95–105. Macmillan Publishing Company, New York.
- Firon, N., R. Shaked, M.M. Peet, D.M. Pharr, E. Zamski, K. Rosenfeld, L. Althan, E. Pressman. 2006. Pollen grains of heat tolerant tomato cultivars retain higher carbohydrate concentration under heat stress conditions. *Sci. Hort.*109:212-217.
- Fujimoto, R., Uezono, K., Ishikura, S., Osabe, K., Peacock, W. J., & Dennis, E. S. (2018). Recent research on the mechanism of heterosis is important for crop and vegetable breeding systems. *Rice Science*, 68(2), 145–158.
- Gao, L., Gonda, I., Sun, H., Ma, Q., Bao, K., Tieman, D. M., Burzynski-Chang, E. A., Fish, T. L., Stromberg, K. A., Sacks, G. L., Thannhauser, T. W., Foolad, M. R., Diez, M. J., Blanca, J., Canizares, J., Xu, Y., van der Knaap, E., Huang, S., Klee, H. J., & Giovannoni, J. J. (2019). The tomato pan-genome uncovers new genes and a rare allele regulating fruit flavour. *Nature Genetiks*, 51. <https://doi.org/10.1038/s41588-019-0410-2>
- Ghadage, N.C., Kulkarni, G.U., Bipasha, D., Raju, S. 2020. Correlation coefficient studies for fruit yield and its components in tomato (*Solanum lycopersicum* L.). *International Journal of Agriculture and Plant Science*. 2(3):10-14.
- Gunawan, R., Andhika, T., Sandi, & Hibatulloh, F. (2019). Monitoring Sistem for Soil Moisture, Temperature, pH and Automatic Watering of Tomato Plants Based on Internet of Things. *Telekontran : Jurnal Ilmiah Telekomunikasi, Kendali Dan Elektronika Terapan*, 7(1), 66–78.
- Gupta, P., Chaudhary, & Lal, S. K. (2011). Heterosis and combining ability



- analysis for yield and its component in Indian mustard (*Brassica juncea* L. Czern & Coss). *Academic Journal of Plant Sciences*, 4(2), 45–52.
- Gomez, K. A., & Gomez, A. A. (1995). *Statistical Procedures for Agricultural Research* (Prosedur Statistika untuk Penelitian Pertanian, alih bahasa : E. Sjamsuddin, Justika dan Baharsjah). (2nd ed.). UI Press.
- Hari, Y., Kurnia, Y. A., & Budijanto, A. (2017). Pengembangan sistem kendali cerdas dan monitoring pada budidaya buah tomat. *Seminar Nasional Sains dan Teknologi Terapan V*.
- Hariyono R, Elza Z, D. (2015). Variabilitas Genetik Hasil Persilangan Tanaman Tomat (*Lycopersicum esculentum* MILL.) dan Resiprokalnya di Dataran Rendah. *Jom Faperta*, 2(No. 1), 25–28.
- Hamisu, H. S., Ado, S. G., Yeye, M. Y., Usman, I. S., M. Mohammed, S., Usman, A., O. Afolayan, S., Yaduma, J. J., Mohammad, S. M., Idris, B. A., Gwammaja, M.Y., Hudu, A. H., & Sanda, N. B. (2018). Heterosis for Fruit Yield and HeatTolerance Traits in Tomato (*Lycopersicon lycopersicum* Mill.) Under Field Conditions. *Journal of Agricultural Studies*, 5(4), 48. <https://doi.org/10.5296/jas.v6i2.13047>.
- Hu, X. (2014). Combined yield comparison and stability evaluation of rape genotypes using the mixed model. *Field Crops Research*, 167, 11–18.
- Iriany, R. N., Sujiprihati, S., Syukur, M., Koswara, J., & Yunus, M. (2011). *Evaluasi Daya Gabung dan Heterosis Lima Galur Jagung Manis ( Zea mays var . saccharata ) Hasil Persilangan Diallel Evaluation of Combining Ability and Heterosis of Five Sweet Corn Lines ( Zea mays var . saccharata ) through Diallel Crossing*. 39(2), 103–111.
- IPGRI. International Plant Genetik Resources Institute. 1996. Descriptor for Tomatos (*Lycopersicon* spp.). Italia (IT): IPGRI, AVRDC, CATIE.
- Jeany Eka Wulandari, Yulianah, I., & Saptadi, D. (2016). Heritabilitas dan kemajuan genetik harapan empat populasi F2 tomat (*Lycopersicon esculentum* Mill.) pada budidaya organik. *Jurnal Produksi Tanaman*, 4(5), 361–369.
- Jiang, K., Liberatore, K. L., Park, S. J., Alvarez, J. P., & Lippman, Z. B. (2013). Tomato Yield Heterosis Is Triggered by a Dosage Sensitivity of the Florigen Pathway That Fine-Tunes Shoot Architecture. *PLoS Genetiks*, 9(12).
- Jones, K., & Brown, T. (2019). Environmental pollution and human health: Understanding the risks. *Environmental Research Letters*, 14(3), 034017.
- Kamara, M. M., Ibrahim, K. M., Mansour, E., Kheir, A. M. S., Germoush, M. O., El-Moneim, D. A., Motawei, M. I., Alhusays, A. Y., Farid, M. A., & Rehan, M. (2021). Combining ability and gene action controlling grain yield and its related traits in bread wheat under heat stress and normal conditions. *Agronomy*, 11(8).
- Karakaya, M., & Özilgen, M. (2011). Energy utilization and carbon dioxide emission in the fresh, paste, whole-peeled, diced, and juiced tomato production processes. *Energy*, 36, 5101–5110.
- Kebede, G.Y., Assen, K.Y., Shuro, A.R. 2025. GGE biplot analysis for yield



- performance and stability of faba bean (*Vicia faba* L.) genotypes under multi environmental condition. *Ecological Genetiks and Genomics* 34. <https://doi.org/10.1016/j.egg.2025.100325>.
- Khapte, P. S., Jansirani, P., & Saraswathi, T. (2019). Heterosis in oblong fruited tomato hybrids for growth and yield traits. *Indian Journal of Agricultural Sciences*, 89(10), 1594–1598.
- Kumar, C., & Singh, S. P. (2016). Heterosis and inbreeding depression to identify superior F1 hybrids in tomato (*Solanum lycopersicum* L.) for the yield and its contributing traits. *Journal of Applied and Natural Science*, 8(1), 290 – 296.
- Kumar, K., Sharma, D., Singh, J., Sharma, T.K., Kurrey, V.K. and Minz, R.R. 2018. Combining ability analysis for yield and quality traits in tomato (*Solanum lycopersicum* L.). *J. Pharmacogn Phytochem.*, 7(6): 1002-1005.
- Kumari, S., & Sharma, M. K. (2011). Exploitation of heterosis for yield and its contributing traits in tomato. (*Solanum lycopersicum* L). *International Journal of Farm Sciences*, 1(2), 45-55.
- Kumawat, R., Kumar, S., Dogra, S., Padha, R. 2023. Joint Regression Analysis of Variance for Seed Yield and its Attributing Traits by Eberhart and Russell (1966) Model in Black Gram (*Vigna mungo* L.) Under Rainfed Conditions of NW Himalaya's. *Acta Scientific Agriculture* 7.8: 39-49.
- Kusumayati, N., Elih, E., & Setyobudi, L. (2015). Tanaman Tomat (*Lycopersicon Esculentum* Mill.) Pada Lingkungan Yang Berbeda. *Jurnal Produksi Tanaman*, 3(8), 683-688.
- Lin, C. S., Binns, M. R., & Lefkovitch, L. P. (1986). Stability parameters: Where do we stand? *Crop Science*, 26, 894–900.
- Liu, Z., Jiang, J., Ren, A., Xu, X., Zhang, H., Zhao, T., Jiang, X., Sun, Y., Li, J., & Yang, H. (2021). Heterosis and combining ability analysis of fruit yield, early maturity, and quality in tomato. *Agronomy*, 11(4).
- Madić, M., đurović, D., stevović, V., tomić, D., biberdžić, M., Paunović, A., Marijanović, A. 2022. Analysis for Grain Yield of Maize Hybrids in Western Serbia Using Eberhart and Russell Model. *Proceedings of the XIII International Scientific Agricultural Symposium "Agrosym 2022"*.
- Mardaus, I. S., & Yusuf, E. Y. (2019). Produksi tanaman tomat (*Solanum lycopersicum* L.) dengan pemberian SP-36 dan dolomit di tanah gambut. *Jurnal Agroindragiri*, 4(2).
- Masarirambi, M.T., N. Mhazo, T.O. Oseni, V.D. Shongwe, 2009. Common physiological disorders of tomato (*Lycopersicon esculentum*) fruit found in Swaziland. *J. Agric. Soc. Sci.* 5:123-127
- Masud M A T, Azam M G, Hasan M Z, Rashid A H, Bagum S A and Uddin M S. 2021. Heterosis and combining ability for yield and yield contributing characters in bottle gourd. *Global Agro-Ecological Zone* 11(4): 13–20.
- Melyapuri Widarsiono, B., Anggraeni, L., & Damanhuri, D. (2022). Keragaman Genetik dan Heritabilitas Karakter Agronomi dan Kimiawi pada 20 Genotipe Tomat Lokal (*Solanum lycopersicum* L.). *PLANTROPICA: Journal of Agricultural Science*, 7(2), 71–81.



- Mortazavian SMM, Nikkhah HR, Hassani FA et al. 2014. GGE biplot and AMMI analysis of yield performance of Barley genotypes across different environment in Iran. *J Agr Sci Tech* 16: 609-622.
- Muños S, Ranc N, Botton E, Bérard A, Rolland S, Duffé P, Carretero Y, Paslier MC Le, Delalande C, Bouzayen M, et al. 2011. Increase in Tomato Locule Number is Controlled by Two Single-nucleotide Polymorphisms located near WUSCHEL. *Plant Physiol.* 156(4): 2244-2254.
- Murti, R.H., T. Kurniawati, Nasrullah. 2004. Pola pewarisan karakter buah tomat. *Zuriat* 15:140-149.
- Naresh, P., Rao, V. K., Reddy, L. B., Reddy, C. A., & Reddy, K. M. (2016). Genetik analysis for fruit biochemical traits and dry fruit yield in chilli (*Capsicum annum* L.). *Industrial Crops and Products*, 94, 920–931.
- Nevani, S and Sridevi, O. 2022. Study of Heterosis, Residual Heterosis and Inbreeding Depression in Two Crosses of Tomato. *International Journal of Agriculture, Environment and Biotechnology.* 15: 307-312. DOI: 10.30954/0974-1712.03.2022.4
- Nurchaya, C., Widyasari, W. B., Yunisari, N. A., & Lindawati, S. (2021). Stabilitas Genetik Hasil Tebu Pada Beberapa Varietas Tebu Unggul Harapan Genetik Stability of Sugarcane Yield On Promising Sugarcane Varieties. *Indonesian Sugar Research Journal*, 1(1), 46–58.
- Nurhuda, A. (2017). Identifikasi Karakter Kuantitatif Dan Kualitatif Beberapa Varietas Tomat (*Lycopersicum esculentum* Mill.). 11(1), 1–49.
- Pabendon, M., Ud, S., Sarungallo, R., & Nur, A. (2012). Penampilan fenotipik dan stabilitas sorgum manis untuk bahan baku bioetanol. *Jurnal Penelitian Pertanian Tanaman Pangan*, 31, 60–69.
- Pailles, Y., Awlia, M., Julkowska, M., Passone, L., Zemmouri, K., Negrão, S., Schmöckel, S. M., & Tester, M. (2020). Diverse traits contribute to salinity tolerance of wild tomato seedlings from the Galapagos Islands. *Plant Physiology*, 182(1), 534–546.
- Peralta, I. E., Spooner, D. M., & Knapp, S. (2008). Taxonomy of wild tomatoes and their relatives. *Systematic Botany Monographs*, 84.
- Purwanto, H., Sugiarto, D., & Lestari, N. (2021). Efisiensi penggunaan air dan pupuk melalui sistem fertigasi pada tanaman tomat. *Jurnal Ilmu Pertanian Indonesia*, 26(3), 191–198.
- Purwati, E. 2007. Varietas unggul harapan tomat hibrida (F1) dari Balitsa. *Iptek Hortikultura* 3:34-40.
- PPVT. Pusat Perlindungan Varietas Tanaman. 2007. Panduan Pengujian Individual Kebaruan, Keunikan, Keseragaman dan Kestabilan Tomat. Jakarta (ID): Departemen Pertanian Republik Indonesia.
- Poehlman, J.M. and Sleeper, D.A. (1995) *Breeding Field Crops*. 4th Edition. Inc. Westport Connecticut, Ani.
- Prajapati, P.J., Dr. Patel, J.N., Patel, N and Dr. Parmar, J.N. 2023. Heterosis and inbreeding depression in tomato (*Lycopersicon esculentum* L.) lines. *The Pharma Innovation Journal.* 12(6): 3103-3107
- Priyanto, S. B., Efendi, R., Z., B., Azrai, M., & Syakir, M. (2017). Evaluasi



- Stabilitas Hasil Jagung Hibrida Menggunakan Metode Genotipe and Genotipe by Environment Interaction Biplot (GGE BIPLLOT). *Jurnal Penelitian Pertanian Tanaman Pangan*, 1(2), 97.
- Quamruzzaman, A. K. M., Akter, L., & Islam, F. (2022). The Exploitation of Heterosis for Yield and its Components of Tomato Hybrids for Use as Commercial Variety Development. *European Journal of Applied Sciences*, 10(4).
- Rachmatika, W., Murti, R. H., & Basunanda, P. (2017). Uji Daya Hasil dan Kualitas Buah Tujuh Hibrida Tomat ( *Solanum Lycopersicum* L .) di Dataran Rendah. *Vegetika*. 6(2), 55–65.
- Rahayu, S., Dewi, A. K., Yulidar, Wirnas, D., & Aswidinnoor, H. (2013). Analisis Stabilitas dan Adaptabilitas Beberapa Galur Padi Dataran Tinggi Hasil Mutasi Induksi. *A Scientific Journal for The Applications of Isotopes and Radiation*, 9(2), 81–90.
- Rana, S., Pant, S.C., Devrani, A., Shah, S., Panwar, P. 2025. Assessment of Heterosis and Combining Ability for Yield and Yield Contributing Traits in Tomato Genotypes Under Mid-Hill Conditions. *Plant Archives*. 25(1): 1910-1917.
- Ramadan, A. S. A., Hussien, F., & Najm, B. F. (2021). Genetik Analysis of Combining Ability and Gene Action of Yield and Its Components in Maize ( *Zea Mays* L .) Using Full Diallel Cross. February 2022.
- Rao PS, Reddy PS, Rathore A et al. 2011. Application GGE biplot and AMMI model to evaluate sorghum (*Sorghum bicolor*) hybrids for genotipe x environment interaction and seasonal adaptation. *Indian J Agric Sci* 81 (5): 438-444
- Ravindra Kumar, Srivastava, K., Singh, N. P., Vasistha, N. K., Singh, R. K., & Singh, M. K. (2013). Combining ability analysis for yield and quality traits in tomato. *Journal of Agricultural Science*, 5(2).
- Reddy, B. R., Singh, A. K., Pal, A. K., Reddy, Y. S., & Reddy, G. E. (2020). *International Journal of Chemical Studies*, 8(2), 2788–2792. <https://doi.org/10.22271/chemi.2020.v8.i2aq.9170>
- Riti E, Syukur M. (2018). Heterosis serta Keragaan Karakter Vegetatif Tomat (*Lycopersicon esculentum* Mill .) Hasil Persilangan Half Diallel. *Horticulturae J*, 2(1), 35–41.
- Rubiyo, Trikoekoesoemaningtyas, dan Sudarsono. 2011. Pendugaan daya gabung dan heterosis ketahanan tanaman kakao (*Theobroma cacao* L.) terhadap penyakit busuk buah (*Phytophthora palmivora*). *J. Littri*. 17(3): 124–131.
- Saputra, H.E., Syukur, M., & Aisyah, S. I. (2014). Pendugaan daya gabung dan heritabilitas komponen hasil tomat pada persilangan diallel penuh. *Jurnal Agronomi Indonesia*, 42(3), 203–209.
- Samonte, S. O. P., Wilson, L. T., McClung, A. M., & Medley, J. C. (2005). Targeting Cultivars onto Rice Growing Environments Using AMMI and SREG GGE Biplot Analyses. *Crop Science*, 45(6), 2414–2424.
- Semida, W. M., Abdelkhalik, A., Mohamed, G. F., Abd El-Mageed, T. A., Abd



- Elmageed, S.A., Rady, M.M., & Ali, E.F. (2021). Foliar application of zinc oxide nanoparticles promotes drought stress tolerance in eggplant (*Solanum melongena* L.). *Plants*, 10(2), 1–18.
- Simahayati, S., Hadijah, S., & Budi, S. (2024). Pertumbuhan dan hasil tanaman tomat akibat pemberian pupuk organik cair dan NPK di tanah gambut. *Jurnal Sains Pertanian Equator*, 13(1). <https://doi.org/10.26418/jspe.v13i1.70650>
- Sofiari, E., & Kirana, R. (2009). Analisis pola segregasi dan distribusi karakter cabai. *Jurnal Hortikultura*, 19(3), 255–263.
- Susilawati, S., & Sari, P. (2019). Pengaruh mulsa plastik terhadap pertumbuhan dan hasil tomat di dataran rendah. *Jurnal Pertanian Terapan*, 7(2), 85–92.
- Shabira, S. P., Hereri, A. I., & Kesumawati, E. (2020). Identifikasi Karakteristik Morfologi dan Hasil Beberapa Jenis Tanaman Tomat (*Lycopersicum esculentum*) di Dataran Rendah. *Jurnal Ilmiah Mahasiswa Pertanian*, 4(2), 51–60.
- Sirba, H. Y., Begna, T., & Gojam, M. (2022). Evaluating performance of recently released tomato (*Lycopersicon esculentum* Mill.) varieties at highland areas of West Hararghe, Ethiopia. *International Journal of Research in Agronomy*, 5(2), 18–24.
- Situmorang, A., Adiwirman, A., & Deviona, D. (2014). Uji Pertumbuhan Dan Daya Hasil Enam Genotipe Tomat (*Lycopersicum esculentum* Mill) di Dataran Rendah. *Jurnal Online Mahasiswa Fakultas Pertanian Universitas Riau*, 1(1), 1–11.
- Sleper DA and Poehiman JM. 2006. *Breeding Field Crops*. Fifth edition. Blackwell, Ames.
- Somraj, B., Reddy, R., Reddy, K. R., & Saidaiah, P. (2017). Stability for quality and physiological traits of tomato under high temperature conditions over dates of sowing. *Journal of Pharmacognosy and Phytochemistry*, 6(4), 273–278.
- Soresa, D. N., Nayagam, G., Bacha, N., & Jaleta, Z. (2020). Heterosis in Tomato (*Solanum lycopersicum* L.) for Yield and Yield Component Traits. *Advances in Research*, 21(9), 141–152.
- Suryadi, Lutfhy, Yenni K, Gunawan. (2004). Karakterisasi koleksi plasma nutfah tomat lokal dan introduksi. *Bul. Plasma Nutfah*. 10(2):72–76.
- Suryani, R. (2019). Pengaruh Hasil Tiga Varietas Tomat Melalui Aplikasi Pemberian Pupuk Organik Cair di Dataran Tinggi. *Seminar Nasional Pembangunan Pertanian*, 25–38
- Syukur, M., Sujiprihati, S., & Yuniанти, R. (2012). Teknik Pemuliaan Tanaman (2nd ed.). Penebar Swadaya.
- Syukur, M., Sujiprihati, S., & Yuniанти, R. (2015). Teknik pemuliaan tanaman (Edisi revisi). Penebar Swadaya.
- Tieman, D., Zhu, G., Resende, M. F. R., Lin, T., Nguyen, C., Bies, D. H., Rambla, J., Beltran, K. S. O., Taylor, M. G., Zhang, B., Ikeda, H., Liu, Z., Fisher, J., Zemach, I., Monforte, A., Zamir, D., Granell, A., Kirst, M., Huang, S., & Klee, H. (2017). A chemical genetic roadmap to improved



- tomato flavour. *Science*, 355. <https://doi.org/10.1126/science.aal1556>
- Tsouvaltzis, P., Gkountina, S., & Siomos, A. S. (2023). Quality traits and nutritional components of cherry tomato in relation to the harvesting period, storage duration and fruit position in the truss. *Plants*, 12. <https://doi.org/10.3390/plants12020315>
- Tripodi, P., Soler, S., Campanelli, G., Figàs, M. R., Soler, E., Sestili, S., Bertone, A., Cardi, T., & Prohens, J. (2023). GGE analysis and stability of traits in tomato cultivars grown under organic farming conditions: a two-year study. *Horticultural Plant Journal*. <https://doi.org/10.1016/j.hpj.2023.09.009>
- Uddin, M. N., Hossain, M. M., Rahman, M. M., Ahmad, S., & Quamruzzaman, A. K. M. (2009). Combining ability and gene action in cucumber (*Cucumis sativus* L.). *SAARC Journal of Agriculture*, 7(1), 64–72.
- UPOV. International Union For the Protection of New Varieties of Plants. 2024.Tomato. Geneva (CH): UPOV.
- USDA–NASS. (2025). Vegetables 2024 summary. <https://esmis.nal.usda.gov/publication/vegetables-annual-summary>
- Virmani, S.S. B.C. Viraktamath, C.L. Casal, R.S. Toledo, M. T. Lopez, and J.O. Manalo. (1997). Hybrid rice breeding manual. IRRI. Philippines. 156 p.
- Wiguna, G dan Sumpena, U. 2016. Evaluasi Nilai Heterosis dan Heterobeltiosis Beberapa Persilangan Mentimun (*Cucumis sativus* L.) pada Berbagai Altitud. *J. Hort*,16(1), 1-8.
- Yan, W., Hunt, L. A., Sheng, Q., & Szlavnic, Z. (2000b). Cultivar Evaluation and Mega-Environment Investigation Based on the GGE Biplot. *Crop Science*,40(3), 597–605.
- Yan, W., Kang, M. S., Ma, B., Woods, S., & Cornelius, P. L. (2007). GGE Biplot vs. AMMI Analysis of Genotype-by-Environment Data. *Crop Science*, 47(2), 643–653.
- Zaid, I. U., Zahra, N., Habib, M., Naeem, M. K., Asghar, U., Uzair, M., Latif, A., Rehman, A., Ali, G. M., & Khan, M. R. (2022). Estimation of Genetik Variances and Stability Components of Yield-Related Traits of Green Super Rice at Multi Environmental Conditions in Pakistan. *Agronomy*, 12(5). <https://doi.org/10.3390/agronomy12051157>.
- Zare, M., Choukan, R., Heravan, E. M., Bihamta, M. R., & Ordoorkhani, K. (2011). Gene action of some agronomic traits in corn (*Zea mays* L.) using diallel cross analysis. *African Journal of Agricultural Research*, 6(3), 693–703.
- Zengin, S., Kabas, A., Oguz, A., Eren, A. and Polat, E. 2015. Determining of general combining ability for yield, quality and some other traits of tomato (*Solanum lycopersicum* L.) inbred lines. *Akdeniz üniversitesi ziraat fakültesi dergisi.*, 28(1): 1-4.
- Zhang, H., Lin, Y., Wan, J., Zhao, J., Wang, Q., Ju, X., Chen, X., & Zhang, X. (2024). *Journal of New Crops*, 100056. <https://doi.org/10.1016/j.ncrops.2024.100056>