

DAFTAR PUSTAKA

- Ador, K., Gobilik, J., & Benedick, S. (2023). Phylogenetic and Morphological Characteristics Reveal Cryptic Speciation in Stingless Bee, *Tetragonula laeviceps* s.l. Smith 1857 (Hymenoptera; Meliponinae). *Insects*, 14(5), 438–459. <https://doi.org/10.3390/insects14050438>
- Allorerung, P. P., Erna, A., Bagussahrir, M., & Alam, S. (2024). Analisis Performa Normalisasi Data untuk Klasifikasi *K-Nearest Neighbor* pada Dataset Penyakit. *Jurnal Informatika Sunan Kalijaga*, 9(3), 178–191. <https://doi.org/10.14421/jiska.2024.9.3.178-191>
- Anaktototy, Y., Priawandiputra, W., Sayusti, T., Lamerkabel, J. S., & Raffiudin, R. (2021). Morfologi dan variasi morfometrik *stingless bees* di Kepulauan Maluku, Indonesia. *Jurnal Entomologi Indonesia*, 18(1), 10–22. <https://doi.org/10.5994/jei.18.1.10>
- Barlow, B. A. (1997). Loranthaceae. *Flora Malesiana*, 1, 13, 209–401.
- Beasley, D. E., Fitzgerald, J. L., Fowler, A., Keleher, K., López-Urbe, M. M., & Dunn, R. R. (2019). Do Bee Wings Adapt for Flight in Urban Environments? *Southeastern Naturalist*, 18(2), 183–191. <https://doi.org/10.1656/058.018.0210>
- BPS-Statistics Indonesia. (2014). *Percentage of Population in Urban Area Results of Population Projection by Province, 2015—2035 [Online]*. <https://www.bps.go.id/en/statistics-table/1/MTI3NiMx/percentage-of-population-in-urban-area-results-of-population-projection-by-province--2015--2035.html>
- Budiarsa, I. M., Dhafir, F., & Trianto, M. (2022). Morphometrical Variations of *Tetragonula laeviceps* in Different Habitats in Central Sulawesi Province. *Bioeduscience*, 6(2), 165–170. <https://doi.org/10.22236/j.bes/625062>
- Efin, A., Atmowidi, T., & Prawasti, T. S. (2019). Short Communication: Morphological characteristics and morphometric of Stingless Bee (Apidae: Hymenoptera) from Banten Province, Indonesia. *Biodiversitas Journal of Biological Diversity*, 20(6), 1693–1698. <https://doi.org/10.13057/biodiv/d200627>
- Engel, M. S., Kahono, S., & Peggie, D. (2018). A key to the genera and subgenera of stingless bees in Indonesia (Hymenoptera: Apidae). *Treubia*, 45, 65–84. <https://doi.org/10.14203/treubia.v45i0.3687>
- Engel, M. S., Rasmussen, C., Ayala, R., & De Oliveira, F. F. (2023). Stingless bee classification and biology (Hymenoptera, Apidae): A review, with an updated

key to genera and subgenera. *ZooKeys*, 1172, 239–312.
<https://doi.org/10.3897/zookeys.1172.104944>

- Engel, M. S., Rasmussen, C., & Gonzalez, V. H. (2020). Bees: Phylogeny and Classification. Dalam C. K. Starr (Ed.), *Encyclopedia of Social Insects* (hlm. 1–17). Springer International Publishing. https://doi.org/10.1007/978-3-319-90306-4_14-1
- Fakultas Biologi UGM. (2019, Maret 19). *Sawit Sari Research Station Fakultas Biologi UGM x Tharandt Botanic Garden and Arboretum Dresden University*. <https://biologi.ugm.ac.id/2019/03/19/sawit-sari-research-station-fakultas-biologi-ugm-x-tharandt-botanic-garden-and-arboretum-dresden-university/>
- GBIF. (2025). *Tetragonula laeviceps* [Dataset]. *Tetragonula laeviceps* (Smith, 1857) in GBIF Secretariat (2023). GBIF Backbone Taxonomy. Checklist dataset <https://doi.org/10.15468/39omei> accessed via GBIF.org on 2025-03-30.
- Halbritter, H., Ulrich, S., Grímsson, F., Weber, M., Zetter, R., Hesse, M., Buchner, R., Svojtka, M., & Frosch-Radivo, A. (2018). *Illustrated Pollen Terminology*. Springer International Publishing. <https://doi.org/10.1007/978-3-319-71365-6>
- Hasan, A. E. Z., Herawati, H., Purnomo, P., & Amalia, L. (2020). Fisikokimia Madu Multiflora Asal Riau dan Potensinya Sebagai Antibakteri *Escherichia coli* dan *Staphylococcus aureus*. *Chemistry Progress*, 13(2), 81–90.
<https://doi.org/10.35799/cp.13.2.2020.31594>
- Hasan, P. A., Suhri, A. G. M. I., & Putera, A. K. S. (2024). Perbandingan aktivitas harian dua spesies lebah tanpa sengat di Sulawesi Barat. *Jurnal Entomologi Indonesia*, 21(1), 41–53. <https://doi.org/10.5994/jei.21.1.41>
- Hrncir, M., Maia-Silva, C., Da Silva Teixeira-Souza, V. H., & Imperatriz-Fonseca, V. L. (2019). Stingless bees and their adaptations to extreme environments. *Journal of Comparative Physiology A*, 205(3), 415–426.
<https://doi.org/10.1007/s00359-019-01327-3>
- Jalil, A. H., & Shuib, I. (2014). *Pictorial Identification Guide and Composite Algorithm. Based on: Key to Workers, Stingless Bee Workshop Note (Debra Smith 2012)*.
- Kartikasari, D., Putri, D. F. A., & Muslimin, M. A. I. I. (2023). Budidaya Lebah Klanceng di Peternakan Azka Trigona Desa Jiwut, Kabupaten Blitar. *Radikula: Jurnal Ilmu Pertanian*, 2(2), 100–112.
- Kusmoro, J., Febrian, R. R., Shanida, S., Husodo, T., Mutaqin, A. Z., & Hermawan, W. (2024). Identifikasi Polen sebagai Indikator Keanekaragaman Tumbuhan Sumber Pakan Lebah Madu (*Apis cerana* F.) di Kawasan Konservasi Hutan

Kota di Kabupaten Bandung, Jawa Barat. *Agrikultura*, 35(1), 103–111.
<https://doi.org/10.24198/agrikultura.v35i1.42694>

Marques-Souza, A. C., Moura, C. de O., & Nelson, B. W. (1995). Pollen collected by *Trigona williana* (Hymenoptera: Apidae) in Central Amazonia. *Revista de Biologia Tropical*, 44(2), 567–573.

Maryani, S., Haryanto, H., Fauzi, M. T., & Jihadi, A. (2024). *Jenis Lebah Trigona Yang Dibudidayakan dan Hama Yang Menyerang di Kabupaten Lombok Barat*. 3(1), 11–19. <https://doi.org/10.29303/jima.v3i1.3559>

Michener, C. D. (2007). *The bees of the world* (2nd ed). Johns Hopkins university press.

Pangestika, N. W., Atmowidi, T., & Kahono, S. (2020). Additional nest structures and natural enemies of stingless bees (Hymenoptera: Apidae: Meliponinae). *Jurnal Sumberdaya Hayati*, 4(2), 42–47. <https://doi.org/10.29244/jsdh.4.2.42-47>

Pramono, I. E., & Sudaryadi, I. (2022). Daily activities of the Klanceng bee (*Tetragonula laeviceps*, Smith 1857) and *bee-pollen* feed diversity and composition of propolis bioactive compounds from Turi, Sleman, Yogyakarta. *Biogenesis: Jurnal Ilmiah Biologi*, 10(2), 225–235.
<https://doi.org/10.24252/bio.v10i2.31576>

Pratama, I. P. N. E., Watiniasih, N. L., & Ginantra, I. K. (2018). Perbedaan Ketinggian Tempat Terhadap Jenis Polen yang Dikoleksi oleh Lebah Trigona. *Jurnal Biologi Udayana*, 22(1), 42–48.
<https://doi.org/10.24843/JBIOUNUD.2018.v22.i01.p06>

Priambudi, A. S., Raffudin, R., & Djuita, N. R. (2021). Identifikasi Tumbuhan Sumber Polen pada Madu Lebah *Heterotrigona itama* dan *Tetragonula laeviceps* di Belitung. *Jurnal Sumberdaya Hayati*, 7(1), 25–35.

Rahmad, B., Damiri, N., Hanafiah, Z., Adriani, D., & Hanum, L. (2024). Food source diversity and honey production in stingless bee meliponiculture, Ogan Komering Ulu Timur, South Sumatra, Indonesia. *Biodiversitas Journal of Biological Diversity*, 25(6), 2747–2756.
<https://doi.org/10.13057/biodiv/d250645>

Rahmad, B., Damiri, N., & Mulawarman, M. (2021). Jenis Lebah Madu dan Tanaman Sumber Pakan pada Budi Daya Lebah Madu di Hutan Produksi Subanjeriji, Kabupaten Muara Enim, Sumatera Selatan. *Jurnal Penelitian Kehutanan Faloak*, 5(1), 47–61. <https://doi.org/10.20886/jpkf.2021.5.1.47-61>

- Rattanawanee, A., & Duangphakdee, O. (2020). Southeast Asian Meliponiculture for Sustainable Livelihood. Dalam R. Eduardo Rebolledo Ranz (Ed.), *Modern Beekeeping—Bases for Sustainable Production*. IntechOpen.
<https://doi.org/10.5772/intechopen.90344>
- Rudini, M., Monita, D. N. K., Kuswanto, E., & Listiana, I. (2024). Identifikasi Jenis dan Karakteristik Sarang Lebah Madu Tanpa Sengat (*Stingless Bee*) di Peternakan Lebah Simpur, Desa Kecapi. *Biospecies*, *17*(1), 56–64.
<https://doi.org/10.22437/biospecies.v17i1.31362>
- Sudarmono, S., & Sahromi, S. (2017). Pollen Atau Serbuk Sari: Aspek Morfologi, Sistematika Dan Aplikasinya Pada Tumbuhan Keluarga Mentol. *Jurnal Sains Natural*, *2*(1), 12–16. <https://doi.org/10.31938/jsn.v2i1.30>
- Suhri, A. G. M. I., Retnoaji, B., Mustamin, Y., & Kahono, S. (2024). Daily Activity and Honey Production Patterns of *Tetragonula laeviceps* Smith (Hymenoptera: Apidae) During the Wet and Dry Seasons. *Journal of Tropical Biodiversity and Biotechnology*, *9*(4), 84083–84100.
<https://doi.org/10.22146/jtbb.84083>
- Trianto, M., Arisuryanti, T., Purwanto, H., & Ubaidillah, R. (2023). Updated Species Check-list of the Indonesian Stingless Bees (Hymenoptera, Apidae, Apinae, Meliponini). *Journal of Tropical Biodiversity and Biotechnology*, *8*(2), 77160–77184. <https://doi.org/10.22146/jtbb.77160>
- Trianto, M., Fajri Marisa, & Moh Dahri Kisman. (2020). *Tetragonula laeviceps* (Hymenoptera: Apidae: Meliponini): Morphology, Morphometric, and Nest Structure. *Bioeduscience*, *4*(2), 188–194.
<https://doi.org/10.22236/j.bes/424924>
- Uyun, W., Karnan, K., & Yamin, M. (2022). The Preference of *Trigona* sp. For Pollen Various Plant Species in Kawasan Rumah Pangan Lestari. *Jurnal Biologi Tropis*, *22*(1), 131–141. <https://doi.org/10.29303/jbt.v22i1.3061>
- Wicaksono, A., Atmowidi, T., & Priawandiputra, W. (2020). Keanekaragaman Musuh Alami Koloni *Lepidotrigona terminata* Smith (Hymenoptera: Apidae: Meliponinae). *Jurnal Sumberdaya Hayati*, *6*(2), 33–39.
<https://doi.org/10.29244/jsdh.6.2.33-39>
- Yustia, I. P. J., Rauf, A., & Maryana, N. (2018). Ritme aktivitas penerbangan harian *Tetragonula laeviceps* (Smith) (Hymenoptera: Apidae) di Bogor. *Jurnal Entomologi Indonesia*, *14*(3), 117–125. <https://doi.org/10.5994/jei.14.3.117>
- Zulhendri, F., Perera, C. O., Chandrasekaran, K., Ghosh, A., Tandean, S., Abdulah, R., Herman, H., & Lesmana, R. (2022). Propolis of stingless bees for the development of novel functional food and nutraceutical ingredients: A



Perbandingan Aktivitas Harian dan Ketersediaan Pakan Lebah Klanceng (*Tetragonula laeviceps*, Smith

1857) di Habitat Kebun Penelitian Sawitsari dan Area Kampus Fakultas Biologi UGM

Rafli Nur Muhammad Fahrezi, Drs. Ign. Sudaryadi, M. Kes.

Universitas Gadjah Mada, 2026 | Diunduh dari <http://etd.repository.ugm.ac.id/>

systematic scoping review of the experimental evidence. *Journal of Functional Foods*, 88, 104902. <https://doi.org/10.1016/j.jff.2021.104902>