

REFERENCES

- Aakanksha, Seth, A., & Sharma, S. (2022). State of the art techniques to advance deep networks for semantic segmentation. *U.Porto Journal of Engineering*, 8(6), 132–159. https://doi.org/10.24840/2183-6493_008.006_0010
- Abou Taha, A., Dinesen, S., Vergmann, A. S., & Grauslund, J. (2024). Present and future screening programs for diabetic retinopathy: A narrative review. *International Journal of Retina and Vitreous*, 10(1). <https://doi.org/10.1186/s40942-024-00534-8>
- Bandello, F., Battaglia Parodi, M., Lanzetta, P., Loewenstein, A., Massin, P., Menchini, F., & Veritti, D. (2010). Diabetic macular edema. In *Developments in Ophthalmology* (pp. 73–110). S. Karger AG. <https://doi.org/10.1159/000320075>
- Betha, S. K., & Seventline, J. B. (2024). Efficient Diabetic Retinopathy Segmentation and Classification using Residual Encoder-Decoder Architecture. *2024 2nd International Conference on Sustainable Computing and Smart Systems (ICSCSS)*, 1491–1497. <https://doi.org/10.1109/icscss60660.2024.10625246>
- Brust, C.-A., Sickert, S., Simon, M., Rodner, E., & Denzler, J. (2015). Convolutional patch networks with spatial prior for road detection and urban scene understanding. *Proceedings of the 10th International Conference on Computer Vision Theory and Applications*, 510–517. <https://doi.org/10.5220/0005355105100517>

- Chen, L.-C., Papandreou, G., Schroff, F., & Adam, H. (2017, June 17). *Rethinking atrous convolution for semantic image segmentation*. arXiv.Org. <https://arxiv.org/abs/1706.05587>
- Cheung, N., Mitchell, P., & Wong, T. Y. (2010). Diabetic retinopathy. *The Lancet*, 376(9735), 124–136. [https://doi.org/10.1016/s0140-6736\(09\)62124-3](https://doi.org/10.1016/s0140-6736(09)62124-3)
- Federation, I. D. (2003). *Diabetes atlas* (2nd ed.). International Diabetes Federation. <https://diabetesatlas.org/media/uploads/sites/3/2025/02/IDF-Atlas-2nd-Edition.pdf>
- Garcia-Garcia, A., Orts-Escolano, S., Oprea, S., Villena-Martinez, V., & Garcia-Rodriguez, J. (2017, April 22). *A review on deep learning techniques applied to semantic segmentation*. arXiv.Org. <https://arxiv.org/abs/1704.06857>
- Goyzueta, C. A. R., De la Cruz, J. E. C., & Machaca, W. A. M. (2021). Integration of U-Net, ResU-Net and DeepLab Architectures with Intersection Over Union metric for Cells Nuclei Image Segmentation. *2021 IEEE Engineering International Research Conference (EIRCON)*, 1–4. <https://doi.org/10.1109/eircon52903.2021.9613150>
- He, K., Zhang, X., Ren, S., & Sun, J. (2015, December 10). *Deep residual learning for image recognition*. arXiv.Org. <https://arxiv.org/abs/1512.03385>
- Kaur, S., & Agrawal, R. (2022). Convolutional Networks. In *Deep Learning Approaches to Cloud Security* (pp. 109–122). Wiley. <http://ieeexplore-ieee-org.ezproxy.ugm.ac.id/document/10495478>

- Ker, J., Wang, L., Rao, J., & Lim, T. (2018). Deep learning applications in medical image analysis. *IEEE Access*, 6, 9375–9389. <https://doi.org/10.1109/access.2017.2788044>
- Kingma, D. P., & Ba, J. (2014, December 22). *Adam: a method for stochastic optimization*. arXiv.Org. <https://arxiv.org/abs/1412.6980>
- Moodu, V., Prasad, Ch. R., & Rebelli, S. (2025). Optimized deep learning architectures using EfficientNet for diabetic retinopathy diagnosis. *2025 World Skills Conference on Universal Data Analytics and Sciences (WorldSUAS)*, 1–5. <https://doi.org/10.1109/worldsuas66815.2025.11199165>
- Munir, A., Kong, J., & Qureshi, M. A. (2024). Overview of Convolutional Neural Networks. In *Accelerators for Convolutional Neural Networks* (pp. 13–37). IEEE. <http://ieeexplore.ieee.org/document/10296497>
- Nyuytiybiy, K. (2020, December 30). *Parameters and hyperparameters in machine learning and deep learning*. Towards Data Science. <https://towardsdatascience.com/parameters-and-hyperparameters-aa609601a9ac>
- Porwal, P., Pachade, S., Kamble, R., Kokare, M., Deshmukh, G., Sahasrabuddhe, V., & Meriaudeau, F. (2018). Indian diabetic retinopathy image dataset (IDRiD): A database for diabetic retinopathy screening research. *Data*, 3(3), 25. <https://doi.org/10.3390/data3030025>
- Rojas, E., Kahira, A. N., Meneses, E., Gomez, L. B., & Badia, R. M. (2020, December 1). *A study of checkpointing in large scale training of deep neural networks*. arXiv.Org. <https://arxiv.org/abs/2012.00825>

- Ronneberger, O., Fischer, P., & Brox, T. (2015, May 18). *U-net: convolutional networks for biomedical image segmentation*. arXiv.Org. <https://arxiv.org/abs/1505.04597>
- S, B., & P, S. (2025). A survey on publicly available fundus image datasets for diabetic retinopathy screening. *2025 3rd International Conference on Intelligent Systems, Advanced Computing and Communication (ISACC)*, 961–965. <https://doi.org/10.1109/isacc65211.2025.10969385>
- Saito, T., & Rehmsmeier, M. (2015). The precision-recall plot is more informative than the ROC plot when evaluating binary classifiers on imbalanced datasets. *PLOS ONE*, *10*(3), e0118432. <https://doi.org/10.1371/journal.pone.0118432>
- Sasongko, M. B., Widyaputri, F., Agni, A. N., Wardhana, F. S., Kotha, S., Gupta, P., Widayanti, T. W., Haryanto, S., Widyaningrum, R., Wong, T. Y., Kawasaki, R., & Wang, J. J. (2017). Prevalence of diabetic retinopathy and blindness in Indonesian adults with type 2 diabetes. *American Journal of Ophthalmology*, *181*, 79–87. <https://doi.org/10.1016/j.ajo.2017.06.019>
- Setiawan, G., Rini, M., Ratnaningsih, N., Memed, F. K., & Dahlan, M. R. (2024). Characteristics and risk factors of diabetic retinopathy patients in West Java, Indonesia. *Majalah Kedokteran Bandung*, *56*(4). <https://doi.org/10.15395/mkb.v56.3412>
- Shin, H.-C., Roth, H. R., Gao, M., Lu, L., Xu, Z., Nogues, I., Yao, J., Mollura, D., & Summers, R. M. (2016). Deep convolutional neural networks for computer-aided detection: CNN architectures, dataset characteristics and

transfer learning. *IEEE Transactions on Medical Imaging*, 35(5), 1285–1298.

<https://doi.org/10.1109/tmi.2016.2528162>

Shukla, U. V., & Tripathy, K. (2023). *Diabetic retinopathy*. StatPearls Publishing.

<https://www.ncbi.nlm.nih.gov/books/NBK560805>

Vedpathak, S., Soni, P., Gaikwad, S., & Parmar, M. (2024). 2d brain mri segmentation: u-nets versus optimized deeplab models. *2024 IEEE International Conference on Information Technology, Electronics and Intelligent Communication Systems (ICITEICS)*, 1–6.

<https://doi.org/10.1109/iciteics61368.2024.10625019>

Vujosevic, S., Aldington, S. J., Silva, P., Hernández, C., Scanlon, P., Peto, T., & Simó, R. (2020). Screening for diabetic retinopathy: New perspectives and challenges. *The Lancet Diabetes & Endocrinology*, 8(4), 337–347.

[https://doi.org/10.1016/s2213-8587\(19\)30411-5](https://doi.org/10.1016/s2213-8587(19)30411-5)

Wang, L., Chen, X., Hu, L., & Li, H. (2020). Overview of image semantic segmentation technology. *2020 IEEE 9th Joint International Information Technology and Artificial Intelligence Conference (ITAIC)*, 19–26.

<https://doi.org/10.1109/itaic49862.2020.9338770>

Yathish, V. (2022, August 4). *Loss functions and their use in neural networks*.

Towards Data Science.

<https://towardsdatascience.com/loss-functions-and-their-use-in-neural-networks-a470e703f1e9/>