

DAFTAR PUSTAKA

1. World Health Organization. Global action plan for the prevention and control of noncommunicable disease 2013-2020. World Health Organization Press 2013.
2. World Health Organization. Definition, diagnosis and classification of diabetes mellitus and its complication, part 1: diagnosis and classification of diabetes mellitus. World Health Organization Press 1999.
3. Tuomilehto J. The emerging global epidemic of type 1 diabetes. *Curr Diab Rep.* 2013;13:795-804.
4. American Diabetes Association. Diagnosis and classification of diabetes mellitus. *Diabetes Care* 2011;34:S62-9. doi:10.2337/dc11-S062.
5. International Diabetes Federation. IDF atlas, 6th edition. International Diabetes Federation 2013.
6. SEARCH for Diabetes in Youth Study Group. The burden of diabetes mellitus among US Youth: prevalence estimates from the SEARCH for diabetes. *Pediatrics* 2006;118:1510-8.
7. Dabelea D, Bell RA, D'Agostino RJ, Imperatore G, Judith M, Johansen J, *et al.* Incidence of diabetes in youth in the United States. *JAMA* 2007;297(24):2716-24.
8. Patterson C, Gyurus E, Rosenbauer J, Cinek O, Neu A, Schober E, *et al.* Trends in childhood type 1 diabetes incidence in Europe during 1989-2008: evidence of non-uniformity over time in rates of increase. *Diabetologia* 2012;55:2142-7.
9. The DIAMOND Project Group. Incidence and trends of childhood type 1 diabetes worldwide 1990-1999. *Diabet Med.* 2006;23(8):857-66.
10. Harjutsalo V, Sund R, Knip M, Groop P. Incidence of type 1 diabetes in Finland. *JAMA* 2013;310(4):427-8.
11. Berhan Y, Waernbaum I, Lind T, Mollsten A, Dahlquist G. Thirty years of prospective nationwide incidence of childhood type 1 diabetes: the accelerating increase by time tends to level off in Sweden. *Diabetes* 2011;60:577-81.
12. Skrivarhaug T, Stene LC, Drivvoll AK, Strøm H. Incidence of type 1 diabetes in Norway among children aged 0-14 years between 1989 and 2012: has the incidence stopped rising? Result from the Norwegian Childhood Diabetes Registry. *Diabetologia* 2014;57:57-62.
13. Tajima N, Morimoto A. Epidemiology of childhood diabetes mellitus in Japan. *Pediatr Endocrinol Rev* 2012;10:44-50.

14. Zhao Z, Sun C, Wang C, Li P, Wang W, Ye J. Rapidly rising incidence of childhood type 1 diabetes in Chinese population: epidemiology in Shanghai during 1997-2011. *Acta Diabetol.* 2014;51(6):947-53.
15. Lin W, Wang M, Wang W, Yang D, Lam C, Roan N, *et al.* Incidence of and mortality from type 1 diabetes in Taiwan from 1999 through 2010: a nationwide cohort study. *PloS ONE* 2014;9(1):e86172. doi:10.1371/journal.pone.0086172.
16. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI. Riset Kesehatan Dasar (RISKESDAS) 2013. Kementerian Kesehatan RI 2013:1-384p.
17. Unit Kerja Koordinasi Endokrinologi Anak dan Remaja Ikatan Dokter Anak Indonesia. Diagnosis dan tatalaksana diabetes mellitus tipe-1 pada anak dan remaja. *Ikatan Dokter Anak Indonesia* 2017:1-28.
18. Tridjaya B, Yati NP, Faizi M, Marzuki ANS, Moelyo AG, Soesanti F. Konsensus nasional pengelolaan diabetes mellitus tipe 1, edisi kedua. Badan Penerbit Ikatan Dokter Anak Indonesia 2015:1-126p.
19. Katz ML, Laffel LM, Perrin JM, Kuhlthau K. Impact of type 1 diabetes mellitus on the family is reduced with the medical home, care coordination, and family-centered care. *J Pediatr* 2012;160(5):861-7.
20. Melendez-Ramirez LY, Richards RJ, Cefalu WT. Complication of type 1 diabetes. *Endocrinol Metab Clin N Am* 2010;39(3):625-40.
21. Smith-Spangler CM, Bhattacharya J, Goldhaber-Fiebert JD. Diabetes, its treatment, and catastrophic medical spending in 35 developing countries. *Diabetes Care* 2012;35(2):319-26.
22. Bloom DE, Cafiero ET, Jané-Llopis E, Abrahams-Gessel S, Bloom LR, Fathima S, *et al.* The global economic burden of noncommunicable disease. *World Economic Forum* 2011:1-45.
23. World Health Organization. Global report on diabetes, vol.978. World Health Organization, Switzerland 2016:88p. Available from: <http://www.who.int>.
24. The SEARCH Study Group. SEARCH for diabetes in youth: a multicenter study of the prevalence, incidence and classification of diabetes mellitus in youth. *Control Clin Trials* 2004;25(5):458-71.
25. Atkinson MA, Eisenbarth GS, Michels AW. Type 1 diabetes. *Lancet* 2014;383(9111):1-27.
26. Lambert AP, Gillespie KM, Thomson G, Cordell HJ, Todd JA, Gale EAM, *et al.* Absolute risk of childhood-onset type 1 diabetes defined by human leukocyte antigen class II genotype: A population-based study in the United Kingdom. *J Clin Endocrinol Metab.* 2004;89(9):4037-43.

27. Abiru N, Kawasaki E, Eguch K. Current knowledge of Japanese type 1 diabetic syndrome. *Diabetes Metab Res Rev*. 2002;18(5):357-66.
28. Devendra D, Liu E, Eisenbarth GS, Davis B. Clinical review type 1 diabetes: recent developments. *BMJ* 2004;328(1):750-4.
29. Patterson CC, Dahlquist GG, Gyürüs E, Green A, Soltész G. Incidence trends for childhood type 1 diabetes in Europe during 1989-2003 and predicted new cases 2005-20: a multicenter prospective registration study. *Lancet* 2009;373(9680):2027-33.
30. Harjutsalo V, Sjöberg L, Tuomilehto J. Time trends in the incidence of type 1 diabetes in Finnish children: a cohort study. *Lancet* 2008;371:1777-82.
31. Abdul-Rasoul M, Habib H, Al-Khouly M. "The honeymoon phase" in children with type 1 diabetes mellitus: frequency, duration, and influential factors. *Pediatric Diabetes* 2006;7(2):101-7.
32. Ziegler AG, Nepom GT. Prediction and pathogenesis in type 1 diabetes. *Immunity* 2010;32(4):468-78.
33. Katsarou A, Gudbjörnsdóttir S, Rawshani A, Debelea D, Bonifacio E, Anderson BJ, *et al*. Type 1 diabetes mellitus. *Nature* 2017;3:17016. doi: 10.1038/nrdp.2017.16.
34. Bingley PJ. Clinical applications of diabetes antibody testing. *J Clin Endocrinol Metab* 2010;95(1):25-33.
35. Krischer JP, Lynch KF, Schatz DA, Ilonen J, Lernmark A, Hagopian WA, *et al*. The 6 year incidence of diabetes-associated autoantibodies in genetically at-risk children: the TEDDY study. *Diabetologia* 2015;58(5):980-7.
36. Ilonen J, Hammais A, Laine AP, Lempainen J, Vaarala O, Veijola R, *et al*. Patterns of β -cell autoantibody appearance and genetic associations during the first years of life. *Diabetes* 2013;62(10):3636-40.
37. Wenzlau JM, Liu Y, Yu L, Moua O, Fowler KT, Rangasamy S, *et al*. A common nonsynonymous single nucleotide polymorphism in the SLC30A8 gene determines ZnT8 autoantibody specificity in type 1 diabetes. *Diabetes* 2008;57(10):2693-7.
38. Ziegler AG, Hummel M, Schenker M, Bonifacio E. Autoantibody appearance and risk for development of childhood diabetes in offspring of parents with type 1 diabetes. *Diabetes* 1999;48:460-8.
39. Ziegler AG, Rewers M, Simell O, Simell T, Lempainen J, Steck A, *et al*. Seroconversion to multiple islet autoantibodies and risk of progression to diabetes in children. *JAMA* 2013;309(23):1-15.
40. Craig ME, Jefferies C, Dabelea D, Balde N, Seth A, Donaghue KC. Definition, epidemiology, and classification of diabetes in children and adolescents. *Pediatric Diabetes* 2014;15(20):4-17.

41. Parkkola A, Härkönen T, Ryhänen SJ, Ilonen J, Knip M. Extended family history of type 1 diabetes and phenotype and genotype of newly diagnosed children. *Diabetes Care* 2013;36(2):348-54.
42. Beyerlein A, Donnachie E, Jergens S, Ziegler AG. Infections in early life and development of type 1 diabetes. *JAMA* 2016;315(17):1899-901.
43. Casquerio J, Casquerio J, Alves C. Infections in patients with diabetes mellitus: A review of pathogenesis. *Indian J Endocrinol Metab* 2012;16(7):27-36.
44. Lynch KF, Lernmark B, Merlo J, Cilio CM, Ivarsson S, Lernmark A. Cord blood islet autoantibodies and seasonal association with type 1 diabetes high-risk genotype. *J Perinatol* 2008;28:211-7.
45. Viskari HR, Roivainen M, Reunanen A, Pitka J, Sadeharju K, Koskela P, *et al.* Maternal first-trimester enterovirus infection and future risk of type 1 diabetes in the exposed fetus. *Diabetes* 2002;51(8):2568-71.
46. Daneman D. Type 1 diabetes. *Lancet* 2006;367(9513):847-58.
47. Wong FS. How does β -cell tolerance contribute to the protective effects of diabetes following induced mixed chimerism in autoimmune diabetes? *Diabetes* 2014;63(6):1855-7.
48. Couper JJ, Haller MJ, Ziegler AG, Knip M, Ludvigsson J, Craig ME. Phases of type 1 diabetes in children and adolescents. *Pediatr Diabetes* 2014;15(S20):18-25.
49. Insel RA, Dunne JL, Atkinson MA, Chiang JL, Dabelea D, Gottlieb PA, *et al.* Staging presymptomatic type 1 diabetes: A scientific statement of JDRF, the endocrine society, and the American diabetes association. *Diabetes Care* 2015;38(10):1964-74.
50. Helminen O, Aspholm S, Pokka T, Ilonen J, Simell O, Veijola R, *et al.* OGTT and random plasma glucose in the prediction of type 1 diabetes and time to diagnosis. *Diabetologia* 2015;58(8):1787-96.
51. Helminen O, Aspholm S, Pokka T, Hautakangas MR, Haatanen N, Lempainen J, *et al.* HbA1c predicts time to diagnosis of type 1 diabetes in children at risk. *Diabetes* 2015;64(5):1719-27.
52. Sosenko JM, Skyler JS, Dimeglio LA, Beam CA, Krischer JP, Greenbark CJ, *et al.* A new approach for diagnosing type 1 diabetes in autoantibody-positive individuals based on prediction and natural history. *Diabetes Care* 2015;38(2):27106.
53. Meier JJ, Bhushan A, Butler AE, Rizza RA, Butler PC. Sustained beta cell apoptosis in patients with long-standing type 1 diabetes: Indirect evidence for islet regeneration? *Diabetologia* 2005;48(11):2221-8.

54. Thompson R, Christie D, Hindmarsh PC. The role for insulin analogues in diabetes care. *Curr Paediatr* 2006;16(2):117-22.
55. Rustama DS, Subardja D, Oentario C, Yati NP, Satriono, Harjantien N. Diabetes mellitus tipe 1. In: Batubara JR, Tridjaja B, Pulungan AB, editors. *Buku ajar endokrinologi anak*, edisi 1. Ikatan Dokter Anak Indonesia 2010:125-94.
56. Hoffman RP. Practical management of type 1 diabetes mellitus in adolescent patients: challenges and goals. *Treat Endocrinol* 2004;3(1):27-39.
57. Usher-Smith JA, Thompson MJ, Sharp SJ, Walter FM. Factors associated with the presence of diabetic ketoacidosis at diagnosis of diabetes in children and young adults: a systematic review. *BMJ* 2011;343(1):d4092. doi:10.1136/bmj.d4092.
58. Malik FS, Taplin CE. Insulin therapy in children and adolescents with type 1 diabetes. *Pediatr Drugs* 2014;16(2):141-50.
59. Bangstad H-J, Danne T, Deeb L, Jarosz-Chobot P, Urakami T, Hanas R. Insulin treatment in children and adolescents with diabetes. *Pediatr Diabetes* 2009;10(9):82-99.
60. Smart CE, Annah F, Bruno LP, Higgins LA, Acerini CL. ISPAD clinical practice consensus guidelines: Compendium nutritional management in children and adolescents with diabetes. *Pediatr Diabetes* 2014;15(20):135-53.
61. Silverstein J, Al E. Care of children and adolescents with type 1 diabetes a statement of the American Diabetes Association. *Diabetes Care* 2005;28:186-212.
62. Newfield RS, Cohen D, Capparelli EV, Shragg P. Rapid weight gain in children soon after diagnosis of type 1 diabetes: Is there room for concern? *Pediatr Diabetes* 2009;10(5):310-5.
63. American Diabetes Association. Nutrition recommendations and interventions for diabetes: A position statement of the American Diabetes Association. *Diabetes Care* 2008;31(1):61-78.
64. The Diabetes Control and Complication Trial Research Group. The effect of intensive treatment of diabetes on the development and progression of long-term complications in insulin-dependent diabetes mellitus. *N Engl J Med* 1993;329(14):977-86.
65. Robertson K, Riddell MC, Guinhouya BC, Adolfsson P, Hanas R. Exercise in children and adolescents with diabetes. *Pediatr Diabetes* 2014;15(20):203-23.
66. American Diabetes Association. Foundation of care: Education, nutrition, physical activity, smoking cessation, psychosocial care, and immunization. *Diabetes Care* 2015;38(1):S20-30.

67. Trigona B, Aggoun Y, Maggio A, Martin XE, Marchand LM, Beghetti M, *et al.* Preclinical noninvasive markers of atherosclerosis in children and adolescents with type 1 diabetes are influenced by physical activity. *J Pediatr* 2010;157(4):533-9.
68. Ramalho AC, Lima ML, Nunes F, Cambuí Z, Barbosa C, Andrade A, *et al.* The effect of resistance versus aerobic training on metabolic control in patients with type-1 diabetes mellitus. *Diabetes Res Clin Pract* 2006;72(3):271-6.
69. Fuchsjager-Maryl G, Pleiner J, Wiesinger GF, Sieder AE, Quittan M, Nuhrl MJ, *et al.* Endothelial function in patients with type 1 diabetes. *Diabetes Care* 2002;25(10):1795-801.
70. Quirk H, Blake H, Tennyson R, Randell TL, Glazebrook C. Physical activity interventions in children and young people with type 1 diabetes mellitus: A systematic review with meta-analysis. *Diabetic Med* 2014;31(10):1163-73.
71. Brazeau A-S, Strychar I, Rabasa-Lhoret R, Mirescu H. Barriers to physical activity among patients with type 1 diabetes. *Diabetes Care* 2008;31(11):2108-9.
72. Rewers MJ, Pillay K, de Beaufort C, Craig ME, Hanas R, Acerini CL, *et al.* Assessment and monitoring of glycemic control in children and adolescents with diabetes. *Pediatr Diabetes* 2014;15(20):102-14.
73. Hanas R, John G. 2010 Consensus statement on the worldwide standardization of the hemoglobin A1C measurement. *Diabetes Care* 2010;33(8):1903-4.
74. Nathan DM, Turgeon H, Regan S. Relationship between glycated haemoglobin levels and mean glucose levels over time. *Diabetologia* 2007;50(11):2239-44.
75. Miller KM, Beck RW, Bergenstal RM, Goland RS, Haller MJ, McGill JB, *et al.* Evidence of a strong association between frequency of self-monitoring of blood glucose and hemoglobin A1c levels in T1D exchange clinic registry participants. *Diabetes Care* 2013;36(7):2009-14.
76. Heller Sr. Structured education in type 1 diabetes. *Br J Diabetes Vasc Dis* 2009;9(6):269-72.
77. Lange K, Swift P, Pańkowska E, Danne T. Diabetes education in children and adolescents. *Pediatr Diabetes* 2014;15(20):77-85.
78. Donaghue KC, Wadwa RP, Dimeglio LA, Wog TY, Chiarelli F, Marcovecchio ML *et al.* ISPAD clinical practice consensus guidelines: Microvascular and macrovascular complications in children and adolescent. *Pediatr Diabetes* 2014;15(1):257-69.
79. Rewers A, Chase H, Mackenzie T. Predictors of acute complication in children with type 1 diabetes. *JAMA* 2002;287(19):2511-8.

80. Yati NP, Soesanti F, Tridjaja B. Ketoasidosis diabetik dan edema serebri pada diabetes mellitus tipe-1, edisi 1. *Ikatan Dokter Anak Indonesia* 2017:1-24.
81. Rewers A, Klingensmith G, Davis C, Petitti DB, Pihoker C, Rodriguez B, *et al.* Presence of diabetic ketoacidosis at diagnosis of diabetes mellitus in youth: The Search for diabetes in youth study. *Pediatrics* 2008;121(5):e1258-66.
82. Jefferies C, Cutfield SW, Derraik JGB, Bhagvandas J, Albert BB, Hofman PL, *et al.* 15-year incidence of diabetic ketoacidosis at onset of type 1 diabetes in children from a regional setting. *Sci Rep* 2015;5(4):10358. doi: 10.1038/srep10358.
83. Wolfsdorf JI, Allgrove J, Craig ME, Edge J, Glaser N, Jain V, *et al.* Diabetic ketoacidosis and hyperglycemic hyperosmolar state. *Endocrinol Metab Clin North Am* 2013;42(4):667-95.
84. Fritsch M, Rosenbauer J, Schober E, Neu A, Placzek K, Holl RW. Predictors of diabetic ketoacidosis in children and adolescents with type 1 diabetes: experience from a large multicenter database. *Pediatric Diabetes* 2011;12(4):307-12.
85. Al-Hayek AA, Robert AA, Braham RB, Turki AS, Al-Sabaan FS. Frequency and associated risk factors of recurrent diabetic ketoacidosis among Saudi adolescents with type 1 diabetes mellitus. *Saudi Med J* 2015;36(2):216-20.
86. Himawan IW, Pulungan AB, Tridjaja B, Batubara JRL. Komplikasi jangka pendek dan jangka panjang diabetes mellitus tipe 1. *Sari Pediatr* 2009;10(6):367-72.
87. American Diabetes Association. Defining and reporting hypoglycemia in diabetes. *Diabetes Care* 2005;28(5):1245-9.
88. Ly TT, Maahs DM, Rewers A, Dunger D, Oduwole A, Jones TW. Assessment and management of hypoglycemia in children and adolescents with diabetes. *Pediatric Diabetes* 2014;15(20):180-92.
89. Jones TW, Boulware SD, Kraemer DT, Caprio S, Sherwin RS, Tamborlane WV. Independent effects of youth and poor diabetes control on responses to hypoglycemia in children. *Diabetes* 1991;40:358-63.
90. Raju B, Arbelaez AM, Breckenridge SM, Cryer PE. Nocturnal hypoglycemia in type 1 diabetes: An assessment of preventive bedtime treatments. *J Clin Endocrinol Metab* 2006;91(6):2087-92.
91. Cryer PE. The barrier of hypoglycemia in diabetes. *Diabetes* 2008;57(12):3169-76.
92. DeRosa MA. Hypoglycemia and the sympathoadrenal system: neurogenic symptoms are largely the result of sympathetic neural rather than adrenomedullary activation. *Am J Physiol Endocrinol Metab* 2004;287(1):E32-41.

93. Towler DA, Havlin CE, Craft S, Cryer P. Mechanism of awareness of hypoglycemia: Perception of neurogenic (predominantly cholinergic) rather than neuroglycopenic symptoms. *Diabetes* 1993;42(12):1791-8.
94. Skrivarhaug T, Bangstad HJ, Stene LC, Sandvik L, Hanssen KF, Joner G. Long-term mortality in a nationwide cohort of childhood-onset type 1 diabetic patients in Norway. *Diabetologia* 2006;49(2):298-305.
95. Jacobson AM, Musen G, Ryan CM, Silvers N, Clearly P, Waberski B, *et al.* Long-term effect of diabetes and its treatment on cognitive function. *N Engl J Med* 2007;356(18):1842-52.
96. Feltbower R. Acute complications and drug misuse are important causes of death for children and young adults with type 1 diabetes. *Diabetes Care* 2008;31(5):992-6.
97. The DCCT Research Group. Epidemiology of severe hypoglycemia in the diabetes control and complications trial. *Am J Med* 1991;90(4):450-9.
98. Bulsara MK, Holman CDJ, Davis EA, Jones TW. The impact of a decade of changing treatment on rates of severe hypoglycemia in a population-based cohort of children with type 1 diabetes. *Diabetes Care* 2004;27(10):2293-8.
99. Davis EA, Keating B, Byrne GC, Russel M, Jones TW. Hypoglycemia: incidence and clinical predictors in a large population-based sample of children and adolescents with IDDM. *Diabetes Care* 1997;20(1):22-5.
100. The DCCT Research Group. Effect of intensive diabetes treatment on the development and progression of long-term complications in adolescents with insulin-dependent diabetes mellitus: Diabetes control and complication trial. *J Pediatr* 1994;125(2):177-88.
101. American Diabetes Association. Standards of medical care in diabetes 2014. *Diabetes Care* 2014;37(1):S14-80.
102. Karges B, Rosenbauer J, Kapellen T, Wagner VM, Schober E, Karges W, *et al.* Hemoglobin A1c levels and risk of severe hypoglycemia in children and young adults with type 1 diabetes from Germany and Austria: a trend analysis in a cohort of 37,539 patients between 1995 and 2012. *PLoS Med* 2014;11(10):e1001742. doi: 10.1371/journal.pmed.1001742.
103. O'Connell SM, Cooper MN, Bulsara MK, Davis EA, Jones TW. Reducing rates of severe hypoglycemia in a population-based cohort of children and adolescents with type 1 diabetes over the decade 2000-2009. *Diabetes Care* 2011;34(11):2379-80.
104. Svensson J, Johannesen J, Mortensen HB, Nordly S. Improved metabolic outcome in a Danish diabetic paediatric population aged 0-18 yr: result from a nationwide continuous registration. *Pediatric Diabetes* 2009;10(7):461-7.

105. Romero-Aroca P, Navarro-Gil R, Valls-Mateu A, Sagarra-Alamo R, Moreno-Ribas A, Soler N. Differences in incidence of diabetic retinopathy between type 1 and 2 diabetes mellitus: a nine-year follow-up study. *Br J Ophthalmol* 2017;0:1-6. doi:10.1136/bjophthalmol-2016-310063.
106. Anderzén J, Samuelsson U, Gudbjörnsdottir S, Hanberger L, Åkesson K. Teenagers with poor metabolic control already have a higher risk of microvascular complications as young adults. *J Diabetes Complications* 2016;30(3):533-6.
107. Olsen BS, Sjølie AK, Hougaard P, Johannesen J, Marinelli K, Jacobsen BB, *et al.* The significance of the prepubertal diabetes duration for the development of retinopathy and nephropathy in patients with type 1 diabetes. *J Diabetes Complications* 2004;18(3):160-4.
108. Donaghue KC, Craig ME, Chan AKF, Fairchild JM, Cusumano JM, Verge CF, *et al.* Prevalence of diabetes complications 6 years after diagnosis in an incident cohort of childhood diabetes. *Diabet Med* 2005;22(6):711-8.
109. Kullberg CE, Abrahamsson M, Arnqvist HJ, Finnström K, Ludvigsson J. Prevalence of retinopathy differs with age at onset of diabetes in a population of patients with type 1 diabetes. *Diabet Med* 2002;19(11):924-31.
110. Mohsin F, Craig ME, Cusumano J, Mappstat AKFC, Hing S, Lee JW, *et al.* Discordant trends in microvascular complication in adolescents with type 1 diabetes from 1990 to 2002. *Diabetes Care* 2005;28(8):1974-80.
111. Esteves JF, Kramer CK, De Azevedo MJ, Stolz AP, Roggia MF, Larangeira A, *et al.* Prevalence of diabetic retinopathy in patients with type 1 diabetes mellitus. *Rev Assoc Med Bras* 2009;55(3):268-73.
112. Kilpatrick E, Rigby A, Atkin S. A1C variability and the risk of microvascular complications in type 1 diabetes: data from the Diabetes Control and Complications Trial. *Diabetes Care* 2008;31(11):2198-2202.
113. Hermann JM, Hammes HP, Rami-Merhar B, Rosenbauer J, Schütt M, Siegel E, *et al.* HbA1c variability as an independent risk factor for diabetic retinopathy in type 1 diabetes: a german/Austrian multicenter analysis on 35,891 patients. *PLoS ONE* 2014;9(3):1-5.
114. Hietala K, Wadén J, Forsblom C, Harjutsalo V, Kytö J, Summanen P, *et al.* HbA1c variability is associated with an increased risk of retinopathy requiring laser treatment in type 1 diabetes. *Diabetologia* 2013;56(4):737-45.
115. Lachin JM, Genuth S, Nathan DM, Zinman B, Rutledge BN. Effect of glycemic exposure on the risk of microvascular complications in the diabetes control and complications trial-revisited. *Diabetes* 2008;57(4):995-1001.
116. Hietala K, Forsblom C. Age at onset and the risk of proliferative retinopathy in type 1 diabetes. *Diabetes Care* 2010;33(6):1315-9.

117. Emptage NP, Kealey S, Lum FC, Garratt S. Preferred practice pattern: diabetic retinopathy. *Am J Ophthalmol* 2014;1-63.
118. Kordonouri O, Klingensmith G, Knip M, Holl RW, Aanstoot HJ, Menon PSN, *et al.* Other complications and diabetes-associated condition in children and adolescents. *Pediatric Diabetes* 2014;15(20):270-8.
119. Zelmanovitz T, Gerchman F, Balthazar AP, Thomazelli FC, Matos JD, Canani LH. Diabetic nephropathy. *Diabetol Metab Syndr* 2009;1(1):10. doi: 10.1186/1758-5996-1-10.
120. Chaturvedi N, Bandinelli S, Mangili R, Penno G, Rottiers RE, Fuller JH, *et al.* Microalbuminuria in type 1 diabetes: rates, risk factors and glycemic threshold. *Kidney Int* 2001;60(1):219-27.
121. The Diabetes Control and Complication Trial Research Group. The effect of intensive treatment of diabetes on the development and progression of long-term complication in insulin dependent diabetes mellitus. *N Engl J Med* 1993;329:977-86.
122. Van Buren PN, Toto R. Hypertension in diabetic nephropathy: epidemiology, mechanism, and management. *Adv Chronic Kidney Dis* 2011;18(1):28-41.
123. Rohani F, Hooman N, Moradi S, Mobarra M, Najafizadeh M, Tatarpoor P. The prevalence of pre-hypertension in children with type 1 diabetes mellitus. *Int J Prev Med* 2014;5:S44-9.
124. Homma TK, Endo CM, Saruhashi T, Mori API, de Noronha RM, Monte O, *et al.* Dyslipidemia in young patients with type 1 diabetes mellitus. *Arch Endocrinol Metab* 2015;59(3):215-9.
125. Rahmawati L, Gunardi H, Sekartini R, Jose RL, Gangguan perilaku pasien diabetes mellitus tipe-1 di poliklinik endokrinologi anak rumah sakit Cipto Mangunkusumo. *Sari Pediatr* 2007;9(4):264-9.
126. Kilpatrick ES, Rigby AS, Atkin SL. Insulin resistance, the metabolic syndrome, and complication risk in type 1 diabetes: “Double diabetes” in the diabetes control and complication trial. *Diabetes Care* 2007;30(3):707-12.
127. Nishimura R, LaPorte RE, Dorman JS, Tajima N, Becker D, Orchard TJ. Mortality trends in type 1 diabetes. *Diabetes Care* 2001;24(5):823-7.
128. Lind M, Svensson A-M, Kosiborod M, Gudbjörnsdottir S, Pivodic A, Wedel H, *et al.* Glycemic control and excess mortality in type 1 diabetes. *N Engl J Med* 2014;371(21):1972-82.
129. Weykamp C. HbA1c: a review of analytical and clinical aspects. *Ann Lab Med* 2013;33(6):393-400.
130. Petitti DB, Klingensmith GJ, Bell RA, Andrews JS, Dabelea D, Imperatore G, *et al.* Glycemic control in youth with diabetes: The SEARCH for diabetes in youth study. *J Pediatr* 2009;155(5):1-16.

131. Carlsen S, Skrivarhaug T, Thue G, Cooper JG, Gøransson L, Løvaas K, *et al.* Glycemic control and complications in patients with type 1 diabetes- a registry-based longitudinal study of adolescents and young adults. *Pediatrics Diabetes* 2017;18(3):188-95.
132. Miller KM, Foster NC, Beck RW, Bergensta RM, DuBose SN, DiMeglio LA, *et al.* Current state of type 1 diabetes treatment in the U.S.: updated data from the T1D exchange clinic registry. *Diabetes Care* 2015;38(6):971-8.
133. Clements MA, Foster NC, Maahs DM, Schatz DA, Olson BA, Tsalikian E, *et al.* Hemoglobin A1c (HbA1c) changes over time among adolescent and young adult participants in the T1D exchange clinic registry. *Pediatric Diabetes* 2016;17(5):327-36.
134. Craig ME, Jones TW, Silink M, Ping YJ. Diabetes care, glycemic control, and complications in children with type 1 diabetes from Asia and the Western Pasific Region. *J Diabetes Complications* 2007;21(5):280-7.
135. Willi SM, Miller KM, DiMeglio LA, Klingensmith GJ, Simmons JH, Tamborlane WV, *et al.* Racial-ethnic disparities in management and outcomes among children with type 1 diabetes. *Pediatrics* 2015;135(3):424-434.
136. Howell S, Coory M, Martin J, Duckett S. Using routine inpatient data to identify patients at risk of hospital readmission. *BMC Health Serv Res* 2009;9(1):96. doi:10.1186/1472-6963-9-96.
137. Robbins JM, Webb DA. Diagnosis diabetes and preventing rehospitalizations: the urban diabetes study. *Med Care* 2013;70(4):646-56.
138. Jiang HJ, Stryer D, Friedman B, Andrews R. Multiple hospitalizations for the patients with diabetes. *Diabetes Care* 2003;26(5):1421-6.
139. Liu X, Liu Y, Lv L, Li C, Cui Z, Ma J. Prevalence and temporal pattern of hospital readmission for patients with type I and type II diabetes. *BMJ Open* 2015;5(11):1-10. doi: 10.1136/bmjopen-2014-007362.
140. Palta M, LeCaire T, Daniels K, Shen G, Allen C, D'Alessio D. Risk factors for hospitalization in cohort with type 1 diabetes. *Am J Epidemiol* 1997;146(8):627-636.
141. Moss SE, Klein R, Klein BEK. Risk factors for hospitalization in people with diabetes. *Arch Intern Med* 1999;159(17):2053-7.
142. Tomlin AM, Dovey SM, Tilyard MW. Risk factors for hospitalization due to diabetes complications. *Diabetes Res Clin Pract* 2008;80(2):244-52.
143. Healy SJ, Black D, Harris C, Lorenz A, Dungan KM. Inpatient diabetes education is associated with less frequent hospital readmission among patients with poor glycemic control. *Diabetes Care* 2013;36(10):2960-7.
144. Goran MI, Gower BA. Longitudinal study on pubertal insulin resistance. *Diabetes* 2011;50(11):2444-50.

145. Bui TP, Werther GA, Cameron FJ. Trends in diabetic ketoacidosis in childhood and adolescence: a 15-yr experience. *Pediatric Diabetes* 2002;3(1):82-8.
146. Guelho D, Paiva I, Batista C, Barros L, Carrilho F. A1c, glucose variability and hypoglycemia risk in patient with type 1 diabetes. *Minerva Endocrinol* 2014;39:127-33.
147. Tsujino D, Nishimura R, Onda Y, Seo C, Ando K, Morimoto A, et al. The relationship between HbA1c values and the occurrence of hypoglycemia as assessed by continuous glucose monitoring in patients with type 1 diabetes. *Diabetol Metab Syndr* 2016;8(1):53. doi: 10.1186/213098-016-0167-z.
148. Morris AD, Boyle DI, McMahon AD, Greene SA, MacDonald TM, Newton RW. Adherence to insulin treatment, glycaemic control, and ketoacidosis in insulin-dependent diabetes mellitus. *Lancet* 1997;350(9090):1505-10.
149. Jones TW, Borg WP, Borg MA, Boulware SD, McCarthy G, Silver D, et al. Resistance to neuroglycopenia: an adaptive response during intensive insulin treatment of diabetes. *J Clin Endocrinol Metab* 1997;82(6):1713-8.
150. Banarer S, Cryer PE. Sleep related hypoglycemia associated autonomic failure in type 1 diabetes: reduced awakening from sleep during hypoglycemia. *Diabetes* 2003;52(10):1195-203.
151. Jones TW, Porter P, Sherwin RS, Davis EA, O'Leary P, Frazer F, et al. Decrease epinephrine responses to hypoglycemia during sleep. *N Engl J Med* 1998;338:1657-62.
152. Clarke W, Jones T, Rewers A, Dunger D, Klingensmith GJ. Assessment and management of hypoglycemia in children and adolescents with diabetes. *Pediatric Diabetes* 2009;10(12):134-45.
153. Hirsch IB. Insulin analogues. *N Engl J Med* 2005;174-83.
154. Gough SCL. A review of human and analogue insulin trials. *Diabetes Res Clin Pract* 2007;77(1):1-15. doi: 10.1016/j.diabres.2006.10.015.
155. Cryer PE. Hypoglycemia in type 1 diabetes mellitus. *Endocrinol Metab Clin North Am* 2010;39(3):641-54.
156. Cox DJ, Kovatchev B, Koev D, Koeva L, Dachev S, Tcharaktchiev D, et al. Hypoglycemia anticipation, awareness and treatment training (HAATT) reduces occurrence of severe hypoglycemia among adults with type 1 diabetes mellitus. *Int J Behav Med* 2004;11(4):212-8.
157. Quaranta L, Riva I, Gerardi C, Oddone F, Floriano I, Konstas AGP. Quality of life in glaucoma: a review of the literature. *Adv Ther* 2016;33(6):959-81.
158. Weinreb R, Aung T, Medeiros F. The pathophysiology and treatment of glaucoma. *J Am Med Assoc* 2014;311(18):1901-11.

159. Gangwani RA, McGhee SM, Lai JSM, Chan CKW, Wong D. Detection of glaucoma and its association with diabetic retinopathy in a diabetic retinopathy screening program. *J Glaucoma* 2014;25(1):101-5.
160. Zhao D, Cho J, Kim MH, Friedman DS, Guallar E. Diabetes, fasting glucose, and the risk of glaucoma: A meta-analysis. *Ophthalmology* 2015;122(1):72-8.
161. Zhao Y, Chen X. Diabetes and risk of glaucoma: systematic review and a meta-analysis of prospective cohort studies. *Int J Ophthalmol* 2017;10(9):1430-5.
162. Zhang L, Krzentowski G, Albert A, Lefebvre PJ. Risk of developing retinopathy in Diabetes Control and Complications Trial type 1 diabetic patients with good or poor metabolic control. *Diabetes Care* 2001;24(7):1275-9.
163. Raman S, Dai H, DeLurgio SA, Williams DD, Lind M, Patton SR, *et al.* High hemoglobin A1c variability is associated with early risk of microalbuminuria in children with T1D. *Pediatric Diabetes* 2016;17(6):398-406.
164. Warram JH, Gearin G, Laffel L, Krolewski AS. Effect of duration of type 1 diabetes on the prevalence stages of diabetic nephropathy defined by urinary albumin/creatinine ratio. *J Am Soc Nephrol* 1996;7(6):930-7.
165. Alleyn CR, Volkening LK, Wolfson J, Rodriguez-Ventura A, Wood JR, Laffel LMB. Occurrence of microalbuminuria in young people with type 1 diabetes: importance of age and diabetes duration. *Diabet Med* 2010;27(5):532-7.
166. Hovind P. Predictors for the development of microalbuminuria and macroalbuminuria in patients with type 1 diabetes: inception cohort study. *BMJ* 2004;328(7448):1-5. doi: 10.1136/bmj.38070.450891.FE.
167. Perkins BA, Ficociello LH, Silva KH, Finkelstein DM, Warram JH, Krolewski AS. Regression of microalbuminuria in type 1 diabetes. *N Engl J Med* 2003;348:2285-93.
168. Himawan IW, Pulungan AB, Tridjaja B. Gambaran tekanan darah anak dengan diabetes mellitus tipe 1 di Indonesia. *Sari Pediatr* 2012;13(5):367-72.
169. Nambam B, Dubose SN, Nathan BM, Beck RW, Maahs DM, Wadwa RP, *et al.* Therapeutic inertia: underdiagnosed and undertreated hypertension in children participating in the T1D Exchange Clinic Registry. *Pediatric Diabetes* 2016;17(1):15-20.
170. Piscitelli P, Viazzi F, Fioretto P, Giorda C, Ceriello A, Genovese S, *et al.* Predictors of chronic kidney disease in type 1 diabetes: a longitudinal study from the AMD Annals initiative. *Medicine* 2016;95(27):e4007. doi: 10.1038/s41598-017-03551-w.

171. Kakleas K, Kandyla B, Karayianni C, Karavanaki K. Psychosocial problems in adolescents with type 1 diabetes mellitus. *Diabetes Metab* 2009;35(5):339-50.
172. Leonard BJ, Jang Y-P, Savik K, Plumbo PM, Christensen R. Psychosocial factors associated with levels of metabolic control in youth with type 1 diabetes. *J Pediatr Nurs* 2002;17(1):28-37.
173. McDonnell CM, Northam EA, Donath SM, Werther GA, Cameron FJ. Hyperglycemia and externalizing behavior in children with type 1 diabetes. *Diabetes Care* 2006;29(6):1389-91.
174. Hood KK, Huestis S, Maher A, Butler D, Volkening L, Laffel LMB. Depressive symptoms in children and adolescents with type 1 diabetes: Association with diabetes-specific characteristics. *Diabetes Care* 2006;29(6):1389-91.
175. Maslow GR, Dunlap K, Chung RJ. Depression and suicide in children and adolescents. *Peds Rev* 2015;36(7):229-308.
176. Birmaher B, Brent D. Practice parameter for the assessment and treatment of children and adolescents with depressive disorders. *Am Acad Child Adolesc Psychiatry* 2007;46(11):1503-26.
177. De Vries L, Bar-Niv M, Lebenthal Y, Tenenbaum A, Shalitin S, Lazar L, *et al.* Changes in weight and BMI following the diagnosis of type 1 diabetes in children and adolescents. *Acta Diabetol* 2014;51(3):395-402.
178. Gregg B, Connor CG, Ruedy KJ, Beck RW, Kollman C, Schatz D, *et al.* Body mass index changes in youth in the first year after type 1 diabetes diagnosis. *J Pediatr* 2015;166(5):1265-1269.
179. Rovner AJ, Nansel TR. Are children with type 1 diabetes consuming a healthful diet? A review of the current evidence and strategies for dietary change. *Diabetes Educ.* 2009;35(1):97-107.
180. Pitukcheewanont P, Alemzadeh R, Jacobs WR, Jones BH, Eberle AJ. Does glycemic control affect growth velocity in children with insulin-dependent diabetes mellitus. *Acta Diabetol* 1995;32(3):148-52.
181. Elamin A, Hussein O, Tuvemo T. Growth, puberty, and final height in children with type 1 diabetes. *J Diabetes Complications* 2006;20(4):252-6.
182. O'Neil KJ, Jonnalagadda SS, Hopkins BL, Kicklighter JR. Quality of life and diabetes knowledge of young persons with type 1 diabetes: influence of treatment modalities and demographics. *J Am Diet Assoc* 2005;105(1):85-91.
183. Laffel LMB, Connell A, Vangsness L, Goebel-Fabbri A, Mansfield A, Anderson BJ. General quality of life in youth with type 1 diabetes: relationship to patient management and diabetes-specific family conflict. *Diabetes Care* 2003;26(11):3067-73.

184. Wysocki T, Buckloh LM, Lochrie AS, Antal H. The psychologic context of pediatric diabetes. *Pediatr Clin North Am* 2005;52(6):1755-78.
185. Weinger K, O'Donnell KA, Ritholz MD. Adolescent views of diabetes-related parent conflict and support: A focus group analysis. *J Adolesc Heal* 2001;29(5):330-6.
186. Parkin CG, Davidson JA. Values of self-monitoring blood glucose pattern analysis in improving diabetes outcomes. *J Diabetes Sci Technol* 2009;3(3):500-8.
187. Danne T. Flexibility of rapid-acting insulin analogues in children and adolescents with diabetes mellitus. *Clin Ther* 2007;29(SUPPL.D):145-52.
188. Hussain N, Kazmi S, Gillani S, Afzal S, Hussain S. Correlation between glycated haemoglobin levels and random blood glucose. *J Ayub Med Coll Abbottabad* 2013;25:86-8.
189. Pfützner A, Weissmann J, Mougiakakou S, Daskalaki E, Weis N, Ziegler R. Glycemic variability is associated with frequency of blood glucose testing and bolus: post hoc analysis results from the Pro Act Study. *Diabetes Technol Ther* 2015;17(6):392-7.
190. McGrady ME, Laffel L, Drotar D, David R, Hood KK. Depressive symptoms and glycemic control in adolescents with type 1. *Diabetes Care* 2009;32(2):804-6.
191. Davies MJ, Gagliardino JJ, Gray LI, Khunti K, Mohan V, Hughes R. Real-world factors affecting adherence to insulin therapy in patients with type 1 or type 2 diabetes mellitus: A systematic review. *Diabet Med* 2013;30(5):512-24.
192. Grey M, Cameron ME, Thurber FW. Coping and adaptation in children with diabetes. *Nursing Research* 1991;40:144-9.
193. Borus JS, Laffel L. Adherence challenges in the management of type 1 diabetes in adolescents: prevention and intervention. *Curr Opin Pediatr* 2010;22(4):405-11.