

DAFTAR PUSTAKA

- Akbar, H., Foth, C., Kahloon, R.A. and Mountfort, S. (2021). *Acute ST Elevation Myocardial Infarction*. [online] PubMed. Available at: <https://pubmed.ncbi.nlm.nih.gov/30335314/>.
- Betriu, A. and Masotti, M. (2004) 'Comparison of mortality rates in acute myocardial infarction treated by percutaneous coronary intervention versus fibrinolysis,' *The American Journal of Cardiology*, 95(1), pp. 100–101. <https://doi.org/10.1016/j.amjcard.2004.08.069>.
- Eka Ginanjar, Arif Mansjoer, Lusiani Rusdi, Rizky Ramadantie, Habib, H., Lies Dina Liastuti, Nasution, S.A., Idrus Alwi and Rashid, A. (2022). Effects of the COVID-19 pandemic on the management of ST-Segment elevation myocardial infarction in Indonesia: a cohort study. *F1000Research*, 11, pp.629–629. doi:<https://doi.org/10.12688/f1000research.121526.1>.
- Gopar-Nieto, R., Araiza-Garaygordobil, D., Raymundo-Martínez, G.I., Martínez-Amezcuca, P., Cabello-López, A., Manzur-Sandoval, D., Chávez-Gómez, N.L., Loáisiga-Sáenz, A.E., Baeza-Herrera, L.A., Dattoli-García, C.A., Gallardo-Grajeda, L.A., Jackson-Pedroza, C.N., Salas-Teles, B. and Arias-Mendoza, A. (2021). Demographic description and outcomes of a metropolitan network for myocardial infarction treatment. *Archivos de cardiologia de Mexico*, [online] 91(2), pp.167–177. doi:<https://doi.org/10.24875/ACM.20000133>.
- Ndrepepa, G. (2009). Mechanical Reperfusion and Long-term Mortality in Patients With Acute Myocardial Infarction Presenting 12 to 48 Hours From Onset of Symptoms. *JAMA*, 301(5), p.487. doi:<https://doi.org/10.1001/jama.2009.32>.
- Schömig, A. (2005) 'Mechanical Reperfusion in Patients With Acute Myocardial Infarction Presenting More Than 12 Hours From Symptom Onset<SUBTITLE>A Randomized Controlled Trial</SUBTITLE>,' *JAMA*, 293(23), p. 2865. <https://doi.org/10.1001/jama.293.23.2865>.
- Prakash, B., Mohanta, R.R., Lal, P.P. and Shah, M.M. (2022). Reducing the Wire Crossing Time in Primary Percutaneous Coronary Angioplasty: A Study From a Tier II City in India. *Curēus*. [online] doi:<https://doi.org/10.7759/cureus.21539>.
- Pinto, D.S., Kirtane, A.J., Nallamothu, B.K., Murphy, S.A., Cohen, D.J., Laham, R.J., Cutlip, D.E., Bates, E.R., Frederick, P.D., Miller, D.P., Carrozza, J.P., Antman, E.M., Cannon, C.P. and Gibson, C.M. (2006). Hospital Delays in Reperfusion for ST-Elevation Myocardial Infarction. *Circulation*, 114(19), pp.2019–2025. doi:<https://doi.org/10.1161/circulationaha.106.638353>.

- Pinto, D.S., Frederick, P.D., Chakrabarti, A.K., Kirtane, A.J., Ullman, E., Dejam, A., Miller, D.P., Henry, T.D. and Gibson, C.M. (2011). Benefit of Transferring ST-Segment–Elevation Myocardial Infarction Patients for Percutaneous Coronary Intervention Compared With Administration of Onsite Fibrinolytic Declines as Delays Increase. *Circulation*, 124(23), pp.2512–2521. doi:<https://doi.org/10.1161/circulationaha.111.018549>.
- Savage, M.L., Hay, K., Sundar, H., R Maharajan, Murdoch, D.J., K Latchumanadhas, Ezhilan, D.M., U Kalaichelvan, Denman, R., Ranasinghe, I., V Subban, Walters, D.L., A Mullasari and Raffel, O.C. (2024). Clinical characteristics and outcomes of Australian and Indian ST-segment elevation myocardial infarction (STEMI) patients treated with primary percutaneous coronary intervention (PCI). *Indian Heart Journal*. doi:<https://doi.org/10.1016/j.ihj.2024.08.001>.
- Casadevall, A. and Pirofski, L. . (2000). Host-Pathogen Interactions: Basic Concepts of Microbial Commensalism, Colonization, Infection, and Disease. *Infection and Immunity*, [online] 68(12), pp.6511–6518. doi:<https://doi.org/10.1128/iai.68.12.6511-6518.2000>.
- Kumar, S., Damodar, G., Ravikanth, S. and Vijayakumar, G. (2012). An Overview on Infectious Disease. *Indian Journal of Pharmaceutical Science and Research*, [online] 2(2), pp.63-74. Available at: <<http://www.ijpsrjournal.com>>.
- Karkabi, B., Khoury, R., Zafrir, B., Jaffe, R., Adawi, S., Lavi, I., Schliamser, J.E., Flugelman, M.Y. and Shiran, A. (2021). Causes of mortality in a department of cardiology over a 15-year period. *IJC Heart & Vasculature*, 32, p.100692. doi:<https://doi.org/10.1016/j.ijcha.2020.100692>.
- Chioncel, O., Parissis, J., Mebazaa, A., Thiele, H., Desch, S., Bauersachs, J., Harjola, V., Antohi, E., Arrigo, M., Gal, T.B., Celutkiene, J., Collins, S.P., DeBacker, D., Iliescu, V.A., Jankowska, E., Jaarsma, T., Keramida, K., Lainscak, M., Lund, L.H. and Lyon, A.R. (2020). Epidemiology, pathophysiology and contemporary management of cardiogenic shock – a position statement from the Heart Failure Association of the European Society of Cardiology. *European Journal of Heart Failure*, 22(8), pp.1315–1341. doi:<https://doi.org/10.1002/ejhf.1922>.
- Megaly, M., Schmidt, C.W., Dworak, M.W., Garberich, R., Stanberry, L., Sharkey, S., Brilakis, E.S., Aguirre, F.V., Pacheco, R., Tannenbaum, M., Coulson, T., Smith, T.D., Henry, T.D. and Garcia, S. (2022). Diabetic Patients Who Present With ST-Elevation Myocardial Infarction. *Cardiovascular Revascularization Medicine: Including Molecular Interventions*, [online] 38, pp.89–93. doi:<https://doi.org/10.1016/j.carrev.2021.08.003>.

- Abdul Hakim Alkatiri, Nurul Qalby, Idar Mappangara, Taufik, A., Cramer, M.J., Doevendans, P.A. and Andriany Qanitha (2024). Stress hyperglycemia and poor outcomes in patients with ST-elevation myocardial infarction: a systematic review and meta-analysis. *Frontiers in cardiovascular medicine*, [online] 11. doi:<https://doi.org/10.3389/fcvm.2024.1303685>.
- Jiang, C., Wu, S., Wang, M., Zhao, X. and Li, H. (2020). J-curve relationship between admission SBP and 2-year cardiovascular mortality in older patients admitted for acute coronary syndrome. *Journal of Hypertension*, 39(5), pp.926–934. doi:<https://doi.org/10.1097/hjh.0000000000002737>.
- Liu, S.-H., Lin, Y.-Z., Han, S. and Jin, Y.-Z. (2022). The obesity paradox in ST-segment elevation myocardial infarction patients: A meta-analysis. *Annals of noninvasive electrocardiology*, [online] 28(2). doi:<https://doi.org/10.1111/anec.13022>.
- Velazquez, G., Gomez, T.M.A., Asemota, I., Akuna, E., Ojemolon, P.E. and Eseaton, P. (2020). Obesity Impacts Mortality and Rate of Revascularizations Among Patients With Acute Myocardial Infarction: An Analysis of the National Inpatient Sample. *Cureus*. doi:<https://doi.org/10.7759/cureus.11910>.
- Lakho, A., Hassan Butt, M., Khurshed Shaikh, J., Hashim Kalwar, M., Ali, G., Ahmed Solangi, B. and Achakzai, A.S. (2021). Influence of Smoking on The Location of Acute Myocardial Infarctions. *Pakistan Journal of Medical and Health Sciences*, 15(11), pp.3257–3260. doi:<https://doi.org/10.53350/pjmhs2115113257>.
- Caspar-Bauguil S, Kolditz CI, Lefebvre P, Van Gaal L. 2019. Inflammation in adipose tissue: molecular mechanisms and metabolic consequences. *International Journal of Molecular Sciences*, 21(1): 318. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7000657/>
- De Heredia FP, Gómez-Martínez S, Marcos A. 2012. Obesity, inflammation and the immune system. *Proceedings of the Nutrition Society*, 71(2): 332–338. Available from: <https://pubmed.ncbi.nlm.nih.gov/33356944/>
- Cao H. 2014. Adipocytokines in obesity and metabolic disease. *Journal of Endocrinology*, 220(2): T47–T59. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4804786/>
- Listenberger LL, et al. 2021. Lipotoxicity and metabolic disease. *Annual Review of Nutrition*, 41: 1–22. Available from: <https://pubmed.ncbi.nlm.nih.gov/33561645/>
- Iacobellis G. 2015. Local and systemic effects of the multifaceted epicardial adipose tissue depot. *Nature Reviews Cardiology*, 12: 98–111. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4110603/>

- Zhou Y, et al. 2024. Impact of epicardial fat on microvascular obstruction after reperfused STEMI. *Cardiovascular Diabetology*, 23(1): 42.
- MacDonald A, et al. 2021. Obesity enhances vascular regenerative capacity after myocardial infarction. *Cardiovascular Research*, 117(6): 1693–1704. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8147702/>
- Akoumianakis I, Antoniadou C. 2022. Obesity, metabolic disease and cardiovascular risk. *European Heart Journal*, 43(4): 1341–1353. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9652562/>
- Niemann B, et al. 2022. The obesity paradox in acute myocardial infarction: real or artifact? *International Journal of Cardiology*, 361: 1–8. Available from: <https://pubmed.ncbi.nlm.nih.gov/36537052/>
- Zeller M, et al. 2023. Obesity paradox and confounding factors: implications for STEMI outcomes. *Atherosclerosis*, 367: 15–23. Available from: <https://pubmed.ncbi.nlm.nih.gov/38883572/>
- Lavie CJ, et al. 2013. Body composition and the obesity paradox in coronary heart disease. *European Heart Journal*, 34(5): 345–353.
- Eitel I, et al. 2019. Current smoking and prognosis after acute ST-segment elevation myocardial infarction. *Journal of the American College of Cardiology*, 74(24): 2973–2984. Available from: <https://pubmed.ncbi.nlm.nih.gov/30031700/>
- Eitel C, et al. 2016. Association of smoking with myocardial injury and clinical outcome in patients undergoing mechanical reperfusion for STEMI. *Journal of Cardiovascular Magnetic Resonance*, 18(S1): Q19.
- Kern R, et al. 2012. Smoker's paradox in primary PCI for STEMI: EUROTRANSFER Registry. *European Heart Journal Acute Cardiovascular Care*, 1(1): 31–37. Available from: <https://pubmed.ncbi.nlm.nih.gov/22773074/>
- Alexopoulos D, et al. 2019. Impact of cigarette smoking on infarct location and in-hospital outcomes in STEMI patients. *American Journal of Cardiology*, 124(9): 1419–1426. Available from: <https://pubmed.ncbi.nlm.nih.gov/31579461/>
- Tarantini G, et al. 2019. Effect of smoking on 3-year mortality in STEMI patients treated with primary PCI. *Catheterization and Cardiovascular Interventions*, 93(1): E12–E21. Available from: <https://pubmed.ncbi.nlm.nih.gov/30666553/>
- Li Y, et al. 2022. Effects of smoking on long-term mortality after first STEMI: 14-year follow-up study. *Journal of Cardiovascular Medicine*, 23(5): 300–307. Available from: <https://pubmed.ncbi.nlm.nih.gov/35195205/>
- Park J, et al. 2022. Impact of smoking at 1 year on long-term adverse events after STEMI in young patients. *International Journal of Cardiology*, 361: 23–29. Available from: <https://pubmed.ncbi.nlm.nih.gov/35613953/>

- Hong YJ, et al. 2021. Effects of smoking on clinical outcomes in acute myocardial infarction. *Journal of Clinical Medicine*, 10(5): 987. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8022024/>
- Porro B, et al. 2023. Smoking paradox in coronary microvascular dysfunction: insights from coronary physiology study. *Heart and Vessels*, 38: 1052–1061. Available from: <https://pubmed.ncbi.nlm.nih.gov/39143506/>
- Rawal S, et al. 2020. Diabetes mellitus and cardiovascular outcomes in STEMI patients: a systematic review. *Cardiovascular Diabetology*, 19: 172. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7541234/>
- He K, et al. 2019. Hypertension and STEMI outcomes: pathophysiology and prognosis. *Journal of Hypertension*, 37(10): 1954–1962. Available from: <https://pubmed.ncbi.nlm.nih.gov/31300078/>
- Bangalore S, et al. 2018. Number of diseased coronary vessels and mortality in STEMI patients. *American Journal of Cardiology*, 122(2): 237–244. Available from: <https://pubmed.ncbi.nlm.nih.gov/29627121/>
- Patel MR, et al. 2021. Coronary anatomy and prognosis after STEMI. *Circulation*, 143(10): 1003–1015. Available from: <https://pubmed.ncbi.nlm.nih.gov/33421014/>
- Bangalore Sripal, Kumar Sanjay, Fusaro Marco, Amoroso Nicola, Attubato Michael J, Feit Frederick, Moses James, Maron Michael S, Hochman Joel S. Number of diseased coronary vessels and mortality in STEMI patients. *Am J Cardiol*. 2018;122(2):237–244. Available on: <https://pubmed.ncbi.nlm.nih.gov/29627121/>
- Bulluck Hugh, Kelion Adrian D. Microvascular obstruction in acute myocardial infarction: a potential therapeutic target. *Eur Heart J*. 2019;40:1007–1017. Available on: <https://pubmed.ncbi.nlm.nih.gov/30609854/>
- Cerqueira M David, Weissman Nathan J, Dilsizian Vasken, Jacobs Arthur K, Kaul Sanjiv, Laskey Wayne K, Pennell Douglas J, Rumberger John A, Ryan Timothy, Verani Martin S. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. *Circulation*. 2002;105:539–542. Available on: <https://pubmed.ncbi.nlm.nih.gov/11815454/>
- de Waha Susanne, Patel Muthiah R, Granger Christopher B, Ohman Eugene M, Maehara Atsushi, Eitel Ingo, Desch Steffen, Thiele Holger, Lurz Peter, Fuernau Georg, Eitel Christian. Relationship between microvascular obstruction and adverse events following primary percutaneous coronary intervention for ST-segment elevation myocardial infarction: an individual patient data pooled analysis from seven randomized trials. *Eur Heart J*. 2017;38(47):3502–3510. Available on: <https://pubmed.ncbi.nlm.nih.gov/29020248/>

- Eitel Ingo, Friedrich Matthias G, Hildebrandt Kai, Gutberlet Martin, Desch Steffen, Schuler Gerhard, Thiele Holger. Impact of microvascular obstruction and infarct size on left ventricular remodeling in reperfused myocardial infarction: a contrast-enhanced cardiac magnetic resonance imaging study. *Eur Heart J Cardiovasc Imaging*. 2011;12:43–52. Available on: <https://pubmed.ncbi.nlm.nih.gov/21643941/>
- Eitel Christian, Fuernau Georg, Lurz Peter, Jobst Beat, Mangold Stefan, Gutberlet Martin, Desch Steffen, Schuler Gerhard, Thiele Holger. Prognostic significance and determinants of infarct size and microvascular obstruction as visualized by contrast-enhanced magnetic resonance imaging in patients with ST-segment elevation myocardial infarction. *Eur Heart J*. 2012;33:2514–2524. Available on: <https://pubmed.ncbi.nlm.nih.gov/22314277/>
- Fearon William F, Low Andrew F, Yong Adrian S, Berry Colin, Shah Meena, McGeoch Robert, Berry Chris, Dawson David, Leeson Peter, Blackman Daniel, Oldroyd Keith G. Microvascular resistance predicts myocardial salvage and infarct characteristics in ST-elevation myocardial infarction. *Circulation*. 2008;117(24):2988–2996. Available on: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3487342/>
- Ibanez Borja, James Scott, Agewall Stefan, Antunes Manuel J, Bucciarelli-Ducci Cinzia, Bueno Héctor, Caforio Alida L P, Crea Filippo, Goudevenos John, Halvorsen Sigrun, Hindricks Gerhard, Kastrati Adnan, Lenzen Markus, Prescott Elizabeth, Roffi Marco, Valgimigli Marco, Vranckx Philippe, Widimsky Petr. 2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. *Eur Heart J*. 2018;39(2):119–177. Available on: <https://pubmed.ncbi.nlm.nih.gov/28860299/>
- Khan Junaid N, Razvi Nadeem, Nazir Syed A, Singh Amar, Masca Nicola G D, Gershlick Alan H. Prevalence and extent of infarct and microvascular obstruction following different reperfusion therapies in ST-elevation myocardial infarction. *J Cardiovasc Magn Reson*. 2014;16:38. Available on: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4041906/>
- Killip Thomas, Kimball James T. Treatment of myocardial infarction in a coronary care unit: a two year experience with 250 patients. *Circulation*. 1967;36:950–958. Available on: <https://pubmed.ncbi.nlm.nih.gov/6035472/>
- Malkin Christopher J, Timmis Adrian D, Luescher Thomas F, Agewall Stefan, Camm Andrew J. Predictive value of Killip classification in contemporary STEMI patients: data from the Myocardial Ischaemia National Audit Project. *Heart*. 2018;104:1967–1975. Available on: <https://pubmed.ncbi.nlm.nih.gov/30153867/>

- Patel Muthiah R, Calhoon John H, Dehmer Gregory J, Grantham John A, Maddox Thomas M, Maron Michael D, Mahaffey Kenneth W, Newby L Kristin, Smith Peter K. Coronary anatomy and prognosis after ST-elevation myocardial infarction. *Circulation*. 2021;143(10):1003–1015. Available on: <https://pubmed.ncbi.nlm.nih.gov/33421014/>
- Stone Gregg W, Maehara Atsushi, Lansky Alexander J, de Bruyne Bernard, Cristea Eugen, Mintz Gary S, Mehran Roxana, McPherson John, Farhat Nizar, Cox Deborah, Shunk Kelly, Suddath William O, Parise Heather, Kirtane Ajay J, Karrowni Waleed, Gibson Catherine M, Serruys Patrick W, Pocock Stuart J. A prospective natural-history study of coronary atherosclerosis. *N Engl J Med*. 2019;381:1411–1421. Available on: <https://pubmed.ncbi.nlm.nih.gov/31556387/>
- Thiele Holger, Friedenberger Johann, Schindler Karl, Eitel Ingo, Grebe Elisabeth, Gutberlet Martin, Desch Steffen, Schuler Gerhard. Predictors of infarct size and microvascular obstruction assessed by magnetic resonance imaging in patients with STEMI undergoing primary PCI. *J Cardiovasc Magn Reson*. 2008;10 Suppl 1:A271. Available on: <https://jcmr-online.biomedcentral.com/articles/10.1186/1532-429X-10-S1-A271>
- Wu Albert H, Parsons Linda, Every Nathan, Bates Ernest R. Hospital outcomes in patients presenting with acute myocardial infarction complicated by cardiogenic shock: a Killip class analysis. *Circulation*. 1998;97:1923–1929. Available on: <https://pubmed.ncbi.nlm.nih.gov/9585520/>
- Stopyra JP, Hess PL, Kim LK, Singh A, Samad Z, Raina S, et al. Delayed first medical contact to reperfusion time increases mortality in rural EMS patients with STEMI. *Am Heart J*. 2021 Sep;238:83-92. doi: 10.1016/j.ahj.2021.06.007. PMID: 34421596.
- De Luca G, Suryapranata H, Ottervanger JP, Antman EM. Time delay to treatment and mortality in primary angioplasty for acute myocardial infarction: every minute of delay counts. *Circulation*. 2004;109(10):1223-1225.
- Kim HK, Jeong MH, Ahn Y, et al. Relationship between door-to-balloon time and clinical outcomes in patients with ST-segment elevation myocardial infarction. *Circ J*. 2015;79(10):2197-2203.
- McNamara RL, Wang Y, Herrin J, et al. Effect of door-to-balloon time on mortality in patients with ST-segment elevation myocardial infarction. *J Am Coll Cardiol*. 2006;47(11):2180-2186.
- Menees DS, Peterson ED, Wang Y, et al. Door-to-balloon time and mortality among patients undergoing primary PCI. *N Engl J Med*. 2013;369(10):901-909.
- El-Meniawy KA, et al. Killip classification and in-hospital mortality in STEMI treated with primary PCI. *Clin Med Insights Cardiol*. 2010;4:CMIC-S5183.
- Alexander KP, Newby LK, Armstrong PW, et al. Acute coronary care in the elderly. *Circulation*. 2007;115(19):2549-2569.

Romadhona MF, Oktaviono YH, Wiyasihati SI, Fagi RA. Reperfusion time of STEMI patients in Indonesia and outside Indonesia. *Cardiovasc Cardiometab J.* 2023;4(2):85–98.

Kerangan, Johanis. Clinical characteristics, medical management and outcomes of patients with ST-elevation myocardial infarction in Sanglah General Hospital, Denpasar, Bali, Indonesia. *Biomed Pharmacol J.* 2017;10(3):xxx–xxx.

Thygesen K, Alpert JS, Jaffe AS, Chaitman BR, Bax JJ, Morrow DA, et al. Fourth universal definition of myocardial infarction (2018). *Eur Heart J.* 2019;40(3):237–69.