

References

- An, J., Su, Z., & Meng, S. (2024). Effect of aerobic training versus resistance training for improving cardiorespiratory fitness and body composition in middle-aged to older adults: A systematic review and meta-analysis of randomized controlled trials. *Archives of Gerontology and Geriatrics*, *126*, 105530–105530. <https://doi.org/10.1016/j.archger.2024.105530>
- Bai, X., Soh, K. G., Omar Dev, R. D., Talib, O., Xiao, W., Soh, K. L., Ong, S. L., Zhao, C., Galeru, O., & Casaru, C. (2022). Aerobic Exercise Combination Intervention to Improve Physical Performance Among the Elderly: A Systematic Review. *Frontiers in Physiology*, *12*. <https://doi.org/10.3389/fphys.2021.798068>
- Basset, D. R., & Howley, E. T. (2000). Limiting Factors for Maximum Oxygen Uptake and Determinants of Endurance Performance. *Medicine & Science in Sports & Exercise*, *32*(1), 70. <https://doi.org/10.1097/00005768-200001000-00012>
- Betik, A. C., & Hepple, R. T. (2008). Determinants of VO₂ max decline with aging: an integrated perspective. *Applied Physiology, Nutrition, and Metabolism = Physiologie Appliquee, Nutrition et Metabolisme*, *33*(1), 130–140. <https://doi.org/10.1139/H07-174>
- Bigatello, L., & Pesenti, A. (2019). Respiratory Physiology for the Anesthesiologist. *Anesthesiology*, *130*(6), 1064–1077. <https://doi.org/10.1097/ALN.0000000000002666>
- Boone, T., Board, R., Astorino, T., Baker, J., Brock, S., Dalleck, L., Goulet, E.,

Gotshall, R., Hutchison, A., Knight-Maloney, M., Kravitz, L., Laskin, J., Lim, Y., Lowery, L., Marks, D., Mermier, C., Robergs, R., Vella, C., Wagner, D., & Wyatt, F. (2019). *Journal of Exercise Physiologyonline Volume 22 Number 1 Editor-in-Chief JEPonline Changes in the Cardiorespiratory Fitness of Men and Women in Various Age Groups.*

https://www.asep.org/asep/asep/JEPonlineFEBRUARY2019_Bara.pdf

Brechue, W. F., Ameredes, B. T., Barclay, J. K., & Stainsby, W. N. (1995). Blood flow and pressure relationships which determine vo₂max. *Medicine & Science in Sports & Exercise*, 27(1), 37–42.

<https://doi.org/10.1249/00005768-199501000-00008>

Budde, J., & Skloot, G. (2022). Aging and Susceptibility to Pulmonary Disease. *Comprehensive Physiology*, 12(3), 3509–3522.

<https://doi.org/10.1002/j.2040-4603.2022.tb00221.x>

Burich, R., Teljigović, S., Boyle, E., & Sjøgaard, G. (2015). Aerobic training alone or combined with strength training affects fitness in elderly: Randomized trial. *European Journal of Sport Science*, 15(8), 773–783.

<https://doi.org/10.1080/17461391.2015.1060262>

Carcelén-Fraile, M. del C., Lorenzo-Nocino, M. F., Afanador-Restrepo, D. F., Rodríguez-López, C., Aibar-Almazán, A., Hita-Contreras, F., Achalandabaso-Ochoa, A., & Castellote-Caballero, Y. (2023). Effects of different intervention combined with resistance training on musculoskeletal health in older male adults with sarcopenia: A systematic review. *Frontiers in Public Health*, 10.

<https://doi.org/10.3389/fpubh.2022.1037464>

Carrick-Ranson, G., Sloane, N. M., Howden, E. J., Bhella, P. S., Sarma, S., Shibata, S., Fujimoto, N., Hastings, J. L., & Levine, B. D. (2020). The effect of lifelong endurance exercise on cardiovascular structure and exercise function in women. *The Journal of Physiology*, 598(13).

<https://doi.org/10.1113/jp278503>

Chamari, K., & Padulo, J. (2015). “Aerobic” and “Anaerobic” terms used in exercise physiology: a critical terminology reflection. *Sports Medicine - Open*, 1(1). <https://doi.org/10.1186/s40798-015-0012-1>

Chan, W. L., Chan, H. L., Chen, K. M., Fan, H. L., Lai, W. C., & Yu, S. W. (2021). Reliability and validity of walk tests for older adults with dementia: A systematic review. *Alzheimer's & Dementia*, 17(S7).

<https://doi.org/10.1002/alz.050371>

Chen, Y. C., Chen, W.-C., Liu, C.-W., Huang, W.-Y., Lu, Ic., Lin, C. W., Huang, R. Y., Chen, J. S., & Huang, C. H. (2023). Is moderate resistance training adequate for older adults with sarcopenia? A systematic review and network meta-analysis of RCTs. *European Review of Aging and Physical Activity: Official Journal of the European Group for Research into Elderly and Physical Activity*, 20(1), 22.

<https://doi.org/10.1186/s11556-023-00333-4>

Corbin, C. B. (2013). *Concepts of physical fitness : active lifestyles for wellness*. McGraw-Hill.

Crowley, E., Powell, C., Carson, B. P., & W. Davies, R. (2022). The Effect of

- Exercise Training Intensity on VO₂max in Healthy Adults: An Overview of Systematic Reviews and Meta-Analyses. *Translational Sports Medicine*, 2022(1), 1–10. <https://doi.org/10.1155/2022/9310710>
- Doyle, M. P., Indraratna, P., Tardo, D. T., Peeceeyen, S. C., & Peoples, G. E. (2018). Safety and efficacy of aerobic exercise commenced early after cardiac surgery: A systematic review and meta-analysis. *European Journal of Preventive Cardiology*, 26(1), 36–45. <https://doi.org/10.1177/2047487318798924>
- Feng, D., Li, L., Xu, Q., & Li, T. (2024). Evaluating the impact of a combined aerobic and strength training intervention on the physical performance of male Chinese People's Liberation Army air force pilots. *Heliyon*, 10(11), e32177. <https://doi.org/10.1016/j.heliyon.2024.e32177>
- Gea, J., Ausín, P., Martínez-Llorens, J. M., & Barreiro, E. (2020). Respiratory muscle senescence in ageing and chronic lung diseases. *European Respiratory Review*, 29(157), 200087. <https://doi.org/10.1183/16000617.0087-2020>
- Gede, I. (2021). Efek Latihan Aerobik Terhadap Peningkatan VO₂Max pada Lansia Pria. *Zenodo (CERN European Organization for Nuclear Research)*, 7(2), 326–332. <https://doi.org/10.5281/zenodo.4897568>
- Graeme Carrick–Ranson, Howden, E. J., Brazile, T., Levine, B. D., & Reading, S. (2023). Effects of Aging and Endurance Exercise Training on Cardiorespiratory Fitness and Cardiac Structure and Function in Healthy Midlife and Older Women. *Journal of Applied Physiology*, 135(6),

1215–1235. <https://doi.org/10.1152/jappphysiol.00798.2022>

Håkon Hov, Geir Eithun, Wang, E., & Helgerud, J. (2024). Aerobic high-intensity interval training and maximal strength training in patients with unspecific musculoskeletal disorders improve $\dot{V}O_{2peak}$ and maximal strength more than moderate training. *EJSS/European Journal of Sport Science*, 24(7). <https://doi.org/10.1002/ejsc.12126>

Hall, J. E., & Hall, M. E. (2016). *Guyton and Hall Textbook of Medical Physiology* (13th ed.). Elsevier.

Hasan, M. F. (2020). The Effect of Circuit Weight Training on VO2Max. *Proceedings of the 4th International Conference on Sport Science, Health, and Physical Education (ICSSHPE 2019)*, 21(1). <https://doi.org/10.2991/ahsr.k.200214.090>

Hassel, E., Stensvold, D., Halvorsen, T., Wisløff, U., Langhammer, A., & Steinshamn, S. (2015). Association between pulmonary function and peak oxygen uptake in elderly: the Generation 100 study. *Respiratory Research*, 16(1). <https://doi.org/10.1186/s12931-015-0317-0>

Hawkins, M. N., Raven, P. B., Snell, P. G., Stray-Gundersen, J., & Levine, B. D. (2007). Maximal oxygen uptake as a parametric measure of cardiorespiratory capacity. *Medicine and Science in Sports and Exercise*, 39(1), 103–107. <https://doi.org/10.1249/01.mss.0000241641.75101.64>

Hlastala, M., & Berger, A. (2001). *Physiology of Respiration*. Oxford University Press.

Howden, E. J., Sarma, S., Lawley, J. S., Opondo, M., Cornwell, W., Stoller, D.,

- Urey, M. A., Adams-Huet, B., & Levine, B. D. (2018). Reversing the Cardiac Effects of Sedentary Aging in Middle Age—A Randomized Controlled Trial. *Circulation*, *137*(15), 1549–1560. <https://doi.org/10.1161/circulationaha.117.030617>
- Howe, T. E., Rochester, L., Neil, F., Skelton, D. A., & Ballinger, C. (2011). Exercise for Improving Balance in Older People. *Cochrane Database of Systematic Reviews*, *11*(11). <https://doi.org/10.1002/14651858.cd004963.pub3>
- Hurst, C., Robinson, S. M., Witham, M. D., Dodds, R. M., Granic, A., Buckland, C., De Biase, S., Finnegan, S., Rochester, L., Skelton, D. A., & Sayer, A. A. (2022). Resistance exercise as a treatment for sarcopenia: prescription and delivery. *Age and Ageing*, *51*(2). <https://doi.org/10.1093/ageing/afac003>
- Ilic, T., Mijalkovic, S., Stojanovic, S., Ilbak, I., Pavlovic, R., Radulovic, N., Vrcic, M., & Nikolic, S. (2025). Effects of resistance training on fitness parameters in older adults: a systematic review. *Health, Sport, Rehabilitation*, *21*. <https://doi.org/10.58962/hsr.2025.1263>
- Javier Roibal Pravio, Eduardo Barge Caballero, Cayetana Barbeito Caamaño, Jesus, M., Gonzalo Barge Caballero, David Couto Mallon, Patricia Pardo Martinez, Zulaika Grille Cancela, Paula Blanco Canosa, Manuel, J., Manuel, J., & Generosa, M. (2021). Determinants of maximal oxygen uptake in patients with heart failure. *Esc Heart Failure*, *8*(3), 2002–2008. <https://doi.org/10.1002/ehf2.13275>

- Kemmler, W., Weineck, M., Kohl, M., von Stengel, S., Giessing, J., Fröhlich, M., & Schoene, D. (2020). High Intensity Resistance Exercise Training to Improve Body Composition and Strength in Older Men With Osteosarcopenia. Results of the Randomized Controlled Franconian Osteopenia and Sarcopenia Trial (FrOST). *Frontiers in Sports and Active Living*, 2(4). <https://doi.org/10.3389/fspor.2020.00004>
- Khairani, R., Adriani, D., & Amani, P. (2021). Obesity is the most influential risk factor of cardiopulmonary endurance in older women. *Universa Medicina*, 40(3), 254–262. <https://doi.org/10.18051/univmed.2021.v40.254-262>
- Killam, M. F., Hughes, R. P., Carlini, N. A., Fleenor, B. S., & Harber, M. P. (2024). Mitochondrial-targeted Antioxidant (MitoQ) Ingestion Acutely Blunts Vo₂max In Physically Inactive Females. *Medicine & Science in Sports & Exercise*, 56(10S), 150–150. <https://doi.org/10.1249/01.mss.0001053800.16003.d8>
- Kipp, S., Arn, S. R., Leahy, M. G., Guenette, J. A., & A. William Sheel. (2024). The Metabolic Cost Of Breathing For Exercise Ventilations: Effects Of Age And Sex. *Journal of Applied Physiology*, 137(2), 329–342. <https://doi.org/10.1152/jappphysiol.00282.2023>
- Koh, S., Kim, T., Kang, D., & Kim, D. (2023). Effectiveness of Regular Aerobic Exercise in Improving Vascular Stiffness in Elderly Korean Women. *Journal of Clinical Medicine*, 12(19), 6119–6119. <https://doi.org/10.3390/jcm12196119>
- Lehti, M., Valkeinen, H., Sipilä, S., Perhonen, M., Rottensteiner, M., Pullinen, T.,

- Pietiläinen, R., Nyman, K., Vehkaoja, A., Kainulainen, H., & Kujala, U. M. (2020). Effects of aerobic and strength training on aerobic capacity, muscle strength, and gene expression of lymphomonocytes in patients with stable CAD. *American Journal of Translational Research*, 12(8), 4582–4593. <https://pubmed.ncbi.nlm.nih.gov/32913532/>
- Letnes, J. M., Nes, B. M., & Wisløff, U. (2023). Age-related decline in peak oxygen uptake: Cross-sectional vs. longitudinal findings. A review. *International Journal of Cardiology Cardiovascular Risk and Prevention*, 16, 200171. <https://doi.org/10.1016/j.ijcrp.2023.200171>
- Lin, G.-M., Tsai, K.-Z., Lee, D.-C., Sui, X., & Lavie, C. J. (2023). Mean power output for muscular endurance exercises and maximal oxygen uptake in military young adults. *Medicine*, 102(42), e35578. <https://doi.org/10.1097/MD.00000000000035578>
- Loura Caroline Korengkeng, Anderson, E., Ailine Yoan Sanger, & Ruku, D. (2024). Effect of Resistance Training on Muscle Strength and VO₂ Peak in Middle-aged and Older Patients with Heart Failure: A Meta-analysis. *Pacific Rim International Journal of Nursing Research*, 28(2), 421–438. <https://doi.org/10.60099/prijnr.2024.266890>
- Lundby, C., Montero, D., & Joyner, M. (2016). Biology of VO₂ max: looking under the physiology lamp. *Acta Physiologica*, 220(2), 218–228. <https://doi.org/10.1111/apha.12827>
- Majd AlGhatrif, Morrell, C. H., Fleg, J. L., Chantler, P. D., Najjar, S. S., Becker, L. C., Ferrucci, L., Gerstenblith, G., & Lakatta, E. G. (2024). The

Longitudinal Decline in Peak VO₂ with Aging in Healthy Individuals is Associated with a Reduction in Peripheral Oxygen Utilization but not in Cardiac Output. *AJP Heart and Circulatory Physiology*, 327(2), H509–H517. <https://doi.org/10.1152/ajpheart.00665.2023>

Mänttari, A., Suni, J., Sievänen, H., Husu, P., Vähä-Ypyä, H., Valkeinen, H., Tokola, K., & Vasankari, T. (2018). Six-minute walk test: a tool for predicting maximal aerobic power (VO₂ max) in healthy adults. *Clinical Physiology and Functional Imaging*, 38(6), 1038–1045. <https://doi.org/10.1111/cpf.12525>

Marriott, C. F. S., Petrella, A. F. M., Marriott, E. C. S., Boa Sorte Silva, N. C., & Petrella, R. J. (2021). High-Intensity Interval Training in Older Adults: a Scoping Review. *Sports Medicine - Open*, 7(1). <https://doi.org/10.1186/s40798-021-00344-4>

Marsuna, Hudain, M. A., & Heriansyah. (2024). Aerobic training as an approach to increasing VO₂max in amateur football athletes. *Journal Sport Area*, 9(2), 207–216. [https://doi.org/10.25299/sportarea.2024.vol9\(2\).15338](https://doi.org/10.25299/sportarea.2024.vol9(2).15338)

McArdle, W. D., Katch, F. I., & Katch, V. L. (2016). *Essentials of exercise physiology* (5th ed.). Wolters Kluwer.

Mondal, H., & Mishra, S. (2017). Effect of BMI, Body Fat Percentage and Fat Free Mass on Maximal Oxygen Consumption in Healthy Young Adults. *JOURNAL of CLINICAL and DIAGNOSTIC RESEARCH*, 11(6). <https://doi.org/10.7860/jcdr/2017/25465.10039>

Narayana, Meir Tabi, & Fleg, J. L. (2022). Cardiovascular Mechanisms of

- Exercise Intolerance in Older Patients with Heart Failure. *Reviews in Cardiovascular Medicine*, 23(9). <https://doi.org/10.31083/j.rcm2309313>
- Ngueleu, A.-M., Barrette, S., Buteau, C., Robichaud, C., Nguyen, M., Everard, G., & Batcho, C. S. (2024). Impact of Pathway Shape and Length on the Validity of the 6-Minute Walking Test: A Systematic Review and Meta-Analysis. *Sensors*, 25(1), 17. <https://doi.org/10.3390/s25010017>
- Ozaki, H., Loenneke, J. P., Thiebaud, R. S., & Abe, T. (2013). Resistance training induced increase in VO₂max in young and older subjects. *European Review of Aging and Physical Activity*, 10(2), 107–116. <https://doi.org/10.1007/s11556-013-0120-1>
- Phillips, S. M., & Winett, R. A. (2010). Uncomplicated Resistance Training and Health-Related Outcomes. *Current Sports Medicine Reports*, 9(4), 208–213. <https://doi.org/10.1249/jsr.0b013e3181e7da73>
- Poole, D. C., Behnke, B. J., & Musch, T. I. (2020). The role of vascular function on exercise capacity in health and disease. *The Journal of Physiology*, 599(3). <https://doi.org/10.1113/jp278931>
- Poole, D. C., & Jones, A. M. (2017). Measurement of the Maximum Oxygen Uptake $\dot{V}O_{2\max}$: $\dot{V}O_{2\text{peak}}$ Is No Longer Acceptable. *Journal of Applied Physiology*, 122(4), 997–1002. <https://journals.physiology.org/doi/full/10.1152/jappphysiol.01063.2016>
- Powers, S. K., Howley, E. T., & Quindry, J. (2021). *Exercise physiology : theory and application to fitness and performance*. Mcgraw Hill Llc.
- Pradana, A., Tarigan, A. P., Mediyanti, T., Mutiara, E., & Pandia, P. (2017).

- Effects of Lower Limb Endurance Training on Maximal Oxygen Uptake (VO₂ max) in Chronic Obstructive Pulmonary Disease. *Jurnal Respirologi Indonesia*, 37(4), 283–287. <https://doi.org/10.36497/jri.v37i4.82>
- Rascon, J., Trujillo, E., Morales-Acuña, F., & Gurovich, A. N. (2020). Differences between Males and Females in Determining Exercise Intensity. *International Journal of Exercise Science*, 13(4), 1305–1316.
- Romano, A., & Romano, R. (2019). Gas Exchange and Control of Breathing in Elderly and End-of-Life Diseases. *Ventilatory Support and Oxygen Therapy in Elder, Palliative and End-of-Life Care Patients*, 15–20. https://doi.org/10.1007/978-3-030-26664-6_2
- Rusip, G., & Suhartini, S. M. (2020). Effects of Moderate Intensity Exercise on Glutathione Peroxidase Activity and VO₂max in Elderly Women. *Open Access Macedonian Journal of Medical Sciences*, 8(A), 230–233. <https://doi.org/10.3889/oamjms.2020.3837>
- Salma Khairunnisa, Dewi Nur Fiana, Helmi Ismunandar, & Khairun Nisa Berawi. (2023). Hubungan Indeks Massa Tubuh terhadap Volume Oksigen Maksimal (VO₂max) Mahasiswa Tingkat Pertama Fakultas Kedokteran Universitas Lampung. *Medula/MEDULA (Medical Profession Journal of Universitas Lampung)*, 13(1), 28–34. <https://doi.org/10.53089/medula.v13i1.610>
- Santisteban, K. J., Lovering, A. T., Halliwill, J. R., & Minson, C. T. (2022). Sex Differences in VO₂max and the Impact on Endurance-Exercise Performance. *International Journal of Environmental Research and Public*

Health, 19(9), 4946. <https://doi.org/10.3390/ijerph19094946>

Scribbans, T. D., Vecsey, S., Hankinson, P. B., Foster, W. S., & Gurd, B. J. (2016).

The Effect of Training Intensity on VO₂max in Young Healthy Adults: A Meta-Regression and Meta-Analysis. *International Journal of Exercise Science*, 9(2), 230–247. <https://pubmed.ncbi.nlm.nih.gov/27182424/>

Seffrin, A., Vivan, L., Dos Anjos Souza, V. R., da Cunha, R. A., de Lira, C. A. B.,

Vancini, R. L., Weiss, K., Knechtle, B., & Andrade, M. S. (2023). “Impact of aging on maximal oxygen uptake adjusted for lower limb lean mass, total body mass, and absolute values in runners.” *GeroScience*, 193, 1–9. <https://doi.org/10.1007/s11357-023-00828-z>

Sharma, G., & Goodwin, J. (2006). Effect of Aging on Respiratory System

Physiology and Immunology. *Clinical Interventions in Aging*, 1(3), 253–260. <https://pmc.ncbi.nlm.nih.gov/articles/PMC2695176/>

Shaw, B. S., & Shaw, I. (2005). Effect of resistance training on cardiorespiratory

endurance and coronary artery disease risk. *Cardiovascular Journal of South Africa: Official Journal for Southern Africa Cardiac Society [And] South African Society of Cardiac Practitioners*, 16(5), 256–259. <https://pubmed.ncbi.nlm.nih.gov/16307157/>

Singh, S., & Bajorek, B. (2014). Defining “elderly” in clinical practice guidelines

for pharmacotherapy. *Pharmacy Practice (Internet)*, 12(4). <https://doi.org/10.4321/s1886-36552014000400007>

Sintia Dewi Septiani, M. K., Andriati, A., & Narasinta, I. (2022). randomized

controlled trial of modified traditional Javanese dance on cardiorespiratory

fitness in elderly. *International Journal of Health Sciences*, 6, 3132–3140.

<https://doi.org/10.53730/ijhs.v6ns4.10002>

Sławińska, N., & Olas, B. (2022). Selected Seeds as Sources of Bioactive Compounds with Diverse Biological Activities. *Nutrients*, 15(1), 187.

<https://doi.org/10.3390/nu15010187>

Srivastava, S., Tamrakar, S., Nallathambi, N., Vrindavanam, S. A., Prasad, R., & Kothari, R. (2024). Assessment of Maximal Oxygen Uptake (VO₂ Max) in Athletes and Nonathletes Assessed in Sports Physiology Laboratory.

Cureus, 16(5). <https://doi.org/10.7759/cureus.61124>

Strasser, B., & Burtscher, M. (2018). Survival of the fittest: VO₂max, a key predictor of longevity? *Frontiers in Bioscience*, 23(8), 1505–1516.

<https://doi.org/10.2741/4657>

Tinsley Randolph Harrison, & Kasper, D. L. (2015). *Harrison's principles of internal medicine. 1*. New York McGraw-Hill Medical Publ. Division.

Trinschek, J., Zieliński, J., & Kusy, K. (2020). Maximal Oxygen Uptake Adjusted for Skeletal Muscle Mass in Competitive Speed-Power and Endurance Male Athletes: Changes in a One-Year Training Cycle. *International Journal of Environmental Research and Public Health*, 17(17), 6226.

<https://doi.org/10.3390/ijerph17176226>

UNHCR. (2020, May 18). *Older persons*. UNHCR.

<https://emergency.unhcr.org/protection/persons-risk/older-persons>

United Nations Department of Economic and Social Affairs. (2013). Definition of Youth. In *United Nations* (pp. 1–3). United Nations .

<https://www.un.org/esa/socdev/documents/youth/fact-sheets/youth-definition.pdf>

- van der Zwaard, S., Brocherie, F., & Jaspers, R. T. (2021). Under the Hood: Skeletal Muscle Determinants of Endurance Performance. *Frontiers in Sports and Active Living*, 3. <https://doi.org/10.3389/fspor.2021.719434>
- van der Zwaard, S., de Ruiter, C. J., Noordhof, D. A., Sterrenburg, R., Bloemers, F. W., de Koning, J. J., Jaspers, R. T., & van der Laarse, W. J. (2016). Maximal oxygen uptake is proportional to muscle fiber oxidative capacity, from chronic heart failure patients to professional cyclists. *Journal of Applied Physiology*, 121(3), 636–645. <https://doi.org/10.1152/jappphysiol.00355.2016>
- Wang, Y., Xie, Y., Ma, J., Wang, Y., & Gong, R. (2020). Development and validation of a prognostic and immunotherapeutically relevant model in hepatocellular carcinoma. *Annals of Translational Medicine*, 8(18), 1177. <https://doi.org/10.21037/atm-20-6112>
- Warburton, D., Jamnik, V., Bredin, S., Shephard, R., & Gledhill, N. (2023). The 2023 Physical Activity Readiness Questionnaire for Everyone (PAR-Q+) and electronic Physical Activity Readiness Medical Examination (ePARmed-X+). *The Health & Fitness Journal of Canada*, 16(1), 46–49. <https://doi.org/10.14288/hfjc.v16i1.839>
- Wati, I. D. P. (2021). Are hemoglobin and volume oxygen maximum (vo₂max) relevant to each other? *Journal Sport Area*, 6(2), 193–200. [https://doi.org/10.25299/sportarea.2021.vol6\(2\).6248](https://doi.org/10.25299/sportarea.2021.vol6(2).6248)

World Health Organization (WHO). (2025). *Gender and Health*. World Health Organization. https://www.who.int/health-topics/gender#tab=tab_1

Yamamoto, S., Hotta, K., Ota, E., Mori, R., & Matsunaga, A. (2016). Effects of resistance training on muscle strength, exercise capacity, and mobility in middle-aged and elderly patients with coronary artery disease: A meta-analysis. *Journal of Cardiology*, 68(2), 125–134. <https://doi.org/10.1016/j.jjcc.2015.09.005>

Zeng, R., Lai, H., Li, Z., Chen, B., Wang, L., & Zhang, Y. (2020). Aerobic, resistance and combined training for adults with chronic kidney disease. *Medicine*, 99(49), e23518. <https://doi.org/10.1097/md.00000000000023518>