

## REFERENCES

- Ahmed, M.A.A. *et al.* (2022) 'Neonatal Mortality and Associated Factors in the Neonatal Intensive Care Unit of Gadarif Hospital, Eastern Sudan', *Children*, 9(11). Available at: <https://doi.org/10.3390/children9111725>.
- Akaba, G.O. and Ekele, B.A. (2018) 'Maternal and fetal outcomes of emergency obstetric referrals to a Nigerian teaching hospital', *Tropical Doctor*, 48(2), pp. 132–135. Available at: <https://doi.org/10.1177/0049475517735474>.
- Alkema, L. *et al.* (2016) 'Global, regional, and national levels and trends in maternal mortality between 1990 and 2015, with scenario-based projections to 2030: a systematic analysis by the UN Maternal Mortality Estimation Inter-Agency Group', *The Lancet*, 387(10017), pp. 462–474. Available at: [https://doi.org/10.1016/S0140-6736\(15\)00838-7](https://doi.org/10.1016/S0140-6736(15)00838-7).
- Althabe, F. *et al.* (2015) 'Adverse maternal and perinatal outcomes in adolescent pregnancies: The Global Network's Maternal Newborn Health Registry study', *Reproductive Health*, 12(2). Available at: <https://doi.org/10.1186/1742-4755-12-S2-S8>.
- Ameyaw, E.K. *et al.* (2020) 'Quality and women's satisfaction with maternal referral practices in sub-Saharan African low and lower-middle income countries: a systematic review', *BMC Pregnancy and Childbirth*, 20(1). Available at: <https://doi.org/10.1186/s12884-020-03339-3>.
- Andersen, R.M. (1995) *Revisiting the Behavioral Model and Access to Medical Care: Does it Matter?*, Source: *Journal of Health and Social Behavior*.

- Arjariya, R. and Tiwari, P. (2021) *Prevalence of High Risk Pregnancy: in A Tertiary Care Centre of Sagar Division of M.P, International Journal of Physiology.*
- Asghar, R.M. *et al.* (2020) ‘An Analysis of Five years Neonatal Mortality in NICU of a Tertiary Care Hospital of Rawalpindi 2014-2019’, *Journal of Rawalpindi Medical College*, 24(4), pp. 328–333. Available at: <https://doi.org/10.37939/jrmc.v24i4.1394>.
- Aslam, H.M. uhammad *et al.* (2014) ““Risk factors of birth asphyxia””, *Italian journal of pediatrics*, 40, p. 94. Available at: <https://doi.org/10.1186/s13052-014-0094-2>.
- Avoka, C.K., McArthur, E. and Banke-Thomas, A. (2022) ‘Interventions to improve obstetric emergency referral decision making, communication and feedback between health facilities in sub-Saharan Africa: A systematic review’, *Tropical Medicine and International Health*. John Wiley and Sons Inc, pp. 494–509. Available at: <https://doi.org/10.1111/tmi.13747>.
- Bapelitbang Kabupaten Tapin (2023) *Rencana Pembangunan Daerah Tapin 2024-2026*.
- Basirat, Z. *et al.* (2022) ‘Psychiatric Symptoms in Women with High-risk Pregnancy in the Postpartum Period: A Case-control Study’, *Revista Brasileira de Ginecologia e Obstetricia*, 45(4), pp. 186–191. Available at: <https://doi.org/10.1055/s-0043-1768997>.
- Basnet, S. *et al.* (2022) ‘Neonatal Intensive Care Unit Admissions among Preterm Babies in a Tertiary Care Centre: A Descriptive Cross-sectional Study’, *Journal*

*of the Nepal Medical Association*, 60(248), pp. 364–368. Available at:  
<https://doi.org/10.31729/jnma.7240>.

Behrman, R.E. and Butler, A.S. (2007) *Preterm Birth: Causes, Consequences, and Prevention*. Washington, D.C.: National Academies Press. Available at:  
<https://doi.org/10.17226/11622>.

Bernstein, I.M. *et al.* (2000) *Morbidity and mortality among very-low-birth-weight neonates with intrauterine growth restriction*.

Brousseau, T. and Sharieff, G.Q. (2006) ‘Newborn emergencies: The first 30 days of life’, *Pediatric Clinics of North America*, pp. 69–84. Available at:  
<https://doi.org/10.1016/j.pcl.2005.09.011>.

Chambers, G.M. *et al.* (2020) ‘Parity: A key measure of confounding in data-linkage studies of outcomes after medically assisted reproduction’, in *International Journal of Population Data Science*. Swansea University. Available at:  
<https://doi.org/10.23889/ijpds.v5i1.1119>.

Chelamkuri, M. *et al.* (2025) ‘European Journal of Cardiovascular Medicine (EJCM) Evaluation of Referral Timeliness and Appropriateness in Maternal and Neonatal Health Outcomes’, *European Journal of Cardiovascular Medicine (EJCM)*, 15(2). Available at: <https://www.healthcare-bulletin.co.uk/>.

Dahiya, S. *et al.* (2020) ‘A study of high-risk factors in ante-natal women at a tertiary care centre’, *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*, 9(7), p. 2959. Available at: <https://doi.org/10.18203/2320-1770.ijrcog20202740>.

- Damayanti, N.A., Wulandari, R.D. and Ridlo, I.A. (2023) ‘Maternal Health Care Utilization Behavior, Local Wisdom, and Associated Factors Among Women in Urban and Rural Areas, Indonesia’, *International Journal of Women’s Health*, 15, pp. 665–677. Available at: <https://doi.org/10.2147/IJWH.S379749>.
- Debelew, G.T., Afework, M.F. and Yalew, A.W. (2014) ‘Determinants and causes of neonatal mortality in jimma Zone, Southwest Ethiopia: A multilevel analysis of prospective follow up study’, *PLoS ONE*, 9(9). Available at: <https://doi.org/10.1371/journal.pone.0107184>.
- Depkes RI (2007) *Pedoman Sistem Rujukan Maternal dan Neonatal di Tingkat Kabupaten/Kota*. Jakarta.
- Dhaded, S.M. *et al.* (2015) ‘Neonatal mortality and coverage of essential newborn interventions 2010 - 2013: A prospective, population-based study from low-middle income countries’, *Reproductive Health*. BioMed Central Ltd. Available at: <https://doi.org/10.1186/1742-4755-12-S2-S6>.
- Dinas Kesehatan Kabupaten Tapin (2023) *Laporan Kinerja Instansi Pemerintah Dinas Kesehatan Kabupaten Tapin Tahun 2022*. Rantau.
- Dinas Kesehatan Kabupaten Tapin (2024) *Data Kematian Ibu dan Bayi*. Tapin.
- Dinas Kesehatan Kalimantan Selatan (2022) *Profil Kesehatan Kalimantan Selatan 2021*.
- Dinas Kesehatan Kalimantan Selatan (2023) *Data Angka Kematian Ibu (AKI), Angka Kematian Bayi (AKB), Angka Kematian Neonatal (AKN) Menurut Kabupaten*

dan Kota Provinsi Kalimantan Selatan. Available at:

<https://data.kalselprov.go.id/dataset/data/1407>.

Dinkes Kabupaten Tapin (2021) *LKIP Dinas Kesehatan Kabupaten Tapin 2021*.

Dinkes Kabupaten Tapin (2023) *LKIP Dinas Kesehatan Kabupaten Tapin 2022*.

Dinkes Kabupaten Tapin (2024) *LKJiP Dinas Kesehatan Kabupaten Tapin 2023*.

Dinkes Kalsel (2021) *Profil Kesehatan Kalimantan Selatan*.

Dol, J. *et al.* (2023) ‘Timing of neonatal mortality and severe morbidity during the postnatal period: a systematic review’, *JBIE Evidence Synthesis*, 21(1), pp. 98–199. Available at: <https://doi.org/10.11124/JBIES-21-00479>.

Etniati, D., Lathifah, N. and Friscila, I. (2024) ‘Kajian Profil Rujukan pada Kasus Pre Eklamsia di RSUD Datu Sanggul Rantau’, *Jurnal Ilmiah Kebidanan*, 10, pp. 117–125. Available at: <https://doi.org/https://doi.org/10.33023/jikeb.v10i2.1819>.

Fall, C.H.D. *et al.* (2015) ‘Association between maternal age at childbirth and child and adult outcomes in the offspring: A prospective study in five low-income and middle-income countries (COHORTS collaboration)’, *The Lancet Global Health*, 3(7), pp. e366–e377. Available at: [https://doi.org/10.1016/S2214-109X\(15\)00038-8](https://doi.org/10.1016/S2214-109X(15)00038-8).

Faristasari, E., Ardiyanto, I. and Ganap, E.P. (2023) ‘HMIS Health Management and Information Science Classification of Maternal Emergencies Using Gaussian Naive Bayes to Speed up the Patient’s Triage Process’, *Health Management*

*and Information Science Journal*, 10(2), pp. 87–92. Available at:  
<https://doi.org/10.30476/JHMI.2024.100872.1192>.

Fridman, M. *et al.* (2014) ‘Trends in Maternal Morbidity Before and During Pregnancy in California’, *American Journal of Public Health*, 104(S1).

Fukuda, S. *et al.* (2017) ‘High maternal age and low pre-pregnancy body mass index correlate with lower birth weight of male infants’, *Tohoku Journal of Experimental Medicine*, 241(2), pp. 117–123. Available at:  
<https://doi.org/10.1620/tjem.241.117>.

Galal, M. *et al.* (2012) ‘Postterm pregnancy’, *Facts Views Vis Obgyn*, 4(3).

Ganap, E.P., Hakimi, M. and Emilia, O. (2020a) ‘Assessment of Maternal Referral Systems in Dr. Sardjito General Hospital Using Phyto Referral Score: A Single-Center Preliminary Study’, *Advances in Health Sciences Research, 4th International Symposium on Health Research (ISHR 2019)*, 22.

Ganap, E.P., Hakimi, M. and Emilia, O. (2020b) *Assessment of Maternal Referral Systems in Dr. Sardjito General Hospital Using Phyto Referral Score: A Single-Center Preliminary Study*.

Ganap, E.P., Hakimi, M. and Emilia, O. (2020c) *Assessment of Maternal Referral Systems in Dr. Sardjito General Hospital Using Phyto Referral Score: A Single-Center Preliminary Study*.

Ghardallou, M. *et al.* (2019) ‘Obstetric referrals to a tertiary care maternity: A descriptive study’, *Pan African Medical Journal*, 33. Available at:  
<https://doi.org/10.11604/pamj.2019.33.306.16906>.

- Gillam-Krakauer, M. and Gowen Jr, C.W. (2023) *Birth Asphyxia*. [Online]. Treasure Island (FL): StatPearls. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK430782/?report=printable>.
- Glick, I., Kadish, E. and Rottenstreich, M. (2021) 'Management of pregnancy in women of advanced maternal age: Improving outcomes for mother and baby', *International Journal of Women's Health*, 13, pp. 751–759. Available at: <https://doi.org/10.2147/IJWH.S283216>.
- Handriani, I. and Melaniani, S. (2015) *The Effect of Referral Process and Complications to Maternal Mortality*.
- Harahap, N.C., Handayani, P.W. and Hidayanto, A.N. (2019) 'Barriers and technologies of maternal and neonatal referral system in developing countries: A narrative review', *Informatics in Medicine Unlocked*, 15. Available at: <https://doi.org/10.1016/j.imu.2019.100184>.
- Hemminki, E. and Merilfiinen Helsinki, J. (1996) *Long-term effects of cesarean sections: and placental problems Ectopic pregnancies*.
- Ikatan Dokter Indonesia (2016) *PENATAAN SISTEM PELAYANAN KESEHATAN RUJUKAN*. Jakarta.
- Ismail, A.Q.T., Boyle, E.M. and Pillay, T. (2020) 'The impact of level of neonatal care provision on outcomes for preterm babies born between 27 and 31 weeks of gestation, or with a birth weight between 1000 and 1500 g: A review of the literature', *BMJ Paediatrics Open*. BMJ Publishing Group. Available at: <https://doi.org/10.1136/bmjpo-2019-000583>.

- Jakhar, R. and Choudhary, A. (2019) 'Study of maternal outcome in referral obstetric cases in a tertiary care centre', *Journal of Family Medicine and Primary Care*, 8(9), p. 2814. Available at: [https://doi.org/10.4103/jfmmpc.jfmmpc\\_402\\_19](https://doi.org/10.4103/jfmmpc.jfmmpc_402_19).
- Jeeana, S. and Naidoo, T.D. (2023) 'An appraisal of the referral system and outcome for obstetric patients referred to a tertiary centre', *Tropical Doctor*, 53(1), pp. 41–49. Available at: <https://doi.org/10.1177/00494755221116718>.
- John, K.A. *et al.* (2020) 'The Pattern and Causes of Neonatal Mortality in a Tertiary Hospital in the Southwest of Nigeria', *Journal of Kermanshah University of Medical Sciences*, 24(4). Available at: <https://doi.org/10.5812/jkums.107385>.
- Kanyesigye, H., Ngonzi, J., *et al.* (2022) 'Health Care Workers' Experiences, Challenges of Obstetric Referral Processes and Self-Reported Solutions in South Western Uganda: Mixed Methods Study', *Risk Management and Healthcare Policy*, 15, pp. 1869–1886. Available at: <https://doi.org/10.2147/RMHP.S377304>.
- Kanyesigye, H., Kabakyenga, J., *et al.* (2022) 'Improved maternal–fetal outcomes among emergency obstetric referrals following phone call communication at a teaching hospital in south western Uganda: a quasi-experimental study', *BMC Pregnancy and Childbirth*, 22(1). Available at: <https://doi.org/10.1186/s12884-022-05007-0>.
- Kathpalia, S.K. *et al.* (2016) 'Blood transfusion practices among delivery cases: A retrospective study of two years', *Medical Journal Armed Forces India*, 72, pp. S43–S45. Available at: <https://doi.org/10.1016/j.mjafi.2016.01.010>.

Kemenkes RI (2012) *Peraturan Menteri Kesehatan Republik Indonesia Tentang Sistem Rujukan Pelayanan Kesehatan Perorangan (Permenkes Nomor 001 Tahun 2012)*. Jakarta.

Kemenkes RI (2013a) *Buku Saku Pelayanan Kesehatan Ibu di Fasilitas Kesehatan Dasar dan Rujukan*.

Kemenkes RI (2013b) *Peraturan Menteri Kesehatan Republik Indonesia Nomor 71 Tahun 2013 Tentang Pelayanan Kesehatan pada Jaminan Kesehatan Nasional*.

Kemenkes RI (2016) *Peraturan Menteri Kesehatan Republik Indonesia Nomor 19 Tahun 2016 Tentang Sistem Penanggulangan Gawat Darurat Terpadu*. Jakarta.

Kemenkes RI (2020) *Profil Kesehatan Indonesia 2019*. Jakarta: Kemenkes RI.

Kemenkes RI (2021) *Peraturan Menteri Kesehatan Republik Indonesia Nomor 21 Tahun 2021 Penyelenggaraan Pelayanan Kesehatan Masa Sebelum Hamil, Masa Hamil, Persalinan, dan Masa Sesudah Kehamilan, Pelayanan Kontrasepsi, dan Pelayanan Kesehatan Seksual*.

Khalil, A. *et al.* (2023) 'A call to action: the global failure to effectively tackle maternal mortality rates', *The Lancet Global Health*. Elsevier Ltd, pp. e1165–e1167. Available at: [https://doi.org/10.1016/S2214-109X\(23\)00247-4](https://doi.org/10.1016/S2214-109X(23)00247-4).

Kietpeerakool, C. *et al.* (2019) 'Pregnancy outcomes of women with previous caesarean sections: Secondary analysis of World Health Organization Multicountry Survey on Maternal and Newborn Health', *Scientific Reports*, 9(1). Available at: <https://doi.org/10.1038/s41598-019-46153-4>.

- Krisanty, Paula (2009) *Asuhan Keperawatan*. Edited by P. Krisanty. Jakarta: Trans Info Media.
- Krishnan, A. *et al.* (2022) *Determinants of neonatal mortality among neonates admitted to neonatal intensive care unit of Dessie comprehensive and specialized hospital, Northeast Ethiopia; An unmatched case-control study*.
- Ku, T. Il *et al.* (2021) ‘Maternal and Fetal Risk Factors Associated with Neonatal Intensive Care Unit Admission in Term Neonates’, *Perinatology*, 32(4), p. 184. Available at: <https://doi.org/10.14734/pn.2021.32.4.184>.
- Kusumaningrum, R.Y., Murti, B. and Prasetya, H. (2019) ‘Low Birth, Prematurity, and Pre-Eclampsia as Risk Factors of Neonatal Asphyxia’, *Journal of Maternal and Child Health*, 4(1), pp. 49–54. Available at: <https://doi.org/10.26911/thejmch.2019.04.01.07>.
- Laul, P. *et al.* (2024) ‘Indications and risk factors of blood transfusion in obstetrics and gynaecology’, *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*, 13(10), pp. 2683–2688. Available at: <https://doi.org/10.18203/2320-1770.ijrcog20242795>.
- Lawrence, E.R., Klein, T.J. and Beyuo, T.K. (2022) ‘Maternal Mortality in Low and Middle-Income Countries’, *Obstetrics and Gynecology Clinics of North America*, 49(4), pp. 713–733. Available at: <https://doi.org/10.1016/J.OGC.2022.07.001>.

- Lin, L. *et al.* (2019) ‘Risk factors of obstetric admissions to the intensive care unit’, *Medicine (United States)*, 98(11). Available at: <https://doi.org/10.1097/MD.00000000000014835>.
- Listyorini, P.I. and Wijananto, D.A. (2019) ‘Sistem Rujukan Pelayanan Kesehatan Ibu dan Anak di Puskesmas Jayengan Kota Surakarta’, *Jurnal Ilmiah Rekam Medis dan Informatika Kesehatan*, 9(1), pp. 10–23.
- Lubis, I.S. and Ganap, E.P. (2023) ‘Utilization of Phyto Referral Score in assessing maternal referral quality in emergency cesarean section of maternal COVID-19 cases in Pekanbaru, Indonesia’, *Bali Medical Journal*, 12(3), pp. 3129–3134. Available at: <https://doi.org/10.15562/bmj.v12i3.4700>.
- Mahada, T., Tshitangano, T.G. and Mudau, A.G. (2023) ‘Strategies to Reduce Maternal Death Rate and Improve the Provision of Quality Healthcare Services in Selected Hospitals of Vhembe District Limpopo Province’, *Nursing Reports*, 13(3), pp. 1251–1270. Available at: <https://doi.org/10.3390/nursrep13030107>.
- Mahmood, M.A. *et al.* (2021) ‘Health system and quality of care factors contributing to maternal deaths in East Java, Indonesia’, *PLoS ONE*, 16(2 February). Available at: <https://doi.org/10.1371/journal.pone.0247911>.
- Mansournia, M.A. *et al.* (2018) ‘Separation in Logistic Regression: Causes, Consequences, and Control’, *American Journal of Epidemiology*, 187(4), pp. 864–870. Available at: <https://doi.org/10.1093/aje/kwx299>.

- Mengist, B. *et al.* (2024) ‘Barriers to proper maternal referral system in selected health facilities in Eastern Ethiopia: a qualitative study’, *BMC Health Services Research*, 24(1). Available at: <https://doi.org/10.1186/s12913-024-10825-3>.
- Mergia, G. and Melaku, G. (2025) ‘Identifying birth asphyxia risk factors: Case-control study of new-borns delivered at public health institutions in Gedeo Zone, Ethiopia’, *Global Pediatrics*, 11. Available at: <https://doi.org/10.1016/j.gped.2024.100242>.
- Merkeb Alamneh, Y. *et al.* (2022) ‘Risk Factors of Birth Asphyxia among Newborns at Debre Markos Comprehensive Specialized Referral Hospital, Northwest Ethiopia: Unmatched Case-Control Study’, *J Health Sci*, 32(3), p. 513. Available at: <https://doi.org/10.4314/ejhs.v32i3>.
- Meshesha, A.D. *et al.* (2020) ‘<p>Determinants of Birth Asphyxia Among Newborns in Referral Hospitals of Amhara National Regional State, Ethiopia</p>’, *Pediatric Health, Medicine and Therapeutics*, Volume 11, pp. 1–12. Available at: <https://doi.org/10.2147/phmt.s229227>.
- Mgaya, A.H. *et al.* (2013) *Grand multiparity: is it still a risk in pregnancy?* Available at: <http://www.biomedcentral.com/1471-2393/13/241>.
- Mina, Mst.N. *et al.* (2023) ‘The Effectiveness of Adequate Antenatal Care in Reducing Adverse Perinatal Outcomes: Evidence From a Low- or Middle-Income Country’, *Cureus* [Preprint]. Available at: <https://doi.org/10.7759/cureus.51254>.

- Mota-Rojas, D. *et al.* (2022) 'Pathophysiology of Perinatal Asphyxia in Humans and Animal Models', *Biomedicines*. MDPI. Available at: <https://doi.org/10.3390/biomedicines10020347>.
- Moya, F.R. *et al.* (2019) 'Prospective observational study of early respiratory management in preterm neonates less than 35 weeks of gestation', *BMC Pediatrics*, 19(1). Available at: <https://doi.org/10.1186/s12887-019-1518-3>.
- Mselle, L. *et al.* (2021) 'Understanding barriers to implementing referral procedures in the rural and semi-urban district hospitals in Tanzania: Experiences of healthcare providers working in maternity units', *PLoS ONE*, 16(8 August). Available at: <https://doi.org/10.1371/journal.pone.0255475>.
- Musfirowati, F. (2021) 'FAKTOR PENYEBAB KEMATIAN IBU YANG DAPAT DI CEGAH DI KABUPATEN PANDEGLANG TAHUN 2021', *Jurnal Rumpun Ilmu Kesehatan*, 1(1).
- Nabulo, H. *et al.* (2023) 'Experiences of referral with an obstetric emergency: voices of women admitted at Mbarara Regional Referral Hospital, South Western Uganda', *BMC Pregnancy and Childbirth*, 23(1). Available at: <https://doi.org/10.1186/s12884-023-05795-z>.
- Neitzke, G. (2014) 'Indikation: Fachliche und ethische Basis ärztlichen Handelns', *Medizinische Klinik - Intensivmedizin und Notfallmedizin*, 109(1), pp. 8–12. Available at: <https://doi.org/10.1007/s00063-013-0280-9>.
- Ozumba, B. *et al.* (2018) 'Pattern and outcome of obstetric admissions into the intensive care unit of a Southeast Nigerian Hospital', *Indian Journal of Critical*

*Care Medicine*, 22(1), pp. 16–19. Available at:  
[https://doi.org/10.4103/ijccm.IJCCM\\_297\\_17](https://doi.org/10.4103/ijccm.IJCCM_297_17).

Pacagnella, R.C. *et al.* (2014) ‘Delays in receiving obstetric care and poor maternal outcomes: Results from a national multicentre cross-sectional study’, *BMC Pregnancy and Childbirth*, 14(1). Available at: <https://doi.org/10.1186/1471-2393-14-159>.

Padilla, C.R. and Shamshirsaz, A. (2022) ‘Critical care in obstetrics’, *Best Practice and Research: Clinical Anaesthesiology*. Bailliere Tindall Ltd, pp. 209–225. Available at: <https://doi.org/10.1016/j.bpa.2022.02.001>.

Patel, A.B. *et al.* (2017) ‘Description of inter-institutional referrals after admission for labor and delivery: A prospective population based cohort study in rural Maharashtra, India’, *BMC Health Services Research*, 17(1). Available at: <https://doi.org/10.1186/s12913-017-2302-4>.

Patterson, J.A. *et al.* (2018) ‘Outcomes of subsequent pregnancy following obstetric transfusion in a first birth’, *PLoS ONE*, 13(9). Available at: <https://doi.org/10.1371/journal.pone.0203195>.

Pemerintah Kabupaten Tapin (2016) *PERATURAN DAERAH KABUPATEN TAPIN NOMOR 10 TAHUN 2016 TENTANG KESEHATAN IBU, BAYI BARU LAHIR, BAYI DAN ANAK BALITA DI KABUPATEN TAPIN*.

Peppiatt, I., Retrouvey, M. and Conran, R.M. (2024) ‘Educational Case: Neonatal respiratory distress syndrome’, *Academic Pathology*, 11(2). Available at: <https://doi.org/10.1016/j.acpath.2024.100115>.

- Pholanun, N., Srisatidnarakul, B. and Longo, J. (2022) ‘The incidence and factors predicting survival among preterm infants with respiratory distress syndrome admitted to neonatal intensive care unit’, 17(2), pp. 138–143. Available at: <https://doi.org/10.20473/jn.v17i2>.
- Poulin, D. *et al.* (2024) ‘Infant mortality in Ghana: investing in health care infrastructure and systems’, *Health Affairs Scholar*, 2(2). Available at: <https://doi.org/10.1093/haschl/qxae005>.
- Purnama, D.I., Madjid, O.A. and Iljanto, S. (2010) *Evaluation of Obstetric Emergency Referral Cases at Dr. Cipto Mangunkusumo Hospital January-December 2008*.
- Quinn, J.A. *et al.* (2016) ‘Preterm birth: Case definition & guidelines for data collection, analysis, and presentation of immunisation safety data’, *Vaccine*, 34(49), pp. 6047–6056. Available at: <https://doi.org/10.1016/j.vaccine.2016.03.045>.
- Rahman, M.R.A., Ngo, N.F. and Wardhana, A.W. (2022) ‘The Relationship of Preeclampsia and Eclampsia, Antepartum Haemorrhage and Anemia Mother with Apgar Score <7 Babies Born in RSUD Abdoel Wahab Sjahranie Samarinda’, *Jurnal Kesehatan Pasak Bumi Kalimantan*, 5(2), pp. 2722–7537. Available at: <http://e-journals.unmul.ac.id/index.php/JKPBK>.
- Rajab, A. *et al.* (2020) ‘Characteristics and Causes of Neonatal Mortality in Hospitalized Cases at Benghazi Children’s Hospital (2013-2014)’, *Asian Journal of Pediatric Research*, pp. 37–42. Available at: <https://doi.org/10.9734/ajpr/2020/v3i330131>.

- Rossi, R.M. *et al.* (2019) 'Predictive Model of Factors Associated With Maternal Intensive Care Unit Admission', *Obstetrics and Gynecology*, 134(2), pp. 216–224. Available at: <https://doi.org/10.1097/AOG.0000000000003319>.
- Sarker, B.K. *et al.* (2020) 'Status of the WHO recommended timing and frequency of antenatal care visits in Northern Bangladesh', *PLoS ONE*, 15(11). Available at: <https://doi.org/10.1371/journal.pone.0241185>.
- Saswita, R. (2021) 'PENGARUH PARITAS TERHADAP BBLR DAN PREMATUR DI RS MUHAMMADIYAH PALEMBANG 2019', *Jurnal Kesehatan dan Pembangunan*, 11(21), pp. 87–93.
- Séassau, A. *et al.* (2023) 'Neonatal Care Unit Interventions on Preterm Development', *Children*. Multidisciplinary Digital Publishing Institute (MDPI). Available at: <https://doi.org/10.3390/children10060999>.
- Seyed-Nezhad, M., Ahmadi, B. and Akbari-Sari, A. (2021) 'Factors affecting the successful implementation of the referral system: A scoping review', *Journal of Family Medicine and Primary Care*, 10(12), p. 4364. Available at: [https://doi.org/10.4103/jfmpe.jfmpe\\_514\\_21](https://doi.org/10.4103/jfmpe.jfmpe_514_21).
- Sharrow, D. *et al.* (2022) 'Global, regional, and national trends in under-5 mortality between 1990 and 2019 with scenario-based projections until 2030: a systematic analysis by the UN Inter-agency Group for Child Mortality Estimation', *The Lancet Global Health*, 10(2), pp. e195–e206. Available at: [https://doi.org/10.1016/S2214-109X\(21\)00515-5](https://doi.org/10.1016/S2214-109X(21)00515-5).

- Siahaan, A. and Ariawan, I. (2021) 'Effect of Parity on Neonatal Mortality in Indonesia', *Jurnal Ilmu Kesehatan Masyarakat*, 12(3), pp. 250–262. Available at: <https://doi.org/10.26553/jikm.2021.12.3.250-262>.
- Singh, A. *et al.* (2014) 'Do antenatal care interventions improve neonatal survival in India?', *Health Policy and Planning*, 29(7), pp. 842–848. Available at: <https://doi.org/10.1093/heapol/czt066>.
- Strunk, T. *et al.* (2011) 'Innate immunity in human newborn infants: Prematurity means more than immaturity', *Journal of Maternal-Fetal and Neonatal Medicine*. Informa Healthcare, pp. 25–31. Available at: <https://doi.org/10.3109/14767058.2010.482605>.
- Su, R. *et al.* (2015) 'Maternal and neonatal outcomes in multiple pregnancy: A multicentre study in the Beijing population', *Chronic Diseases and Translational Medicine*, 1(4), pp. 197–202. Available at: <https://doi.org/10.1016/j.cdtm.2015.08.004>.
- Suman, V. and Luther, E.E. (2024) *Preterm Labor*. Treasure Island (FL): StatPearls Publishing.
- Susiloningtyas, L. (2020) *Sistem Rujukan dalam Sistem Pelayanan Kesehatan Maternal Perinatal di Indonesia*.
- Syafrudin and Hamidah (2009) *Kebidanan Komunitas*. Jakarta: EGC.
- Syairaji, M. *et al.* (2024) 'Trends and causes of maternal mortality in Indonesia: a systematic review', *BMC Pregnancy and Childbirth*, 24(1). Available at: <https://doi.org/10.1186/s12884-024-06687-6>.

- Tasyakurrisma, A. *et al.* (2024) ‘Kajian Penyakit Penyerta Pada Ibu Hamil Terhadap Kejadian Kematian Ibu Di Masa Pandemi COVID-19 : Sebuah Tinjauan Naratif’, *Berkala Ilmiah Kedokteran dan Kesehatan Masyarakat (Scientific Periodical Journal Of Medicine And Public Health)*, 2(1). Available at: <https://doi.org/10.20885/bikkm.vol2.iss1.art9>.
- Tayler-Smith, K. *et al.* (2013) ‘An ambulance referral network improves access to emergency obstetric and neonatal care in a district of rural Burundi with high maternal mortality’, *Tropical Medicine and International Health*, 18(8), pp. 993–1001. Available at: <https://doi.org/10.1111/tmi.12121>.
- Thaddeus, S. and Maine, D. (1994) ‘Too far to walk: Maternal mortality in context’, *Social Science & Medicine*, 38(8), pp. 1091–1110. Available at: [https://doi.org/10.1016/0277-9536\(94\)90226-7](https://doi.org/10.1016/0277-9536(94)90226-7).
- Titaley, C.R. *et al.* (2024) ‘Determinants of early neonatal mortality: secondary analysis of the 2012 and 2017 Indonesia Demographic and Health Survey’, *Frontiers in Pediatrics*, 12. Available at: <https://doi.org/10.3389/fped.2024.1288260>.
- Warren, J.B. and Anderson, J.D.M. (2010) ‘Newborn respiratory disorders’, *Pediatrics in Review*, pp. 487–496. Available at: <https://doi.org/10.1542/pir.31-12-487>.
- Weber, F. *et al.* (2020) ‘Zero-cell corrections in random-effects meta-analyses’, *Research Synthesis Methods*, 11(6), pp. 913–919. Available at: <https://doi.org/10.1002/jrsm.1460>.

- Wondemagegn, A. *et al.* (2018) ‘The effect of antenatal care follow-up on neonatal health outcomes: a systematic review and meta-analysis.’, *Public Health Rev.* [Preprint].
- World Health Organization (2016) *WHO recommendations on antenatal care for a positive pregnancy experience.*
- World Health Organization (2023) *Trends in maternal mortality 2000 to 2020.* Available at: <https://www.who.int/publications/i/item/9789240068759>.
- Ximba, S.W., Baloyi, O.B. and Jarvis, M.A. (2021) ‘Midwives’ perceived role in up referral of high-risk pregnancies in primary healthcare settings, Ethekwini district, South Africa’, *Health SA Gesondheid*, 26, pp. 1–8. Available at: <https://doi.org/10.4102/HSAG.V26I0.1546>.
- Yaghmaei, M., Ajori, L. and Mokhtari, M. (2024) ‘Repeat Cesarean Sections: Maternal and Neonatal Outcomes and Complications’, *Journal of Obstetrics, Gynecology and Cancer Research*, 9(1), pp. 95–101. Available at: <https://doi.org/10.30699/jogcr.9.1.95>.
- Zabor, E.C. *et al.* (2022) ‘Logistic Regression in Clinical Studies’, *International Journal of Radiation Oncology Biology Physics*, 112(2), pp. 271–277. Available at: <https://doi.org/10.1016/j.ijrobp.2021.08.007>.
- Zewde, H.K. (2022) ‘Quality and timeliness of emergency obstetric care and its association with maternal outcome in Keren Hospital, Eritrea’, *Scientific Reports*, 12(1). Available at: <https://doi.org/10.1038/s41598-022-18685-9>.