POLIMORFISME GEN ADRENERGIC RECEPTOR BETA 2 (ADRB2) TERHADAP RESISTENSI INSULIN PADA PENDERITA
OBESITAS POPULASI JAWA
NAZULA RAHMA S, Dr. Pramudji Hastuti, Apt., MS.; dr. Ahmad Hamim Sadewa, PhD.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Ahles, A., Engelhardt, S., 2014. Polymorphic Variants of Adrenoceptors: Pharmacology, Physiology, and Role in Disease. *Pharmacol Rev*. 66 : 598 – 637.

Arner, P., 1998. Control of lipolysis and its relevance to development of obesity in man. *Diabetes Metab. Rev*. 4: 409–418.

Arner, P., Bernard, S., Salehpour, M., Possnert, G., Liebl, J., Steier, P, Buchhloz, B.A., Eriksson, M., Arner, E., Hauner, H., Skurk, T., Ryden, M., Frayn, K.N., Splading, K.L., 2013. Dynamics of human adipose lipid turnover in health and metabolic disease. *Nature*. 478:110-113.

Arner, P., Hoffstedt J., 1999. Aderenoceptor genes in human obesity. *J Intern. Med*. 245: 667-672.

Aynacioglu, A.S., Cascorbi, I., Gungor, K., Ozkur, M., Bekir, N., Roots, I., Brockmöller, J., 1999. Population frequency, mutation linkage and analytical methodology for the Arg16Gly, Gln27Glu and Thr164Ile polymorphisms in the beta2-adrenergic receptor among Turks. *Br. J. Clin. Pharmacol.* 48: 761-764.

Barbe, P., Millet, L., Galitzki, J., Lafontan, M., Berlan, M., 1996. In situ assessment of the role of beta1-, beta-2, and beta-3-adrenoceptors in the control of lipolysis and nutritive blood flow in human subcutaneous adipose tissue. *Br. J. Pharmacol*. 117: 907–913.

Barsh, G.S., Farooqi, I.S., O'Rahilly, S., 2000. Genetics of body-weight regulation. *Nature*. 404: 644–651.

Bays., 2004. Role of the adipocyte, free fatty acids, and ectopic fat in pathogenesis of type 2 diabetes mellitus: peroxisomal proliferator-activated receptor agonists provide a rational therapeutic approach. *J. Clin. Endocrinol. Met*. 89: 463-478.

Bengtsson, K., Orho-Melander, M., Melander, O., Lindblad, U., Ranstam, J., Rastam, L., Groop L., 2001. Beta (2)-adrenergic receptor gene variation and hypertension in subjects with type 2 diabetes. *Hypertension.* 3:1303–1308

Blaak, E.E., Saris, W.H., Wolffenbuttel, B.H., 1999. Substrate utilization and thermogenic responses to beta-adrenergic stimulation in obese subjects with NIDDM. *Int. J. Obes. Relat. Metab. Disord*. 23:411–418.

Blaak, E.E., van Aggel-Leijssen, D.P., Wagenmakers, A.J., Saris, W.H., van Baak, M.A., 2000. Impaired oxidation of plasma-derived fatty acids in type 2 diabetic subjects during moderate-intensity exercise. *Diabetes*. 49:2102–2107.

Blaak, E.E., Van Baak, M.A., Kemerink, G.J., Pakbiers, M.T., Heidendal, G.A., Saris, W.H., 1994. Beta-adrenergic stimulation of skeletal muscle metabolism in relation to weight reduction in obese men. *Am. J. Physiol*. 267: E316–E322.

Blundell, J.E., 2006. Perspective on the central control of appetite. *Obesity.* 14:160S-163S.

UNIVERSITAS GADJAH MADA
POLIMORFISME GEN ADRENERGIC RECEPTOR BETA 2 (ADRB2) TERHADAP RESISTENSI INSULIN PADA PENDERITA OBESITAS POPULASI JAWA
NAZULA RAHMA S, Dr. Pramudji Hastuti, Apt., MS.; dr. Ahmad Hamim Sadewa, PhD.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Bray, G.A., Bouchard, C., 2004. *Handbook of obesity: etiology and pathophysiology*. Basel Dekker, New York.

Brown, M.S., Goldstein, J.L., 2008. Selective versus total insulin resistance: a pathogenic paradox. *Cell Metab*. 7: 95–96.

Bylund, D.B., Eikenberg, D.C., Hieble, J.P., Langer, S.Z., Lefkowitz, R.J., Minneman, K.P., Molinoff, P.B., Ruffolo, R.R., Trendelenburg, U., 1994. International Union of Pharmacology nomenclature of adrenoceptors. *Pharmacol Rev*. 46:121–136.

Cagliani, R., Fumagalli, M., Pozzoli, U., Riva, S., Comi, G.P., 2009. Diverse evolutionary histories for b-adrenoreceptor genes in humans. *Am. J. Hum. Genet*. 85:64–75.

Chagnon, Y.C., Rankinen, T., Snyder, E.E., Weisnagel, S.J., Perusse, L., Bouchard, C., 2003. The human obesity gene map: the 2002 update. *Obes. Res*. 11: 313–367.

Chaves, V.E., Frasson, D., Kawashita, N.H., 2011. Several agents and pathways regulate lipolysis in adipocytes. *Biochim*. 93:1631–1640.

Corbalan, M.S., Marti, A., Forga, L., Martınez-Gonzalez, M.A., Martınez, J.A., 2002. b2-adrenergic receptor mutation and abdominal obesity risk: effect modification by gender and HDL-cholesterol. *Eur. J. Nutr*. 41:114–118.

Cummings, D.E., Schwartz, M.W., 2003. Genetics and pathophysiology of human obesity. Annu Rev Med. 54:453–471.

Daaka, Y., Luttrell, L.M., Lefkowitz, R.J., 1997. Switching of the coupling of the adrenergic receptor to different G-proteins by protein kinase A. *Nature*. 390: 88-91.

Daghestani, M.H., Warsy, A., Daghestani, M.H., Al-odaib, A.N., Eldali, A., Al-Eisa, N.A., Omer, S.A., Hassan, Z.K., 2012. Arginine 16 Glycine Polymorphism in β-2 Adrenergic Receptor Gene is associated with Obesity, Hyperlipidemia, hyperleptinemia, and insulin resistance. *Int. J. Endocrinology*. 2012: 1-8.

De Meyts, P., 2004. Insulin and its receptor: structure, function and evolution. *Bio. Essays*. 26: 1351-1362.

DeFronzo, R.A., 1997. Pathogenesis of type 2 diabetes: metabolic and molecule implication for identifying diabetes genes. *Diabetes Rev*. 4 :177-269.

Drysdale, C.M., McGraw, D.W., Stack, C.B., Stephens, J.C., Judson, R.S., Nandabalan, K., Arnold, K., Ruano, G., Ligget, S.B., 2000. Complex promoter and coding region beta 2-adrenergic receptor haplotypes alter receptor expression and predict in vivo responsiveness. *Proc. Natl. Acad. Sci*.97:10483–10488.

Echwald, S.M., Sorensen, T.I., Tybjaerg-Hansen, A., Andersen, T., Pedersen, O., 1998. Gln27Glu variant of the human beta2-adrenoreceptor gene is not associated with early-onset obesity in Danish men. *Diabetes*. 47: 1657–1658.

Ellsworth, D.L., Coady, S.A., Chen, W., Srinivasan, S.R., Elkasabany, A., Gustat, J., Boerwinkle, E., Berenson, G.S., 2002. Influence of the β2-adrenergic receptor Arg16Gly polymorphism on longitudinal changes in obesity from

UNIVERSITAS
GADJAH MADA
POLIMORFISME GEN ADRENERGIC RECEPTOR BETA 2 (ADRB2) TERHADAP RESISTENSI INSULIN PADA PENDERITA OBESITAS POPULASI JAWA
NAZULA RAHMA S, Dr. Pramudji Hastuti, Apt., MS.; dr. Ahmad Hamim Sadewa, PhD.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

childhood through young adulthood in a biracial cohort: the Bogalusa Heart Study. *Int. J. Obes*. 26: 928-937.

Eriksson, P., Dahlman, I., Ryden, M., Hoffstedt, J., Arner, P., 2004. Relationship between beta-2 adrenoceptor gene haplotypes and adipocyte lipolysis in women. *Int. J. Obes. Relat. Metab. Disord*. 28:185–90.

Galletti, F., Iacone, R., Ragone, E., Russo, O., Della Valle, E., Siani, A., 2004. Lack of association between polymorphism in the beta2-adrenergic receptor gene, hypertension, and obesity in the Olivetti heart study. *Am. J. Hypertens*. 17:718–720.

Garg, A., 2004., Regional adiposity and insulin resistance. *J. Clin. Endocrinol. Metab.* 89: 4206–4210.

Gjesing, A.P., Andersen, G., Burgdorf, K.S., Borch-Johnsen, K., Jorgensen, T., Hansen, T., 2007. Studies of the associations between functional beta2-adrenergic receptor variants and obesity, hypertension and type 2 diabetes in 7808 white subjects. *Diabetologia*. 50: 563–568.

Gonzalez, E., Flier, E., Molle, D., 2011. Hyperinsulinemia leads to uncoupled insulin regulation of the GLUT4 glucose transporter and the FoxO1 transcription factor. *Proc. Natl. Acad. Sci.USA*. 108:10162–10167.

Grundy, S.M., 2008. Metabolic syndrome and atherosclerosis. *Arterioscler. Thromb. Vasc. Biol.* 28:629-636

Guyton, A.C., Hall, J.E., 2007. Insulin, Glukagon dan Diabetes Melitus. *Buku Ajar Fisiologi Kedokteran*. 11th ed. Jakarta: EGC pp.110

Hardy, O.T., Czech, M.O., Corvera, S., 2002. What causes the insulin resitance underlying obesity. *Curr. Opin. Endocrinol. Diabetes Obes*. 19: 81-87.

Hayakawa, T., Nagai, Y., Kahara, T., Yamashita, H., Takamura, T., Abe, T., Nomura, G., Kobayashi, K.I., 2000. Gln27Glu and Arg16Gly polymorphisms of the b2-adrenergic receptor gene are not associated with obesity in Japanese men. *Metabolism*. 49: 1215 – 1218

Heitmann, B.L., Kaprio, J., Harris, J.R., Rissanen, A., Korkeila, M., Koskenvuo, M., 1997. Are genetic determinants of weight gain modified by physical activity? A prospective study of Finnish twins. *Am. J. Clin. Nutr*. 66: 672–678.

Heitmann, B.L., Lissner, L., Sorensen, T.I., Bengtsson, C., 1995. Dietary fat intake and weight gain in women genetically predisposed for obesity. *Am. J. Clin. Nutr*. 61: 1213–1217.

Hellstrom, L., Large, V., Reynisdottir, S., Wahrenberg, H., Arner, P., 1999. The different effects of a Gln27Glu b2-adrenoceptor gene polymorphism on obesity in males and in females. *J. Int. Med*. 245:253–259.

Hetherington, M.M., Cecil, J.E., 2010. Gene-environment interactions in obesity. *Forum Nutr*. 63:195-203.

Hieble, J.P., Bylund, D.B., Clarke, D.E., Eikenburg, D.C., Langer, S.Z., Lefkowitz, R.J., Minneman, K.P., Ruffolo, R.R., 1995. International Union of Pharmacology. X. Recommendation for nomenclature of alpha 1-adrenoceptors: consensus update. *Pharmacol Rev*. 47:267–270.

UNIVERSITAS GADJAH MADA
POLIMORFISME GEN ADRENERGIC RECEPTOR BETA 2 (ADRB2) TERHADAP RESISTENSI INSULIN PADA PENDERITA OBESITAS POPULASI JAWA
NAZULA RAHMA S, Dr. Pramudji Hastuti, Apt., MS.; dr. Ahmad Hamim Sadewa, PhD.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Hill, J.O., Melanson, E.L., 1999. Overview of the determinants of overweight and obesity: current evidence and research issues. *Med. Sci. Sports Exerc*. 31: S515–S521.

Hill, J.O., Wyatt, H.R., Reed, G.W., Peters, J.C., 2003. Obesity and the environment: where do we go from here? *Science*. 299: 853–855.

Hoeks, J., Baak, M.A, Hesselink, K.C., Hul, G.B., Vidal, H., Saris, W.H.M., Schrauwen, P., 2003. Effect of β1- and β2- adrenergic stimulation on energy expenditure, substrate oxidation, and UCP3 expression in humans. *Am. J. Physiol Endocrinol Metab.* 285: E775 – E782.

Ishiyama-Shigemoto, S., Yamada, K., Yuan, X., Ichikawa, F., Nonaka, K., 1999. Association of polymorphisms in the b2-adrenergic receptor gene with obesity, hypertriglyceridaemia, and diabetes mellitus. *Diabetologia*. 42: 98–101.

Jalba, M.S., Rhoads, G.G., Demissie, K., 2008. Association of codon 16 and codon 27 beta 2 adrenergic receptor gene polymorphisms with obesity: a meta-analysis. *Obesity*. 16: 2096–2106.

Jiao H, Dahlman I., Eriksson P., Kere J., Arner P., 2005. A common b2-adrenoceptor gene haplotype protects against obesity in Swedish women. Obes Res. 13: 1645 - 1650

Jocken, J.W.E., Blaak, E.E., 2008. Catecholamine-induced lipolysis in adipose tissue and skeletal muscle in obesity. *Physiol. Behav*. 94: 219-230.

Jocken, J.W.E., Blaak, E.E., Schiffelers, S., Arner, O., Van Baak, M.A., Saris, W.H.M., 2007. Association of a beta-2 adrenoceptor (ADRB2) gene variant with a blunted in vivo lipolysis and fat oxidation. *Int. J. Obes*. 31:813–819.

Johnson, M., 2006. Molecular mechanisms o f b2-adrenergic receptor function, response, and regulation. *J. Allergy. Clin. Immunol*. 117:18-24.

Julius, S., Valentini, M., Palatini, P., 2000. Overweight and hypertension: a 2-way street? *Hypertension*. 35 : 807–813.

Karpe, F., Dickmann, J.R., Frayn, K.N., 2011. Fatty acids, obesity, and insulin resistance: time for a reevaluation. *Diabetes*. 60: 2441-2449.

Kawamura T, Egusa G, Fumikawa R, Okubo M. 2001. Gln27Glu variant of the beta-2 adrenergic receptor gene is not associated with obesity and diabetes in Japanese-Americans. *Metabolism*. 50: 443–446.

Kemenkes RI. 2013. *Laporan Riskesdas*. Badan penelitian dan pengembangan Kementerian Kesehatan R1.

Kim, S.H., Kim, D.J., Seo, I.A., Min, Y.K., Lee, M.S., Kim, K.W., Lee, M.K., 2002. Significance of β2-Adrenergic Receptor Gene Polymorphism in Obesity and Type 2 Diabetes Mellitus in Korean Subjects. *Metabolism*. 51: 833-837.

Kim, Y.B., Nikoulina, S.E., Ciaraldi, T.P., Henry, R.R., dan Kahn, B.B., 1999. Normal insulin-dependent activation of Akt/protein kinase B, with diminished activation of phosphoinositide 3-kinase, in muscle in type 2 diabetes. *J. Clin. Invest.* 104: 733–741.

UNIVERSITAS GADJAH MADA
POLIMORFISME GEN ADRENERGIC RECEPTOR BETA 2 (ADRB2) TERHADAP RESISTENSI INSULIN PADA PENDERITA OBESITAS POPULASI JAWA
NAZULA RAHMA S, Dr. Pramudji Hastuti, Apt., MS.; dr. Ahmad Hamim Sadewa, PhD.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Kirstein, S.L., Insel, P.A. 2004. Autonomic nervous system pharmacogenomics: a progress report. *Pharmacol Rev.* 56:31–52.

Kissebah, A.H., Krakower, G.R., 1994. Regional adiposity and morbidity. *Physiol. Rev*. 74: 761–811.

Klein, D.J., Friedman, L. A., Harlan, W.R., Barton, B.A., Schreiber, G.B., Cohen. R.M., Harlan, L.C., Morrison, J.A., 2004. Obesity and the development of insulin resistance and impaired fasting glucose in black and white adolescent girls. *Diabetes Care*. 27 : 378 – 383.

Kobilka, B.K., MacGregor, C., Daniel, K., Kobilka, T.S., Caron, M.G., Lefkowitz, R.J., 1987. Functional Activity and Regulationof Human &Adrenergic Receptors Expressed in *Xenopus* Oocytes. *J. Bio. Chem*. 262 : 15796-15802.

Kopelman, P.G., 2000. Obesity as a medical problem. *Nature*. 404:635–643.

Kovalik, J.P., Slentz, D., Stevens, R.D., 2011. Metabolic remodeling of human skeletal myocytes by cocultured adipocytes depends on the lipolytic state of the system. *Diabetes*. 60:1882–1893.

Kurose, H. 2004. β_2-Adrenergic receptors : Structure, regulation, and signalling by partial and full agonists. Allerg. Inter 53: 321 – 330.

Kursawe, R., Eszlinger, M., Narayan, D., 2010. Cellularity and adipogenic profile of the abdominal subcutaneous adipose tissue from obese adolescents: association with insulin resistance and hepatic steatosis. *Diabetes*. 59: 2288–2296.

Lacey, R.J., Cable, H.C., James, R.F., 1993. Concentration-dependent effects of adrenaline on the profile of insulin secretion from isolated human islets of Langerhans. *J. Endocrinol*. 138:555–563.

LaFontan, M., Berlan, M., 1995. Fat cell alpha 2-adrenoceptors: the regulation of fat cell function and lipolysis. *Endocr. Rev*. 16: 716–738.

Lager, I., 1991. The insulin-antagonistic effect of the counterregulatory hormones. *J. Intern. Med. Suppl*. 735: 41-47.

Landsberg, L., 2001. Insulin-mediated sympathetic stimulation: role in the pathogenesis of obesity-related hypertension (or, how insulin affects blood pressure, and why). *J. Hypertension*. 19 : 523–528.

Langin, D., Dicker, A., Tavernier, G., Hoffstedt, J., Mairal, A., Ryden, M., Arner, E., Sicard, A., Jenkins, C.M., Viguerie, N., Harmelen, V., Gross, R.W., Holm, C., Arner., P., 2005. Adipocyte lipases and defect of lipolysis in human obesity. *Diabetes*. 54: 3190-3197.

Large, V., Arner, P., 1998. Regulation of lipolysis in humans. Pathophysiological modulation in obesity, diabetes and hyperlipidaemia. *Diabetes Metab*. 24:409–418.

Large, V., Hellstrom, L., Reynisdottir, S., Lonnqvist, F., Eriksson, P., 1997. Human beta-2 adrenoceptor gene polymorphisms are highly frequent in obesity and associate with altered adipocyte beta-2 adrenoceptor function. *J. Clin. Invest*. 100: 3005–3013.

Lee, A.D., Hansen, P.A, Schluter, J., 1997. Effects of epinephrine on insulin-stimulated glucose uptake and GLUT-4 phosphorylation in muscle. *Am. J. Physiol*. 273: C1082–C1087.

UNIVERSITAS
GADJAH MADA
POLIMORFISME GEN ADRENERGIC RECEPTOR BETA 2 (ADRB2) TERHADAP RESISTENSI INSULIN PADA PENDERITA OBESITAS POPULASI JAWA
NAZULA RAHMA S, Dr. Pramudji Hastuti, Apt., MS.; dr. Ahmad Hamim Sadewa, PhD.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Lemeshow, S.D.W., Hosmer Jr, Klar, J., Lwanga, S.K. 1997. Adequacy of Sampel Size in Health Studies. WHO. John Wiley & Sons Ltd. England.

Liggett, S.B., 1999. Molecular and genetic basis of b2-adrenergic receptor function. *J. Allergy. Clin. Immunol*. 104: S42–S46.

Lima, J.J., Feng, H., Duckworth, L., Wang, J., Sylvester, J.E., Kissoon, N., Grag H., 2007. Association analyses of adrenergic receptor polymorphisms with obesity and metabolic alterations. *Metab.* 56:757–765

Lipworth, B., Koppelman, G.H., Wheatley, A.P, Jeune, I.L., Coutie, W., Meurs, H., Kauffmann, H., Postma, D., Hall, I., 2002. Beta2 adrenoceptor promoter polymorphisms: extended haplotypes and functional effects in peripheral blood mononuclear cells. *Thorax.*57:61–66

Loktionov, A., 2003. Common gene polymorphisms and nutrition: emerging links with pathogenesis of multifactorial chronic diseases. *J. Nutr. Biochem*. 14: 426–451.

Luglio, H.F., Sulistyoningrum, D.C., Susilowati, R., 2015. The role of genes involved in lipolysis on weight loss program in overweight and obese individuals. *J. Clin. Biochem. Nutr*. 57: 91–97.

Macho-Azcarate, T., Marti, A., Calabuig, J., Martinez, J.A., 2003. Basal far oxidation and after a peak oxygen consumption test in obese women with a b2 adrenoceptor gene polymorphism. *J. Nutr. Biochem*. 14: 275–279.

Maffeis, C., 2000. Aetiology of overweight and obesity in children and adolescents. *Eur. J. Pediatr*. 159: S35–S44.

Mangmool, S., Denkaew, T., Parichatikanond, W., dan Kurose, H., 2017. b-Adrenergic Receptor and Insulin Resistance in the Heart. *Biomol. Ther.* 25:44-56.

Marti, A., Moreno-Aliaga, M.J., Hebebrand, J., Martinez, J.A., 2004. Genes, lifestyles and obesity. *Int. J. Obes*. 28: 29–36.

Masuo K, Katsuya T, Fu Y, Rakugi H, Ogihara T, and Tuck M.L., 2005. 2-Adrenoceptor Polymorphisms Relate to Insulin Resistance and Sympathetic Overactivity as Early Markers of Metabolic Disease in Nonobese, Normotensive Individuals. *Am. J. Hypertens*. 18:1009 –1014

Masuo, K. Lambert, G.W. 2011. Relationships of Adrenoceptor Polymorphisms with Obesity. *J. Obes*. Vol 2011 : 1-10.

Matsuzawa, Y., Nakamura, T., Shimomura, I., Kotami, K., 1996. Visceral fat accumulation and cardiovascular disease. In: Angel A, Anderson H, Bouchard C, Lau D, Leiter L, Mendelson R (eds) Progress in Obesity Research: Proceedings of the Seventh International Congress on Obesity; 1994 Au 20-25; Toronto, Canada : John Libbey & Company, London.7:569–572.

Matthews D.R., Hosker J.P., Rudenski A.S., 1985. Homeostasis model assessment: insulin resistance and *β*-cell function from fasting plasma glucose and insulin concentrations in man. *Diabetologia*. 28: 412–419.

McCole S.D., Shuldiner A.R., Brown M.D., Moore G.E., Ferrell R.E., Wilund K.R., Huberty A., Douglass L.W., Hagberg J.M., 2004. Beta2- and beta3-adrenergic receptor polymorphisms and exercise hemodynamics in postmenopausal women. *J. Appl. Physiol*. 96:526–530.

UNIVERSITAS
GADJAH MADA
POLIMORFISME GEN ADRENERGIC RECEPTOR BETA 2 (ADRB2) TERHADAP RESISTENSI INSULIN PADA PENDERITA OBESITAS POPULASI JAWA
NAZULA RAHMA S, Dr. Pramudji Hastuti, Apt., MS.; dr. Ahmad Hamim Sadewa, PhD.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

McGraw, D.W., Forbes, S.L., Kramer, L.A., Ligget, S.B., 1998. Polymorphisms of the 5' Leader Cistron of the Human β2-Adrenergic Receptor Regulate Receptor Expression. *J. Clin. Invest*. 102: 1927 – 1932.

McQuaid S.E., Hodson, L., Neville, M.J., Dennis, A.L., Cheeseman, J., Humphreys, S.M., Ruge, T., Gilbert, M., Fielding, B.A., Frayn, K.N., Karpe, F., 2011. Downregulation of adipose tissue fatty acid trafficking in obesity: a driver for ectopic fat deposition? *Diabetes*. 60: 47-55

Mlinar, B., Marc, J., Jnaez, A., Pfeifer, M., 2006. Molecular mechanism of insulin resistance and associated diseases. *Clinica Chimica Acta*. 375 : 20-35.

Mottagui, T.S., Hoffstedt, J., Brookes, A.J., Jiao, H., Arner, P., Dahlman, I. 2008. Association of ADRB1 and UCP3 gene polymorphisms with insulin sensitivity but not obesity. *Horm Res*. 69: 31-36.

Mulder, A.H., Tack, C.J., Olthaar, A.J., Smits, P., Sweep, F.C.G.J., Bosch, R.R., 2005. Adrenergic receptor stimulation attenuates insulin-stimulated glucose uptake in 3T3-L1 adipocytes by inhibiting GLUT4 translocation. *Am. J. Physiol. Endocrinol. Metab.* 289: E627–E633

Myers, M.G., Jr., Leibel, R.L., Seeley, R.J., Schwartz, M.W. 2010. Obesity and Leptin Resistance: Distinguishing Cause from Effect. *Trends. Endocrinol. Metab.* 11: 643-651

Naka I, Hikam, K., Nakayama, K., Koga, M., Nishida, N., Kimura, R., Furusawa, T., Natsuhara, K., Yamauchi, T., Nakazawa, M., Ataka, Y., Ishida, T., Inaoka, T., Iwamoto, S., Matsumura, Y., Ohtsuka, R., Tsuchiya, N., Ohashi, J., 2013. A functional SNP upstream of the beta-2 adrenergic receptor gene (ADRB2) is associated with obesity in Oceanic populations. *Int. J. Obes*. 37: 1200-1210.

Ng, M., *et al*., 2014. Global, regional, and national prevalence of overweight and obesity in children and adults during 1980-2013: a systematic analysis for the Global Burden of Disease Study 2013. *Lancet.* 384: 766-781.

Nguyen, N.T., Nguyen, X.M.T., Lane J., 2011. Relationship Between Obesity and Diabetes in a US Adult Population : Findings from the National health and Nutrition Examination Survey, 1999 – 2006. *Obes Surg*. 21: 351-355.

Nielsen, S., Guo, Z., Johnson, M., Hensrud, D.D., Jensen, M.D., 2004. Splanchnic lipolysis in human obesity. *J Clin Invest*. 113:1582-1588

Nikolaidis, L.A., Poornima, I., Parikh, P., Magovern, M., Shen, Y.T., dan Shannon, R.P., 2006. The effects of combined versus selective adrenergic blockade on left ventricular and systemic hemodynamics, myocardial substrate preference, and regional perfusion in conscious dogs with dilated cardiomyopathy. *J. Am. Coll. Cardiol.* 47:1871-1881.

Nonogaki, K., 2000. New insights into sympathetic regulation of glucose and fat metabolism. *Diabetologia.* 43: 533-549.

O'Rahilly, S., 2009. Human genetics illuminates the paths to metabolic disease. *Nature*. 462: 307-314.

Oberkofler, H., Esterbauer, H., Hell, E., Krempler, F., Patsch, W., 2000. The Gln27Glu polymorphism in the beta2-adrenergic receptor gene is not associated with morbid obesity in Austrian women. *Int. J. Obes. Relat. Metab. Disord*. 24: 388–390.

POLIMORFISME GEN ADRENERGIC RECEPTOR BETA 2 (ADRB2) TERHADAP RESISTENSI INSULIN PADA PENDERITA
OBESITAS POPULASI JAWA
NAZULA RAHMA S, Dr. Pramudji Hastuti, Apt., MS.; dr. Ahmad Hamim Sadewa, PhD.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Palou, A., Serra, F., Bonet, M.L., Pico, C., 2000. Obesity: molecular bases of a multifactorial problem. *Eur. J. Nutr*. 39: 127–144.

Pan, L., Freedman, D.S., Gillespie, C., Park, S., Sherry, B., 2011. Incidences of obesity and extreme obesity among US adults: findings from the 2009 behavioral risk factor surveillance system. *Popul. Health Metr*. 9: 1-9.

Park, H.S., Shin, E.S., Lee, J.E., 2008. Genotypes and haplotypes of B2-adrenergic receptor and parameters of the metabolic syndrome in Korean adolescents. *Metab. Clin. Experiment*. 57: 1064-1070.

Patel P., Abate, N., 2013. Body Fat Distribution and Insulin Resistance. *Nutrients*. 5: 2019-2027.

Pereira, A.C., Floriano, M.S., Mota, G.F., Cunha, R.S., Herkenhoff, F.L., Mill, J.G., 2003. Beta2 adrenoceptor functional gene variants, obesity, and blood pressure level interactions in the general population. *Hypertension*. 42: 685–692.

Prins, J.B., O'Rahilly, S. 1997. Regulation of adipose cell number in man. *Clin Sci.* 92: 3–11.

Prior, S.J., Goldberg, A.P., Ryan, A.S., 2011. ADRB2 haplotype is associated with glucose tolerance and insulin sensitivity in obese postmenopausal women. *Obesity*. 19: 396–401.

Reaven, G.M., Lithell, H., Landsberg, L., 1996. Hypertension and associated metabolic abnormalities - the role of insulin resistance and the sympathoadrenal system. *New Engl. J. Med*. 334: 374 – 381.

Reynisdottir, S., Wahrenberg, H., Carlstrom, K., Rossner, S., Arner, P., 1994. Catecholamine resistance in fat cells of women with upper-body obesity due to decreased expression of beta2- adrenoceptors. *Diabetologia*. 37 : 428–435.

Rondinone, C.M., Wang, L.M., Lonnroth, P., Wesslau, C., Pierce, J.H., Smith, U., 1997. Insulin receptor substrate (IRS) 1 is reduced and IRS-2 is the main docking protein for phosphatidylinositol 3-kinase in adipocytes from subjects with non-insulin-dependent diabetes mellitus. *Proc. Natl. Acad. Sci. USA*. 94: 4171–4175.

Rosenbaum, M., Leibel, L.R., Hirst, J., 1997. Obesity. *N. Engl. J. Med*. 337: 396–407.

Rosmond, R., 2003. Association studies of genetic polymorphisms in central obesity: a critical review. *Int. J. Obes. Relat. Metab. Disord*. 27:1141–1151.

Rytka, J.M., Wueest, S., Schoenle, E.J., Konrad, D., 2011. The Portal Theory Supported by Venous Drainage-Selective Fat Transplantation. *Diabetes*. 60:56-63.

Sakane, N., Yoshida, T., Umekawa, T., Kogure, A., Kondo, M., 1999. Beta2-adrenoceptor gene polymorphism and obesity. *Lancet*. 353:1976.

Saltiel, A.R., Kahn, C.R., 2001. Insulin signalling and the regulation of glucose and lipid metabolism. *Nature.* 414**:** 799– 806.

Sanchez-Villegas, A., Martınez-Gonzalez, M.A., Toledo, E., de IralaEstevez, J., Martınez, J.A., 2002. Relative role of physical inactivity and snacking between meals in weight gain. *Med. Clin.* 119: 46–52.

UNIVERSITAS GADJAH MADA
POLIMORFISME GEN ADRENERGIC RECEPTOR BETA 2 (ADRB2) TERHADAP RESISTENSI INSULIN PADA PENDERITA OBESITAS POPULASI JAWA
NAZULA RAHMA S, Dr. Pramudji Hastuti, Apt., MS.; dr. Ahmad Hamim Sadewa, PhD.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Schiffelers, S.L., Saris, W.H,, Boomsma, F., van Baak, M.A., 2001. β(1)- and β (2)-Adrenoceptor-mediated thermogenesis and lipid utilization in obese and lean men. *J Clin. Endocrinol. Metab*. 86: 2191 – 2199.

Schwartz, M.W., Baskin, D.G, Kaiyala, K.J., Woods, S.C., 1999. Model for the regulation of energy balance and adiposity by the central nervous system. *Am. J. Clin. Nutr*. 69: 584–596.

Straznicky, N.E., Lambert, G.W., Masuo, K., Dawood,T., Eikelis, N., Nestel, P.J., McGrane, M.T., Mariani., J.A., Socratous, F., Chopra, R., Esler, M.D., Schlaich, M.P., Lambert., E.A., 2009. Blunted sympathetic neural response to oral glucose in obese subjects with the insulin-resistant metabolic syndrome. *Am. J. Clin. Nutr*. 89: 27–36.

Swinburn, B.A., Caterson, I., Seidell, J.C., James, W.P., 2004. Diet, nutrition and the prevention of excess weight gain and obesity. *Publ. Health Nutr*. 7:123–146.

Tsunekawa, K., Yanagawa, Y., Aoki, T., Morimura, T., Araki, O., Ogiwara, T., Kawai, Y., Mitani, Y., Lezhava, A., Yanagawa, M., Hayashizaki, Y., Murakami, M. 2011. Association between accumulation of visceral fat and the combination of β3 adrenergic receptor Trp64Arg, β2 adrenergic receptor Arg16Gly and uncoupling protein 1 -3826A>G polymorphisms detected by Smart Amplification Process 2. *Endocrine Journal*. 58: 1079 – 1086.

Unger, R.H., Clark, G.O., Scherer, P.E., Orci, L., 2010. Lipid homeostasis, lipotoxicity and the metabolic syndrome. *Biochim. Biophys. Acta*. 1801: 209–214.

Urakawa, H., 2003. Oxidative Stress Is Associated with Adiposity and Insulin Resistance in Men. *J. Clin. Endocrinol. Metab*. 10:4673-4676.

Van Rossum, C.T., Hoebee, B., Seidell, J.C., Bouchard, C., van Baak, M.A, de Groot, C.P., Chagnon, M., de Graaf, C., Saris, W.H., 2002. Genetic factors as predictors of weight gain in young adult Dutch men and women. *Int. J. Obes. Relat. Metab. Disord*. 26: 517–528.

Wajchenberg, B.L., 2000. Subcutaneous and visceral adipose tissue: their relation to the metabolic syndrome. *Endocr. Rev*. 21: 697-738

Weber, J. 2003. Energy balance in obesity. *Proc. Nutr. Soc*. 62: 539–543.

Weyer, C., Foley, J.E., Bogardus, C., Tatarinni, P.A., Pratley, R.E., 2000. Enlarged subcutaneous abdominal adipocyte size, but not obesity it self, predicts type 2 diabetes independent of insulin resistance. *Diabetologia*. 43:1498–1506.

White, M.F., Kahn, C.R., 1994. The insulin signaling system. *J. Biologic. Chem*. 269: 1-4.

WHO *Expert Consultation*, 2004. Appropiate body mass-index for Asian population and its implications for policy and intervention strategies. *Lancet*. 363: 157-163.

Wilson, R.H., Moran, C.N., Cole, J.J., Pitsiladis, Y.P., Bailey, M.E.S., 2010. Evolutionary history of the ADRB2 gene in humans. *Am. J. Hum. Genet*. 86:490–500.

UNIVERSITAS
GADJAH MADA
POLIMORFISME GEN ADRENERGIC RECEPTOR BETA 2 (ADRB2) TERHADAP RESISTENSI INSULIN PADA PENDERITA OBESITAS POPULASI JAWA
NAZULA RAHMA S, Dr. Pramudji Hastuti, Apt., MS.; dr. Ahmad Hamim Sadewa, PhD.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Yamada, C., Moriyama, K., Takahashi, E., 2012. Optimal cut-off point for homeostasis model assessment of insulin resistance to discriminate metabolic syndrome in non-diabetic Japanese subject. *J. Diabetes Investig*. 3: 384-387

Ye, J. 2013. Mechanisms of Insulin resistance in obesity. *Front. Med*. 7: 14-24.

Zechner, R., Zimmermann, R., Eichmann, T.O., 2012. Fat Signals- lipases and lipolysis in lipid metabolism and signaling. *Cell Metab*. 15: 279– 291.

Zimmet, P., Alberti, K.G., Shaw, J., 2001. Global and societal implications of the diabetes epidemic. *Nature.* 414: 782–787.