

DAFTAR PUSTAKA

- Akinpelu BA, Igbeneghu OA, Awotunde AI, Iwalewa EO & Oyedapo OO. 2014. Antioxidant and antibacterial activities of saponin fractions of *Erythrophloeum suaveolens* (Guill and Perri) stem bark extract. *Science Research Essays* 18(9): 826-833.
- Anggraito, Y. U., Susanti, R., Iswari, R. S., Yuniastuti, A., Lisdiana, W. H. N., Habibah, N. A., & Bintari, S. H. 2018. Metabolit sekunder dari tanaman: aplikasi dan produksi. *Fakultas Matematika dan Ilmu pengetahuan Alam, Universitas Negeri Semarang (UNNES), Semarang*.
- Angkasa, S. 2017. *Ramuan Pakan Ternak*. Penebar Swadaya. Jakarta.
- Aspinall G and Molloy J A. 1968. Pectic substances from lucerne (*Medicago sativa*). Part 111. Fractionation of poly- saccharides extracted with water. *J Chem SOC. (C)* : 2994- 2999.
- Aspinall GO and Fanshawe RS. 1961. Pectic substances from lucerne (*Medicago sativa*). Part I. Pectic acid. *J Chem SOC. (C)* : 4215-4225.
- Aspinall GO, Gestetner B, Molloy J A, Uddin M. 1968. Pectic substances from lucerne (*Medicago sativa*). Part 11. Acidic oligosaccharides from partial hydrolysis of leaf and stem pectic acids. *J Chem SOC. (C)* : 2554-2559.
- Badan Litbang Pertanian. 2020. Kementerian Pertanian Republik Indonesia.
- Bergman, E. N. 1990. Energy contributions of volatile fatty acids from the gastrointestinal tract in various species. *Physiological reviews*. 70(2) : 567-590.
- Brambilla, M., Lazzari, A., Giovinazzo, S., Tangorra, F. M., Calcante, A., & Bisaglia, C. (2025). Operational evaluation of an optical sensor for the automatic in-line estimation of total mixed ration fibre length and particle size in a mixing wagon. *Journal of Agricultural Engineering*, 56(2), 1-6.
- Britanica.com. Alfalfa (plant) – Britannica Online Encyclopedia [Archived](#) from the original on 7 June 2011. Retrieved 29 June 2011.
- Broderick, G.A. 2003. Effects of varying dietary protein and energy levels on the production of lactating dairy cows. *J. Dairy Sci.* 86: 13701381.
- Chaudhry, A. S., M. Mehedi, and H. Khan. 2012. Impacts of different spices on in vitro rumen dry matter disappearance, fermentation and methane of wheat or ryegrass hay based substrates. *Livestock Science*. 146:84–90.
- Chen, L., Gao, L., Liu, L., DING, Z., & Zhang, H. (2015). Effect of graded levels of fiber from alfalfa meal on apparent and standardized ileal

- digestibility of amino acids of growing pigs. *Journal of Integrative Agriculture*, 14(12), 2598-2604.
- Dumadi, E. H., Abdullah, L., & Sukria, H. 2021. Kualitas hijauan rumput gajah (*Pennisetum purpureum*) berbeda tipe pertumbuhan: review kuantitatif. *Jurnal Ilmu Nutrisi dan Teknologi Pakan*. 19 (1) : 6-13.
- Du, W., Hou, F., Tsunekawa, A., Kobayashi, N., Ichinohe, T., & Peng, F. 2019. Effects of the diet inclusion of common vetch hay versus alfalfa hay on the body weight gain, nitrogen utilization efficiency, energy balance, and enteric methane emissions of crossbred Simmental cattle. *Animals*, 9(11), 983.
- Ennison E.F., L'yuis D. *Obmen veshchestv v rubtse* [Rumen metabolism]. Moscow, 1962 (in Russ.).
- Febriyanti, Y., Razak, A.R. & Sumarni, N.K. 2018. Ekstraksi dan Karakterisasi Pektin Dari Kulit Buah Kluwih (*Artocarpus camansi* Kovalen, 4(1): 60-73
- Gaina, C. D. (2019). Pemanfaatan teknologi pengolahan pakan untuk mengatasi masalah pakan ternak sapi di Desa Camplong II. *Jurnal Pengabdian Masyarakat Peternakan*, 4(1) : 71-84.
- González, J., & Andrés, S. 2003. Rumen degradability of some feed legume seeds. *Animal Research*, 52(1), 17-25.
- Guedes, C. M.; Dias da Silva, A., 1996: Cinétique de la dégradation dans le rumen de la matière sèche et de l'azote de graines de légumineuses méditerranéennes. *Annales de Zootechnie* 45, 423–435.
- Gutzeit HO & Ludwig-Muller J. 2014. *Plant Natural Products: Synthesis, biological functions and practical applications*, First Edition. New York: Wiley-VCH Verlag GmbH & Co.
- Guyader J, Eugène M, Doreau M, Morgavi DP, Gérard C and Martin C, Tea saponin reduced methanogenesis in vitro but increased methane yield in lactating dairy cows. *J Dairy Sci American Dairy Science Association* 100:1845–1855 (2017).
- Hartanto, D. 2018. Kajian Kuat Tarik (Tensile Strength) Akar Serabut Rumput. *Praxis: Jurnal Sains, Teknologi, Masyarakat dan Jejaring*. 1(1) : 41-48.
- Haque, MN., Dietary manipulation: a sustainable way to mitigate methane emissions from ruminants. *J Anim Sci Technol* 60:1–10 (2018).
- Hatfield, R. D. (1991). Alfalfa-stem pectins: enzymic degradation and structural characterization of a buffer-soluble fraction. *Carbohydr Res* 212: 177–186.

- Hatfield, R. D., & Weimer, P. J. (1995). Degradation characteristics of isolated and in situ cell wall lucerne pectic polysaccharides by mixed ruminal microbes. *Journal of the Science of Food and Agriculture*, 69(2), 185-196.
- Hendra, MB., 2025. Pengaruh substitusi alfalfa tropik (medicago sativa cv. Kacang ratu bw) dalam pakan terhadap produksi dan kadar lemak susu kambing sapera. Skripsi. Fakultas Peternakan. Universitas Gadjah Mada.
- Islamiah, D. 2024. Tanaman Legume : Manfaat, Jenis, dan Perannya Dalam Pertanian. DGW Fertilizer. [Tanaman Legume: Manfaat, Jenis dan Perannya dalam Pertanian - DGW Fertilizer](#). Diakses pada 11 Februari 2026.
- Jayanegara, A., R.P. Harahap, M. Ridla, E.B. Laconi, & Nahrowi. 2018. Chemical composition and methane emission of some tropical forage legumes from Indonesia. In AIP Conference Proceedings (Vol. 2021, No. 1, p. 050002). AIP Publishing.
- Jung HG, Allen MS. 1995. Characteristics of plant cell walls affecting intake and digestibility of forages by ruminants.
- Kang J,Zeng B,Tang S,Wang M,Han X,Zhou C etal. (2016). Effects of Momordica charantia saponins on in vitro ruminal fermentation and micro bial population. *Asian-Australas J Anim Sci* 29:500–508 (2016).
- Kozłowska, M., Cieślak, A., Jóźwik, A., El-Sherbiny, M., Stochmal, A., Oleszek, W., ... & Szumacher-Strabel, M. 2020. The effect of total and individual alfalfa saponins on rumen methane production. *Journal of the Science of Food and Agriculture*, 100(5), 1922-1930.
- Lacefield, G., Henning, J., Rasnake, M., Collins, M. (2014). Alfalfa, The Queen of Forage Crops, AGR-76. University of Kentucky, Cooperative Extension Service.
- Mak-Donal'd P., Edvards R., Grinkhaldzh Dzh. Pitanie zhivotnykh [Animal feeding]. Moscow, 1970 (in Russ.).
- Marx, F. R., Machado, G. S., Kessler, A. D. M., & Trevizan, L. 2022. Dietary fibre type influences protein and fat digestibility in dogs. *Italian Journal of Animal Science*, 21(1), 1411-1418.
- Martin, N. P., & Mertens, D. R. (2005). Reinventing alfalfa for dairy cattle and novel uses. In *Proceedings, California alfalfa and forage symposium* (pp. 12-14). Davis, CA: UC Cooperative Extension, Agronomy Research and Extension Center, University of California.
- Mastopan, Tafsir, M., Hanafi, N.D., 2015. Kecernaan lemak kasar dan TDN (Total digestible nutrient) ransum yang mengandung pelepah daun

- kelapa sawit dengan perlakuan fisik, kimia, biologis dan kombinasinya pada domba. *J. Peternakan Integratif*. 3(1): 37 – 45.
- McDonald, P. R., A. Edwards, J. F. D. Greenhalg dan C. A. Morgan. 2002. *Animal Nutrition* 6th Edition. Longman Scientific and Technical Co. Published in The United States with John Wiley and Sons Inc, New York.
- Miller-Cushon, E. K., & DeVries, T. J. (2017). Feed sorting in dairy cattle: Causes, consequences, and management. *Journal of dairy science*, 100(5), 4172-4183.
- Mukhtar, M., Nazir, M., Riaz, N., Tousif, M. I., Khan, S., Ashraf, M., ... & Saleem, M. (2018). Isolation and Enzyme Inhibitory Studies of Steroids and Alkaloidal Steroid Saponins from *Solanum surattense* Burm. f. *Journal of the Chemical Society of Pakistan*, 40(3).
- Nurdianti, R. R., Dickhoefer, U., & Castro-Montoya, J. M. 2024. Relationship between nutritional composition and fibre digestibility in tropical forages compared to temperate forages. *Italian Journal of Animal Science*, 23(1), 1839-1853.
- Patra A, Park T, Kim M and Yu Z, Rumen methanogens and mitigation of methane emission by anti-methanogenic compounds and substances. *J Anim Sci Biotechnol* 8:1–18 (2017).
- Pen B, Sar C, Mwenya B and Takahashi J, Effects of *Quillaja saponaria* extract alone or in combination with *Yucca schidigera* extract on ruminal fermentation and methanogenesis in vitro. *Anim Sci J* 79: 193–199 (2008).
- Alqomy NF. 2024. Pengaruh Pemberian Pakan Komplot berbasis kaliandra dan indigofera sp terhadap konsumsi dan pencernaan protein kasar pada domba lokal. *Skripsi Fapet UGM*.
- Prasetyo, D., Herawati, H., Yessica, R., & Yulia, E. (2023). Profil Kadar Lemak dan Berat Jenis Susu Sapi Peranakan Friesien Holstein di KUD Kertajaya Kandangan, Kediri yang Diberikan Pakan Rumput Odot (*Pennisetum purpureum*) dan Konsentrat A18. *Jurnal Riset Agribisnis dan Peternakan*, 8(1), 1-13.
- Polii, D. N., Waani, M. R., & Pendong, A. F. (2020). Kecernaan protein kasar dan lemak kasar pada sapi perah peranakan FH (Friesian Holstein) yang diberi pakan lengkap berbasis tebon jagung. *Zootec*, 40(2), 482-492.
- Puastuti, W. 2009. Manipulasi bioproses dalam rumen untuk meningkatkan penggunaan pakan berserat. *J. Wartazoa*. 19: 180 – 190.
- Ramos-Morales, E., Sanz-Sampelayo, M. R., & Molina-Alcaide, E. (2008). Nutritive evaluation of legume seeds for ruminant feeding. *Journal of Animal Physiology and Animal Nutrition*, 94(1), 55-64.

- Ridhani, A. P., HARJANTI, D. W., & BUDIARTI, C. (2014). Hubungan Antara Jumlah Konsumsi Pakan dengan Tampilan Produksi dan Kadar Lemak Susu Kambing Peranakan Etawa. In *Prosiding Seminar Nasional Ruminansia 2014*.
- Rizky, D. A., Purnomoadi, A., & Sutaryo, S. 2020. Hubungan Karakteristik Feses dan Kecernaan Bahan Kering pada Kambing Kejobong Muda dan Dewasa yang diberi Proporsi Hijauan dan Konsetrat Berbeda. *Bulletin of Applied Animal Research*, 2(2), 72-77.
- Salvador A, Martinez G, Alvarado C, Hahn M. 2006. Composición de leche de cabras mestizas Canarias en condiciones tropicales [Composition of milk of Canary crossbred goats under tropical conditions]. *Zootecnia Trop*. 24:307–320.
- Saputro, A. L., Hamid, I. S., Prastiya, R. A., & Purnama, M. T. E. (2018). Hidroponik fodder jagung sebagai substitusi hijauan pakan ternak ditinjau dari produktivitas susu kambing Sapera. *Jurnal medik veteriner*, 1(2), 48-51.
- Sari, M. L., Ali, A. I. M., Sandi, S., & Yolanda, A. 2015. Kualitas serat kasar, lemak kasar, dan BETN terhadap lama penyimpanan wafer rumput kumpai minyak dengan perekat karaginan. *Jurnal Peternakan Sriwijaya*, 4(2), 35-40.
- Sheaffer, C., & Undersander, D. 2015. New reduced lignin alfalfa varieties: a potential forage quality breakthrough. *University of Minnesota Extension bulleting: Available at: <https://www.extension.umn.edu/agriculture/forages/variety-selection-and-genetics/reduced-lignin-alfalfa-varieties>*.
- Suherman, D., & Herdiawan, I. 2015. Tanaman legum pohon Desmodium rensonii sebagai tanaman pakan ternak bermutu. *Pastura*. 4(2): 100-104.
- Supriyati, R. Krisnan, I.G.M. Budiarsana, and L. Praharani. 2016. Effect of different protein and energy levels in concentrates diets on nutrient intake and milk yield of Saanen x Etawah Grade Goats. *Jurnal Ilmu Ternak dan Veteriner*. 21(2): 88-95.
- Suryani, N. N., Mahardika, I. G., Putra, S., & Sujaya, N. (2015). Sifat fisik dan pencernaan ransum sapi bali yang mengandung hijauan beragam. *Jurnal Peternakan Indonesia (Indonesian Journal of Animal Science)*, 17(1), 38-45.
- Suwignyo, B. 2021. Profil asam amino alfalfa tropik. *Trobos live stock*. Edisi 257 : 96-97.
- Suwignyo, B., Kurniawan, F.X.D., Suseno, N., Utomo, R., Suhartanto, B., 2020a. Productivity and Nutrient Content of the Second Regrowth Alfalfa (*Medicago Sativa* L.) with Different Photoperiod and Dolomite. *Animal Production* 22 (2), 74–81.

- Tarigan, A. dan S. P. Ginting. 2011. Pengaruh Taraf Pemberian *Indigofera* sp. Terhadap Konsumsi dan Kecernaan Pakan Serta Pertambahan Bobot Hidup Kambing yang Diberi Jenis Rumput *Brachiaria ruziziensis*. *Jurnal Ilmu Ternak* Vol. 16(1): 25-32.
- Tillman, A.D., Hartadi, H., Reksohadiprodjo, S., Prawirokusumo, S., Lebdoesoekojo, S., 1998. *Ilmu Makanan Ternak Dasar*. Gadjah Mada University Press. Yogyakarta.
- USDA – NRCS. 2024. "United States Department of Agriculture - Natural Resources Conservation Service", Plant Profile.
- Van Soest, P. J. 1994. *Nutritional Ecology of the Ruminant*. Second Edition. Comstock Publishing Associates Cornell University Press. A Division of Ithaca and London.
- Vera, ND. 2020. 8 Klasifikasi Bahan Pakan. *Infovet*. [8 KLASIFIKASI BAHAN PAKAN | Majalah Infovet | Majalah Peternakan dan Kesehatan Hewan](#). Diakses pada 10 Februari 2026.
- Viali, V. 2016. *Manajemen kesehatan kambing perah di Balai Besar Pelatihan Peternakan Batu Jawa Timur*. Universitas Airlangga, Surabaya. (Tugas Akhir).
- Wang, B., Mao, S. Y., Yang, H. J., Wu, Y. M., Wang, J. K., Li, S. L., ... & Liu, J. X. (2014). Effects of alfalfa and cereal straw as a forage source on nutrient digestibility and lactation performance in lactating dairy cows. *Journal of Dairy Science*, 97(12), 7706-7715.
- Widya,P.L.,W.E.Susanto,A.B. Yulianto. 2008. konsumsi dan kecernaan bahan kering dan bahan organik dalam haylase pakan lengkap ternak sapi Peranakan Ongole. *Jurnal Media Kedokteran Hewan* 24(1): 59 –62.
- Widyobroto, B.P. 2013. Implementasi sistem penyusunan ransum sapi perah di indonesia berdasarkan protein tercerna di intestinum Pidato Pengukuhan Jabatan Guru Besar pada Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.
- Xu, J., Yujie Hou, Hongbo Yang, Renhuang Shi, Caixia Wu, Yongjiu Huo, and Guoqi Zhao. 2014. Effects of Forage Sources on Rumen Fermentation Characteristics, Performance, and Microbial Protein Synthesis in Midlactation Cows. *Asian Australias. J. Anim. Sci.*27 (5): 667-673.
- Yanni, A. E., Iakovidis, S., Vasilakopoulou, E., & Karathanos, V. T. 2023. Legumes: A vehicle for transition to sustainability. *Nutrients*. 16(1): 98.
- Yulianti, G., Dwatmadji, D., & Suteky, T. (2019). Kecernaan protein kasar dan serat kasar kambing peranakan etawa jantan yang diberi pakan

fermentasi ampas tahu dan bungkil inti sawit dengan imbangan yang berbeda. *Jurnal Sain Peternakan Indonesia*, 14(3), 272-281.