UNIVERSITAS
GADJAH MADA
GREEN SYNTHESIS NANOKOMPOSIT CoFe2O4/CDOTS MENGGUNAKAN MORINGA OLEIFERA DAN KULIT SEMANGKA UNTUK
DEGRADASI ZAT PEWARNA METHYLENE BLUE
Amelia Putri Setyaningsih, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdelhamid, M. E., O'Mullane, A. P., & Snook, G. A. (2015). Storing energy in plastics: a review on conducting polymers & their role in electrochemical energy storage. *RSC Advances*, *5*(15), 11611–11626. https://doi.org/10.1039/C4RA15947K

Abdipour, H., & Asgari, G. (2024). Enhanced methylene blue degradation and miniralization through activated persulfate coupled with magnetic field. *Cleaner Engineering and Technology*, *23*, 100822. https://doi.org/10.1016/j.clet.2024.100822

Ahmadian–Fard–Fini, S., Salavati–Niasari, M., & Safardoust–Hojaghan, H. (2017). Hydrothermal green synthesis and photocatalytic activity of magnetic CoFe2O4–carbon quantum dots nanocomposite by turmeric precursor. *Journal of Materials Science: Materials in Elektronics*, 28(21), 16205–16214. https://doi.org/10.1007/s10854–017–7522–1

Akhtar, M. S., Panwar, J., & Yun, Y.–S. (2013). Biogenic Synthesis of Metallic Nanoparticles by Plant Extracts. *ACS Sustainable Chemistry & Engineering*, *1*(6), 591–602. https://doi.org/10.1021/sc300118u

Alqadami, A. A., Naushad, M., Ahamad, T., Algamdi, M., Alshahrani, A., Uslu, H., & Shukla, S. K. (2020). Removal of highly toxic cd(Ii) metal ions from aqueous medium using magnetic nanocomposite: Adsorption kinetics, isotherm and thermodynamics. *Desalination and Water Treatment*, 181, 355–361. https://doi.org/10.5004/dwt.2020.25108

Anastas, P. T., & Warner, J. C. (2000). *Green Chemistry*. Oxford University. PressOxford. https://doi.org/10.1093/oso/9780198506980.001.0001

Andari, N. D. & Wardhani, S. (2014). Fotokatalis Tio2–Zeolit untuk Degradasi Metilen Biru. *Chem. Prog*, 7(1).

Ansari, S. M., Younis, A., Kolekar, Y. D., & Ramana, C. V. (2025). Cobalt ferrite nanoparticles: The physics, synthesis, properties, and applications. *Applied Physics Reviews*, 12(2), 021308. https://doi.org/10.1063/5.0244555

Arora, R. (2019). Adsorption of heavy metals-a review. *Materials Today:*

GREEN SYNTHESIS NANOKOMPOSIT CoFe2O4/CDOTS MENGGUNAKAN MORINGA OLEIFERA DAN KULIT SEMANGKA UNTUK
DEGRADASI ZAT PEWARNA METHYLENE BLUE
Amelia Putri Setyaningsih, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Proceedings, 18(1), 4745 4750. https://doi.org/10.1016/j.matpr.2019.07.462

Atchudan, R., Jebakumar Immanuel Edison, T. N., Shanmugam, M., Perumal, S., Somanathan, T., & Lee, Y. R. (2021). Sustainable synthesis of carbon quantum dots from banana peel waste using hydrothermal process for in vivo bioimaging. *Physica E: Low–Dimensional Systems and Nanostructures*, 126, 114417. https://doi.org/10.1016/j.physe.2020.114417

Azam, N., Najabat Ali, M., & Javaid Khan, T. (2021). Carbon Quantum Dots for Biomedical Applications: Review and Analysis. *Frontiers in Materials*, 8. https://doi.org/10.3389/fmats.2021.700403

Azzahro, S. F., Jiananda, A., Larasati, D. A., Darmawan, M. Y., Sari, E. K., Istiqomah, N. I., Oshima, D., Kato, T., & Suharyadi, E. (2025). Enhanced magnetic hyperthermia of green–synthesized $CoFe_2O_4$/Cdots nanocomposites utilizing Moringa oleifera extract and watermelon peels. *Materials Chemistry and Physics*, 343, 131037. https://doi.org/10.1016/j.matchemphys.2025.131037

Behera, M., Nayak, J., Banerjee, S., Chakrabortty, S., & Tripathy, S. K. (2021). A review on the treatment of textile industry waste effluents towards the development of efficient mitigation strategy: An integrated system design approach. *Journal of Environmental Chemical Engineering*, 9(4), 105277. https://doi.org/10.1016/j.jece.2021.105277

Bissenova, M., Idrissov, N., Kuspanov, Z., Umirzakov, A., & Daulbayev, C. (2025). Hybrid adsorption–photocatalysis composites: a sustainable route for efficient water purification. *Materials for Renewable and Sustainable Energy*, 14, 44. https://doi.org/10.1007/s40243-025-00319-5

Bozbey, I., Uslu, H., Türkmenoğlu, B., Özdemir, Z., Karakurt, A., & Levent, S. (2022). Conventional and microwave prompted synthesis of aryl(alkyl)azole oximes, 1H–NMR spectroscopic determination of E/Z isomer ratio and HOMO–LUMO analysis. *Journal of Molecular Structure*, 1251, 132077. https://doi.org/10.1016/j.molstruc.2021.132077

Callister, W.D. (2007). *Materials Science and Engineering*. John Wiley & Sons,

UNIVERSITAS GADJAH MADA
GREEN SYNTHESIS NANOKOMPOSIT CoFe2O4/CDOTS MENGGUNAKAN MORINGA OLEIFERA DAN KULIT SEMANGKA UNTUK
DEGRADASI ZAT PEWARNA METHYLENE BLUE
Amelia Putri Setyaningsih, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Inc. Amerika Serikat.

Casbeer, E., Sharma, V. K., & Li, X.–Z. (2012). Synthesis and photocatalytic activity of ferrites under visible light: A review. *Separation and Purification Technology*, 87, 1–14. https://doi.org/10.1016/j.seppur.2011.11.034

Chahal, S., Macairan, J.–R., Yousefi, N., Tufenkji, N., & Naccache, R. (2021). Green synthesis of carbon dots and their applications. *RSC Advances*, 11(41), 25354–25363. https://doi.org/10.1039/D1RA04718C

Chahar, D., Taneja, S., Bisht, S., Kesarwani, S., Thakur, P., Thakur, A., & Sharma, P. B. (2021). Photocatalytic activity of cobalt substituted zinc ferrite for the degradation of methylene blue dye under visible light irradiation. *Journal of Alloys and Compounds*, 851, 156878. https://doi.org/10.1016/j.jallcom.2020.156878

Chai, W. S., Cheun, J. Y., Kumar, P. S., Mubashir, M., Majeed, Z., Banat, F., Ho, S. H., & Show, P. L. (2021). A review on conventional and novel materials towards heavy metal adsorption in wastewater treatment application. *Journal of Cleaner Production*, 296, 126589. https://doi.org/10.1016/j.jclepro.2021.126589

Chandrani, D.N., Ghosh, S. & Tanna, A.R. Green synthesis for Fabrication of Cobalt Ferrite Nanoparticles with Photocatalytic Dye Degrading Potential as a Sustainable Effluent Treatment Strategy. *J Inorg Organomet Polym* 34, 3100–3114 (2024). https://doi.org/10.1007/s10904–023–02981–6

Cincotto, F. H., Carvalho, D. A. S., Canevari, T. C., Toma, H. E., Fatibello–Filho, O., & Moraes, F. C. (2018). A nano–magnetic electrochemical sensor for the determination of mood disorder related substances. *RSC Advances*, 8(25), 14040–14047. https://doi.org/10.1039/C8RA01857J

Cuana, R., Panre, A.M., Istiqomah, N.I., Tumbelaka, R.M., Sunaryono, Wicaksono, S. T., & Suharyadi, E. (2022). Green synthesis of Fe_3O_4 /Chitosan Nanoparticles Utilizing Moringa oleifera Extracts and Their Surface Plasmon Resonance Properties. *ECS J. Solid State Sci. Technol*., 11, 083015.

Cui, L., Ren, X., Sun, M., Liu, H., & Xia, L. (2021). Carbon Dots: Synthesis,

GREEN SYNTHESIS NANOKOMPOSIT CoFe2O4/CDOTS MENGGUNAKAN MORINGA OLEIFERA DAN KULIT SEMANGKA UNTUK
DEGRADASI ZAT PEWARNA METHYLENE BLUE
Amelia Putri Setyaningsih, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Properties and Applications. *Nanomaterials*, 11(12), 3419. https://doi.org/10.3390/nano11123419

Darmawan, M.Y., Imani Istiqomah, N., Adrianto, N., Marsel Tumbelaka, R., Dwi Nugraheni, A., & Suharyadi, E. (2023). Green synthesis of Fe3O4/Ag composite nanoparticles using Moringa oleifera: Exploring microstructure, optical, and magnetic properties for magnetic hyperthermia applications. *Results in Chemistry*, 6, 100999. https://doi.org/10.1016/j.rechem.2023.100999

Das, G. S., Shim, J. P., Bhatnagar, A., Tripathi, K. M., & Kim, T. Y. (2019). Biomass–derived Carbon Quantum Dots for Visible–Light–Induced Photocatalysis and Label–Free Detection of Fe(III) and Ascorbic acid. *Scientific Reports*, 9(1), 1 9. https://doi.org/10.1038/s41598–019–49266–y

Das, S. K., Chakrabarty, S., Gawas, R., & Jasuja, K. (2022). Serendipitous formation of photoluminescent carbon quantum dots by mere immersion of a polymer in an organic solvent. *Carbon Trends*, 8, 100183. https://doi.org/10.1016/j.cartre.2022.100183

del Castillo, M. D., Ames, J. M., & Gordon, M. H. (2005). Effect of roasting on the antioxidant activity of coffee brews. *Journal of Agricultural and Food Chemistry*, 53(5), 1769–1773. https://doi.org/10.1021/jf040417z

Devatha, C. P., & Thalla, A. K. (2018). Green synthesis of Nanomaterials. In *Synthesis of Inorganic Nanomaterials*, 169–184. Elsevier. https://doi.org/10.1016/B978–0–08–101975–7.00007–5

Dikshit, P. K., Kumar, J., Das, A. K., Sadhu, S., Sharma, S., Singh, S., Gupta, P. K., & Kim, B. S. (2021). Green synthesis of Metallic Nanoparticles: Applications and Limitations. *Catalysts*, 11(8), 1–35.

Din, M.I., Khalid, R., Najeeb, J., & Hussain, Z. (2021). Fundamentals and photocatalysis of methylene blue dye using various nanocatalytic assemblies– a critical review. *Journal of Cleaner Production*, 298.

Divya, S., Sivaprakash, P., Raja, S., Esakki Muthu, S., Kim, I., Renuka, N., Arumugam, S., & Oh, T. H. (n.d.). Impact of Zn doping on the dielectric and magnetic properties of $CoFe_2O_4$ nanoparticles. *Ceramics International*.

UNIVERSITAS GADJAH MADA
GREEN SYNTHESIS NANOKOMPOSIT CoFe2O4/CDOTS MENGGUNAKAN MORINGA OLEIFERA DAN KULIT SEMANGKA UNTUK
DEGRADASI ZAT PEWARNA METHYLENE BLUE
Amelia Putri Setyaningsih, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

www.elsevier.com/locate/ceramint

El–Masry, M.M., Ramadan, R. The effect of $CoFe_2O_4$, $CuFe_2O_4$ and $Cu/CoFe_2O_4$ nanoparticles on the optical properties and piezoelectric response of the PVDF polymer. *Appl. Phys. A* 128, 110 (2022). https://doi.org/10.1007/s00339–021–05238–6

Escudero, M., Strmcnik, D., Zoloff, M. E., Leiva, E. P., Markovic, N. M., & Cuesta, A. (2010). Electrocatalysis and Surface Nanostructuring : Atomic Ensemble Effects and Non–Covalent Interactions. *Materials Science*, (July), 13332–13332.

Fahmi, M. Z., Chen, J. K., Huang, C. C., Ling, Y. C., & Chang, J. Y. (2015). Phenylboronic acid–modified magnetic nanoparticles as a platform for carbon dot conjugation and doxorubicin delivery. *Journal of Materials Chemistry B*, 3(27), 55325543. https://doi.org/10.1039/c5tb00289c

Faramarzi, B., Moggio, M., Diano, N., Portaccio, M., & Lepore, M. (2023). A Brief Review of FT–IR Spectroscopy Studies of Sphingolipids in Human Cells. Dalam *Biophysica*,Vol. 3, Nomor 1, 158–180. Multidisciplinary Digital Publishing Institute (MDPI). https://doi.org/10.3390/biophysica3010011

Ghanbarnezhad, S., Baghshahi, S., Nemati, A., & Mahmoodi, M. (2017). Preparation, magnetic properties, and photocatalytic performance under natural daylight irradiation of Fe3O4–ZnO core/shell nanoparticles designed on reduced GO platelet. *Materials Science in Semiconductor Processing*, 72, 85–92.

Gogoi, D., Makkar, P., & Ghosh, N. N. (2021). Solar Light–Irradiated Photocatalytic Degradation of Model Dyes and Industrial Dyes by a Magnetic CoFe2O4–gC3N4 S–Scheme Heterojunction Photocatalyst. *ACS Omega*, 6(7), 4831–4841. DOI: 10.1021/acsomega.0c05809

He, M., Zhang, J., Wang, H., Kong, Y., Xiao, Y., & Xu, W. (2018). Material and Optical Properties of Fluorescent Carbon Quantum Dots Fabricated from Lemon Juice via Hydrothermal Reaction. *Nanoscale Research Letters*, 13(1), 175. https://doi.org/10.1186/s11671–018–2581–7

Hojjati–Najafabadi, A., Mansoorianfar, M., Liang, T., Shahin, K., Wen, Y.,

UNIVERSITAS GADJAH MADA
GREEN SYNTHESIS NANOKOMPOSIT CoFe2O4/CDOTS MENGGUNAKAN MORINGA OLEIFERA DAN KULIT SEMANGKA UNTUK
DEGRADASI ZAT PEWARNA METHYLENE BLUE
Amelia Putri Setyaningsih, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bahrami, A., Karaman, C., Zare, N., Karimi–Maleh, H., & Vasseghian, Y. (2022). Magnetic–MXene–based nanocomposites for water and wastewater treatment: A review. *Journal of Water Process Engineering*, 47. https://doi.org/10.1016/j.jwpe.2022.102696

Hussain, I., Singh, N. B., Singh, A., Singh, H., & Singh, S. C. (2016). Green synthesis of nanoparticles and its potential application. *Biotechnology Letters*, 38(4), 545–560. https://doi.org/10.1007/s10529–015–2026–7

Idayanti, N., Dedi, D., & Manaf, A. (2020). Structural change and magnetic properties of mechanically alloyed spinel ferrite $CoFe_2O_4$. *Key Engineering Materials*, 855, 108–116. https://doi.org/10.4028/www.scientific.net/KEM.855.108

Jabbar, K. Q., Barzinjy, A. A., & Hamad, S. M. (2022). Iron oxide nanoparticles: Preparation methods, functions, adsorption and coagulation/flocculation in wastewater treatment. *Environmental Nanotechnology, Monitoring and Management*, 17(February), 100661. https://doi.org/10.1016/j.enmm.2022.100661

Jiao, X.–Y., Li, L., Qin, S., Zhang, Y., Huang, K., & Xu, L. (2019). The synthesis of fluorescent carbon dots from mango peel and their multiple applications. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 577, 306–314. https://doi.org/10.1016/j.colsurfa.2019.05.073

Jing, H., Sa, R., & Xu, G. (2019). Tuning elektronic and optical properties of CsPbI3 by applying strain: A first–principles theoretical study. *Chemical Physics Letters*, 732, 136642. https://doi.org/10.1016/j.cplett.2019.136642

Johannes, A. Z., Pingak, R. K., & Bukit, M. (2020). Tauc Plot Software: Calculating energy gap values of organic materials based on Ultraviolet–Visible absorbance spectrum. *IOP Conference Series: Materials Science and Engineering*, 823(1). https://doi.org/10.1088/1757–899X/823/1/012030

Jorns, M., & Pappas, D. (2021). A review of fluorescent carbon dots, their synthesis, physical and chemical characteristics, and applications. *Nanomaterials*, 11(6), 1448.

Khan, I., Saeed, K., Zekker, I., Zhang, B., Hendi, A. H., Ahmad, A., Ahmad, S.,

UNIVERSITAS GADJAH MADA
GREEN SYNTHESIS NANOKOMPOSIT CoFe2O4/CDOTS MENGGUNAKAN MORINGA OLEIFERA DAN KULIT SEMANGKA UNTUK
DEGRADASI ZAT PEWARNA METHYLENE BLUE
Amelia Putri Setyaningsih, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zada, N., Ahmad, H., Shah, L. A., Shah, T., & Khan, I. (2022). Review on Methylene Blue: Its Properties, Uses, Toxicity and Photodegradation. *Water*, 14(2), 242. https://doi.org/10.3390/w14020242

Khan, M. A. M., Khan, W., Ahamed, M., & Alhazaa, A. N. (2019). Investigation on the structure and physical properties of Fe3O4/RGO nanocomposites and their photocatalytic application. *Materials Science in Semiconductor Processing*, 99, 44–53. https://doi.org/10.1016/j.mssp.2019.04.005

Keswani, B. C., Patil, S. I., Kolekar, Y. D., & Ramana, C. V. (2019). Improved magnetostrictive properties of cobalt ferrite ($CoFe_2O_4$) by Mn and Dy co-substitution for magneto-mechanical sensors. *Journal of Applied Physics*, 126(17), 174503. https://doi.org/10.1063/1.5114815

Kushwaha, P., & Chauhan, P. (2021). Facile green synthesis of $CoFe_2O_4$ nanoparticles using hibiscus extract and their application in humidity sensing properties. *Inorganic and Nano–Metal Chemistry*. https://doi.org/10.1080/24701556.2021.1992432

Larasati, D. A., Puspitarum, D. L., Darmawan, M. Y., Istiqomah, N. I., Mahardhika, L. J., Rini, N. P., Asri, N. S., Angel, J., Aliah, H., Oshima, D., Kato, T., Partini, Juliasih, & Suharyadi, E. (2025). Enhanced magnetic hyperthermia properties of reduced graphene oxide–modified cobalt ferrite nanoparticles synthesized using green approach. *Inorganic Chemistry Communications*, 180, 114902. https://doi.org/10.1016/j.inoche.2025.114902

Larasati, D.A., Puspitarum, D. L., Istiqomah, N. I., Partini, J., Ali, H., Ali, D., & Suharyadi, E. (2024). Novel green synthesis approach of eco–friendly magnetic/semiconductor nanocomposites as magnetically separable and reusable photocatalyst for organic dye degradation. *Results in Chemistry*, 10, 101693. https://doi.org/10.1016/j.rechem.2024.101693

Leone, A., Spada, A., Battezzati, A., Schiraldi, A., Aristil, J., & Bertoli, S. (2015). Cultivation, Genetic, Ethnopharmacology, Phytochemistry and Pharmacology of Moringa oleifera Leaves: An Overview. *International Journal of Molecular Sciences*, 16(6), 12791–12835. https://doi.org/10.3390/ijms160612791

UNIVERSITAS
GADJAH MADA
GREEN SYNTHESIS NANOKOMPOSIT CoFe2O4/CDOTS MENGGUNAKAN MORINGA OLEIFERA DAN KULIT SEMANGKA UNTUK DEGRADASI ZAT PEWARNA METHYLENE BLUE
Amelia Putri Setyaningsih, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Li, Z., Wang, M., Liu, X., Zhang, D., & Wu, J. (2019). Fabrication of magnetic $CoFe_2O_4$/C–dots bi–functional nanocomposites for efficient degradation of methylene blue and removal of Pb(II). *Separation and Purification Technology*, 212, 763–771. https://doi.org/10.1016/j.seppur.2018.11.078

Liu, M. L., Chen, B. Bin, Li, C. M., & Huang, C. Z. (2019). Carbon dots: Synthesis, formation mechanism, fluorescence origin and sensing applications. *Green Chemistry*, 21(3), 449 471. https://doi.org/10.1039/c8gc02736f

Long, C., Jiang, Z., Shangguan, J., Qing, T., Zhang, P., & Feng, B. (2021). Applications of carbon dots in environmental pollution control: A review. *Chemical Engineering Journal*, 406(September 2020), 126848. https://doi.org/10.1016/j.cej.2020.126848

López, Y. C., & Antuch, M. (2020). Morphology control in the plant–mediated synthesis of magnetite nanoparticles. *Current Opinion in Green and Sustainable Chemistry*, 24, 32–37. https://doi.org/10.1016/j.cogsc.2020.02.001

Luntungan, C. L., Aritonang, H. F., & Kamu, V. S. (2020). Sintesis nanopartikel kobalt ferrit ($CoFe_2O_4$) menggunakan ekstrak daun binahong (*Anredera cordifolia (Ten) Steenis*) dan aplikasinya sebagai antibakteri. *Chemistry Progress*, 12(1). https://doi.org/10.35799/cp.12.1.2019.27919

Mabarroh, N., Alfansuri, T., Wibowo, N. A., Istiqomah, N. I., Tumbelaka, R. M., Suharyadi, E. (2022). Detection of green–synthesized magnetite nanoparticles using spin–valve GMR–based sensor and their potential as magnetic labels. *Journal of Magnetism and Magnetic Materials*, 560, 169645.

Mahanta, U., Khandelwal, M., & Deshpande, A. S. (2022). TiO2@SiO2 nanoparticles for methylene blue removal and photocatalytic degradation under natural sunlight and low–power UV light. *Applied Surface Science*, 576. https://doi.org/10.1016/j.apsusc.2021.151745

Mahdikhah, V, Saadatkia, S., Sheibani, S., dan Ataie, A.(2020). Outstanding photocatalytic activity of CoFe204 /rGO nanocomposite in degradation of organic dyes. *Optical Materials*,108(2020),110193

UNIVERSITAS GADJAH MADA
GREEN SYNTHESIS NANOKOMPOSIT CoFe2O4/CDOTS MENGGUNAKAN MORINGA OLEIFERA DAN KULIT SEMANGKA UNTUK
DEGRADASI ZAT PEWARNA METHYLENE BLUE
Amelia Putri Setyaningsih, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mahhouti, Z., El Moussaoui, H., Mahfoud, T., Hamedoun, M., El Marssi, M., Lahmar, A., El Kenz, A., & Benyoussef, A. (2019). Chemical synthesis and magnetic properties of monodisperse cobalt ferrite nanoparticles. *Journal of Materials Science: Materials in Electronics*, 30, 14913–14922. https://doi.org/10.1007/s10854-019-01863-3

Makuła, P., Pacia, M., & Macyk, W. (2018). How To Correctly Determine the Band gap Energy of Modified Semiconductor Photocatalysts Based on UV–Vis Spectra. *Journal of Physical Chemistry Letters*, 9(23), 6814–6817. https://doi.org/10.1021/acs.jpclett.8b02892

Mallenakuppe, R., Homabalegowda, H., Gouri, M. D., Basavaraju, P. S., & Chandrashekharaiah, U. B. (2019). History, Taxonomy, and Propagation of Moringa oleifera–A Review. *SSR Institute of International Journal of Life Sciences*, 5(3), 2322–2327. https://doi.org/10.21276/SSR–IIJLS.2019.5.3.7

Mcmahon, G. (2007). *Analytical Instrumentation: A Guide to Laboratory, Portable and Miniaturized Instruments* (1st ed.). John Wiley & Sons.

Meng, W., Bai, X., Wang, B., Liu, Z., Lu, S., & Yang, B. (2019). Biomass–Derived Carbon Dots and Their Applications. *Energy and Environmental Materials*, 2(3), 172192. https://doi.org/10.1002/eem2.12038

Mohamadpour, F. & Amani, A. M. (2024). Photocatalytic systems: reactions, mechanism, and applications. *Royal Society of Chemistry (RSC)*, 2024, 14, 20609. DOI: 10.1039/d4ra03259d

Mondal, S., De Anda Reyes, M. E., & Pal, U. (2017). Plasmon induced enhanced photocatalytic activity of gold loaded hydroxyapatite nanoparticles for methylene blue degradation under visible light. *RSC Advances*, 7(14), 8633–8645. https://doi.org/10.1039/C6RA28640B

Nasiri-Tabrizi, B. (2014). Thermal treatment effect on structural features of mechano–synthesized fluorapatite–titania nanocomposite: A comparative study. *Journal of Advanced Ceramics*, 3(1), 31 42. https://doi.org/10.1007/s40145–014–0090–4

Nugroho, D., Wannakan, K., Nanan, S., & Benchawattananon, R. (2024). The Synthesis of carbon dots/zincoxide (CDs/ZnO–H400) by using

UNIVERSITAS GADJAH MADA
GREEN SYNTHESIS NANOKOMPOSIT CoFe2O4/CDOTS MENGGUNAKAN MORINGA OLEIFERA DAN KULIT SEMANGKA UNTUK
DEGRADASI ZAT PEWARNA METHYLENE BLUE
Amelia Putri Setyaningsih, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

hydrothermal methods for degradation of ofloxacin antibiotics and reactive red azo dye (RR141). *Scientific Reports*, 14(1), 2455. https://doi.org/10.1038/s41598–024–53083–3

Ohtani, B. (2014). Photocatalyst. In: Kreysa, G., Ota, Ki., Savinell, R.F. (eds) *Encyclopedia of Applied Electrochemistry*. Springer, New York, NY. https://doi.org/10.1007/978–1–4419–6996–5_497

PAC, 2007, *79*, 293. (*Glossary of terms used in photochemistry, 3rd edition (IUPAC Recommendations 2006)*) on page 384

Parlayici, Ş. (2019). Alginate–coated perlite beads for the efficient removal of methylene blue, malachite green, and methyl violet from aqueous solutions: kinetic, thermodynamic, and equilibrium studies. *Journal of Analytical Science and Technology*, 10, 1.

Pavia, D. L., Lampman, G. M., Kriz, G. S., & Vyvyan, J. R. (2009). *Introduction to Spectroscopy* (4th ed.). Brooks/Cole, Cengage Learning.

Peddis, D., Cannas, C., Musinu, A., Ardu, A., Orrù, F., Fiorani, D., Laureti, S., Rinaldi, D., Muscas, G., Concas, G., & Piccaluga, G. (2013). Beyond the Effect of Particle Size: Influence of CoFe 2 O 4 Nanoparticle Arrangements on Magnetic Properties. *Chemistry of Materials*, 25(10), 2005–2013. https://doi.org/10.1021/cm303352r

Peddis, D., Yaacoub, N., Ferretti, M., Martinelli, A., Piccaluga, G., Musinu, A., Cannas, C., Navarra, G., Greneche, J.-M., & Fiorani, D. (2011). Cationic distribution and spin canting in $CoFe_2O_4$ nanoparticles. *Journal of Physics: Condensed Matter*, 23(42), 426004. https://doi.org/10.1088/0953-8984/23/42/426004

Peddis, D., Mansilla, M. V., Mørup, S., Cannas, C., Musinu, A., Piccaluga, G., D'Orazio, F., Lucari, F., & Fiorani, D. (2008). Spin-canting and magnetic anisotropy in ultrasmall $CoFe_2O_4$ nanoparticles. *The Journal of Physical Chemistry B*, 112(29), 8507–8513. https://doi.org/10.1021/jp8016634

Perumalsamy, H., Balusamy, S. R., Sukweenadhi, J., Nag, S., MubarakAli, D., El–Agamy Farh, M., Vijay, H., & Rahimi, S. (2024). A comprehensive review on Moringa oleifera nanoparticles: importance of polyphenols in

UNIVERSITAS
GADJAH MADA
GREEN SYNTHESIS NANOKOMPOSIT CoFe2O4/CDOTS MENGGUNAKAN MORINGA OLEIFERA DAN KULIT SEMANGKA UNTUK
DEGRADASI ZAT PEWARNA METHYLENE BLUE
Amelia Putri Setyaningsih, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

nanoparticle synthesis, nanoparticle efficacy and their applications. *Journal of Nanobiotechnology*, 22(1), 71. https://doi.org/10.1186/s12951–024–02332–8

Ponce, A. S., Chagas, E. F., Prado, R. J., Fernandes, C. H. M., Terezo, A. J., & Baggio-Saitovitch, E. (2013). High coercivity induced by mechanical milling in cobalt ferrite powders. *Journal of Magnetism and Magnetic Materials*, 344, 182–187. https://doi.org/10.1016/j.jmmm.2013.05.056

Prabakaran, M., Kim, S.–H., Sasireka, A., Chandrasekaran, M., & Chung, I.–M. (2018). Polyphenol composition and antimicrobial activity of various solvent extracts from different plant parts of Moringa oleifera. *Food Bioscience*, 26, 23–29. https://doi.org/10.1016/j.fbio.2018.09.003

Prasad, C., Sreenivasulu, K., & Venkateswarlu, P. (2017). Bio inspired green synthesis of Ni/Fe_3O_4 magnetic nanoparticles using Moringa oleifera leaves extract: A magnetically recoverable catalyst for organic dye degradation in aqueous solution. *Journal of Alloys and Compounds*, 700, 252–258. https://doi.org/10.1016/j.jallcom.2016.12.363

Purba, N.M., Kurnia, Istiqomah, N.I., Rini, N.P., Mahardhika, L.J., Larasati, D.A., Utami, R.W., Kurniawan, C., Angel, J., Suharyadi, E., Various light sources–assisted photodegradation of Rhodamine B using magnetically separable and reusable MnFe2O4 /*Cdots* synthesized utilizing Moringa oleifera leaf extract and watermelon peel, *Bioresource Technology* (2026), doi: https://doi.org/10.1016/j.biortech. 2026.134044

Puspitarum, D. L., Istiqomah, N. I., Larasati, D. A., Kusumaatmaja, A., Aliah, H., & Suharyadi, E. (2023). Photocatalytic mechanism and properties of recyclable hybrid magnetic/semiconductor nanocomposites synthesized via green route for organic dye degradation. *Results in Materials*, 19, 100439. https://doi.org/10.1016/j.rinma.2023.100439

Rana, A., Yadav, K., & Jagadevan, S. (2020). A comprehensive review on green synthesis of nature–inspired metal nanoparticles: Mechanism, application and toxicity. *Journal of Cleaner Production*, 272, 122880. https://doi.org/10.1016/j.jclepro.2020.122880

UNIVERSITAS
GADJAH MADA
GREEN SYNTHESIS NANOKOMPOSIT CoFe2O4/CDOTS MENGGUNAKAN MORINGA OLEIFERA DAN KULIT SEMANGKA UNTUK
DEGRADASI ZAT PEWARNA METHYLENE BLUE
Amelia Putri Setyaningsih, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rani, N. Z. A., Husain, K., & Kumolosasi, E. (2018). Moringa Genus: A Review of Phytochemistry and Pharmacology. *Frontiers in Pharmacology*, 9. https://doi.org/10.3389/fphar.2018.00108

Raza, A., Altaf, S., Ali, S., Ikram, M., & Li, G. (2022). Recent advances in carbonaceous sustainable nanomaterials for wastewater treatments. *Sustainable Materials and Technologies*, 32(November 2021), e00406. https://doi.org/10.1016/j.susmat.2022.e00406

Rodríguez–Chueca, J., Carbajo, J., & García–Muñoz, P. Intensification of Photo–Assisted Advanced Oxidation Processes for Water Treatment: A Critical Review. *Catalysts* 2023, 13, 401. https:// doi.org/10.3390/catal13020401

Rodwihok, C., Tam, T. Van, Choi, W. M., Suwannakaew, M., Woo, S. W., Wongratanaphisan, D., & Kim, H. S. (2022). Preparation and Characterization of Photoluminescent Graphene Quantum Dots from Watermelon Rind Waste for the Detection of Ferric Ions and Cellular Bio–Imaging Applications. *Nanomaterials*, 12(4). https://doi.org/10.3390/nano12040702

Roy, S. D., Das, K. C., & Dhar, S. S. (2021). Conventional to green synthesis of magnetic iron oxide nanoparticles; its application as catalyst, photocatalyst and toxicity: A short review. *Inorganic Chemistry Communications*, 134, 109050. https://doi.org/10.1016/j.inoche.2021.109050

Sadeghzadeh–Attar, A. (2018). Efficient photocatalytic degradation of methylene blue dye by SnO2 nanotubes synthesized at different calcination temperatures. *Solar Energy Materials and Solar Cells*, 183, 16–24. https://doi.org/10.1016/j.solmat.2018.03.046.

Sajjad, S., Leghari, S. A. K., Ryma, N., & Farooqi, S. A. (2018). Green synthesis of Metal-Based Nanoparticles and Their Applications. In *Green Metal Nanoparticles* (pp. 23–77). Wiley. https://doi.org/10.1002/9781119418900.ch2

Salih, S. J., & Mahmood, W. M. (2023). Review on magnetic spinel ferrite (MFe2O4) nanoparticles: From synthesis to application. *Heliyon*, 9(6), e16601. https://doi.org/10.1016/j.heliyon.2023.e16601

UNIVERSITAS
GADJAH MADA
GREEN SYNTHESIS NANOKOMPOSIT CoFe2O4/CDOTS MENGGUNAKAN MORINGA OLEIFERA DAN KULIT SEMANGKA UNTUK
DEGRADASI ZAT PEWARNA METHYLENE BLUE
Amelia Putri Setyaningsih, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Saravanan, A., Deivayanai, V. C., Kumar, P. S., Rangasamy, G., Hemavathy, R. V., Harshana, T., Gayathri, N., & Alagumalai, K. (2022). A detailed review on advanced oxidation process in treatment of wastewater: Mechanism, challenges and future outlook. *Chemosphere*, 308. https://doi.org/10.1016/j.chemosphere.2022.136524

Sari, E. K., Tumbelaka, R. M., Ardiyanti, H., Istiqomah, N. I., Chotimah, & Suharyadi, E. (2023). Green synthesis of magnetically separable and reusable Fe3O4/Cdots nanocomposites photocatalyst utilizing Moringa oleifera extract and watermelon peel for rapid dye degradation. *Carbon Resources Conversion*, 6(4), 274–286. https://doi.org/10.1016/j.crcon.2023.04.003

Sarkar, A. K., Tortora, P. G., dan Johnson, I. (2022). Photodegradation. *The Fairchild Books Dictionary of Textiles*. Bloomsbury. https://doi.org/10.5040/9781501365072.12105

Singh, J., Dutta, T., Kim, K.–H., Rawat, M., Samddar, P., & Kumar, P. (2018). 'Green' synthesis of metals and their oxide nanoparticles: applications for environmental remediation. *Journal of Nanobiotechnology*, 16(1), 84. https://doi.org/10.1186/s12951–018–0408–4

Sonu, Dutta, V., Sharma, S., Raizada, P., Hosseimi–Bandegharaei, A., Gupta, V. K., & Singh, P. (2019). Review on augmentation in photocatalytic activity of CoFe2O4 via heterojunction formation for photocatalysis of organic pollutants in water. *Journal of Saudi Chemical Society*, 23 (2019), 1119–1136. https://doi.org/10.1016/j.jscs.2019.07.003

Stein, C. R., Bezerra, M. T. S., Holanda, G. H. A., André-Filho, J., & Morais, P. C. (2018). Structural and magnetic properties of cobalt ferrite nanoparticles synthesized by co-precipitation at increasing temperatures. *AIP Advances*, 8(5), 056303. https://doi.org/10.1063/1.5006321

Sutanto, H., Alkian, I., Romanda, N., Lewa, I. W. L., Marhaendrajaya, I., & Triadyaksa, P. (2020). High green–emission carbon dots and its optical properties: Microwave power effect. *AIP Advances*, 10(5). https://doi.org/10.1063/5.0004595

GREEN SYNTHESIS NANOKOMPOSIT CoFe2O4/CDOTS MENGGUNAKAN MORINGA OLEIFERA DAN KULIT SEMANGKA UNTUK
DEGRADASI ZAT PEWARNA METHYLENE BLUE
Amelia Putri Setyaningsih, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Tamboli, Q.S., Patange, S.M., Mohanta, Y.K., Sharma, R., & Zakde, K.R. (2023). Green synthesis of Cobalt Ferrite Nanoparticles: An Emerging Material for Environmental and Biomedical Applications. *Hindawi, Journal of Nanomaterials.* https://doi.org/10.1155/2023/9770212

Tamilchezhiyan, M., Begum, A. N., Parthibavarman, A., dan Aravindan, S. (2014). Ultra–fast photocatalytic degradation phenomena of methylene blue dye by $CoFe_2O_4$ decorated with rGO nanocomposites under visible light irradiation. *Diamond & Related Materials,* 151 (2025), 111817.

Thammannagowda, V. K., Shivanna, K. G. G., Parameshwarappa, A. K., Udayabhanu, Hanumesh, P., & Kalappa, P. (2025). Photocatalytic degradation of methylene blue using CoFe2O4/Ag2WO4: Efficiency in degradation of methylene blue dye removal and antimicrobial activity. *Next Materials*, 8, 100774. https://doi.org/10.1016/j.nxmate.2025.100774

Tumbelaka, R. M., Istiqomah, N. I., Kato, T., Oshima, D., & Suharyadi, E. (2022). High reusability of green–synthesized Fe_3O_4/TiO_2 photocatalyst nanoparticles for efficient degradation of methylene blue dye. *Materials Today Communications*, 33, 104450. https://doi.org/10.1016/j.mtcomm.2022.104450

Vedula, S. S., & Yadav, G. D. (2022). Wastewater treatment containing methylene blue dye as pollutant using adsorption by chitosan lignin membrane: Development of membrane, characterization and kinetics of adsorption. *Journal of the Indian Chemical Society*, 99(1), 100263. https://doi.org/10.1016/j.jics.2021.100263

Vongsak, B., Sithisarn, P., Mangmool, S., Thongpraditchote, S., Wongkrajang, Y., & Gritsanapan, W. (2013). Maximizing total phenolics, total flavonoids contents and antioxidant activity of Moringa oleifera leaf extract by the appropriate extraction method. *Industrial Crops and Products*, 44, 566–571. https://doi.org/10.1016/j.indcrop.2012.09.021

Wang, B & Zhao, B. (2019). Carbon Dots/CoFe2O4 Mesoporous Nanosphere Composites As a Magnetically Separable Visible Light Photocatalyst. *Russian Journal of Physical Chemistry A*, 93(2), 393–399.

GREEN SYNTHESIS NANOKOMPOSIT CoFe2O4/CDOTS MENGGUNAKAN MORINGA OLEIFERA DAN KULIT SEMANGKA UNTUK
DEGRADASI ZAT PEWARNA METHYLENE BLUE
Amelia Putri Setyaningsih, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1134/S0036024419020043

Wang, F. T., Wang, L. N., Xu, J., Huang, K. J., & Wu, X. (2021). Synthesis and modification of carbon dots for advanced biosensing application. *Analyst*, 146(14), 44184435. https://doi.org/10.1039/d1an00466b

Wu, M., Shi, J., Zhang, M., Ding, Y., Wang, H., Cen, Y., & Lu, J. (2018). Enhancement of photoluminescence and hole mobility in 1– to 5–layer InSe due to the top valence–band inversion: strain effect. *Nanoscale*, 10(24), 11441–11451. https://doi.org/10.1039/C8NR03172J

Yavari, S., Mahmodi, N. M., Teymouri, P., Shahmoradi, B., & Maleki, A. (2016). Cobalt ferrite nanoparticles: Preparation, characterization and anionic dye removal capability. *Journal of the Taiwan Institute of Chemical Engineers*, 59, 320–329. https://doi.org/10.1016/j.jtice.2015.08.011

Yousefinejad, S., Rasti, H., Hajebi, M., Kowsari, M., Sadravi, S., & Honarasa, F. (2017). Design of C–dots/Fe3O4 magnetic nanocomposite as an efficient new nanozyme and its application for determination of H_2O_2 in nanomolar level. *Sensors and Actuators, B: Chemical*, 247, 691696. https://doi.org/10.1016/j.snb.2017.02.145

Zhang, J., Lin, S., Han, M., Su, Q., Xia, L., & Hui, Z. (2020). Adsorption Properties of Magnetic Magnetite Nanoparticle for Coexistent Cr(VI) and Cu(II) in Mixed Solution. *Water*, 12(2), 446. https://doi.org/10.3390/w12020446

Zhang, Y., Zhang, H., Zhang, Z., Liu, C., Sun, C., Zhang, W., & Marhaba, T. (2018). pH Effect on Heavy Metal Release from a Polluted Sediment. *Journal of Chemistry*, 1–7. https://doi.org/10.1155/2018/7597640

Zhao, G. (2011). Sorption of Heavy Metal Ions from Aqueous Solutions: A Review. *The Open Colloid Science Journal*, 4(1), 19 31. https://doi.org/10.2174/1876530001104010019

Zhou, J., Sheng, Z., Han, H., Zou, M., & Li, C. (2012). Facile synthesis of fluorescent carbon dots using watermelon peel as a carbon source. *Materials Letters*, 66(1), 222–224. https://doi.org/10.1016/j.matlet.2011.08.081

Zhou, S., Du, Z., Li, X., Zhang, Y., He, Y., & Zhang, Y. (2019). Degradation of methylene blue by natural manganese oxides: kinetics and transformation

UNIVERSITAS
GADJAH MADA
GREEN SYNTHESIS NANOKOMPOSIT CoFe2O4/CDOTS MENGGUNAKAN MORINGA OLEIFERA DAN KULIT SEMANGKA UNTUK DEGRADASI ZAT PEWARNA METHYLENE BLUE
Amelia Putri Setyaningsih, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

products. *Royal Society Open Science*, 6(7), 190351. https://doi.org/10.1098/rsos.190351

Zikalala, N., Matshetshe, K., Parani, S., & Oluwafemi, O. S. (2018). Biosynthesis protocols for colloidal metal oxide nanoparticles. *Nano–Structures & Nano–Objects*, 16, 288–299. https://doi.org/10.1016/j.nanoso.2018.07.010