

DAFTAR PUSTAKA

- Abassi, Z., Khoury, E.E. and Karram, T. (2022) 'Edema formation in congestive heart failure and the underlying mechanisms', (September), pp. 1–23. Available at: <https://doi.org/10.3389/fcvm.2022.933215>.
- Alam, U. et al. (2014) *General aspects of diabetes mellitus*. 1st ed, *Handbook of Clinical Neurology*. 1st ed. Elsevier B.V. Available at: <https://doi.org/10.1016/B978-0-444-53480-4.00015-1>.
- Andrea M. Vincenta et al. (2009) 'Hyperlipidemia: A New Therapeutic Target for Diabetic Neuropathy', *The Journal of the Peripheral Nervous System*, 14(4), pp. 257–267. Available at: <https://doi.org/10.1111/j.1529-8027.2009.00237.x>.Hyperlipidemia.
- Azmiardi, A., Tamtomo, D. and Murti, B. (2019) 'Factors Associated with Diabetic Peripheral Neuropathy among Patients with Type 2 Diabetes Mellitus in Surakarta, Central Java', *Indonesian Journal of Medicine*, 4(4), pp. 300–312. Available at: <https://doi.org/10.26911/theijmed.2019.4.4.217>.
- Baranowska, J. and Szeleszczuk, Ł. (2024) 'Exploring Various Crystal and Molecular Structures of Gabapentin—A Review', *Crystals*, 14(257), pp. 1–30.
- Bayram-Weston, Z., Knight, J. and Andrade, M. (2024) 'Vitamin B complex: B group vitamins and their role in the body', *Nursing Times*, 120(3), pp. 1–6.
- Bhuanaputra, M.F., Tursina, A. and Kharisma, Y. (2020) 'Combination of Gabapentin and Vitamin B12 Compared with Gabapentin Monotherapy on Pain Improvement of Diabetic Neuropathy Patients', *Global Medical & Health Communication (GMHC)*, 8(1), pp. 1–6. Available at: <https://doi.org/10.29313/gmhc.v8i1.3676>.
- Bidaki, R. et al. (2016) 'Gabapentin induces edema, hyperesthesia and scaling in a depressed patient; a diagnostic challenge', *Advanced Biomedical Research*, 5(1). Available at: <https://doi.org/10.4103/2277-9175.174955>.
- Blair, M. (2016) 'Diabetes Mellitus Review', *Urologic nursing*, 36(1), pp. 27–36. Available at: <https://doi.org/10.7257/1053-816x.2016.36.1.27>.
- Boccella, S. et al. (2023) 'Combination Drug Therapy for the Management of Chronic Neuropathic Pain', *Biomolecules*, 13(12), pp. 1–25. Available at: <https://doi.org/10.3390/biom13121802>.

- Bockbrader, Howard N *et al.* (2012) 'A Comparison of the Pharmacokinetics and Pharmacodynamics of Pregabalin and Gabapentin', *Clinical Pharmacokinetics*, 49(10), pp. 661–669. Available at: <https://link.springer.com/article/10.2165/11536200-000000000-00000>.
- Bockbrader, Howard N. *et al.* (2012) 'A Comparison of the Pharmacokinetics and Pharmacodynamics of Pregabalin and Gabapentin', *Clinical Pharmacokinetics*, 49(10), pp. 661–669. Available at: <https://link.springer.com/article/10.2165/11536200-000000000-00000>.
- Callaghan, Brian C. *et al.* (2014) 'Diabetic neuropathy: Clinical manifestations and current treatments', *Lancet Neurol*, 11(6), pp. 521–534. Available at: [https://doi.org/10.1016/S1474-4422\(12\)70065-0](https://doi.org/10.1016/S1474-4422(12)70065-0).Diabetic.
- Callaghan, Brian C *et al.* (2014) 'Diabetic neuropathy: Clinical manifestations and current treatments', *Lancet Neurol*, 11(6), pp. 521–534. Available at: [https://doi.org/10.1016/S1474-4422\(12\)70065-0](https://doi.org/10.1016/S1474-4422(12)70065-0).Diabetic.
- Cao, X. *et al.* (2023) 'A Meta-analysis of Randomized Controlled Trials Comparing the Efficacy and Safety of Pregabalin and Gabapentin in the Treatment of Postherpetic Neuralgia', *Pain and Therapy*, 12(1), pp. 1–18. Available at: <https://doi.org/10.1007/s40122-022-00451-4>.
- Casadei, G., Filippini, M. and Brognara, L. (2021) 'Glycated Hemoglobin (HbA1c) as a Biomarker for Diabetic Foot Peripheral Neuropathy', *Diseases*, 9(1), pp. 1–18. Available at: <https://doi.org/10.3390/diseases9010016>.
- Chamine, I. *et al.* (2022) 'Characterizing acute and chronic complications among patients with diabetes mellitus in community health centers', *Annals of family medicine*, 45(20), pp. 141–143. Available at: <https://doi.org/10.1370/afm.20.s1.2659>.
- Cheatle, M.D. and Shmuts, R. (2015) 'The Risk and Benefit of Benzodiazepine Use in Patients with Chronic Pain', *Pain Medicine (United States)*, 16(2), pp. 219–221. Available at: <https://doi.org/10.1111/pme.12674>.
- Chincholkar, M. (2018) 'Analgesic mechanisms of gabapentinoids and effects in experimental pain models: a narrative review', *British Journal of Anaesthesia*, 120(6), pp. 1315–1334. Available at: <https://doi.org/10.1016/j.bja.2018.02.066>.
- Chincholkar, M. (2020) 'Gabapentinoids: pharmacokinetics, pharmacodynamics and considerations for clinical practice', *British Journal of Pain*, 14(2), pp. 104–114. Available at: <https://doi.org/10.1177/2049463720912496>.

- Cho, E. *and* Kim, W. (2021) ‘Effect of acupuncture on diabetic neuropathy: A narrative review’, *International Journal of Molecular Sciences*, 22(16). Available at: <https://doi.org/10.3390/ijms22168575>.
- Couch, B. *et al.* (2024) ‘A systematic review of steroid use in peripheral nerve pathologies *and* treatment’, *Frontiers in Neurology*, 15(September), pp. 1–13. Available at: <https://doi.org/10.3389/fneur.2024.1434429>.
- Davies, M.J. *et al.* (2018) ‘Management of hyperglycemia in type 2 diabetes, 2018. A consensus report by the American Diabetes Association (ADA) *and* the european association for the study of diabetes (EASD)’, *Diabetes Care*, 41(12), pp. 2669–2701. Available at: <https://doi.org/10.2337/dci18-0033>.
- Dellasega, C. *and* Stricklin, M. Lou (1996) ‘Use of central nervous system medications among elderly home health clients’, *Applied Nursing Research*, 9(3), pp. 130–135. Available at: [https://doi.org/10.1016/S0897-1897\(96\)80230-8](https://doi.org/10.1016/S0897-1897(96)80230-8).
- Dhatariya, K.K. *et al.* (2020) ‘Diabetic ketoacidosis’, *Nature Reviews Disease Primers*, 6(1), pp. 1–20. Available at: <https://doi.org/10.1038/s41572-020-0165-1>.
- Dongre, Yasmin U *and* Swami, O.C. (2013) ‘Sustained-release pregabalin with methylcobalamin in neuropathic pain: An Indian real-life experience’, *International Journal of General Medicine*, 6, pp. 413–417. Available at: <https://doi.org/10.2147/IJGM.S45271>.
- Dongre, Yasmin U. *and* Swami, O.C. (2013) ‘Sustained-release pregabalin with methylcobalamin in neuropathic pain: An Indian real-life experience’, *International Journal of General Medicine*, 6, pp. 413–417. Available at: <https://doi.org/10.2147/IJGM.S45271>.
- Dronavalli, S., Duka, I. *and* Bakris, G.L. (2008) ‘The pathogenesis of diabetic nephropathy’, *Nature Clinical Practice Endocrinology and Metabolism*, 4(8), pp. 444–452. Available at: <https://doi.org/10.1038/ncpendmet0894>.
- Duh, E.J., Sun, J.K. *and* Stitt, A.W. (2017) ‘Diabetic retinopathy: Current understanding, mechanisms, *and* treatment strategies’, *JCI Insight*, 2(14), pp. 1–13. Available at: <https://doi.org/10.1172/JCI.INSIGHT.93751>.
- Dutta, D. *et al.* (2025) ‘Cardiovascular safety of gabapentinoids gabapentin & pregabalin: A systematic review’, *Indian Journal of Medical Research*, 161(4), pp. 363–374. Available at: https://doi.org/10.25259/IJMR_1990_2024.
- Dworkin, R.H. *et al.* (2008) ‘Interpreting the Clinical Importance of Treatment Outcomes in Chronic Pain Clinical Trials: IMMPACT Recommendations’,

Journal of Pain, 9(2), pp. 105–121. Available at: <https://doi.org/10.1016/j.jpain.2007.09.005>.

Edinoff, A.N. *et al.* (2021) ‘Benzodiazepines: Uses, Dangers, and Clinical Considerations’, pp. 594–607.

Farmaki, P. *et al.* (2021) ‘Complications of the Type 2 Diabetes Mellitus’, *Current Cardiology Reviews*, 16(4), pp. 249–251. Available at: <https://doi.org/10.2174/1573403x1604201229115531>.

Feldman, Eva L. *et al.* (2019) ‘Diabetic neuropathy’, *Nature Reviews Disease Primers*, 5(1). Available at: <https://doi.org/10.1038/s41572-019-0092-1>.

Feldman, Eva L. *et al.* (2019) ‘Diabetic neuropathy’, *Nature Reviews Disease Primers*, 5(1). Available at: <https://doi.org/10.1038/s41572-019-0092-1>.

Fillingim, R.B. *et al.* (2009) ‘Sex, Gender, and Pain: A Review of Recent Clinical and Experimental Findings’, *Journal of Pain*, 10(5), pp. 447–485. Available at: <https://doi.org/10.1016/j.jpain.2008.12.001>.

Finnerup, N.B. *et al.* (2015) ‘Pharmacotherapy for neuropathic pain in adults: Systematic review, meta-analysis and updated NeuPSig recommendations’, *Lancet Neurol*, 14(2), pp. 162–173. Available at: [https://doi.org/10.1016/S1474-4422\(14\)70251-0](https://doi.org/10.1016/S1474-4422(14)70251-0). Pharmacotherapy.

Gajraj, Noor M (2007) ‘Pregabalin: Its pharmacology and use in pain management’, *Anesthesia and Analgesia*, 105(6), pp. 1805–1815. Available at: <https://doi.org/10.1213/01.ane.0000287643.13410.5e>.

Gajraj, Noor M. (2007) ‘Pregabalin: Its pharmacology and use in pain management’, *Anesthesia and Analgesia*, 105(6), pp. 1805–1815. Available at: <https://doi.org/10.1213/01.ane.0000287643.13410.5e>.

Galiero, R. *et al.* (2023) ‘Peripheral Neuropathy in Diabetes Mellitus: Pathogenetic Mechanisms and Diagnostic Options’, *International Journal of Molecular Sciences*, 24(4). Available at: <https://doi.org/10.3390/ijms24043554>.

Handayani, P.W., Moeis, F.R. and Ayuningtyas, D. (2021) ‘Comparing Indonesian men’s health-seeking behavior and likelihood to suffer from illness across sociodemographic factors’, *Journal of Men’s Health*, 17(4), pp. 278–286. Available at: <https://doi.org/10.31083/jomh.2021.078>.

Hasan, A. *et al.* (2020) ‘Comparison of Gabapentin Monotherapy vs. Combination Therapy of Methyl Cobalamin and Gabapentin in Treating Diabetic Neuropathic Pain’, *Journal of Biology and Today’s World*, 9(9), pp. 1–3.

- Heller, G.Z., Manuguerra, M. and Chow, R. (2016) 'How to analyze the Visual Analogue Scale: Myths, truths and clinical relevance', *Scandinavian Journal of Pain*, 13, pp. 67–75. Available at: <https://doi.org/10.1016/j.sjpain.2016.06.012>.
- Hunaifi, I. *et al.* (2021) 'The Correlation Between HbA1c and Neuropathy Disability Score in Type 2 Diabetes', *Acta Medica Indonesiana*, 53(2), pp. 164–168.
- Kanbayashi, Y., Onishi, K. and Hosokawa, T. (2014) 'Factors predicting adverse events associated with pregabalin administered for neuropathic pain relief', *Pain Research and Management*, 19(6), pp. e164–e167. Available at: <https://doi.org/10.1155/2014/280549>.
- Kancherla, N., Babu, G Chitti, *et al.* (2020) 'Comparative study of safety and efficacy of pregabalin, gabapentin and amitriptyline in management of neuropathic pain', *International Journal of Basic & Clinical Pharmacology*, 10(1), p. 64. Available at: <https://doi.org/10.18203/2319-2003.ijbcp20205540>.
- Kancherla, N., Babu, G. Chitti, *et al.* (2020) 'Comparative study of safety and efficacy of pregabalin, gabapentin and amitriptyline in management of neuropathic pain', *International Journal of Basic & Clinical Pharmacology*, 10(1), p. 64. Available at: <https://doi.org/10.18203/2319-2003.ijbcp20205540>.
- Karaganis, S. and Song, X.J. (2021) 'B vitamins as a treatment for diabetic pain and neuropathy', *Journal of Clinical Pharmacy and Therapeutics*, 46(5), pp. 1199–1212. Available at: <https://doi.org/10.1111/jcpt.13375>.
- Karapiperi, K., Gousis, C. and Papaioannidou, P. (2010) 'The role of vitamin B12 in DNA modulation mechanisms', *Frontiers in Pharmacology*, 1. Available at: <https://doi.org/10.3389/conf.fphar.2010.60.00140>.
- Karedath, J. *et al.* (2022) 'The Impact of Vitamin B12 Supplementation on Clinical Outcomes in Patients With Diabetic Neuropathy: A Meta-Analysis of Randomized Controlled Trials', *Cureus*, 14(11), pp. 8–15. Available at: <https://doi.org/10.7759/cureus.31783>.
- Katkuri Manasa (2024) 'Vitamin B12 Role Especially in DNA Synthesis and its Clinical Manifestations', *Pharmaceutical Sciences & Analytical Research Journal (PSARJ)*, 6(4).
- Khalil, H., Ang, C.D. and Khalil, V. (2021) 'Vitamin B for treating diabetic peripheral neuropathy – A systematic review', *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, 15(5), p. 102213. Available at: <https://doi.org/10.1016/j.dsx.2021.102213>.

- Klotz, U. (2009) 'Pharmacokinetics *and* drug metabolism in the elderly', *Drug Metabolism Reviews*, 41(2), pp. 67–76. Available at: <https://doi.org/10.1080/03602530902722679>.
- Kumari, S., Mehra, A. *and* Grover, S. (2020) 'Peripheral edema associated with *low* dose of pregabalin in an older person', *Journal of Geriatric Mental Health*, 7(2), p. 105. Available at: https://doi.org/10.4103/jgmh.jgmh_31_20.
- Kusumo, D.D. (2017) *Perbedaan Efektivitas Gabapentin dengan Gabapentin dan Methylcobalamin Terhadap Perbaikan Rasa Nyeri Pada Pasien Painful Diabetic Neuropathy Di RSUD Dr. Moewardi Surakarta*. Universitas Sebelas Maret Surakarta.
- Lambert, D.G. (2023) 'Opioids *and* opioid receptors; understanding pharmacological mechanisms as a key to therapeutic advances *and* mitigation of the misuse crisis', *BJA Open*, 6(May), p. 100141. Available at: <https://doi.org/10.1016/j.bjao.2023.100141>.
- Leppert, W. *and* Buss, T. (2012) 'The role of corticosteroids in the treatment of pain in cancer patients', *Current Pain and Headache Reports*, 16(4), pp. 307–313. Available at: <https://doi.org/10.1007/s11916-012-0273-z>.
- Madonna, R. *et al.* (2018) 'Diabetic macroangiopathy: Pathogenetic insights *and* novel therapeutic approaches with focus on high glucose-mediated vascular damage', *Vascular Pharmacology*, 107(November 2017), pp. 27–34. Available at: <https://doi.org/10.1016/j.vph.2018.01.009>.
- Mallet, C. *et al.* (2023) 'An Updated Review on the Metabolite (AM404)-Mediated Central Mechanism of Action of Paracetamol (Acetaminophen): Experimental Evidence *and* Potential Clinical Impact', *Journal of Pain Research*, 16(March), pp. 1081–1094. Available at: <https://doi.org/10.2147/JPR.S393809>.
- Manjushree *et al.* (2015) 'A review of the drug pregabalin', 5(2), pp. 229–234.
- Mao, F. *et al.* (2019) 'Age as an independent risk factor for diabetic peripheral neuropathy in chinese patients with Type 2 diabetes', *Aging and Disease*, 10(3), pp. 592–600. Available at: <https://doi.org/10.14336/AD.2018.0618>.
- Mathew, A.R. *et al.* (2024) 'Vitamin B12 Deficiency *and* the Nervous System: Beyond Metabolic Decompensation—Comparing Biological Models *and* Gaining New Insights into Molecular *and* Cellular Mechanisms', *International Journal of Molecular Sciences*, 25(1). Available at: <https://doi.org/10.3390/ijms25010590>.

- Mayoral, V. *et al.* (2024) ‘Pregabalin vs. gabapentin in the treatment of neuropathic pain: a comprehensive systematic review *and* meta-analysis of effectiveness *and* safety’, *Frontiers in Pain Research*, 5(January), pp. 1–16. Available at: <https://doi.org/10.3389/fpain.2024.1513597>.
- Migdalís, I.N. *et al.* (2025) ‘A Nationwide Study on the Prevalence of Peripheral Neuropathy in Patients with Type 2 Diabetes Mellitus in Greece—The PRENEDIG Study’, *Journal of Clinical Medicine*, 14(19), pp. 1–14. Available at: <https://doi.org/10.3390/jcm14196723>.
- Mimenza, A. *and* Navarro, A. (2014) ‘Comparative Clinical Trial of Safety *and* Tolerability of Gabapentin Plus Vitamin B1/B12 versus Pregabalin in the Treatment of Painful Peripheral Diabetic Neuropathy’, *Journal of Pain & Relief*, S3(006), pp. 1–6. Available at: <https://doi.org/10.4172/2167-0846.S3-00>.
- Moore, R.A. *et al.* (2015) ‘Oral nonsteroidal anti-inflammatory drugs for neuropathic pain’, *Cochrane Database of Systematic Reviews*, 2017(6). Available at: <https://doi.org/10.1002/14651858.CD010902.pub2>.
- Moosaie, F. *et al.* (2022) ‘Obesity *and* Diabetic Complications: A Study from the Nationwide Diabetes Report of the National Program for Prevention *and* Control of Diabetes (NPPCD-2021) Implications for Action on Multiple Scales’, *Primary Care Diabetes*, 16(3), pp. 422–429. Available at: <https://doi.org/10.1016/j.pcd.2022.03.009>.
- Moravcová, M. *et al.* (2025) ‘Biological properties of vitamin B12’, *Nutrition Research Reviews*, 38(1), pp. 338–370. Available at: <https://doi.org/10.1017/S0954422424000210>.
- Muhamad, S. (2013) ‘Peranan Pharmaceutical Care dalam Meningkatkan Hasil Klinis dan Kualitas Hidup Pasien Penderita Diabetes Melitus’, *Pusat Teknologi Intervensi Kesehatan Masyarakat* [Preprint].
- Naranjo, C.A. *et al.* (1981) ‘A Method For Estimating The Probability of Adverse Drug Reactions’, *Clinical Pharmacology & Therapeutics*, 30(2), pp. 239–245.
- Nentwich, M.M. (2015) ‘Diabetic retinopathy - ocular complications of diabetes mellitus’, *World Journal of Diabetes*, 6(3), p. 489. Available at: <https://doi.org/10.4239/wjd.v6.i3.489>.
- Nisar, M.U. *et al.* (2015) ‘Association of Diabetic Neuropathy with Duration of Type 2 Diabetes *and* Glycemic Control’, *Cureus*, 7(8). Available at: <https://doi.org/10.7759/cureus.302>.

- Obata, H. (2017) 'Analgesic mechanisms of antidepressants for neuropathic pain', *International Journal of Molecular Sciences*, 18(11). Available at: <https://doi.org/10.3390/ijms18112483>.
- Oh, T.J. *et al.* (2019) 'Association between body fat *and* diabetic peripheral neuropathy in middle-aged adults with type 2 diabetes mellitus: A preliminary report', *Journal of Obesity and Metabolic Syndrome*, 28(2), pp. 112–117. Available at: <https://doi.org/10.7570/JOMES.2019.28.2.112>.
- Okdahl, T. *and* Brock, C. (2021) 'Molecular Aspects in the Potential of Vitamins *and* Supplements for Treating Diabetic Neuropathy', *Current Diabetes Reports*, 21(9). Available at: <https://doi.org/10.1007/s11892-021-01397-1>.
- Pinzon, R.T. *and* Sanyasi, R.D.L.R. (2019) 'Efektivitas Penggunaan Kombinasi Vitamin B pada Pasien Neuropati Diabetikum', *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, 5(1), p. 6. Available at: <https://doi.org/10.20473/jfiki.v5i12018.6-12>.
- Ponirakis, G. *et al.* (2025) 'Differential Impact of Metabolic Factors *and* Comorbidities on Peripheral Neuropathy', *Journal of the Peripheral Nervous System*, 30(1), pp. 1–12. Available at: <https://doi.org/10.1111/jns.70004>.
- Pop-Busui, R. *et al.* (2017) 'Diabetic neuropathy: A position statement by the American diabetes association', *Diabetes Care*, 40(1), pp. 136–154. Available at: <https://doi.org/10.2337/dc16-2042>.
- Pop-Busui, R. *et al.* (2022) *Diagnosis and treatment of painful diabetic neuropathy, American Diabetes Association*.
- Popescu, S. *et al.* (2016) 'Age as an independent factor for the development of neuropathy in diabetic patients', *Clinical Interventions in Aging*, 11, pp. 313–318. Available at: <https://doi.org/10.2147/CIA.S97295>.
- Pratama, S., Lauren, B.C. *and* Wisnu, W. (2022) 'The efficacy of vitamin B12 supplementation for treating vitamin B12 deficiency *and* peripheral neuropathy in metformin-treated type 2 diabetes mellitus patients: A systematic review', *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, 16(10), p. 102634. Available at: <https://doi.org/10.1016/j.dsx.2022.102634>.
- Preston, F.G. *et al.* (2023) 'Painful Diabetic Peripheral Neuropathy: Practical Guidance *and* Challenges for Clinical Management', *Diabetes, Metabolic Syndrome and Obesity*, 16(June), pp. 1595–1612. Available at: <https://doi.org/10.2147/DMSO.S370050>.

- Quintero, G.C. (2017) 'Review about gabapentin misuse, interactions, contraindications and side effects', *Journal of Experimental Pharmacology*, 9, pp. 13–21. Available at: <https://doi.org/10.2147/JEP.S124391>.
- Rahayu Putri Priyanda, Vivin Marwitari Rohmana and Rizka Wahyu Syahputra (2025) 'Evaluasi Penggunaan dan Outcome Terapi Obat Antinyeri pada Pasien Diabetik Neuropati di RS PKU Muhammadiyah Surakarta', *Jurnal Ilmu Kedokteran dan Kesehatan Indonesia*, 5(3), pp. 478–499. Available at: <https://doi.org/10.55606/jikki.v5i3.8288>.
- Ram, P. et al. (2012) 'Efficacy and tolerability of a fixed dose combination of methylcobalamin and pregabalin in the management of painful neuropathy', *North American Journal of Medical Sciences*, 4(11), pp. 605–607. Available at: <https://doi.org/10.4103/1947-2714.103336>.
- Ramamoorthy, S. and Cidlowski, J.A. (2016) 'Corticosteroids-Mechanisms of Action in Health and Disease', *Rheum Dis Clin North Am*, 42(1), pp. 15–31.
- Rose, M.A. and Kam, P.C.A. (2002) 'Gabapentin: Pharmacology and its use in pain management', *Anaesthesia*, 57(5), pp. 451–462. Available at: <https://doi.org/10.1046/j.0003-2409.2001.02399.x>.
- Saeed, T. et al. (2014) 'Efficacy and tolerability of carbamazepine for the treatment of painful diabetic neuropathy in adults: A 12-week, open-label, multicenter study', *International Journal of General Medicine*, 7, pp. 339–343. Available at: <https://doi.org/10.2147/IJGM.S64419>.
- Samuel, M.J. (2023) 'American Geriatrics Society 2023 updated AGS Beers Criteria® for potentially inappropriate medication use in older adults', *Journal of the American Geriatrics Society*, 71(7), pp. 2052–2081. Available at: <https://doi.org/10.1111/jgs.18372>.
- Scholz, J. and Woolf, C.J. (2007) 'The neuropathic pain triad: Neurons, immune cells and glia', *Nature Neuroscience*, 10(11), pp. 1361–1368. Available at: <https://doi.org/10.1038/nn1992>.
- Schreiber, A.K. (2015) 'Diabetic neuropathic pain: Physiopathology and treatment', *World Journal of Diabetes*, 6(3), p. 432. Available at: <https://doi.org/10.4239/wjd.v6.i3.432>.
- Sergi, G. et al. (2018) 'Effects of acetyl-L-carnitine in diabetic neuropathy and other geriatric disorders', *Aging Clinical and Experimental Research*, 30(2), pp. 133–138. Available at: <https://doi.org/10.1007/s40520-017-0770-3>.

- Sloan, G., Selvarajah, D. and Tesfaye, S. (2021a) 'Pathogenesis, diagnosis and clinical management of diabetic sensorimotor peripheral neuropathy', *Nature Reviews Endocrinology*, 17(7), pp. 400–420. Available at: <https://doi.org/10.1038/s41574-021-00496-z>.
- Sloan, G., Selvarajah, D. and Tesfaye, S. (2021b) 'Pathogenesis, diagnosis and clinical management of diabetic sensorimotor peripheral neuropathy', *Nature Reviews Endocrinology*, 17(7), pp. 400–420. Available at: <https://doi.org/10.1038/s41574-021-00496-z>.
- Smith, S. et al. (2022a) 'Prevention and Management Strategies for Diabetic Neuropathy', *Life*, 12(8), pp. 1–28. Available at: <https://doi.org/10.3390/life12081185>.
- Smith, S. et al. (2022b) 'Prevention and Management Strategies for Diabetic Neuropathy', *Life*, 12(8), pp. 1–28. Available at: <https://doi.org/10.3390/life12081185>.
- Soelistijo, S. et al. (2021) 'Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021', *Perkumpulan Endokrinologi Indonesia*, p. 46. Available at: www.ginasthma.org.
- Sommer, C. et al. (2020) 'Opioids for chronic non-cancer neuropathic pain. An updated systematic review and meta-analysis of efficacy, tolerability and safety in randomized placebo-controlled studies of at least 4 weeks duration', *European Journal of Pain (United Kingdom)*, 24(1), pp. 3–18. Available at: <https://doi.org/10.1002/ejp.1494>.
- Staehelin Jensen, T. (2023) 'The pathogenesis of painful diabetic neuropathy and clinical presentation', *Diabetes Research and Clinical Practice*, 206(S1), p. 110753. Available at: <https://doi.org/10.1016/j.diabres.2023.110753>.
- Stein, J., Geisel, J. and Obeid, R. (2021) 'Association between neuropathy and B-vitamins: A systematic review and meta-analysis', *European Journal of Neurology*, 28(6), pp. 2054–2064. Available at: <https://doi.org/10.1111/ene.14786>.
- Stening, K.D. et al. (2012) 'Influence of estrogen levels on thermal perception, pain thresholds, and pain tolerance: Studies on women undergoing in vitro fertilization', *Journal of Pain*, 13(5), pp. 459–466. Available at: <https://doi.org/10.1016/j.jpain.2012.01.446>.

- Strand, N. *et al.* (2024) 'Diabetic Neuropathy: Pathophysiology Review', *Current Pain and Headache Reports*, 28(6), pp. 481–487. Available at: <https://doi.org/10.1007/s11916-024-01243-5>.
- Sun, J. *et al.* (2020) 'Prevalence of peripheral neuropathy in patients with diabetes: A systematic review *and* meta-analysis', *Primary Care Diabetes*, 14(5), pp. 435–444. Available at: <https://doi.org/10.1016/j.pcd.2019.12.005>.
- Swearingen, D. *et al.* (2018a) 'Pharmacokinetics of immediate release, extended release, *and* gastric retentive gabapentin formulations in healthy adults', *International Journal of Clinical Pharmacology and Therapeutics*, 56(5), pp. 231–238. Available at: <https://doi.org/10.5414/CP203166>.
- Swearingen, D. *et al.* (2018b) 'Pharmacokinetics of immediate release, extended release, *and* gastric retentive gabapentin formulations in healthy adults', *International Journal of Clinical Pharmacology and Therapeutics*, 56(5), pp. 231–238. Available at: <https://doi.org/10.5414/CP203166>.
- Takase, R. *et al.* (2022) 'The Relationship Between Edema *and* Body Functions in Patients With Chronic Kidney Disease : A Preliminary Study', 14(7). Available at: <https://doi.org/10.7759/cureus.27118>.
- Tao, Y. *et al.* (2025) 'Prevalence *and* risk factors of painful diabetic neuropathy: A systematic review *and* meta-analysis', *Diabetes Research and Clinical Practice*, 222(December 2024), p. 112099. Available at: <https://doi.org/10.1016/j.diabres.2025.112099>.
- Usman, M. *et al.* (2023) 'Efficacy of Gabapentin Versus Pregabalin in Patients of Painful Diabetic Peripheral Neuropathy', *Patients of Painful Diabetic Peripheral Neuropathy Seejph*, XXI, pp. 30–42.
- Wirastuti, K. *et al.* (2023) 'Perbandingan Efikasi Karbamazepin, Gabapentin Dan Amitriptilin Terhadap Nyeri Pada Penderita Polineuropati Diabetik', *Jurnal Sains Farmasi & Klinis*, 10(2), p. 205. Available at: <https://doi.org/10.25077/jsfk.10.2.205-210.2023>.
- Wondmkun, Y.T. (2020) 'Obesity, insulin resistance, *and* type 2 diabetes: Associations *and* therapeutic implications', *Diabetes, Metabolic Syndrome and Obesity*, 13, pp. 3611–3616. Available at: <https://doi.org/10.2147/DMSO.S275898>.
- Yagihashi, S., Mizukami, H. *and* Sugimoto, K. (2011) 'Mechanism of diabetic neuropathy: Where are we now *and* where to go?', *Journal of Diabetes Investigation*, 2(1), pp. 18–32. Available at: <https://doi.org/10.1111/j.2040-1124.2010.00070.x>.

- Yang, Y. *et al.* (2025) 'Diabetic neuropathy: cutting-edge research *and* future directions', *Signal Transduction and Targeted Therapy*, 10(1). Available at: <https://doi.org/10.1038/s41392-025-02175-1>.
- Yasaei, R. *et al.* (2025) 'Gabapentin', *NCBI Bookshelf*, pp. 27–32. Available at: https://doi.org/10.1007/978-3-031-84274-0_4.
- Yin, J. *et al.* (2024) 'A Narrative Review of Diabetic Macroangiopathy: From Molecular Mechanism to Therapeutic Approaches', *Diabetes Therapy*, 15(3), pp. 585–609. Available at: <https://doi.org/10.1007/s13300-024-01532-7>.
- Zaino, B. *et al.* (2023) 'Diabetic neuropathy: Pathogenesis *and* evolving principles of management', *Disease-a-Month*, 69(9). Available at: <https://doi.org/10.1016/j.disamonth.2023.101582>.
- Zakiyah, W. *et al.* (2022) 'Literature Review : Study of Molecular Mechanism Level of NSAID Class Of Drugs As COX-2 Inhibitors', *Jurnal Eduhealt*, 13(02), p. 2022. Available at: <http://ejournal.seaninstitute.or.id/index.php/health>.
- Zand, L., McKian, K.P. *and* Qian, Q. (2010) 'Gabapentin Toxicity in Patients with Chronic Kidney Disease: A Preventable Cause of Morbidity', *American Journal of Medicine*, 123(4), pp. 367–373. Available at: <https://doi.org/10.1016/j.amjmed.2009.09.030>.
- Zhulhajsyirah, Z., Wahyudin, E. *and* Tammas, J. (2018) 'Efektivitas Dan Efek Samping Penggunaan Gabapentin Pada Pasien Neuropati Diabetik Di Rsup Dr. Wahidin Sudirohusodo Makassar', *Majalah Farmasi dan Farmakologi*, 22(2), pp. 44–47. Available at: <https://doi.org/10.20956/mff.v22i2.5699>.
- Ziegler, D. *et al.* (2014) 'Impact of comorbidities on pharmacotherapy of painful diabetic neuropathy in clinical practice', *Journal of Diabetes and its Complications*, 28(5), pp. 698–704. Available at: <https://doi.org/10.1016/j.jdiacomp.2014.04.004>.