

DAFTAR PUSTAKA

- Ani, N., 2016, Formulasi Tablet Paracetamol Secara Kempa Langsung Dengan Menggunakan Variasi Konsentrasi Amilum Umbi Jalar (*Ipomea batatas Lamk.*) sebagai Penghancur, *As-Syifaa*, **8** (2), 64–74.
- Anonim, 1979, *Farmakope Indonesia*, Edisi III, Departemen Kesehatan RI, Jakarta.
- Anonim, 2013, *Farmakope Indonesia*, Edisi V, Kementerian Kesehatan RI, Jakarta.
- Anonim, 2020, *Farmakope Indonesia*, Edisi VI, Kementerian Kesehatan RI, Jakarta.
- Anonim, 2014, *British Pharmacopoeia*, Department of Health, London.
- Anonim, 2019, *British Pharmacopoeia*, Department of Health, London.
- Aprilianio, E., Lusia, O., Ruma, K., Sari, E., Deddy, I., 2017, Optimasi Sodium Starch Glycolate dan Crospovidone sebagai Superdisintegran dalam Sediaan Orally Disintegrating Tablet Meloksikam. *E-Jurnal Pustaka Kesehatan*, **5** (3), 399-400.
- Aulton, M.E., 2002, *Pharmaceutics: The Science of Dosage Form Design*, Edisi ke-2, Churchill Livingstone, Edinburgh.
- Battu, S.K., Repka, M.A., Majumdar, S., Madhusudan, R.Y., 2007, Formulation and Evaluation of Rapidly Disintegrating Fenoverine Tablets: Effect of Superdisintegrants, *Drug Dev. Ind. Pharm.*, **33**(11), 1225–1232.
- Bowles, B.J., Dziemidowicz, K., Lopez, F.L., Orlu, M., Tuleu, C., Edwards, A.J., Ernest, T.B., 2018, Co-Processed Excipients for Dispersible Tablets-Part 1: Manufacturability, *AAPS PharmSciTech*, **19** (6), 2598–2609.

- Callahan, J.C., Cleary, G.W., Elefant, M., Kaplan, G., Kensler, T., Nash, R.A., 1982, Equilibrium Moisture Content of Pharmaceutical Excipients, *Drug Dev. Ind. Pharm.*, **8** (3), 355–369.
- Chauhan, K., Solanki, R., Sharma, S., 2018, A Review on Fast Dissolving Tablet, *Int. J. Appl. Pharm.*, **10** (6), 1–7.
- Cheiya, I.V., Rusli, R., Fitriani, N., 2023, Pemanfaatan Limbah Pati Kulit Pisang (*Musa paradisiaca*) sebagai Bahan Pengikat Granul Parasetamol dengan Metode Granulasi Basah, *J. Sains Kesehat.*, **5** (1), 44–49.
- Christianti, A.M., Sulaiman, T.N.S., 2016, Pengaruh Kombinasi Pearlitol® 400 DC dan Croscarmellose Sodium terhadap Sifat Fisik Fast Disintegrating Tablet Hidroklorotiazid, *Maj. Farmaseutik*, **12** (1), 378 – 383
- Comoglu, T., Ozyilmaz, E.D., 2019, Novel Dosage Forms for Pediatric Use, *Pharm. Dev. Technol.*, **24** (7), 902–914.
- Desai, P.M., Er, P.X., Liew, C.V., Heng, P.W.S., 2014, Functionality of disintegrants and their mixtures in enabling fast disintegration of tablets by a quality by design approach, *AAPS PharmSciTech*, **15**, 1093–1104.
- Desai, P.M., Liew, C.V., Heng, P.W.S., 2016, Review of Disintegrants and Disintegration Phenomena, *J. Pharm. Sci.*, **105** (9), 2545–2555.
- DFE Pharma, 2019, SuperTab® (Spray-Dried and Granulated Lactose) for Oral Solid Dosage Forms, <https://dfepharma.com/excipients/supertab-11sd/>
- DFE Pharma, 2025, Primojel® (Sodium Starch Glycolate) Product Information, <https://dfepharma.com/excipients/primojel/>

- Ejeta, F., 2023, Orally Disintegrating Tablets, Dosage Forms – Innovation and Future Perspectives, *IntechOpen*, 3 – 5 .
- Ejeta, F., Gabriel, T., Joseph, N.M., Belete, A., 2021, Formulation and Optimization of Fast Disintegrating Tablets, *Curr. Drug Deliv.*, **19**, 129–141.
- Farahiyah, D., Sulaiman, T.N.S., 2021, Pengaruh kombinasi Superdisintegrant Crospovidone dan Croscarmellose Sodium pada sifat fisik dan disolusi Fast Disintegrating Tablet Hidroklorotiazid, *Maj. Farmaseutik*, **17** (1), 140.
- Fatmala, R., Nur'aini, Zaky, M., 2017, Formulasi dan Evaluasi Fisik Orally Disintegrating Tablet Zinc dengan Menggunakan Croscarmellose Sodium sebagai Superdisintegran, *Farmagazine*, **4** (1), 1–9.
- Food and Drug Administration, 2008, Guidance for Industry: Orally Disintegrating Tablets, <https://www.fda.gov/media/70877/download>, Desember 2008.
- Ghourichay, M.P., Kiaie, S.H., Nokhodchi, A., Javadzadeh, Y., 2021, Formulation and Quality Control of Orally Disintegrating Tablets (ODTs): Recent Advances and Perspectives, *BioMed Res. Int.*, 1—12.
- Guest, R.T., 2019, Croscarmellose Sodium, Handbook of Pharmaceutical Excipients, Pharmaceutical Press.
- Hidayati, N., Sulaiman, T.N.S., Nurhaini, R., 2021, Optimization formula of fast disintegrating tablets Ketoprofen β -cyclodextrin inclusion complex with sodium starch glycolate and crospovidone as the superdisintegrants, *J. Phys. Conf. Ser.*, **1517**, 2—5.
- Irvine, J., Afrose, A., Islam, N., 2018, Formulation and Delivery Strategies of Ibuprofen, *Drug Dev. Ind. Pharm.*, **44** (2), 173–183.

- Lachman, L., Lieberman, H.A., Kanig, J.L., 1994, Teori dan Praktek Farmasi Industri, Universitas Indonesia Press, Jakarta.
- Maheshwari, S., Singh, A., Varshney, A.P., Sharma, A., 2024, Advancing oral drug delivery: The science of fast dissolving tablets (FDTs), *Intell. Pharm.*, **2** (4), 580–587.
- Mangal, M., Thakral, S., Goswani, M., Ghai, P., 2012, Superdisintegrant: An Updated Review, *Int. J. Pharm. Sci.*, **2** (2), 26–35.
- Markl, D., Zeitler, J.A., 2017, A Review of Disintegration Mechanisms and Measurement Techniques, *Pharm. Res.*, **34** (5), 890–917.
- Mishra, S.M., Rohera, B.D., 2017, An integrated, quality by design (QbD) approach for design, development and optimization of orally disintegrating tablet formulation of carbamazepine, *Pharm. Dev. Technol.*, **22** (7), 889–903.
- Montgomery, D.C., 2017, Design and Analysis of Experiments, Edisi ke-9, John Wiley & Sons.
- Murikipudi, V., Gupta, P., Sihorkar, V., 2013, Efficient throughput method for hygroscopicity classification of active and inactive pharmaceutical ingredients by water vapor sorption analysis, *Pharm. Dev. Technol.*, **18**, 348–358.
- Omar, S., AbdAlla, F., Abdelgawad, N., 2017, Effect of Mannitol on Lyophilized FDT, *J. Adv. Pharm. Res.*, **1**(4), 228–233.
- Parfati, N., Rani, K. C., Saputra, I. W. G. A., 2017. Pengaruh Co-Process Superdisintegran Crospovidone-Croscarmellose Sodium (1:3) pada Sediaan Orally Disintegrating Tablet Atenolol- β -Siklodekstrin, **1** (4), 211—221.

- Parfati, N. & Rani, K.C., 2018, Buku Ajar Sediaan Tablet Orodispersibel, Fakultas Farmasi, Universitas Surabaya, Surabaya.
- Parfati, N., Rani, K. C., Charles, N., Geovanny, V., Pradnya, D. P., & Paramartha, 2018, Formulasi Orally Disintegrating Tablet Atenolol- β -siklodekstrin menggunakan Co-process Superdisintegran Crospovidone-Sodium Starch Glycolate, *Media Pharmaceutica Indonesiana*, **1** (4), 197—200.
- Prakash, J., Jagtap, V., Madane, S., Velhal, A., Thorat, A., 2025, Development and Comparative Evaluation of Polyherbal Formulations Comprising Herbal Extracts for Diabetes Management, *Int. J. Pharm. Sci.*, **3** (9), 404—415.
- Rahmawati, T.E., Trisnaningtyas, M., 2024, Pengaruh Perbedaan Metode Pembuatan Fast Disintegrating Tablet Ibuprofen terhadap Karakteristik Tablet, *J. Farmasi*, **8** (2), 45—52.
- Reshma, K.J., Senthila, S., 2020, Superdisintegrants and Their Inevitable Role in Orodispersible Tablet, *Int. J. Res. Rev.*, **7**, 462—471.
- Rohmani, S., Rosyanti, H., 2019, Perbedaan Metode Penambahan Bahan Penghancur Secara Intragranular-Ekstragranular Terhadap Sifat Fisik Serta Profil Disolusi Tablet Ibuprofen, *JPSCR*, **4** (2), 95.
- Rori, W.M., Paulina, 2016, Formulasi dan Evaluasi Sediaan Tablet Ekstrak Daun Gedi Hijau (*Abelmoschus Manihot*) dengan Metode Granulasi Basah, *Pharmacon*, **5** (2), 47—72.
- Rowe, R., Sheskey, P.J., Quinn, M.E., 2009, Handbook of Pharmaceutical Excipients, Pharmaceutical Press.

- Rustiani, E., Andini, S., Musnawati, M., 2019, Formulasi Fast Desintegrating Tablet (FDT) Sari Buah Jambu Biji Merah dengan Perbedaan Konsentrasi Ac-Disol, *Pharm. Biomed. Sci. J.*, **1** (1), 14—16.
- Shaddy, S.M., Arnold, M.A., Shilo, K., 2017, Crospovidone and Microcrystalline Cellulose: A Novel Description of Pharmaceutical Fillers in the Gastrointestinal Tract, *Am. J. Surg. Pathol.*, **41** (4), 564–569.
- Sharimina, V.G., Gozali, D., 2018, Review Artikel: Formulasi dan Evaluasi Sediaan Granul Effervescent dan Sediaan Tablet dengan Metode Granulasi Basah, *Farmaka*, **16** (1), 117–123.
- Somnath, K.S., 2024, Superdisintegrants: An Overview, *Int. J. Pharm. Sci.*, **2** (1), 77–89.
- Susilowati, S., Purnamasari, N.A.D., 2018, Evaluasi Orally Disintegrating Tablet (Odt) Famotidin Variasi Superdisintegrant Starch 1500 Dan Crospovidone, *Biomedika*, **11** (2), 95–102.
- Syofyan, Y., Yanuarto, T., Octavia, M.D., 2015, Pengaruh Kombinasi Magnesium Stearat dan Talkum sebagai Lubrikan terhadap Profil Disolusi Tablet Ibuprofen, *J. Sains Farm. Klin.*, **1** (2), 195–206.
- United States Pharmacopeial Convention, 2023, USP 46–NF 41, United States Pharmacopeial Convention.
- United States Pharmacopeial Convention, 2024, USP-NF 2024, United States Pharmacopeial Convention.

- Varrassi G, Yeam CT, Rekatsina M, Pergolizzi JV, Zis P, Paladini A., 2020, The Expanding Role of the COX Inhibitor/Opioid Receptor Agonist Combination in the Management of Pain, *Drugs*, **80** (14):1443-1453
- Wati, N.K., 2020, Formulasi *Orally Disintegrating Tablet* (ODT) Meloksikam Menggunakan *Crospovidone* sebagai Superdisintegran, *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Islam Indonesia Yogyakarta.
- Wren, S.A.C., Alhusban, F., Barry, A.R., Hughes, L.P., 2017, Mechanistic understanding of the link between Sodium Starch Glycolate properties and the performance of tablets made by wet granulation, *Int. J. Pharm.*, **529** (1—2), 319–328.
- Zarmpi, P., Flanagan, T., Meehan, E., Mann, J., Fotaki, N., 2017, Biopharmaceutical aspects and implications of excipient variability in drug product performance, *Eur. J. Pharm. Biopharm.*, **111**, 1–15.