

DAFTAR PUSTAKA

- Abdelbaky, M., Abdelghany, A.M., Oraby, A.H., and Rashad, M.M., 2025, Ultraviolet-stimulated photocatalysis of crystal violet using (Gd_(2-x)La_(x)Zr_(2-x)Sn_(x)O₇) pyrochlore nanoparticles, *Appl. Water Sci.*, 15, 168.
- Ali, S.G., Jalal, M., Ahmad, H., Sharma, D., Ahmad, A., Umar, K., and Khan, H.M., 2022, Green synthesis of silver nanoparticles from camellia sinensis and its antimicrobial and antibiofilm effect against clinical isolates, *Materials*, 19(15), 6978.
- Alothoum, M.A.S., 2025, A review of the synthesis, structural, and optical properties of TiO₂ nanoparticles: current state of the art and potential applications, *Crystals*, 15, 944.
- Al-Salihi, S., Bayati, M., Jasim, A.M., Fidalgo, M.M., and Xing, Y., 2022, Magnetic mesoporous TiO₂/Fe₃O₄ nanocomposite adsorbent for removal of sulfamethazine from water, *Environ. Adv.*, 9.
- Anushya, S.A., and Philominal, A., 2024, Efficient photocatalytic degradation of crystal violet using quaternized reduced graphene oxide nanocomposite, *Diam. Relat. Mater.*, 149.
- Berehe, B.A., Desalew, A.A., Derbe, G.W., Misganaw, D.M., Mohammed, K.S., Chang, J.Y., and Girma, W.M., 2025, Enhanced photocatalytic degradation of methylene blue dye via valorization of a polyethylene terephthalate plastic waste-derived metal-organic framework-based ZnO@Co-BDC composite catalyst, *Nanoscale Adv.*, 12(7), 3834–3845.
- Bohra, M., Agarwal, N., and Singh, V., 2019, A short review on verwey transition in nanostructured Fe₃O₄ materials, *J. Nanomater.*, 1—18.
- Boudechiche, N., Morante, N., Sannino, D., Monzillo, K., Trari, M., and Sadaoui, Z., 2024, Enhanced visible-light photocatalysis activity of TiO₂/Ag nanocomposites prepared by the ultrasound-assisted sol-gel method: characterization and degradation-mineralization of cationic and anionic dyes, *Catalysts*, 14(12), 883.
- Chang, C., Rad, S., and Gan, L., 2023, Review of the sol-gel method in preparing nano TiO₂ for advanced oxidation process, *Nanotechnol. Rev.*, 12.
- Darzi, S.J., and Bastami, H., 2022, Au decorated mesoporous TiO₂ as a high performance photocatalyst towards crystal violet dye, *Adv. J. Chem. A.*, 5(1), 22—30.

- Gabelica, I., Curkovi, L., Mandi, V., Panzi, I., Ljubas, D., and Zadro, K., 2021, Rapid microwave-assisted synthesis of Fe₃O₄/SiO₂/TiO₂ core-2-layer-shell nanocomposite for photocatalytic degradation of ciprofloxacin. *Catalysts*, 11(10), 1136.
- Gebrezgiabher, M., Gebreslassie, G., Gebretsadik, T., Yeabyo, G., Elemo, F., Bayeh, Y., Thomas, M., and Linert, W., 2019, A C-doped TiO₂/Fe₃O₄ nanocomposite for photocatalytic dye degradation under natural sunlight irradiation, *J. Compos. Sci.*, 3(3), 75.
- Gogoi, D., Namdeo, A., Golder, A.K., and Peela, N.R., 2020, Ag-doped TiO₂ photocatalysts with effective charge transfer for highly efficient hydrogen production through water splitting, *Int. J. Hydrog. Energy*, 4(45), 2729–2744.
- Gupta, T., Samriti, Cho, J., and Prakash, J., 2021, Hydrothermal synthesis of TiO₂ nanorods: formation chemistry, growth mechanism, and tailoring of surface properties for photocatalytic activities, *Mater. Today Chem.*, 20, 1—40.
- Halim, W., Eddahbi, A., Mouna, S.I., Kassiba, A., and Ouaskit, S., 2024, Synthesis of perfect TiO₂ nanospheres decorated by silver shell nanoparticles for photocatalytic applications, *J. Clust. Sci.*, 35, 1777—1786.
- Huang, F., Yan, A., and Zhao, H., 2016, Influences of doping on photocatalytic properties of TiO₂ photocatalyst, *Semiconductor Photocatalysis*. 2, 32—80.
- Jung, H.Y., Yeo, I.S., Kim, T.U., Ki, H.C., and Gu, H.B., 2018, Surface plasmon resonance effect of silver nanoparticles on a TiO₂ electrode for dye-sensitized solar cells, *Appl. Surf. Sci.*, 432, 266–271.
- Khashan, S., Dagher, S., Tit, N., Alazzam, A., Obaidat, I., 2017, Novel method for synthesis of Fe₃O₄ @ TiO₂ core/shell nanoparticles, *Surf. Coat. Technol.*, 322, 92—98.
- Khlyustova, A., Sirotkin, N., Kusova, T., Kraev, A., Titov, V., and Agafonov, A., 2020, Doped TiO₂: the effect of doping elements on photocatalytic activity, *Mater. Adv.*, 5(1), 1193—1201.
- Kim, Y.S., Jin, H.J., Jung, H.R., Kim, J., Nguyen, B.P., Kim, J., and Jo, W., 2021, Reduced extrinsic recombination process in anatase and rutile TiO₂ epitaxial thin films for efficient electron transport layers, *Sci. Rep.*, 11, 6810.

- Koo, K.N., Ismail, A.F., Othman, M.H.D., Rahman, M.A., and Sheng, T.Z., 2019, Preparation and characterization of superparamagnetic magnetite nanoparticles: a short review, *Mal. J. Fund. Appl. Sci.*, 1(15), 23—31.
- Kunarti, E.S., Kartini, I., Syoufian, A., and Widyandari, K.M., 2018, Synthesis and photoactivity of Fe₃O₄/TiO₂-Co as a magnetically separable visible light responsive photocatalyst, *Indones. J. Chem.* 3(18), 403—410.
- Lee, S.Y., and Park, S.J., 2013, TiO₂ photocatalyst for water treatment applications, *J. Ind. Eng. Chem.*, 19, 1761—1769.
- Low, J., Cheng, B., and Yu, J., 2017, Surface modification and enhanced photocatalytic CO₂ reduction performance of TiO₂ : a review, *Appl. Surf. Sci.*, 392, 658—686.
- Mali, D.G., Patil, S.P., Sonawane, G.H., Bhadane, B.S., and Mahajan, V.K., 2025, Synthesis of TiO₂ and Ag/Cu doped TiO₂ nanoparticles in green approach and assess their structural, morphological, and photocatalytic applications, *Hybrid Adv.*, 10, 1—16.
- Mancuso, A., Blangetti, N., Sacco, O., Freyria, F.S., Bonelli, B., Esposito, S., Sannino, D., and Vaiano, V., 2023, Photocatalytic degradation of crystal violet dye under visible light by Fe-doped TiO₂ prepared by reverse-micelle sol-gel method, *Nanomaterials*, 2(13), 270.
- Mani, S., and Bharagava, R.N., 2016, Exposure to crystal violet, its toxic, genotoxic and carcinogenic effects on environment and its degradation and detoxification for environmental safety, *Rev. Environ. Contam. Toxicol.* 237, 71—104.
- Moosavi, S., Li, R.Y.M., Lai, C.W., Yusof, Y., Gan, S., Akbarzadeh, O., Chowhury, Z.Z., Yue, X.G., and Johan, M.R., 2020, Methylene blue dye photocatalytic degradation over synthesised Fe₃O₄/AC/TiO₂ nanocatalyst: degradation and reusability studies, *Nanomaterials*, 12(10), 1—15.
- Nabavi, N., Peyda, M., and Sadeghi, G., 2017, The photocatalytic kinetics of the methyl orange degradation in the aqueous suspension of irradiated TiO₂, *J. Hum. Environ. Health Promot.*, 2(3), 154—160.
- Nadimi, M., Saravani, Z., Aroon, M.A., and Pirbazari, A.E., 2019, Photodegradation of methylene blue by a ternary magnetic TiO₂/Fe₃O₄/graphene oxide nanocomposite under visible light, *Mater. Chem. Phys.*, 225, 464—474.

- Naik, B., Kim, S.M., Jung, C.H., Moon, S.Y., Kim, S.H., and Park, J.Y., 2014, Enhanced H₂ generation of Au-loaded, nitrogen-doped TiO₂ hierarchical nanostructures under visible light, *Adv. Mater. Interfaces*, 1(1), 1—6.
- Nasikhudin, D. M., Kusumaatmaja, A., and Triyana, K., 2018, Study on photocatalytic properties of TiO₂ nanoparticles in various pH condition, *J. Phys.: Conf.Ser.*, 1011(1).
- Nedelkovsi, V., Radovanovic, M., and Antonijevic, M., 2025, Advances in photocatalytic degradation of crystal violet using ZnO-based nanomaterials and optimization possibilities: a review, *ChemEngineering*, 9(6), 120.
- Nosaka, Y., and Nosaka, A.Y., 2017, Generation and detection of reactive oxygen species in photocatalysis. *Chem. Rev.*, 117, 11302–11336.
- Nyankson, E., Awuzah, D., Tiburu, E.K., Efavi, J.K., Tuffour, B.A., and Paemka, L., 2022, Curcumin loaded Ag-TiO₂-halloysite nanotubes platform for combined chemo-photodynamic therapy treatment of cancer cells, *RSC Adv.* 12(51), 33108—33123.
- Padanekar, RS., Shaikh, S.K., and Rajpure, K.Y., 2020, Thin film photocatalysis for environmental remediation: a status review, *Curr. Appl. Phys.*, 20, 931—952.
- Pradipta, A.R., Enriyani, R., Rahmatia, L., dan Utami, A., 2021, Sintesis nanokomposit Fe₃O₄/TiO₂ sebagai fotokatalis yang dapat diambil kembali dalam fotoreduksi limbah ion perak (I), *Warta AKAB*, 1(45), 32—39.
- Rahmi, Lubis, S., Az-Zahra, N., Puspita, K., and Iqhrammullah, M., 2021, Synergetic photocatalytic and adsorptive removals of metanil yellow using TiO₂/ grass-derived cellulose/chitosan film composite, *Int. J. Eng. Trans. B: Appl.*, 8(34), 184—191
- Rafiq, A., Ikram, M., Ali. S., Niaz, F., Khan, M., Khan, Q., and Maqbool, M., 2021, Photocatalytic degradation of dyes using semiconductor photocatalysts to clean industrial water pollution, *J. Ind. Eng. Chem.*, 97, 111–128.
- Ravichandran, G., and Santhosh, N., 2024, Synthesis, properties, and applications of polymer nanocomposites, *J. Mines Met. Fuels*, 72(6), 611–619.
- Reza, K.M., Kurny, A.S.W., and Gulshan, F., 2017, Parameters affectin the photocatalytic degradation of dyes using TiO₂: a review, *Appl. Water Sci.*, 7, 1569—1578.

- Roy, J., 2022, The synthesis and applications of TiO₂ nanoparticles derived from phytochemical sources, *J. Ind. Eng. Chem.*, 106, 1—19.
- Salamat, S., Younesi, H., and Bahramifar, N., 2017, Synthesis of magnetic core-shell Fe₃O₄@TiO₂ nanoparticles from electric arc furnace dust for photocatalytic degradation of steel mill wastewater, *RSC Adv.*, 7, 19391—19405.
- Sari, R., Hasan, W.L., and Hendradi, E., 2024, Green synthesis of antimicrobial silver nanoparticles using green tea extract: the role of concentration and pH, *J. Sains Farm. Klin.*, 11(1), 25—31.
- Saszet, K., Guliman, S., Szalma, L., Szekely, I., Teteian, R., Todea, M., Szamosvolgyi, A., Pop, M.M., Tudoran, L.B., Magyari, K., Pop, L.C., Pap, Z., and Baia, L., 2025, Recyclable TiO₂ - Fe₃O₄ magnetic composites for the photocatalytic degradation of paracetamol: comparative effect of pure anatase and mixed-phase P25 TiO₂, *Catalysts*, 15(9), 839.
- Setyawan, H.P., dan Suryani, O., 2024, Modified titanium oxide with metal doping as photocatalyst in photochemical water splitting, *Jurnal Sains Natural*, 14, 1—12.
- Shah, S.I.A., Ahmad, W., Anwar, M., Shah, R., Khan, J.A., Shah, N.S., Al-Anazi, A., and Han, C., 2025, Synthesis, properties, and applications of Fe₃O₄ and Fe₃O₄ based nanocomposites: a review, *Appl Catal O Open*, 203.
- Shahzadi, S., Fatima, S., Ul Ain, Q., Shafiq, Z., and Janjua, M.R.S.A., 2025, A review on green synthesis of silver nanoparticles (SNPs) using plant extracts: a multifaceted approach in photocatalysis, environmental remediation, and biomedicine, *RSC Adv.*, 15(5), 3858—3903.
- Stozhko, N., Tarasov, A., Tamoshenko, V., Bukharinova, M., Khamzina, E., and Kolotygina, V., 2024, Green silver nanoparticles: plant-extract-mediated synthesis, optical and electrochemical properties, *Physchem*, 4(4), 402—419.
- Taib, S., dan Suharyadi, E., 2015, Sintesis nanopartikel magnetit dengan template silika dan karakterisasi sifat kemagnetannya., *Indones. J. Appl. Phys.*, 1(5), 1—23.
- Trant, J.F., and Taimoory, S.M., 2017, Importance of the inter-electrode distance for the electrochemical synthesis of magnetite nanoparticles: synthesis, characterization, computational modelling, and cytotoxicity, *J. Surf. Sci. Nanotech.*, 15, 31—39.

- Tseng, W.J., Chuang, Y.C., and Chen, Y.A., 2018, Mesoporous $\text{Fe}_3\text{O}_4@\text{Ag}@\text{TiO}_2$ nanocomposite particles for magnetically recyclable photocatalysis and bactericide, *Adv. Powder Technol.*, 29, 664—671.
- Tukan, D.N., Tambunan, L.R., Kustomo, dan Rasidah, 2023, A review: optimum conditions for magnetite synthesis, *J. Ilm. Berk. Sains Terap. Kim.*, 2(17), 15—21.
- Yahya, S.N., Istiqomah, N.I., Sari, E.K., Asri, N.S., Darmawan, M.Y., Tumbelaka, R.M., Adrianto, N., and Suharyadi, E., 2025, Photodegradation of organic water pollutants using magnetically separable and reusable novel Ag-doped $\text{Fe}_3\text{O}_4/\text{TiO}_2$ nanocomposites synthesized by green route, *Inorg. Chem. Commun.*, 172.
- Zhong, R., Yang, W., Gao, H., Wang, T., Zhang, D., Wu, H., Zhou, R., Wu, Y., Kong, C., Yang, Z., Zhang, H., Zhu, H., and Su, F., 2022, Magnetically recyclable mxene derived N-doped $\text{TiO}_2@\text{C}@\text{Fe}_3\text{O}_4$ nanosheets for enhanced degradation of organic pollutants via photo-fenton, *Colloids Surf. A:Physicochem. Eng. Asp.*, 655.