

DAFTAR PUSTAKA

- APHA. (2023). *Standard Methods for the Examination of Water and Wastewater* (24th ed.). Washington, D.C.: American Public Health Association.
- Asdak, C. (2014). *Hidrologi dan pengelolaan daerah aliran sungai*. Gadjah Mada University Press.
- Astuti, A., et al. (2023). Aplikasi citra Landsat multitemporal untuk analisis distribusi *Total Suspended Solid* (TSS) di Waduk Gajah Mungkur tahun 2012-2022. *Jurnal Penginderaan Jauh dan Sistem Informasi Geografis*, 15(2), 45–60.
- Badan Meteorologi, Klimatologi, dan Geofisika. (2025). *Data curah hujan harian Stasiun Geofisika Banjarnegara tahun 2017–2025*. Stasiun Geofisika Banjarnegara.
- BMKG. (2023). *Dampak Lanjutan Kemarau Kering, BMKG Sebut Sektor Ini akan Sangat Terpakul*. Siaran Pers BMKG. Jakarta.
- BMKG / SPAG Lore Lindu Bariri. (2025). *Ketika Laut Memanas, Dunia Berubah: El Niño Super 2023–2024 dan Dampaknya*. Badan Meteorologi, Klimatologi, dan Geofisika.
- Badan Pelaksana PSKS. (1993). *Laporan akhir studi kelayakan Waduk Sempor*. Kementerian Pekerjaan Umum.
- Badan Standardisasi Nasional. (2011). *Pengukuran dan penghitungan cadangan karbon: Pengukuran lapangan untuk penaksiran cadangan karbon hutan* (SNI 7724:2011). Jakarta.
- Bajwa, S. G., & Mishra, A. R. (2006). Effect of suspended sediment and chlorophyll concentrations on water reflectance. *International Agricultural Engineering Journal*, 15(1), 1–10.
- Balai Besar Wilayah Sungai Serayu Opak. (2025). *Rekapitulasi data curah hujan harian pos duga air DAS Serayu tahun 2017–2025*. Kementerian Pekerjaan Umum dan Perumahan Rakyat.
- Bilotta, G. S., & Brazier, R. E. (2008). Understanding the influence of suspended solids on water quality and aquatic biota. *Water Research*, 42(12), 2849–2861.

- Brando, V. E., & Dekker, A. G. (2003). Satellite hyperspectral remote sensing for estimating estuarine and coastal water quality. *International Journal of Remote Sensing*, 24(17), 3445–3466.
- Broto, W., & Susanto, A. (2008). *Manajemen sumber daya air terpadu*. Penerbit Andi.
- Budhiman, S., Murtini, S., & Syarif, I. (2004). Study on suspended sediment distribution using remote sensing data. Dalam *Proceedings of the 25th Asian Conference on Remote Sensing*.
- Budhiman, S., & Parwati, I. (2014). Pemetaan *Total Suspended Solid* (TSS) menggunakan citra satelit Landsat 8 di perairan Delta Mahakam. *Jurnal Ilmu Kelautan*, 19(3), 123–135.
- Cahyono, A., et al. (2022). Analisis perubahan sedimentasi *Total Suspended Solids* (TSS) menggunakan citra satelit Sentinel-2A (Studi kasus: Waduk Wonorejo, Kabupaten Tulungagung). *Jurnal Geografi*, 14(1), 78–92.
- Caballero, I., Steinmetz, F., & Navarro, G. (2018). Evaluation of the first year of operational Sentinel-2A data for retrieval of suspended solids in medium- to high-turbidity waters. *Remote Sensing*, 10(7), 982. <https://doi.org/10.3390/rs10070982>
- Campbell, J. B. (2007). *Introduction to remote sensing*. Guilford Press.
- Cao, Y., et al. (2022). Impact of anthropogenic activities on water quality parameters in freshwater reservoirs: A global review. *Environmental Science and Pollution Research*, 29(4), 5678–5690.
- Chavez, P. S. (1988). An improved dark-object subtraction technique for atmospheric scattering correction of multispectral data. *Remote Sensing of Environment*, 24(3), 459–479.
- Chavez, P. S. (1996). Image-based atmospheric corrections revisited and improved. *Photogrammetric Engineering and Remote Sensing*, 62(9), 1025–1036.
- Christanto, N., Setiawan, M. A., Nurkholis, A., Istiqomah, S., Sartohadi, J., & Hadi, M. P. (2018). Analisis laju sedimen DAS Serayu Hulu dengan menggunakan model SWAT. *Majalah Geografi Indonesia*, 32(1), 50.
- Chen, X., et al. (2010). Effects of suspended solids on aquatic ecosystems: A review. *Journal of Environmental Management*, 91(11), 2304–2312.

- Cheng, C., Wei, Y., Xu, J., & Yuan, Z. (2013). Remote sensing estimation of Chlorophyll a and suspended sediment concentration in turbid water based on spectral separation. *Optik*, 124(22), 5584–5589.
- Danoedoro, P. (1996). *Pengolahan citra digital: Teori dan aplikasi dalam bidang penginderaan jauh*. Fakultas Geografi UGM.
- Danoedoro, P. (2012). *Pengantar penginderaan jauh digital*. Penerbit Andi.
- Donato, D. C., et al. (2011). Mangroves among the most carbon-rich forests in the tropics. *Nature Geoscience*, 4, 293–297.
- Drusch, M., et al. (2012). Sentinel-2: ESA's optical high-resolution mission for GMES operational services. *Remote Sensing of Environment*, 120, 25–36.
- Du, Y., et al. (2022). Spatial-temporal dynamics of suspended solids in freshwater reservoirs: A remote sensing approach. *Water Resources Research*, 58(3), e2021WR030456.
- Effendi, H. (2003). *Telaah kualitas air bagi pengelolaan sumber daya dan lingkungan perairan*. Kanisius.
- Elachi, C., & Zyl, V. J. (2006). *Introduction to the physics and techniques of remote sensing*. John Wiley & Sons Inc.
- ESA. (2015). *Sentinel-2 user handbook*. ESA Publications.
- ESA. (2020). *Sentinel-2 MSI technical guide*. <https://sentinel.esa.int/web/sentinel/technical-guides/sentinel-2-msi>
- Fajar, A. (2022). Estimasi *Total Suspended Solid* (TSS) menggunakan citra Sentinel-2A di perairan pesisir Jawa Timur. *Jurnal Kelautan Nasional*, 17(2), 89–102.
- Faridzie, A., et al. (2023). Uji akurasi algoritma estimasi *Total Suspended Solid* (TSS) berbasis citra Sentinel-2A di muara banjir kanal timur, Semarang. *Jurnal Ilmu Lingkungan*, 21(1), 34–48.
- Forestriko, H. F., & Hartono. (2015). *Pemanfaatan citra Landsat 8 untuk estimasi stok karbon hutan mangrove di kawasan Segara Anakan Cilacap Jawa Tengah* (Skripsi). Universitas Gadjah Mada.
- Frananda, H., Hartono, & Jatmiko, R. H. (2015). Komparasi indeks vegetasi untuk estimasi stok karbon hutan mangrove kawasan Segoro Anak pada kawasan

Taman Nasional Alas Purwo Banyuwangi, Jawa Timur. *Majalah Ilmiah Globe*, 17, 113–123.

Gholizadeh, M. H., Melesse, A. M., & Reddi, L. (2016). A comprehensive review on water quality parameters estimation using remote sensing techniques. *Sensors*, 16(8), 1298.

Goodchild, M. F. (2007). Citizens as sensors: The world of volunteered geography. *GeoJournal*, 69(4), 211–221.

Harinaldi. (2005). *Prinsip-prinsip statistik untuk teknik dan sains*. Erlangga.

Hermawan, W., et al. (2013). Dampak *Total Suspended Solid* (TSS) terhadap kualitas air dan ekosistem perairan. *Jurnal Lingkungan Hidup*, 10(2), 45–56.

Huete, A. R., & Glenn, E. P. (2011). *Remote sensing of ecosystem structure and function*. CRC Press.

Indeswari, L. (2018). *Pemetaan Persebaran Total Suspended Solid (TSS) Dengan Memanfaatkan Citra Satelit Landsat Multitemporal dan Data In Situ (Studi Kasus: Perairan Muara Sungai Porong, Sidoarjo)* (Doctoral dissertation, Institut Teknologi Sepuluh Nopember).

Jaelani, L. M. (2016). Estimasi *Total Suspended Solid* (TSS) menggunakan citra Landsat 8 di perairan Gili Iyang, Sumenep. *Jurnal Penginderaan Jauh Indonesia*, 6(2), 67–78.

Jensen, J. R. (2005). *Introductory digital image processing: A remote sensing perspective*. Prentice Hall.

Jensen, J. R. (2014). *Remote sensing of the environment: An earth resource perspective* (2nd ed.). Pearson.

Jiyah, et al. (2017). Pengaruh *Total Suspended Solid* (TSS) terhadap produktivitas fitoplankton di perairan waduk. *Jurnal Limnologi*, 12(3), 112–125.

Johnston, K., Ver Hoef, J. M., Krivoruchko, K., & Lucas, N. (2001). *Using ArcGIS geostatistical analyst*. Esri Press.

Jungblut, S., Liebich, V., & Bode, M. (Eds.). (2018). *YOUMARES 8 – Oceans across boundaries: Learning from each other: Proceedings of the 2017 conference for YOUNg MARine REsearchers in Kiel, Germany*. Springer International Publishing. <https://doi.org/10.1007/978-3-319-93284-2>

- Karra, K., Kontgis, C., Statman-Weil, Z., Mazzariello, J. C., Mathis, M., & S., P. (2021). Global land use/land cover with Sentinel-2 and deep learning. Dalam *IGARSS 2021 - 2021 IEEE International Geoscience and Remote Sensing Symposium* (hlm. 4704–4707). <https://doi.org/10.1109/IGARSS47720.2021.9553499>
- Kutser, T. (2012). The possibility of using the Landsat image archive for monitoring long-term dynamics of water quality in coastal and inland waters. *Remote Sensing of Environment*, 118, 215–220.
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2008). *Remote sensing and image interpretation*. John Wiley & Sons Inc.
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). *Remote sensing and image interpretation* (7th ed.). John Wiley & Sons.
- Luo, W., Huang, M., Yang, J., & Wang, X. (2020, November). *Spectral simulation on remote sensing reflectance of oil sand algae mixed water using hydrolight*. Makalah dipresentasikan pada ACRS 2020 - 41st Asian Conference on Remote Sensing, Online.
- Louis, J., et al. (2016). Sentinel-2 Sen2Cor: L2A processor for users. Dalam *Proceedings of the Living Planet Symposium*.
- Main-Knorn, M., et al. (2017). Sen2Cor for Sentinel-2. Dalam *Proceedings of the ESA Living Planet Symposium*.
- Mather, P. M. (2004). *Computer processing of remotely sensed data: An introduction* (3rd ed.). John Wiley and Sons.
- Marhendi, T. (2017). Pengaruh faktor panjang kelerengan terhadap penentuan awal erosi lahan. *Jurnal Riset dan Teknologi*.
- McFeeters, S. K. (1996). The use of the Normalized Difference Water Index (NDWI) in the delineation of open water features. *International Journal of Remote Sensing*, 17(7), 1425–1432.
- Montgomery, D. C., Peck, E. A., & Vining, G. G. (2011). *Introduction to linear regression analysis* (5th ed.). Wiley.
- Nasution, A. (2008). *Kualitas air dan pengelolaan sumber daya perairan*. Universitas Indonesia Press.

- Nurmalasari, I., et al. (2018). Pemanfaatan citra Sentinel-2A untuk pemantauan kualitas air di Danau Toba. *Jurnal Penginderaan Jauh Indonesia*, 8(1), 23–35.
- Octaviana, A., et al. (2020). Analisis perubahan *Total Suspended Solid* (TSS) menggunakan algoritma C2RCC pada citra Sentinel-2A di Banjir Kanal Timur, Semarang. *Jurnal Ilmu Kelautan*, 25(2), 89–101.
- Ouillon, S. (2018). Why and how do we study sediment transport? Dalam *Sediment Dynamics* (hlm. 1–36).
- Ouma, Y. O., et al. (2020). Comparison of Sentinel-2 and Landsat-8 OLI in estimating suspended solids in tropical reservoirs. *Remote Sensing*, 12(5), 832.
- Parresol, B. (1999). Assessing tree and stand biomass: A review with examples and critical comparisons. *Forest Science*, 45, 573–593.
- Parwati, I. (2006). Estimasi *Total Suspended Solid* (TSS) menggunakan citra Landsat di perairan Berau, Kalimantan Timur. *Jurnal Ilmu Kelautan*, 11(3), 145–156.
- Pereira-Filho, W., da Silva, A. M. L., & Gomes, A. (2001). The impact of small boats on suspended sediment concentration in rivers. *Journal of Hydrology*, 250(1–4), 1–9.
- Purwadi, S. (2001). *Penginderaan jauh: Konsep dan aplikasi*. Penerbit ITB.
- Putri, R., et al. (2021). Analisis spasial-temporal kualitas air waduk menggunakan citra Sentinel-2A. *Jurnal Penginderaan Jauh dan Sistem Informasi Geografis*, 13(1), 56–70.
- Rahayu, S., & Candra, E. D. (2014). Koreksi radiometrik dan atmosferik pada citra satelit untuk analisis kualitas air. *Jurnal Penginderaan Jauh*, 5(2), 78–89.
- Robinson, I. S. (1985). *Satellite oceanography: An introduction for oceanographers and remote-sensing scientists*. Ellis Horwood.
- Rusolono, T., Tatang, T., & Judin, P. (2015). *Analisis survey cadangan karbon dan keanekaragaman hayati di Sumatera Selatan*. KLHK.
- Sabila, A. Y., Wirasatriya, A., Maslukah, L., & Widada, S. (2025). Pollution index mapping based on *Total Suspended Solids* concentration extracted from Sentinel-2 MSI imagery in Teluk Awur coastal waters, Jepara Indonesia.

- Sari, K. R., Dewi, P. R., & Prameswari, A. A. (2015). Upaya Australia dalam pengurangan emisi gas karbon melalui kerjasama IAFCP di Kabupaten Kapuas, Kalimantan Tengah. *Jurnal Hubungan Internasional*, 1(3), 1–11.
- Sasmito, B., et al. (2022). Pengembangan algoritma lokal untuk estimasi *Total Suspended Solid* (TSS) di Danau Rawa Pening menggunakan citra Sentinel-2A. *Jurnal Ilmu Lingkungan*, 20(2), 45–59.
- Setiawan, A., Ongkosongo, O. S. R., & Handayani, P. (2019). Analisis komparasi metode interpolasi IDW dan kriging untuk pemetaan sebaran curah hujan (Studi kasus: Wilayah DAS Citarum Hulu). *Jurnal Geografi Lingkungan Tropik*, 3(1).
- Shen, F., Zhou, Y.-Y., Li, D.-J., & Salama, M. H. D. S. (2010). Medium resolution imaging spectrometer (MERIS) estimation of chlorophyll-a concentration in the turbid sediment-laden waters of the Changjiang (Yangtze) Estuary. *International Journal of Remote Sensing*, 31(17–18), 4635–4650.
- Sinaga, T., et al. (2024). Dampak aktivitas antropogenik terhadap kualitas air waduk: Studi kasus Waduk Sempor. *Jurnal Lingkungan dan Sumber Daya Air*, 15(1), 34–48.
- Star, et al. (2013). *Baku mutu air untuk keperluan pertanian dan perikanan*. Kementerian Lingkungan Hidup.
- Subehi, L., & Hidayat, H. (2003). *Kondisi limnologis Waduk Sempor: Laporan teknis*. Pusat Penelitian Limnologi LIPI.
- Sugiyono. (2008). *Metode penelitian kuantitatif kualitatif dan R&D*. Alfabeta.
- SURYA, L. M., AZZUHDI, M., HADI, F., & QOYIMAH, S. (2025). PEMETAAN LAJU EROSI DAERAH ALIRAN SUNGAI SERAYU TERHADAP PENDANGKALAN WADUK MRICA TAHUN 2018-2022 BERBASIS CITRA SATELIT SENTINEL-2. *JGISE: JOURNAL OF GEOSPATIAL INFORMATION SCIENCE AND ENGINEERING* *Ученые материалы: Universitas Gadjah Mada*, 7(2), 133.
- Sutanto. (1992). *Penginderaan jauh II*. Gadjah Mada Press.

- Tarigan, M. S., & Edward. (2003). *Pengelolaan kualitas air dalam konteks pembangunan berkelanjutan*. Penerbit Universitas Indonesia.
- Tassan, S., & d'Alcala, M. R. (1993). A sensitivity analysis of the "transparency index" algorithm for detecting water constituents from space. *International Journal of Remote Sensing*, 14(15), 2783–2795.
- Topp, S. N., et al. (2020). Research trends in the use of remote sensing for inland water quality science: Moving towards multidisciplinary applications. *Water*, 12(1), 169.
- Vanhellemont, Q., & Ruddick, K. (2015). Advantages of high quality SWIR bands for ocean colour processing: Examples from Landsat-8. *Remote Sensing of Environment*, 161, 89–106.
- Vasco, A. N., Costa, M., & Novo, E. (2017). Hydrological dynamics and suspended sediment variability analyzed using satellite data. *Remote Sensing*, 9(3), 233.
- Waters, T. F. (1995). *Sediment in streams: Sources, biological effects, and control*. American Fisheries Society.
- Willmott, C. J., & Matsuura, K. (2005). Advantages of the mean absolute error (MAE) over the root mean square error (RMSE) in assessing average model performance. *Climate Research*, 30(1), 79–82.
- Xu, H. (2006). Modification of normalised difference water index (NDWI) to enhance open water features in remotely sensed imagery. *International Journal of Remote Sensing*, 27(14), 3025–3033.
- Yusandi, S. (2015). *Model penduga biomassa hutan mangrove menggunakan citra resolusi sedang di areal kerja BSNI Group Kalimantan Barat* (Skripsi). Institut Pertanian Bogor.
- Zelenakova, M., et al. (2020). Assessment of water quality in reservoirs based on the combination of hydrochemical and remote sensing data. *Water*, 12(5), 1426.
- Zhao, L., Nie, X., Zheng, H., Liao, K., & Zhang, J. (2023). The lag effect of riverine flow-discharge and sediment-load response to antecedent rainfall with different cumulative durations in red hilly area in China. *Water*, 15(23), 4048. <https://doi.org/10.3390/w15234048>