

DAFTAR PUSTAKA

- Abdulrahman, K.M., Gonda, V. and Réger, M., 2023, Differential scanning calorimetry of aluminium EN AB-42000 alloy rheocasting semi-solid in different stage heating rates. *Innovative Infrastructure Solutions*, **8**(11), p.293.
- Ahmadian, M., Suh, J. M., Hah, N., Liddle, C., Atkins, A. R., Downes, M., & Evans, R. M., 2013, PPAR γ signaling and metabolism: the good, the bad and the future, *Nature Medicine*, **19**(5), 557—566.
- Al Hanbali, O.A., Hamed, R., Arafat, M., Bakkour, Y., Al-Matubsi, H., Mansour, R., Al-Bataineh, Y., Aldhoun, M., Sarfraz, M. & Dardas, A.K.Y., 2018, Formulation and evaluation of diclofenac controlled release matrix tablets made of HPMC and P188 polymer: An assessment on mechanism of drug release, *Pakistan Journal of Pharmaceutical Sciences*, **31**.
- Al-Majed, A., Bakheit, A.H.H., Aziz, H.A., Alharbi, H. & Al-Jenoobi, F.I., 2016, Pioglitazone. *Profiles of Drug Substances, Excipients and Related Methodology*, **41**, pp.379-438.
- Ali, W., Williams, A.C. & Rawlinson, C.F., 2010, Stochiometrically governed molecular interactions in drug: Poloxamer solid dispersions. *International journal of pharmaceutics*, **391**(1-2), pp.162-168.
- Alkathiri, F.A., Bukhari, S.I., Imam, S.S., Alshehri, S. & Mahdi, W.A., 2024, Formulation of silymarin binary and ternary solid dispersions: Characterization, simulation study and cell viability assessment against lung cancer cell line. *Heliyon*, **10**(1).
- Alshora, D. H., Alsaif, S., Ibrahim, M. A., Ezzeldin, E., Almeanazel, O. T., Abou El Ela, A. E. S., & Ashri, L. Y., 2020, Co-stabilization of Pioglitazon HCL nanoparticles prepared by planetary ball milling: in-vitro and in-vivo evaluation, *Pharmaceutical Development and Technology*, **25**(7), 845—854.
- Alsaqr, A.M., 2021, Remarks on the use of Pearson's and Spearman's correlation coefficients in assessing relationships in ophthalmic data. *African Vision and Eye Health*, **80**(1), p.10.

- American Diabetes Association, 2022, Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes—2022, *Diabetes Care*, **45**(Supplement 1), S17—S38.
- Association of Official Analytical Chemist, 2019, Apendix F: Guidelines for Standar Method Performance Requierements, *AOAC Official Methods of Analysis*. AOAC International, pp. 1–18.
- Anis, S., Urfi, S. M., Kusumastuti, A., & Baskoro, W. W., 2022, Analysis of Inlet Temperature and Airflow Rate on Drying Process in a Spray Dryer Using Computational Fluid Dynamics Method, *Journal of Advanced Research in Fluid Mechanics and Thermal Sciences*, **94**(1), 163–171. <https://doi.org/10.37934/arfmts.94.1.163171>
- Ansari, M.J., 2022, Hydroxypropyl Methylcellulose Based Solid Dispersions of Ciprofloxacin: Preparation, Characterization, Dissolution and Antimicrobial Activity Evaluation, *Lat. Am. J. Pharm*, **41**(3), 515-20.
- Avdeef, A. 2020. *Absorption and Drug Development 2nd Ed.*, p. 210—215.
- Bacchi, A., 2013, X-ray diffraction as a tool in the path from the design of an active pharmaceutical ingredient to the tablet on the shelf, *Rendiconti Lincei*, **24**(Suppl 1), 109—114.
- Badan Pusat Statistik (BPS) & Kementerian Kesehatan RI., 2018, *Laporan Nasional Riset Kesehatan Dasar (RISKESDAS) 2018*, Lembaga Penerbit Badan Litbangkes, Jakarta.
- Bhatta, H.P., Han, H.K., Maharjan, R. & Jeong, S.H., 2025. Recent techniques to improve amorphous dispersion performance with quality design, physicochemical monitoring, molecular simulation, and machine learning. *Pharmaceutics*, **17**(10), p.1249.
- Bhosale, U.M., Galgatte, U.C. & Chaudhari, P.D., 2016, Development of Pioglitazone hydrochloride lipospheres by melt dispersion technique: optimization and evaluation, *Journal of Applied Pharmaceutical Science*, **6**(1), 107—117.

- Biltonen, R.L. & Lichtenberg, D., 1993, The use of differential scanning calorimetry as a tool to characterize liposome preparations, *Chemistry and physics of lipids*, **64**(1-3), 129—142.
- Bookwala, M., Shi, J., Buckner, I.S., Bates, S. & Wildfong, P.L., 2025, Simultaneous XRD-DSC identifies correct drug-polymer solubility and miscibility for enantiotropic solid forms, *Journal of Pharmaceutical Sciences*, **114**(1), 416—423.
- Borde, S., Paul, S.K. & Chauhan, H., 2021, Ternary solid dispersions: classification and formulation considerations. *Drug Development and Industrial Pharmacy*, **47**(7), pp.1011-1028.
- Boualam, O., Mardi, L., El-Hafed, S., Seghyar, F., Tanji, K., El Gaidoumi, A., Miyah, Y., El Imache, A., Addaou, A. & Laajeb, A., 2025, Food Dye HPLC-DAD Method Analytical Validation: Precision and Reliability Studies, Optimized Using the Box–Behnken Experimental Design, *ACS Food Science and Technology*.
- Buckley, C., MacHale, C. & Bones, J., 2024, Quantitative Analysis of Poloxamer 188 in Biotherapeutic Process Streams Using Liquid Chromatography–Triple-Quadrupole Mass Spectrometry, *ACS omega*, **9**(13), 14867—14873.
- Bunaciu, A.A., Udriștioiu, E.G. & Aboul-Enein, H.Y., 2015, X-ray diffraction: instrumentation and applications, *Critical reviews in analytical chemistry*, **45**(4), 289—299.
- Calahan, J.L., Azali, S.C., Munson, E.J. & Nagapudi, K., 2015, Investigation of phase mixing in amorphous solid dispersions of AMG 517 in HPMC-AS using DSC, solid-state NMR, and solution calorimetry, *Molecular Pharmaceutics*, **12**(11), pp.4115—4123.
- Chernyshev, V.V., 2023, Structural characterization of pharmaceutical cocrystals with the use of laboratory X-ray powder diffraction patterns. *Crystals*, **13**(4), p.640.
- Chow, F.K., 2022, Column switching techniques in pharmaceutical analysis. In *HPLC in the Pharmaceutical Industry*. pp. 41-61. CRC Press.

- Chowdary, K. P. R., & Prakasarao, K. S., 2011, Formulation development of Pioglitazon tablets employing β cyclodextrin-Poloxamer 407-PVP K30: A factorial study, *Der Pharmacia Lettre*, **3**(6), 24—30.
- Dachriyanus, D., 2004, Analisis struktur senyawa organik secara spektroskopi. *LPTIK Universitas andalas*.
- Dey, S.K., Mondal, S., Killari, K.N., Israel, S., Kumar, G.S. & Mohiuddin, A., 2023, A Succinct Assessment of the Development, Validation, and Method Verification of Analytical Methods for Natural and Synthetic Therapeutic Molecules. *Journal of Drug and Alcohol Research*, **12**(10).
- DiPiro, J. T., 2023, *Pharmacotherapy Handbook (Twelfth)*, McGraw Hill, LLC.
- Drogoń, A., Skotnicki, M., Skotnicka, A. & Pyda, M., 2020, Physical ageing of amorphous indapamide characterised by differential scanning calorimetry. *Pharmaceutics*, **12**(9), p.800.
- Eckerle Mize, D. L., & Salehi, M., 2013, The Place of GLP-1–Based Therapy in Diabetes Management: Differences Between DPP-4 Inhibitors and GLP-1 Receptor Agonists, *Current Diabetes Reports*, **13**(3), 307—318.
- El-Kaissi, S., & Sherbeeni, S., 2011, Pharmacological management of type 2 diabetes mellitus: an update, *Current diabetes reviews*, **7**(6), 392—405.
- Epshtein, N.A., 2022, Validation of the specificity of chromatographic methods: Key points and practical recommendations. *Pharmaceutical Chemistry Journal*, **56**(5), pp.702-711.
- Faiz, S., Arshad, S., Kamal, Y., Imran, S., Asim, M. H., Mahmood, A., Inam, S., Irfan, H.M., & Riaz, H., 2023, Pioglitazon-loaded nanostructured lipid carriers: In-vitro and in-vivo evaluation for improved bioavailability, *Journal of Drug Delivery Science and Technology*, **79**, 104041.
- Fritsche, A., Thamer, C., Stefan, N., & Häring, H. U., 2007, Gene-environment interactions in the pathogenesis and prevention of type 2 diabetes mellitus, *Der Internist*, **48**(7), 669—670.

- Gungor, N., & Arslanian, S., 2004, Progressive beta cell failure in type 2 diabetes mellitus of youth, *The Journal of pediatrics*, **144**(5), 656—659.
- Gajare, P., Patil, C., Kalyane, N. & Pore, Y., 2009, Effect of hydrophilic polymers on pioglitazone complexation with hydroxypropyl- β -cyclodextrin. *Dig J Nanomater Biostruct*, **4**(4), pp.891-897.
- Gerasimov, A.V., Ziganshin, M.A., Gorbachuk, V.V. and Usmanova, L.S., 2013, Formation of solid dispersion of PEG-1000 with phenacetin according to differential scanning calorimetry. *Der Pharma Chemica*, **5**(6), pp.149-155.
- Harmely, F., Umar, S., Aldi, Y., Nasrul, E. & Zaini, E., 2020, Preparation and physicochemical characterization of solid dispersion of irbesartan with Poloxamer 188, *Open Access Macedonian Journal of Medical Sciences*, **8**(A), 16—19.
- Hinz, H.J. & Schwarz, F.P., 2001, Measurement and analysis of results obtained on biological substances with dsc, *The Journal of Chemical Thermodynamics*, **33**(11), 1511—1525.
- Höhne, G.W.H., Merzlyakov, M. & Schick, C., 2002, Calibration of magnitude and phase angle of TMDSC: Part1: basic considerations, *Thermochimica acta*, **391**(1-2), 51—67.
- Huang, Y. & Dai, W.G., 2014, Fundamental aspects of solid dispersion technology for poorly soluble drugs. *Acta Pharmaceutica Sinica B*, **4**(1), pp.18-25.
- Hsieh, E. & Liu, J.P., 2008, On statistical evaluation of the linearity in assay validation. *Journal of biopharmaceutical statistics*, **18**(4), pp.677-690.
- Indrayanto, G., 2022, Application of accuracy and precision evaluations based on the current United States and Indonesian pharmacopoeias: A critical review. *Makara Journal of Science*, **26**(4), p.1.
- International Diabetes Federation (IDF), 2021, *IDF Diabetes Atlas, 10th edition*, Brussels, Belgium.

- Ito, F., Fujimori, H. & Makino, K., 2008, Factors affecting the loading efficiency of water-soluble drugs in PLGA microspheres. *Colloids and Surfaces B: Biointerfaces*, **61**(1), pp.25-29.
- Jahnavi, N., Dixit, A., Mehta, A.K. & Varma, M.M., 2013, Formulation, evaluation and characterization of solid dispersions of pioglitazone hydrochloride. *INDIAN JOURNAL OF PHARMACEUTICAL EDUCATION and RESEARCH*, **47**(2), pp.113-122.
- Jimidar, M.I., De Smet, M., Sneyers, R., Van Ael, W., Janssens, W., Redlich, D. & Cockaerts, P., 2003, Capillary electrophoresis as an orthogonal technique in HPLC method validation. *Journal of capillary electrophoresis and microchip technology*, **8**(3-4), pp.45-52.
- Khadka, P., Ro, J., Kim, H., Kim, I., Kim, J.T., Kim, H., Cho, J.M., Yun, G. and Lee, J., 2014, Pharmaceutical particle technologies: An approach to improve drug solubility, dissolution and bioavailability. *Asian journal of pharmaceutical sciences*, **9**(6), pp.304—316.
- Kharat, A.R., Pakhare, M.K. & Kharat, K.R., 2024, Stability indicating uv spectrophotometric method development and validation for simultaneous estimation of pioglitazone hydrochloride and glimepiride in bulk drug and pharmaceutical formulation. *Rasayan Journal of Chemistry*, **17**(3).
- Kim, K.S., Cho, H.J., Din, F.U., Cho, J.H. and Choi, H.G., 2025, Surfactant–Particle Engineering Hybrids: Emerging Strategies for Enhancing Solubility and Oral Bioavailability of Poorly Water-Soluble Drugs. *Pharmaceutics*, **18**(1), p.37.
- Kim, B., Sims-Robinson, C., Sakowski, S. A., & Feldman, E. L., 2023, Diabetes and cognitive dysfunction, *Neurobiology of Brain Disorders*, 185—201, Academic Press.
- KEMENKES, 2020, *Farmakope Indonesia*, Ed VI., Kementerian Kesehatan RI, Jakarta.
- Kwak, S. H., & Park, K. S., 2018, Pathophysiology of type 2 diabetes in Koreans, *Endocrinology and Metabolism*, **33**(1), 9.

- Lara-Castro, C., & Garvey, W. T., 2009, Role of Nutrition in the Pathophysiology, Prevention, and Treatment of Type 2 Diabetes and the Spectrum of Cardiometabolic Disease, *Preventive Nutrition: The Comprehensive Guide for Health Professionals*, 371—387, Humana Press, Totowa, NJ.
- Leyva-Porras, C., Cruz-Alcantar, P., Espinosa-Solís, V., Martínez-Guerra, E., Piñón-Balderrama, C.I., Compean Martínez, I. & Saavedra-Leos, M.Z., 2019, Application of differential scanning calorimetry (DSC) and modulated differential scanning calorimetry (MDSC) in food and drug industries. *Polymers*, **12**(1), p.5.
- Lin, D. and Huang, Y., 2010, A thermal analysis method to predict the complete phase diagram of drug–polymer solid dispersions. *International journal of pharmaceutics*, **399**(1-2), pp.109-115.
- Liu, H., Tong, H.H. & Zhou, Z., 2022, Feasibility of thermal methods on screening, characterization and physicochemical evaluation of pharmaceutical cocrystals: H. Liu et al. *Journal of Thermal Analysis and Calorimetry*, **147**(23), pp.12947-12963.
- Liu, Y., Zhang, Y., Yan, Q., Zhong, X. & Hu, C., 2024, Evaluation of microstructure, dissolution rate, and oral bioavailability of paclitaxel Poloxamer 188 solid dispersion, *Drug Delivery and Translational Research*, **14**(2), 329—341.
- Madhukar, A., Naresh, K., Kumar, C.N., Sandhya, N. & Prasanna, P., 2011, Rapid and sensitive RP-HPLC analytical method development and validation of pioglitazone hydrochloride. *Der. Pharm. Chem*, **3**, pp.128-132.
- Mahaki, B., Jafari, S., Rezaei, M. & Solouki, L., 2024, Types of Correlation Coefficients in Medical Science Research Using SPSS and R Software: A Review Article. *Journal of Isfahan Medical School*, **42**(773), pp.560-573.
- Mansuri, A., Münzner, P., Heermant, A., Hänsch, S., Feuerbach, T., Fischer, B., Winck, J., Vermeer, A.W., Hoheisel, W., Böhmer, R. & Gainaru, C., 2023, Characterizing phase separation of amorphous solid dispersions containing imidacloprid, *Molecular Pharmaceutics*, **20**(4), 2080—2093.

- Marchaban, 2004, Evaluasi pelepasan obat dari supositoria basis lemak: Perbedaan anantara metode disolusi intrinsik dan non-intrinsik, *Majalah Farmasi Indonesia*, **15** (4), 163—168.
- Martin, S., & Kolb, H., 2008, Non-pharmacological diabetes therapy, *Medizinische Monatsschrift fur Pharmazeuten*, **31**(2), 42—51.
- Mathers, A., Hassouna, F., Klajmon, M. & Fulem, M., 2021, Comparative study of DSC-based protocols for API–polymer solubility determination. *Molecular Pharmaceutics*, **18**(4), pp.1742-1757.
- Mir, K. B., & Khan, N. A., 2017, Solid dispersion: Overview of the technology, *Int J Pharm Sci Res*, **8**(6), 2378—87.
- Nameghi, S. M., 2024, Exploring the recent advancements and future prospects of personalized medicine in type 2 diabetes, *Endocrine and Metabolic Science*, **16**, 100193.
- Nugroho, A. K., Zulkarnain, A. K., Laksitorini, M. D., Adhyatmika, & Pawestri, S. A., 2021, *Dasar Dasar Teknik Percobaan Biofarmasetika*, 22-23, Istana Publishing, Yogyakarta.
- Oh, M. J., Shim, J. B., Yoo, H., Lee, G. Y., Jo, H., Jeong, S. M., Yuk, S. H., Lee, D., & Khang, G., 2012, The dissolution property of raloxifene HCl solid dispersion using hydroxypropyl methylcellulose, *Macromolecular Research*, **20**(8), 835—841.
- Oo, M.K., Mahmood, S., Wui, W.T., Mandal, U.K. and Chatterjee, B., 2021, Effects of different formulation methods on drug crystallinity, drug-carrier interaction, and ex vivo permeation of a ternary solid dispersion containing nisoldipine. *Journal of Pharmaceutical Innovation*, **16**(1), pp.26-37.
- Orszulak, L., Lamrani, T., Tarnacka, M., Hachuła, B., Jurkiewicz, K., Zioła, P., Mrozek-Wilczkiewicz, A., Kamińska, E. and Kamiński, K., 2024, The impact of various poly (vinylpyrrolidone) polymers on the crystallization process of metronidazole. *Pharmaceutics*, **16**(1), p.136.
- Patel, M.K., Hansson, F., Pitkanen, O., Geng, S. and Oksman, K., 2022, Biopolymer blends of poly (lactic acid) and poly (hydroxybutyrate) and their

functionalization with glycerol triacetate and chitin nanocrystals for food packaging applications. *ACS Applied Polymer Materials*, **4**(9), pp.6592-6601.

Patil, P. S., & Dhawale, S. C., 2018, Development of Spray Dried Ritonavir Microparticles for Dissolution Rate Enhancement, *Research Journal of Pharmacy and Technology*, **11**(8), 3273—3278.

Pavia, D. L., Lampman, G. M., Kriz, G. S., & Vyvyan, J. A., 2014, *Introduction to spectroscopy* (5th ed.), Cengage Learning.

Pokharkar, V., Kutwal, M., & Mandpe, L., 2013, Pioglitazon solid dispersion system prepared by spray drying method: in vitro and in vivo evaluation, *PDA journal of pharmaceutical science and technology*, **67**(1), 23—34.

Prasad, P.S., Imam, S.S., Aqil, M., Rizwan, M., Sultana, Y. & Ali, A., 2015, Validated reversed phase HPLC method for determination of pioglitazone hydrochloride in bulk drug and tablet formulations. *Journal of Analytical Chemistry*, **70**(6), pp.744-746.

Qiu, C., Zhang, Y., Fan, Y., Li, S., Gao, J., He, X. & Zhao, X., 2024, Solid dispersions of genistein via solvent rotary evaporation for improving solubility, bioavailability, and amelioration effect in HFD-induced obesity mice. *Pharmaceutics*, **16**(3), p.306.

Rahayyu, A. M., Alita, Z., & Widjaja, B., 2024, Pengembangan sistem dispersi padat ezetimibe dengan matriks PEG 8000 menggunakan metode peleburan, *Jurnal Ilmu Farmasi dan Farmasi Klinik*, **21** (1), 123—131.

Reddy, V.J., 2018, Method development and validation of ivacaftor in bulk and pharmaceutical dosage form by UV spectrophotometry. *International Journal of Research in Pharmaceutical Sciences*, **9**(4), pp.1169-1173.

Robertson, R. P., 2017, *Diabetes Type 2 (Noninsulin-Dependent Diabetes Mellitus)*.

Sakamoto, A. & Sugano, K., 2023, Dissolution profiles of poorly soluble drug salts in bicarbonate buffer. *Pharmaceutical Research*, **40**(4), pp.989-998.

Salman, Z.D., Alhamdany, A.T. and Yousif, N.Z., 2020, An innovative mucoadhesive thermosensitive in situ gelling liquid suppository of metoclopramide

hydrochloride for treatment of nausea and vomiting associated with diseases. *Indian J Pharm Sci*, **82**(4), pp.650-664.

Schmitt, G. & Aderjan, R., 2008, Limits of forensic toxicological and chemical analysis procedures: Calibration linear and blank value methods. *Rechtsmedizin*, **18**, pp.65-77.

Sermkeaw, N. and Plyduang, T., 2023, Development of delayed-release matrix tablets comprising solid dispersion of mefenamic acid. *Trends in Sciences*, **20**(6), pp.6078-6078.

Shah, M., Pore, Y., Dhawale, S., Burade, K. & Kuchekar, B., 2013, Physicochemical characterization of spray dried ternary micro-complexes of cefuroxime axetil with hydroxypropyl- β -cyclodextrin, *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, **76**(3), 391—401.

Shimada, N., Uchida, H., Palanisamy, V., Chernyshev, V., & Fukami, T., 2025, Multicomponent Solid Forms of Pioglitazone and Their Influence on Drug Dissolution, *Crystal Growth and Design*, **25**(5), 1514—1525.

Sugita, M., Kataoka, M., Sugihara, M., Takeuchi, S., & Yamashita, S., 2014, Effect of Excipients on the Particle Size of Precipitated Pioglitazone in the Gastrointestinal Tract: Impact on Bioequivalence, *The AAPS Journal*, **16** (5), 1119-1127.

Suma, S.B. & Sangappa, Y., 2022, Fabrication and characterization of HPMC-AuNPs nanocomposite films. *Materials Today: Proceedings*, **54**, pp.660-663.

Szafraniec, J., Antosik, A., Knapik-Kowalczyk, J., & Chmiel, K., 2019, The self-assembly phenomenon of poloxamers and its effect on the dissolution of a poorly soluble drug from solid dispersions obtained by solvent methods. *Pharmaceutics*, **11**(3), 130.

Tran, P., Pyo, Y.C., Kim, D.H., Lee, S.E., Kim, J.K. & Park, J.S., 2019, Overview of the manufacturing methods of solid dispersion technology for improving the solubility of poorly water-soluble drugs and application to anticancer drugs. *Pharmaceutics*, **11**(3), p.132.

- Tundisi, L. L., Mostaçõ, G. B., Carricondo, P. C., & Petri, D. F. S., 2021, Hydroxypropyl methylcellulose: Physicochemical properties and ocular drug delivery formulations, *European Journal of Pharmaceutical Sciences*, **159**, 105736.
- Ungur, D.T., Lanza, A., Stam, D., Guguta, C., Iordache, C., Fruth, V., Santiso-Quinones, G. & Pop, M.M., 2024, Crystal structure of febuxostat marketed polymorph determined by electron diffraction and reinforced by X-ray crystallography, *CrystEngComm*, **26**(32), 4295—4304.
- Vasileiou, M., Diamantoudis, S. C., Tsianava, C., & Nguyen, N. P., 2025, Therapeutic Potential and Challenges of Pioglitazone in Cancer Treatment, *Applied Sciences*, **15**(4), 1925.
- Vial, J., Le Mapihan, K. & Jardy, A., 2003, What is the best means of estimating the detection and quantification limits of a chromatographic method?. *Chromatographia*, **57**(Suppl 1), pp.S303-S306.
- Vlad, R.A., Pinteã, A., Pinteã, C., R  dai, E.M., Antonoaea, P., B  rsan, M. & Ciurba, A., 2025, Hydroxypropyl Methylcellulose—A Key Excipient in Pharmaceutical Drug Delivery Systems, *Pharmaceutics*, **17**(6), 784.
- Vo, C.L.N., Park, C. and Lee, B.J., 2013, Current trends and future perspectives of solid dispersions containing poorly water-soluble drugs. *European journal of pharmaceutics and biopharmaceutics*, **85**(3), pp.799-813.
- Wang, R. Y., Liu, Y., 2018, A Review of Spray Dried Dispersion, *Chinese Journal of New Drugs*, **27**(12), 1357—1363.
- Wang, T., Markham, A., Thomas, S.J., Wang, N., Huang, L., Clemens, M. & Rajagopalan, N., 2019, Solution stability of poloxamer 188 under stress conditions. *Journal of pharmaceutical sciences*, **108**(3), pp.1264-1271.
- Weghuber, D., Barrientos-P  rez, M., & Kovarenko, M., 2019, Youth-onset type 2 diabetes manifestations in other specialties: its many disguises, *Annals of Nutrition and Metabolism*, **74**(4), 339—347.
- Wesolowski, M. & Leyk, E., 2023, Coupled and simultaneous thermal analysis techniques in the study of pharmaceuticals. *Pharmaceutics*, **15**(6), p.1596.

- Wu, J. & Van den Mooter, G., 2023, The influence of hydrogen bonding between different crystallization tendency drugs and PVPVA on the stability of amorphous solid dispersions. *International Journal of Pharmaceutics*, **646**, p.123440.
- Yadav, P., Patel, P., Das, P., Deshmukh, N., & Pillai, S., 2018, Formulation and evaluation of Pioglitazon HCL fast dissolving tablet using solid dispersion, *Research Journal of Pharmacy and Technology*, **11**(12), 5313—5318.
- Yau, H., Rivera, K., Lomonaco, R., & Cusi, K., 2013, The future of thiazolidinedione therapy in the management of type 2 diabetes mellitus, *Current Diabetes Reports*, **13**(3), 329–341.
- Yu, J.Y., Kim, J.A., Joung, H.J., Ko, J.A. & Park, H.J., 2020, Preparation and characterization of curcumin solid dispersion using HPMC, *Journal of food science*, **85**(11), 3866—3873.
- Yunita, E., Yulianto, D., Fatimah, S. & Firanita, T., 2020, Validation of UV-Vis spectrophotometric method of quercetin in ethanol extract of tamarind Leaf, *Journal of Fundamental and Applied Pharmaceutical Science*, **1**(1), 11—18.
- Younis, M. A., 2017, Solid dispersion technology, a contemporary overview on a well established technique, *Universal Journal of Pharmaceutical Research*.
- Zafar, A., Alruwaili, N.K., Imam, S.S., Alsaidan, O.A., Alkholifi, F.K., Alharbi, K.S., Mostafa, E.M., Alanazi, A.S., Gilani, S.J., Musa, A. and Alshehri, S., 2021, Formulation of genistein-hp β cyclodextrin-poloxamer 188 ternary inclusion complex: Solubility to cytotoxicity assessment. *Pharmaceutics*, **13**(12), p.1997.
- Zaini, E., Evert, A. & Octavia, M.D., 2017, Increase in Dissolution Rate of Simvastatin by Amorphous Solid Dispersion System with Hydroxypropylmethylcellulose Polymer, *Oriental Journal of Chemistry*, **33**(4), 2080.