

DAFTAR PUSTAKA

- Adebo, O.A. 2022 The effect of fermentation on the nutritional quality and bioavailability of cereals and legumes: A review. *Fermentation*, 8(2), 63.
- Adiamo, O.Q., Netzel, M.E., Hoffman, L.C., Gidley, M.J., Osborne, S., & Sultanbawa, Y. 2023. Structure-Function Relationship of Australian Acacia Seed Protein Concentrates: Amino Acid Composition, in Vitro Protein Digestibility and Molecular Properties. *Food Biosci*, 51, 102339.
- Agustia, F. C., Supriyadi, S., Mudiarti, A. & Indrati, R. 2023. Germination of jack bean [*Canavalia ensiformis* (L.) DC.] and its impact on nutrient and antinutrient composition, *Food Research*, 7(5), pp. 210–218.
- Ajayi, F. F., Mudgil, P., & Maqsood, S. 2024. Molecular structural modification of bean protein using thermo-shearing/ultrasound/microwave treatments for improved extractability, functional and gelling properties: The underlying impacts of matrix pre-treatment versus alkaline-assisted extraction. *Food Hydrocolloids*, 154.
- Alu'datt, M.H., Al-Rabadi, G.J., Alli, I., Ereifej, K., Rababah, T., Alhamad, M.N. & Torley, P.J. 2013. Protein co-precipitates: A review of their preparation and functional properties. *Food and Bioproducts Processing*, 91, 327–335.
- AOAC. 2005. Official Methods of Analysis (AOAC) (W. Horwitz & G. Latimer (eds.); 18th ed.). AOAC International.
- Arise, A.K., Malomo, S.A., Cynthia, C., Aliyu, N.A. & Nyanjere, R.. 2022. Influence of processing methods on the antinutrients, morphology and in-vitro protein digestibility of jack bean. *Food Chemistry Advances*, 1, 100078.
- Azevedo, P.Z., Costa, J.E.G., Matos, J.d.S., de Souza, B.R., Rodrigues, S., Fernandes, F.A.N., Silva, V.M., Vidigal, M.C.T.R., Stringheta, P.C.,

- Martins, E. and Campelo, P.H. 2025. Techno-functionalities of white bean protein concentrate: A comparative study with soy and pea proteins. *Macromol*, **5**(1), 3.
- Badjona, A.; Bradshaw, R., Millman, C., Howarth, M. & Dubey, B. 2024. Optimization of Ultrasound-Assisted Extraction of Faba Bean Protein Isolate: Structural, Functional, and Thermal Properties. Part 2/2. Ultrason. *Sonochem*, 110, 107030.
- Bühler, J.M., Dekkers, B.L., Bruins, M.E. and van der Goot, A.J. 2020. Modifying faba bean protein concentrate using dry heat to increase water holding capacity. *Foods*, 9(8), p.1077. <https://doi.org/10.3390/foods9081077>
- Caldeira, R.F., Gouvêa, L.P., Azevedo, T.L., Wilhelm, A.E., Freitas de Sá, D.G.C., Galdeano, M.C., Felberg, I., Antoniassi, R., Mellinger, C.G. and Lima, J.R., 2023. Chickpea processing to obtain a protein ingredient for the plant-based market. *Frontiers in Food Science and Technology*, 5, pp. 1–14.
- Chauhan, A., Tamang, P., Jena, S.N., Dikshit, N., & Mohanty, C.S. 2025 . Comparative cytogenomics and morphological characterization of five species of the genus *Canavalia* DC. (Fabaceae). *Protoplasma*, 262, Article number: 1431.
- Costa, J.E.G., Matos, J.S., Azevedo, P.Z., Souza, F.C.C.A., Rodrigues, S., Fernandes, F.A.N., Silva, V.M., Bezerra, J.A., Sanches, E.A., Lamarão, C.V., Vidigal, M.C.T.R., Stringheta, P.C., Martins, E. & Campelo, P.H., 2024. Techno-functionality of jack bean (*Canavalia ensiformis*) protein concentrate: a comparative study with soy and pea proteins. *Journal of the Science of Food and Agriculture*.
- Cui, L., Bandillo, N., Wang, Y., Ohm, J.-B., Chen, B. & Rao, J. 2020. Functionality and structure of yellow pea protein isolate as affected by cultivars and extraction pH. *Food Hydrocolloids*, 108, 106008.

Darini, M.T., Susilaningsih, S.E.P., & Sunaryo, Y. 2021. The potential of jack bean (*Canavalia ensiformis* L.) developed in suboptimal soil to Succeeding Food Sufficiency. *International Journal of Current Science Research and Review*, 4(7), 19-24

David, M. N. V., & Akhondi, H. 2023. *Emulsions*. In StatPearls. StatPearls Publishing

Deng, M., Lv, X., Liu, L., Li, J., Du, G., Chen, J. & Liu, Y. 2023. Cell factory-based milk protein biomanufacturing: Advances and perspectives. *International Journal of Biological Macromolecules*, 244, 125335.

Drabo, S.O., Zongo, S., Savadogo, A. and Traoré, A.S., 2023. Effect of tempeh fermentation by *Rhizopus oryzae* on nutritional, digestibility and functional properties of Zamnè (*Senegalia macrostachya*) seeds. *Food Bioscience*,

Espinosa-Pardo, F.A., Savoie, R., Subra-Paternault, P. and Harscoat-Schiavo, C., 2020. Oil and protein recovery from corn germ: Extraction yield, composition and protein functionality. *Food and Bioproducts Processing*, 120, pp. 131–142.

Fatima, A., Singh, V.P., Singh, R. and Rustagi, S .2024. Exploring the significance of protein concentrate: A review on sources, extraction methods, and applications. *Food Chemistry Advances*, 5, 100771.

García Arteaga, V., Apéstegui Guardia, M., Muranyi, I., Eisner, P., & Schweiggert-Weisz, U. 2020. Effect of enzymatic hydrolysis on molecular weight distribution, techno-functional properties and sensory perception of pea protein isolates. *Innovative Food Science & Emerging Technologies*, 65, 102449.

Goldstein, N. & Reifen, R .2022. The potential of legume-derived proteins in the food industry. *Grain & Oil Science and Technology*, 5(3), pp.167–178.

- Golkaram, M., Shin, Y.K. and van Duin, A.C.T., 2014. Reactive molecular dynamics study of the pH-dependent dynamic structure of α -helix. *Journal of Physical Chemistry B*, 118(45), pp.13498–13504.
- Ho, K., Schroën, K., Martín-González, M. & Berton-Carabin, C. 2018. Synergistic and antagonistic effects of plant and dairy protein blends on the physicochemical stability of lycopene-loaded emulsions. *Food Hydrocolloids*, 81, 180–190.
- Huerta-Rodriguez, E., Chuck-Hernandez, C., Luna-Vital, D., Amador-Espejo, G.G., Martinez-Fierro, M.L., and Rocha-Pizaña, M., 2025. Influence of extraction pH on protein structure, functionality, hydrolysis, and antioxidant activity of Bayo bean (*Phaseolus vulgaris* L.) protein concentrates. *Food Research International* 215: 116699.
- Jakobson, E., Kaur, S., Osen, R., et al. 2023. Techno-functional and sensory characterization of commercial plant protein powders. *Foods*. 12(2), pp.1–20.
- Khalid II, Elhardallou SB.2015. The Effect of pH on Foaming Properties of Cowpea (*Vigna unguiculata* L.walp) Flour and Protein Isolates. *J Nutr Food Sci* 5: 385.
- Klupšaitė, D. and Juodeikienė, G. 2015. Legume: composition, protein extraction and functional properties. A review. *Chemine Technologija*, 66(1), pp.5–12. <https://doi.org/10.5755/j01.ct.66.1.12355>
- Langendörfer, L.J., Wüst, A., Hensel, O. & Diakité, M. 2023. *Functional properties of legume protein and their application in the development of a plant-based hollandaise sauce*. Chemical Engineering Transactions, 102, 1–6.
- Li, R., & Xiong, Y. L. 2023. Disulfide cleavage to improve interfacial behavior and emulsification properties of oat protein. *Food Chemistry*, 404, Article 134511.

- Liu, Y. and Qin, Y. (2021) ‘Changes of surface hydrophobicity of milk protein under different conditions’, *Journal of Physics: Conference Series*, 1893, 012009.
- Liu, Y., Liu, Z., Pan, W., & Wu, Q. 2008. Absorption behaviors and structure changes of chitin in alkali solution. *Carbohydrate Polymers*, 72(2), 235–239.
- Liu, Y., Zhang, Y., Wang, L., Chen, X. & Rao, J. 2025. Effects of washing treatment on the purity and functional properties of plant protein isolates. *Food Hydrocolloids*, 152, 109950.
- Lonchamp, J., Euston, S. R., & others. 2019. Composition, structure and functional properties of a co-product from Quorn fermentation. *Food Hydrocolloids*, 96, 232–240.
- Ma, Z., Boye, J.I. and Simpson, B.K., 2015. Preparation of salad dressing emulsions using lentil, chickpea and pea protein isolates: A response surface methodology study. *Journal of Food Quality*, 38(1).
- Muranyi, I.S., Otto, C., Pickardt, C., Osen, R., Koehler, P. & Schweiggert-Weisz, U. 2016. Influence of the isolation method on the technofunctional properties of protein isolates from *Lupinus angustifolius* L. *Journal of Food Science*, 81(11), pp.C2656–C2663. <https://doi.org/10.1111/1750-3841.13515>
- Nikbakht Nasrabadi, M., Sedaghat Doost, A., & Mezzenga, R. 2021. Modification approaches of plant-based proteins to improve their techno-functionality and use in food products. *Food Hydrocolloids*, 118, Article 106789.
- Ochoa-Rivas, A., Nava-Valdez, Y., Serna-Saldivar, S. O., & Chuck-Hernández, C. 2017. Microwave and ultrasound to enhance protein extraction from peanut flour under alkaline conditions: Effects in yield and functional

properties of protein isolates. *Food and Bioprocess Technology*, 10(3), 543–555.

Olukomaiya, O.O., Adiamo, O.Q., Fernando, W.C., Mereddy, R., Li, X. & Sultanbawa, Y. 2020. Effect of solid-state fermentation on proximate composition, anti-nutritional factor, microbiological and functional properties of lupin flour. *Food Chemistry*, 315, 126238.

Park, H.-J., Oh, Y.-G., Chun, A., Seo, J.H., Oh, E., Chu, J.H., Ju, Y.K. and Ye, S.-J. 2025. Functional properties modulation of soybean, adzuki bean, mung bean, and peanut proteins through alkaline extraction pH. *Food Science & Nutrition*, **13**, e71140.

Patil, N.D., Bains, A., Goksen, G., Ali, N., Dhull, S.B., Khan, M.R. and Chawla, P. 2025. Effect of solid-state fermentation on kidney bean flour: Functional properties, mineral bioavailability, and product formulation. *Food Chemistry*: X, 27, 102339.

Pearce, K.N.; Kinsella, J.E. 1978. Emulsifying properties of proteins: Evaluation of a turbidimetric technique. *J. Agric. Food Chem*, 26, 716–723.

Plietz, P., Damaschun, G., Müller, J.J. and Schlesier, B., 1983. Comparison of the structure of the 7S globulin from *Phaseolus vulgaris* in solution with the crystal structure of 7S globulin from *Canavalia ensiformis* by small angle X-ray scattering. *FEBS Letters*, 162(1), pp.43–46.

Prieto-Vázquez del Mercado, P.; Mojica, L.; Morales-Hernández, N. 2022. Protein Ingredients in Bread: Technological, Textural and Health Implications. *Foods*, 11, 2399.

Purwandari, F.A., Westerbos, C., Lee, K., Fogliano, V. and Capuano, E. 2023. Proximate composition, microstructure, and protein and starch digestibility of seven collections of Jack bean (*Canavalia ensiformis*) with different

optimal cooking times. *Food Research International*, 172, 112956.
<https://doi.org/10.1016/j.foodres.2023.112956>

Purwanti, N., Roni, R.A.Z., Hakeki, A.Z. and Setiarto, R.H.B. 2025. Effects of extraction solvent and isoelectric point on the quality of jack bean (*Canavalia ensiformis*) protein. *Food Science and Biotechnology*, 34, pp.1317–1325. <https://doi.org/10.1007/s10068-024-01795-7>

Sinha I, Garde S, Cramer SM.2023, Comparative Analysis of Protein Surface Hydrophobicity Maps Determined by Sparse Sampling INDUS and Spatial Aggregation Propensity. *J Phys Chem B* ;127(48):10304-10314.

Smith, K., Watson, A.W., Lonnie, M., Peeters, W.M., Oonincx, D., Tsoutsoura, N., Simon-Miquel, G., Szepe, K., Cochetel, N., Pearson, A.G., Witard, O.C., Salter, A.M. and Corfe, B.M. 2024. Meeting the global protein supply requirements of a growing and ageing population. *European Journal of Nutrition*, 63, pp.1425–1433.

Sridhar KR, Seena S.2006. Nutritional and antinutritional significance of four unconventional legumes of the genus *Canavalia* - A comparative study. *Food Chem* 99(2):267–288.

Stone, A. K., Shi, D., Liu, E., Jafarian, Z., Xu, C., Bhagwat, A., Lu, Y., Akhova, L., Gerein, J., Han, X., Zaharia, L. I., Rajagopalan, N., Tanaka, T., Korber, D. R., & Nickerson, M. T., 2024. Effect of solid-state fermentation on the functionality, digestibility, and volatile profiles of pulse protein isolates. *Food Bioscience*, 61, 104580.

Suknia, S. L. 2020. Proses Pembuatan Tempe Home Industry Berbahan Dasar Kedelai (*Glycine max* (L.) Merr) dan Kacang Merah (*Phaseolus vulgaris* L.) di Candiwesi, Salatiga. *Southeast Asian Journal of Islamic Education*. 1(3), 58-75. <https://doi.org/10.21093/sajie.v3i1.2780>.

- Toor, B.S., Kaur, A., & Kaur, J., 2022. Fermentation of legumes with *Rhizopus oligosporus*: effect on physicochemical, functional and microstructural properties. *International Journal of Food Science & Technology*, 57, 1763–1772. <https://doi.org/10.1111/ijfs.15552>
- Widiantara, T., Taufik, Y., & Ghaffar, R.M. 2021. Pemanfaatan Komoditas Lokal Melalui Pembuatan Produk Mie Berbasis Tepung Kacang Koro Pedang (*Canavalia ensiformis*) Termodifikasi Secara Fermentasi Spontan. *Pasundan Food Technology Journal (PFTJ)* 8 (3).
- Wijaya, C.H., Wijaya, W. and Mehta, B.M. 2015. *General properties of major food components*. In: Benjamin Caballero, Paul M. Finglas and Fidel Toldrá (eds.) *Handbook of Food Chemistry*. Berlin Heidelberg: Springer. https://doi.org/10.1007/978-3-642-41609-5_35-1.
- Wikandari, R., Utami, T. A. N., Hasniah, N., & . S. 2020. Chemical, Nutritional, Physical and Sensory Characterization of Tempe Made from Various Underutilized Ldeegumes. *Pakistan Journal of Nutrition*, 19(4), 179–190.
- Wu, C., Yan, X., Wang, T., Ma, W., Xu, X. & Du, M. (2019). A self-sorted gel network formed by heating a mixture of soy and cod proteins. *Food & Function*, 10, 5140–5151.
- Yarlina, V.P., Ramdani, M.R., Zaida, Sukri, N., Djali, M., Andoyo, R. & Lani, M.N., 2022. Protein isolate of jack bean tempeh (*Canavalia ensiformis*) by spray drying method with variation of inlet temperature. *International Journal on Advanced Science Engineering Information Technology*, 12(5).
- Yousefi, N. and Abbasi, S., 2022. Food proteins: Solubility & thermal stability improvement techniques. *Food Chemistry Advances*, 1, p.100090.
- Yousefi, N.; Shokrollahi Yancheshmeh, B.; Gernaey, K.V. 2025. The Potential of Fermentation-Based Processing on Protein Modification: A Review. *Foods*, 14, 3461.

Zahir, M., Fogliano, V. and Capuano, E. **2021**. Soybean germination limits the role of cell wall integrity in controlling protein physicochemical changes during cooking and improves protein digestibility. *Food Research International*, **143**, 110254.

Zakki, A. & Aryanti, N.,2025.Cowpea protein isolate: pH-adjustments emulsion stabilization-based polymer into its modification for food applications. *Food Chemistry Advances*, 7, 100975.

Zhang, X.Y., Qi, B.K., Xie, F.Y., Hu, M., Sun, Y.F., Hu, L., Li, L., Zhang, S. & Li, Y. (2021). Emulsion stability and dilatational rheological properties of soy/whey protein isolate complexes at the oil–water interface: Influence of pH. *Food Hydrocolloids*, 113, 106391.

Zhou, X., Zhang, C., Cao, W., Zhou, C., Zheng, H., & Zhao, L. (2021). A comparative functional analysis of pea protein and grass carp protein mixture via blending and co-precipitation. *Foods*, 10(12), 3037.

Zozo, B., *et al.* (2024). Effect of extraction conditions on structural and functional properties of protein concentrates. *Applied Sciences*, 14(11), 11485.