

- Du, Z., Zheng, L., & Lin, B. (2024). Influence of charging stations accessibility on charging stations utilization. *Energy*, 298(4), 131374.
<https://doi.org/10.1016/j.energy.2024.131374>
- Fajri, M., & Hardiyon, M. F. (2025). *Keterbatasan Lahan hingga Investasi Mahal Jadi Kendala Pengusaha Bangun SPKLU* | *kumparan.com*. Kumparan Bisnis.
<https://kumparan.com/kumparanbisnis/keterbatasan-lahan-hingga-investasi-mahal-jadi-kendala-pengusaha-bangun-spkl-24Wfvp9lF5L/full>
- Gasparotto, G. (1987). *On the Charnes-Cooper Transformation in Linear Fractional Programming*.
- González, J., Alvaro, R., Gamallo, C., Fuentes, M., Fraile-Ardanuy, J., Knapen, L., & Janssens, D. (2014). Determining Electric Vehicle Charging Point Locations Considering Drivers' Daily Activities. *Procedia Computer Science*, 32, 647–654.
<https://doi.org/10.1016/j.procs.2014.05.472>
- Gulbahar, I. T., Sutcu, M., Almomany, A., & Ibrahim, B. S. K. K. (2023). Optimizing Electric Vehicle Charging Station Location on Highways: A Decision Model for Meeting Intercity Travel Demand. *Sustainability (Switzerland)*, 15(24).
<https://doi.org/10.3390/su152416716>
- Guo, F., Yang, J., & Lu, J. (2018). The battery charging station location problem: Impact of users' range anxiety and distance convenience. *Transportation Research Part E: Logistics and Transportation Review*, 114, 1–18.
<https://doi.org/10.1016/j.tre.2018.03.014>
- Hakam, D. F., & Jumayla, S. (2024). Electric vehicle adoption in Indonesia: Lesson learned from developed and developing countries. *Sustainable Futures*, 8, 100348.
<https://doi.org/10.1016/j.sftr.2024.100348>
- Haorui, J., Manhao, L., Bowen, Z., & Xin, Z. (2018). Improved Set Covering Location Model for Charging Facility Deployments. *IOP Conference Series: Materials Science and Engineering*, 435(1), 012019. <https://doi.org/10.1088/1757-899X/435/1/012019>
- Hardman, S., & Tal, G. (2021). Understanding discontinuance among California's electric vehicle owners. *Nature Energy*, 6(5), 538–545.
<https://doi.org/10.1038/s41560-021-00814-9>
- Haryadi, F. N., Simaremare, A. A., Ajija, S. R., Hakam, D. F., & Hadith Mangunkusumo, K. G. (2023). Investigating the Impact of Key Factors on Electric/Electric-Vehicle Charging Station Adoption in Indonesia. *International Journal of Energy Economics and Policy*, 13(3), 434–442.
<https://doi.org/10.32479/ijeep.14128>

- He, J., Yang, H., Tang, T. Q., & Huang, H. J. (2018). An optimal charging station location model with the consideration of electric vehicle's driving range. *Transportation Research Part C: Emerging Technologies*, 86, 641–654. <https://doi.org/10.1016/j.trc.2017.11.026>
- Herlambang, D. (2025). *BMKG: 2024 Jadi Tahun Terpanas Sepanjang Sejarah, Perubahan Iklim Kian Membahayakan Kesehatan Publik - Siaran Pers - BMKG*. <https://www.bmkg.go.id/siaran-pers/bmkg-2024-jadi-tahun-terpanas-sepanjang-sejarah-perubahan-iklim-kian-membahayakan-kesehatan-publik>
- Indonesia Geospasial. (2020). *Download Shapefile RBI Provinsi DKI Jakarta Perwilayah (Kabupaten/Kota)*. <https://www.indonesia-geospasial.com/2020/01/shp-rbi-provinsi-dki-jakarta-perwilayah.html>
- Istiqomah, S., Sutopo, W., Hisjam, M., & Wicaksono, H. (2022). Optimizing Electric Motorcycle-Charging Station Locations for Easy Accessibility and Public Benefit: A Case Study in Surakarta. *World Electric Vehicle Journal*, 13(12). <https://doi.org/10.3390/wevj13120232>
- Jia, L., Hu, Z., Song, Y., & Luo, Z. (2012). Optimal siting and sizing of electric vehicle charging stations. *2012 IEEE International Electric Vehicle Conference, IEVC 2012*. <https://doi.org/10.1109/IEVC.2012.6183283>
- Jochem, P., Brendel, C., Reuter-Oppermann, M., Fichtner, W., & Nickel, S. (2015). Optimizing the allocation of fast charging infrastructure along the German autobahn. *Journal of Business Economics* 2015 86:5, 86(5), 513–535. <https://doi.org/10.1007/s11573-015-0781-5>
- Kementerian Energi dan Sumber Daya Mineral Republik Indonesia. (2023). *Penyediaan Infrastruktur Pengisian Listrik Untuk Kendaraan Bermotor Listrik Berbasis Baterai*.
- Kementerian Koordinator Bidang Perekonomian, & Japan International Cooperation Agency (JICA). (2019). *JABODETABEK Urban Transportation Policy Integration Project Phase 2: Annex 02 – JABODETABEK Urban Transportation Master Plan (Detailed RITJ)*.
- Kementerian Lingkungan Hidup dan Kehutanan. (2021). *Long-Term Strategy for Low Carbon and Climate Resilience 2050*.
- Keputusan Menteri Energi dan Sumber Daya Mineral Republik Indonesia Nomor 24.K/TL.01/MEM.L/2025 tentang Rencana Pengembangan Stasiun Pengisian Kendaraan Listrik Umum untuk Kendaraan Bermotor Listrik Berbasis Baterai Tahun 2025 sampai dengan Tahun 2030, Legislation 24.K/TL.01/MEM.L/2025, Menteri Energi dan Sumber Daya Mineral Republik Indonesia (2025).
- Kettle, S. (2017). *Distance on a sphere: The Haversine Formula*.

- Kınay, Ö. B., Gzara, F., & Alumur, S. A. (2021). Full cover charging station location problem with routing. *Transportation Research Part B: Methodological*, 144, 1–22. <https://doi.org/10.1016/j.trb.2020.12.001>
- Konak, A., Coit, D. W., & Smith, A. E. (2006). Multi-objective optimization using genetic algorithms: A tutorial. *Reliability Engineering & System Safety*, 91(9), 992–1007. <https://doi.org/10.1016/j.ress.2005.11.018>
- Kundu, S., & Mandal, P. (2017). An efficient method of Pareto-optimal front generation for analog circuits. *Analog Integrated Circuits and Signal Processing* 2017 94:2, 94(2), 289–316. <https://doi.org/10.1007/s10470-017-1073-5>
- Lazari, V., & Chassiakos, A. (2023). Multi-Objective Optimization of Electric Vehicle Charging Station Deployment Using Genetic Algorithms. *Applied Sciences (Switzerland)*, 13(8). <https://doi.org/10.3390/app13084867>
- Lazuardy, A., Nurcahyo, R., Kristiningrum, E., Ma'aram, A., Farizal, Aqmarina, S. N., & Rajabi, M. F. (2024). Technological, Environmental, Economic, and Regulation Barriers to Electric Vehicle Adoption: Evidence from Indonesia. *World Electric Vehicle Journal* 2024, Vol. 15, Page 422, 15(9), 422. <https://doi.org/10.3390/wevj15090422>
- Leyffer, S., & Manns, P. (2026). *McCormick envelopes in mixed-integer PDE-constrained optimization*. <http://arxiv.org/abs/2406.07891>
- Luo, X., & Qiu, R. (2020). Electric vehicle charging station location towards sustainable cities. *International Journal of Environmental Research and Public Health*, 17(8). <https://doi.org/10.3390/ijerph17082785>
- Mahlberg, J. A., Desai, J., & Bullock, D. M. (2023). Evaluation of Electric Vehicle Charging Usage and Driver Activity. *World Electric Vehicle Journal* 2023, Vol. 14, Page 308, 14(11), 308. <https://doi.org/10.3390/wevj14110308>
- Megha, M., & Mathpal, G. (2018). *International Journal on Recent and Innovation Trends in Computing and Communication A Landmark Based Shortest Path Detection by Using A* and Haversine Formula*. <http://www.ijritcc.org>
- Mehouachi, I., Trojette, M., & Grayaa, K. (2022). Optimal Placement of Electric Vehicle Charging Infrastructure: Study Case of an Urban Area of Tunisia. *2022 8th International Conference on Control, Decision and Information Technologies, CoDIT 2022*, 189–194. <https://doi.org/10.1109/CoDIT55151.2022.9803893>
- Mesquita-Cunha, M., Figueira, J. R., & Barbosa-Póvoa, A. P. (2023). New ϵ -constraint methods for multi-objective integer linear programming: A Pareto front representation approach. *European Journal of Operational Research*, 306(1), 286–307. <https://doi.org/10.1016/j.ejor.2022.07.044>

- Miftahuddin, Y., Umaroh, S., & Karim, F. R. (2020). PERBANDINGAN METODE PERHITUNGAN JARAK EUCLIDEAN, HAVERSINE, DAN MANHATTAN DALAM PENENTUAN POSISI KARYAWAN. *Jurnal Tekno Insentif*, 14(2), 69–77. <https://doi.org/10.36787/jti.v14i2.270>
- Mohamed Alshabibi, N., Matar, A. H., & H. Abdelati, M. (2025). Multi-Objective Mixed-Integer Linear Programming for Dynamic Fleet Scheduling, Multi-Modal Transport Optimization, and Risk-Aware Logistics. *Sustainability* 2025, Vol. 17, Page 4707, 17(10), 4707. <https://doi.org/10.3390/su17104707>
- Muliawati, F. D. (2025). *PLN Bakal Tambah 1.063 Unit SPKLU, Investasinya Rp 420,4 Miliar*. CNBC Indonesia.
- Mundhekar, A., & Aphale, N. (2011). *Multiobjective optimization and trade offs using pareto optimality* | PDF. <https://www.slideshare.net/slideshow/multiobjective-optimization-and-trade-offs-using-pareto-optimality/7238380>
- Nugroho, R. I., Gnann, T., Speth, D., Purwanto, W. W., Hanafi, J., & Soehodho, S. (2024). Agent-based simulation for market diffusion of passenger cars and motorcycles BEV in Greater Jakarta Area. *Working Papers “Sustainability and Innovation.”* <https://doi.org/10.24406/PUBLICA-2986>
- Pan, L., Yao, E., Yang, Y., & Zhang, R. (2020). A location model for electric vehicle (EV) public charging stations based on drivers’ existing activities. *Sustainable Cities and Society*, 59, 102192. <https://doi.org/10.1016/j.scs.2020.102192>
- PLN. (2025). *Kesiapan Pengembangan Infrastruktur SPKLU PLN*. www.pln.co.id
- Pourvaziri, H., Taghavi, M., Sarhadi, H., Afshari, H., & Azad, N. (2025). Multi-objective planning of electric vehicles charging stations by integrating drivers’ preferences and fairness considerations: A case study in Halifax, Canada. *Computers and Industrial Engineering*, 201. <https://doi.org/10.1016/j.cie.2025.110886>
- Prasasti, G. D. (2025). *Cegah Telat Karena Macet, Penumpang Kereta Diimbau Datang 30 Menit Lebih Cepat*. Topcareer.id.
- Presiden Republik Indonesia. (2023). *Perubahan atas Peraturan Presiden Nomor 55 Tahun 2019 tentang Percepatan Program Kendaraan Bermotor Listrik Berbasis Baterai (Battery Electric Vehicle) untuk Transportasi Listrik*.
- Rahman, T., Jonrinaldi, J., & Henmaidi. (2017). Model EPQ Multi Item yang Dimodifikasi untuk Dua Permintaan secara Simultan. *Jurnal Optimasi Sistem Industri*, 16(1), 1–9. <https://doi.org/10.25077/josi.v16.n1.p1-9.2017>
- Ramadhan, R. A., Aqidawati, E. F., & Sutopo, W. (2021). *Optimization of Location Selection for Electric Motorcycle Charging Station: Distance-based Method Approach*.

- Rangaiah, G. P. (2008). Multi-objective optimization: Techniques and applications in chemical engineering. *Multi-objective Optimization: Techniques And Applications In Chemical Engineering (With Cd-rom)*, 1–435. <https://doi.org/10.1142/7088>
- Rezeki, P. A., Setia Putra, A., Kasni Astiena, A., Yetti, H., & Kasra, K. (2024). WASTE ANALYSIS IN OUTPATIENT SERVICES AT RS NAILI DBS USING LEAN PRINCIPLES. *Jurnal Kesehatan*, 15(3), 82–91. <https://doi.org/10.35730/jk.v15i3.1212>
- Rosenwein, M. B. (1994). Discrete location theory, edited by P. B. Mirchandani and R. L. Francis, John Wiley & Sons, New York, 1990, 555 pp. *Networks*, 24(2), 124–125. <https://doi.org/10.1002/net.3230240212>
- Ruiz-Barajas, F., Olivares-Benitez, E., Ramirez-Nafarrate, A., & González-Ramírez, R. G. (2025). Multiobjective model to optimize charging station location for the decarbonization process in Mexico. *International Transactions in Operational Research*, 32(6), 3211–3231. <https://doi.org/10.1111/itor.13611>
- Santika, E. F. (2025). *Indonesians Spend 1-3 Hours Per Shopping Mall Visit*. Databoks.
- Shabbar, R., Kasasbeh, A., & Ahmed, M. M. (2021). Charging station allocation for electric vehicle network using stochastic modeling and grey wolf optimization. *Sustainability (Switzerland)*, 13(6). <https://doi.org/10.3390/su13063314>
- Sun, Z., Gao, W., Li, B., & Wang, L. (2020). Locating charging stations for electric vehicles. *Transport Policy*, 98(3), 48–54. <https://doi.org/10.1016/j.tranpol.2018.07.009>
- Talbi, E.-G. (2009). *Metaheuristics: From Desing to Implementation*. John Wiley & Sons, Inc. 624. <https://www.wiley.com/en-au/Metaheuristics%3A+From+Design+to+Implementation+-p-9780470278581>
- Tan, J., & Lin, W.-H. (2014). *17th International IEEE Conference on Intelligent Transportation Systems*. IEEE.
- Tarafdar, S., Zhang, Y., Gong, Y., Assistant, F., Yang, X., & Professor, A. (2024). *A Comprehensive Analysis of EV Charging Demand Prediction, Infrastructure Planning, and Power Network Resilience in the Era of Electric Mobility*. <https://doi.org/10.21949/1503647>
- Thacker, B. H., Doebling, S. W., Hemez, F. M., Anderson, M., Pepin, J. E., & Rodriguez, E. (2004). *Concepts of Model Verification and Validation*. <https://doi.org/10.2172/835920>
- Tian, Z., Yan, Q., Ma, Y., & Zhu, C. (2026). Site and Capacity Planning of Electric Vehicle Charging Stations Based on Road–Grid Coupling. *World Electric Vehicle Journal* 2026, Vol. 17, Page 101, 17(2), 101. <https://doi.org/10.3390/wevj17020101>

- Ucer, E., Koyuncu, I., Kisacikoglu, M. C., Yavuz, M., Meintz, A., & Rames, C. (2019). Modeling and analysis of a fast charging station and evaluation of service quality for electric vehicles. *IEEE Transactions on Transportation Electrification*, 5(1), 215–225. <https://doi.org/10.1109/TTE.2019.2897088>
- United Nations Framework Convention on Climate Change. (2022). *Enhanced Nationally Determined Contribution Republic of Indonesia*.
- Urban, S. (2021). *McCormick envelopes*.
- Wang, B., Ge, X., Jin, Y., Xu, M., & Huang, Z. (2025). Orderly Charging Scheduling for EVs with a Novel Queuing Model Under Power Capacity Constraints. *Applied Sciences* 2025, Vol. 15, Page 12038, 15(22), 12038. <https://doi.org/10.3390/app152212038>
- Wang, Y. W., & Lin, C. C. (2009). Locating road-vehicle refueling stations. *Transportation Research Part E: Logistics and Transportation Review*, 45(5), 821–829. <https://doi.org/10.1016/j.tre.2009.03.002>
- Wijaya, K. C., Moras, B. C. K., O'Brien, B. J., Humagain, P., & Gkritza, K. (2026). Perceived accessibility of electric vehicle charging stations: contributing factors and conceptual framework. *Transportation Research Interdisciplinary Perspectives*, 36, 101907. <https://doi.org/10.1016/j.trip.2025.101325>
- Winston, W. L. ., & Goldberg, J. B. . (2004). *Operations research : applications and algorithms*. Thomson/Brooks/Cole.
- Wu, F., & Sioshansi, R. (2017). A stochastic flow-capturing model to optimize the location of fast-charging stations with uncertain electric vehicle flows. *Transportation Research Part D: Transport and Environment*, 53, 354–376. <https://doi.org/10.1016/j.trd.2017.04.035>
- Xiao, D., An, S., Cai, H., Wang, J., & Cai, H. (2020). An optimization model for electric vehicle charging infrastructure planning considering queuing behavior with finite queue length. *Journal of Energy Storage*, 29. <https://doi.org/10.1016/j.est.2020.101317>
- Yau, Y., & Çavka, B. H. (2023). An Analysis of Visitors' Perceptions of Shopping Malls. *Engineering Proceedings 2023, Vol. 53, Page 50*, 53(1), 50. <https://doi.org/10.3390/IOCBD2023-16358>
- Yi, T., Cheng, X. Bin, Zheng, H., & Liu, J. P. (2019). Research on location and capacity optimization method for electric vehicle charging stations considering user's comprehensive satisfaction. *Energies*, 12(10). <https://doi.org/10.3390/en12101915>
- Zanjirani, R., Masoud Hekmatfar, F., Farahani, R. Z., Hekmatfar, M., & -Verlag, P. (2009). *Facility Location Concepts, Models, Algorithms and Case Studies CONTRIBUTIONS TO MANAGEMENT SCIENCE Facility Location*.

Zhang, Q., Si, G., & Li, H. (2025). Optimization of Electric Vehicle Charging Station Location Distribution Based on Activity–Travel Patterns. *ISPRS International Journal of Geo-Information*, 14(10). <https://doi.org/10.3390/ijgi14100373>