

DAFTAR PUSTAKA

- Ahmed, O., Atwa, W., Elshaier, M., & Elqady, E. M. 2022. Change of the Density-Independent and Dependent Environmental Factors on The Population Dynamics of *Bemisia tabaci* and *Empoasca fabae* Under the Potato Agroecosystem. *Egyptian Academic Journal of Biological Sciences. A, Entomology*. 15(4) : 209-219.
- Anani, P.Y., H. Bayor, B. Karikari, I.K. Amegbor, G. Nyarko, A.R. Hudu, dan M. Labuschagne. 2024. Exploring morphological variation and stability in hot pepper (*Capsicum annuum*) germplasm collection from the northern region of Ghana. *Scientia Horticulturae* 337: 113509.
- Andayani, S.A. 2018. Faktor-faktor yang mempengaruhi produksi cabai merah. *Mimbar Agribisnis: Jurnal Pemikiran Masyarakat Ilmiah Berwawasan Agribisnis* 1(3): 261–268.
- Arsi, A., Sihite, G.A.P., Gustiar, F., Irmawati, I., SHK, S., Hamidson, H., & Sukma, A.T. 2021. Pengaruh tumpang sari cabai dengan kubis terhadap hama dan penyakit tanaman cabai di Desa Kerinjing Kota Pagar Alam. *Seminar Nasional Lahan Suboptimal* 9: 101–113.
- Ballina-Gomez, H., E. Ruiz-Sanchez, W. Chan-Cupul, L. Latournerie-Moreno, L. Hernández-Alvarado, I. Islas-Flores, dan J.J. Zúñiga-Aguilar. 2013. Response of *Bemisia tabaci* Genn. (Hemiptera: Aleyrodidae) biotype B to genotypes of pepper *Capsicum annuum* (Solanales: Solanaceae). *Neotropical Entomology* 42(2): 205–210.
- CABI, 2021. *Bemisia tabaci* (Tobacco whitefly), Invasive Species Compendium, <https://www.cabi.org/isc/datasheet/8927>. Diakses pada 8 Desember 2025.
- Castillo-Aguilar, C. D. L. C., Reyes-Ek, J. M., Chiquini-Medina, R. A., Piña-Betancourt, E., Sauri-Duch, E., & Cancino, D. J. P. 2025. Ex situ morphological characterization of the native chili Cha'hua (*Capsicum annuum* L.) cv. Chahua. *Agro Productividad*.
- Chu, D., Wan, F.H., Zhang, Y.J., & Brown, J.K. 2010. Change in the biotype composition of *Bemisia tabaci* in Shandong Province of China from 2005 to 2008. *Environmental Entomology* 39(3): 1028–1036.
- Czosnek, H., Ghanim, M., & Morin, S. 2017. Whiteflies: Biology, Transmission, and Management of Plant Viruses. *Advances in Virus Research* 95: 259–288.
- Dewi, R., Andadari, L., & Maharani, K.E. 2017. Tinjauan bioekologi dan pengendalian hama kutu kebul (*Bemisia tabaci* Genn.). *Prosiding Seminar Nasional PEI*: 40–45.

- Fenoglio, M. S., Videla, M., & Morales, J. M. 2017. Evaluating trap cropping strategies for insect pest control through simulation models. *Journal of Pest Science*. 90(2) : 601-610.
- Feriadi, D. 2017. Aplikasi sistem pendukung keputusan untuk simulasi diagnosa hama dan penyakit pada tanaman cabai. *Prociding KMSI* 2(1).
- Folimonova, S.Y. & Tilsner, J. 2018. Hitchhikers, highway tolls and roadworks: The interactions of plant viruses with the phloem. *Current Opinion in Plant Biology* 43: 82–88.
- Ghosh, S., & Ghanim, M. 2021. Factors determining transmission of persistent viruses by *Bemisia tabaci* and emergence of new virus–vector relationships. *Viruses*. 13(9) : 1808.
- Hamdayanty & Hardina, N. 2023. Identifikasi virus penyebab penyakit kuning keriting pada cabai di Kabupaten Gowa, Sulawesi Selatan. *Jurnal Agrikultura* 34(3): 427–434.
- Hasanuzzaman, A. T. M., Islam, M. N., Liu, F. H., Cao, H. H., & Liu, T. X. 2018. Leaf chemical compositions of different eggplant varieties affect performance of *Bemisia tabaci* (Hemiptera: Aleyrodidae) nymphs and adults. *Journal of economic entomology*. 111(1) : 445-453.
- Hasanuzzaman, A. T. M., Islam, M. N., Zhang, Y., Zhang, C. Y., & Liu, T. X. 2016. Leaf morphological characters can be a factor for intra-varietal preference of whitefly *Bemisia tabaci* (Hemiptera: Aleyrodidae) among eggplant varieties. *PloS one*. 11(4).
- Hidayat, P., Ludji, R., & Maryana, N. 2020. Kemampuan reproduksi dan riwayat hidup kutu kebul *Bemisia tabaci* (Gennadius) dengan dan tanpa kopulasi pada tanaman cabai merah dan tomat. *Jurnal Entomologi Indonesia* 17(3): 156–162.
- Hidayati, N., Soffan, A., Arwiyanto, T., & Wijonarko, A. 2024. Diversity of bacterial endosymbionts of *Bemisia tabaci* from some regions in Indonesia and the genetic diversity of *Wolbachia* endosymbiont. *Biodiversitas* 25: 4304– 4314.
- Hilje, L., & Stansly, P. A. 2018. Host preference by two *Bemisia tabaci* biotypes in Costa Rica and Florida. *Agronomía Mesoamericana* 29(3) : 585-595.
- Hogenhout, S.A., Ammar, E.D., Whitfield, A.E., & Redinbaugh, M.G. 2008. Insect vector interactions with persistently transmitted viruses. *Annual Review of Phytopathology* 46: 327–359..
- Holden, M. H., Ellner, S. P., Lee, D. H., Nyrop, J. P., & Sanderson, J. P. 2012. Designing an effective trap cropping strategy: the effects of attraction, retention and plant spatial distribution. *Journal of Applied Ecology*.

49(3):715-722.

- Indiati, S.W., dan Marwoto. 2017. Penerapan pengendalian hama terpadu (PHT) pada tanaman kedelai. *Buletin Palawija* 15(2): 87–100.
- Kachhawa, D. 2020. Trap crop: A pest management technique. *Int J Fauna Biol Study*.7(1):71-73.
- Kamaliah, T.L., P. Hidayat, A. Maharijaya, dan M. Syukur. 2022. Preferensi *Bemisia tabaci* Genn. dan kaitannya dengan karakter anatomi dan morfologi daun pada cabai (*Capsicum annuum* L.). *Jurnal Agronomi Indonesia* 50(3): 291–298.
- Kamila, I.Y. 2023. Genetic variability and stability analysis of chili in three environments. *Jurnal Agronomi*.
- Kammara, M., Kumar, A., Singh, S., Yogita, K. A., & Aman, A. S. 2023. Integrated Approaches for Management of Whitefly (*Bemisia tabaci* Gennadius) to Prevent Chilli Leaf Curl Disease in Chilli Crop: A Review. *Int. J. Plant Soil Sci* 35(19) :1447-1457.
- Khan, M. M. H. 2019. Effect of temperature and relative humidity on the population dynamics of brinjal and tomato infesting whitefly, *Bemisia tabaci*. *Jahangirnagar University Journal of Biological Sciences*. 8(1) : 83-86.
- Khanh, N.D. & Giang, H.T.T. 2021. Effect of temperature on life history of *Bemisia tabaci* (Gennadius) (Homoptera: Aleyrodidae) on cassava (*Manihot esculenta* Crantz). *Vietnam Journal of Agricultural Sciences* 4(1): 912– 920.
- Kurniasih, T., Indriati, R., & Firliana, R. 2020. Sistem pemberantasan hama tanaman cabe. *Prosiding Semnas Inotek* 4(3): 59–64.
- Kurniawan, H.A. & Fitria, F. 2021. Life balance of whitefly (*Bemisia tabaci* Genn.) in chili plant (*Capsicum annuum* L.). *Agrinula: Jurnal Agroteknologi dan Perkebunan* 4(1): 22– 26.
- Lami, F., Boscutti, F., Barbieri, S., Fabro, M., Masin, R., Nikolić, N., & Marini, L. 2025. Drought conditions, tillage regime and soil phosphorous modulate the incidence of weeds, pests and pathogens in arable crops. *Scientific Reports*. 15(1) : 24383.
- Li, J., Xu, H., Zhang, Q., & Chen, W. 2023. Ecological factors associated with the distribution of *Bemisia tabaci* cryptic species and their facultative endosymbionts. *Insects* 14(3): 252.
- Li, Y., G.N. Mbata, A.M. Simmons, D.I. Shapiro-Ilan, dan S. Wu. 2024. Management of *Bemisia tabaci* on vegetable crops using entomopathogens. *Crop Protection* 180: 106638.

- Li, Y., Mbata, G. N., Punnuri, S., Simmons, A. M., & Shapiro-Ilan, D. I. 2021. *Bemisia tabaci* on vegetables in the Southern United States: incidence, impact, and management. *Insects*, 12(3): 198.
- Liu, S., Yu, H., & Vlasenko, V. A. 2020. Effect of Different Temperature and Humidity on *Bemisia tabaci*. *Journal of Botanical Research* 2(2): 21–24.
- Liu, S., Yu, H., & Vlasenko, V. A. 2020. Effect of different temperature and humidity on *Bemisia tabaci*. *J. Bot. Res* 2 : 21-24.
- Majumdar, A., & Price, M. 2019. Major lessons from large-scale trap cropping demonstrations for pest reduction in vegetables. *Annals of the Entomological Society of America*. 112(4) :298-301.
- Meliansyah, R., & Pitria, P. 2019. Preferences of *Bemisia tabaci* Gennadius (Homoptera: Aleyrodidae) towards host plants. *Research on Crops* 20(4).
- Mohammed, S., dan A. Hussen. 2023. Influence of deficit irrigation levels on agronomic performance of pepper (*Capsicum annuum* L.) under drip at Alage, central rift valley of Ethiopia. *PLOS ONE* 18(11): e0280639.
- Moshefi, P. & Bahojb-Alma, A. 2016. Trap cropping. *International Journal of Research Studies in Agricultural Sciences* 2(1): 13–19.
- Naafi, T. N., & Rahayu, Y. S. 2019. The effect of local micro organism and Mycorrhizal fungi on anatomical and morphological responses of red chili (*Capsicum annuum* L.) at different soil water level. In *Journal of Physics: Conference Series* .1417 (1).IOP Publishing.
- Navas-Castillo, J., Fiallo-Olivé, E., & Sánchez-Campos, S. 2011. Emerging virus diseases transmitted by whiteflies. *Annual Review of Phytopathology* 49: 219–248.
- Nawaz-ul-Rehman, M.S. & Fauquet, C.M. 2009. Evolution of geminiviruses and their satellites. *FEBS Letters* 583(12): 1825–1832.
- Nguyen, D.K., Le, N.A., & Ho, T.T.G. 2020. Effect of temperature on life history of *Bemisia tabaci* on cassava. *Journal of Agriculture and Veterinary Science* 13(2): 45–52.
- Ningsih, M.S., S. Fardedi, G. Oktabriana, M. Rahmah, dan H.Y. Jailani. 2024. Pengaruh infeksi virus kerupuk terhadap pertumbuhan dan hasil tanaman tembakau Payakumbuh. *Jurnal Riset Perkebunan* 5(1): 11–17.
- Panwar, L., Devi, S., & Singh, Y. 2021. Insect pest management in vegetable crops through trap cropping: Review. *The Indian Journal of Agricultural*

Sciences 91(10): 1433–1437.

- Patel, C., Srivastava, R.M., & Samraj, J.M. 2022. Comparative study of morphology and developmental biology of two agriculturally important whitefly species *Bemisia tabaci* (Asia II 5) and *Trialeurodes vaporariorum*. *Brazilian Archives of Biology and Technology* 65.
- Raed, A., Ahmed, Q., & Arif, M. 2009. *The Relationship between the Infestation of Whitefly Bemisia tabaci (Gennadius)(Hemiptera: Aleyrodidae) and the Chlorophyll Content in Different Eggplant Varieties. Revis Bionat a* 2022; 7 (4) : 43
- Rahayuwati, S., Hidayat, P., & Hidayat, S.H. 2020. Variasi morfologi puparium *Bemisia tabaci* pada berbagai inang dan ketinggian tempat. *Jurnal Entomologi Indonesia* 17(2): 61–69.
- Rahayuwati, S., P. Hidayat, dan S.H. Hidayat. 2020. Variasi morfologi puparium *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae) pada berbagai inang dan ketinggian tempat dari daerah endemik penyakit kuning cabai di wilayah Sundaland. *Indonesian Journal of Entomology* 17(2): 45–62.
- Reddy, G.V.P., Guerrero, A., & Gregg, P.C. 2019. Trap crops: How far are we from using them in cereal crops? *Annals of the Entomological Society of America* 112(4): 330–336.
- Sani, I., Ismail, S.I., Abdullah, S., Jalinas, J., Jamian, S., & Saad, N. 2020. A review of the biology and control of whitefly *Bemisia tabaci*, with special reference to biological control using entomopathogenic fungi. *Insects* 11(9): 619.
- Saranani, M. 2023. Pengendalian hama tanaman cabai rawit dan dampaknya terhadap pendapatan petani di Desa Lalopisi Kecamatan Meluhu. *Jurnal Riset Rumpun Ilmu Tanaman* 2(2): 115–126.
- Sarkar, N., Wang, E., Wu, S., & Lei, Z. 2018. Application of trap cropping as companion plants for management of agricultural pests: A review. *Insects* 9(4): 128.
- Sataral, M., Daud, S., & Hevianti, M. 2022. Potential of various trap crops for the control of *Bemisia tabaci* on chilli pepper. *CELEBES Agricultural*. 2(2): 88-96.
- Schuster, D. J. 2004. Squash as a trap crop to protect tomato from whitefly-vectored tomato yellow leaf curl. *International Journal of Pest Management* 50(4) : 281-284.

- Shelton, A. Á., & Badenes-Perez, F. R. 2006. Concepts and applications of trap cropping in pest management. *Annual review of entomology*.51(1) :285- 308.
- Shelton, A.M., dan F.R. Badenes-Perez. 2006. Concepts and applications of trap cropping in pest management. *Annual Review of Entomology* 51: 285–308.
- Sipriyadi, S., Rahman, A.N.A., Darwis, W.D.W., Wibowo, R.H., Sutrawati, M., Hutasoit, C.M., & Setiawan, R. 2022. Pencirian genetik Pepper Yellow Leaf Curl Virus pada tanaman cabai merah di Bengkulu. *Jurnal Ilmu Pertanian Indonesia* 27(4): 574–581.
- Sulandari, S., R. Suseno, dan S.H. Hidayat. 2006. Penyakit daun keriting kuning cabai yang disebabkan oleh virus dan peran *Bemisia tabaci* sebagai vektornya. *Jurnal Perlindungan Tanaman Indonesia* 12(1): 1–8.
- Sulistyaningsih, E., Kusumaningrum, S., & Murti, R. H. 2025. Morpho-Physiology and Yield Alterations in the Four Chili Varieties (*Capsicum annum L.*) in Various Soil Depth Media in Tropical Lowland. *Trends in Sciences*. 22(11) :10372-10372.
- Taufik, M., Hasan, A., Mallarangeng, R., HS, G., Khaeruni, A., Botek, M., & Syair, S. 2023. Relationship Between whitefly (*Bemisia tabaci*) Population and Pepper Yellow Leaf Curl Disease on Chili Plant Yield in The Field. *CROPSAVER-Journal of Plant Protection*. 6(1) : 19-25.
- Taufik, M., Hasan, A., Mallarangeng, R., HS, G., Khaeruni, A., Botek, M., & Syair, S. 2023. Relationship Between whitefly (*Bemisia tabaci*) Population and Pepper Yellow Leaf Curl Disease on Chili Plant Yield in The Field. *CROPSAVER-Journal of Plant Protection*. 6(1) : 19-25.
- Yolanda, K., Witjaksono, W., & Putra, N. S. 2024. Population of *Bemisia tabaci* and Incidence of Yellow Disease in Chili Intercropped with Corn. *Jurnal Perlindungan Tanaman Indonesia*. 28(1): 68-76.
- Zhang, X. M., Lövei, G. L., Ferrante, M., Yang, N. W., & Wan, F. H. 2020. The potential of trap and barrier cropping to decrease densities of the whitefly *Bemisia tabaci* MED on cotton in China. *Pest Management Science*.76(1), 366–374.
- Zhang, X. M., Lövei, G. L., Ferrante, M., Yang, N. W., & Wan, F. H. 2020. The potential of trap and barrier cropping to decrease densities of the whitefly *Bemisia tabaci* MED on cotton in China. *Pest Management Science*. 76(1) : 366-374.
- Zhang, Z., Zhang, B., He, H., Yan, M., Li, J., & Yan, F. 2022. Changes in visual and olfactory cues in virus-infected host plants alter the behavior of *Bemisia tabaci*. *Frontiers in Ecology and Evolution*. 10 : 766570.