

DAFTAR PUSTAKA

- AlJuhaimi, F., Babacan, R., Ahmed, I. A. M., Özcan, M. M., Uslu, N., & Karrar, E. (2024). The role of germinating, roasting and boiling on bioactive properties, fatty acid, phenolic components and biogenic element contents of soybean seeds. *International Journal of Food Science and Technology*, 59(6), 3603–3612.
<https://doi.org/10.1111/ijfs.17094>
- Amalina, A. N., Setyawan, D., Aulia, T. N. H., Meilawati, R., Meilasanti, R., & Tyastime, S. (2025). Pengaruh Suhu Perendaman terhadap Penyerapan Air Kacang Merah dan Kacang Kedelai. *Journal of Food and Agricultural Product*, 5(1), 12–21.
- Antwi, I. G., Addo, A., & Bart-Plange, A. (2021). Water Diffusion Coefficients of Selected Legumes Grown in Ghana as Affected by Temperature and Variety. *Open Journal of Applied Sciences*, 11(8), 861–873.
<https://doi.org/10.4236/ojapps.2021.118063>
- AOAC (2005). *Official Methods of Analysis of the Association of Official Analytical Chemists*. AOAC, Washington, D.C.
- Astuti, R. M., Palupi, N. S., Suhartono, M. T., Lioe, H. N., Kusumaningtyas, E., & Cempaka, L. (2022). Karakterisasi Fisiko-Kimia Biji dan Kulit Ari Kacang Bogor Asal Jampang-Sukabumi Jawa Barat. *Jurnal Teknologi & Industri Pangan*, 33(2), 179–188.
<https://doi.org/10.6066/jtip.2022.33.2.178>
- Badan Pengawas Obat dan Makanan. (2022). *PERATURAN BADAN PENGAWAS OBAT DAN MAKANAN NOMOR 1 TAHUN 2022 TENTANG PENGAWASAN KLAIM PADA LABEL DAN IKLAN PANGAN OLAHAN*. BPOM.
- Bai, Q., Li, M., Zhou, J., Imran, A., de Souza, T. S., Barrow, C., Dunshea, F., & Suleria, H. A. (2024). Influence of processing methods on phytochemical composition of different varieties of beans (*Phaseolus vulgaris*). *Food Reviews International*, 40(7), 1941–1979.
<https://doi.org/10.1080/87559129.2023.2245026>
- Bajo, W., Chambal, B., & Macuamule, C. (2026). Effect of processing methods on mineral bioaccessibility in common beans. *Scientific Reports*, 16 (4593).
<https://doi.org/10.1038/s41598-025-34639-3>
- Belitz, H. D., Grosch, W., & Schieberle, P. (2004). *Food Chemistry*. Berlin, Heidelberg: Springer Berlin Heidelberg.
- Bhattacharya, R., & Flora, S. J. S. 2009. *Cyanide toxicity and its treatment*. Pages 255–270 *Handbook of Toxicology of Chemical Warfare Agents*. Academic Press, Cambridge.
- Bosmali, I., Giannenas, I., Christophoridou, S., Ganos, C. G., Papadopoulos, A., Papathanasiou, F., Kolonas, A., & Gortzi, O. (2023). Microclimate and genotype impact on nutritional and antinutritional quality of locally adapted landraces of common bean (*Phaseolus vulgaris* L.). *Foods*, 12(6), 1119.
- BPOM. (2021). *PerBPOM No.11 Tahun 2021 Tentang Perubahan Atas PerBPOM No.13 Tahun 2020 Tentang Bahan Tambahan Pangan Perisa*.

- BPS (Badan Pusat Statistik). (2025, 29 Juli). *Impor Kedelai menurut Negara Asal Utama, 2017-2024*. Diakses pada 26 Desember 2025 dari bps.go.id.
- Christodoulou, M. C., Orellana Palacios, J. C., Hesami, G., Jafarzadeh, S., Lorenzo, J. M., Domínguez, R., Moreno, A., & Hadidi, M. (2022). Spectrophotometric methods for measurement of antioxidant activity in food and pharmaceuticals. *Antioxidants*, 11(11), 2213. <https://doi.org/10.3390/antiox11112213>
- Davies, N. T., & Reid, H. (1979). An evaluation of the phytate, zinc, copper, iron and manganese contents of, and Zn availability from, soya-based textured-vegetable-protein meat-substitutes or meat-extendors. *British journal of nutrition*, 41(3), 579–589.
- Djaafar, T. F., Cahyaningrum, N., & Purwaningsih, H. (2010). Physico-chemical characteristics of tribal bean (*Canavalia virosa*) and its alternative tofu and tempeh food products. *Indonesian Journal of Agricultural Science*, 11(2), 74–80.
- Djaafar, T. F., Santosa, U., Cahyanto, M. N., & Rahayu, E. S. (2012). Pengaruh perendaman dan perebusan terhadap kandungan protein, gula, total fenolik dan aktivitas antioksidan kerandang (*Canavalia virosa*). *Agritech: Jurnal Fakultas Teknologi Pertanian UGM*, 32(3), 95563.
- Djaafar, T. F., Santoso, U., & Ariestyanta, A. (2017). Pengaruh penambahan maltodekstrin dan suhu inlet spray dryer terhadap karakteristik fisiko-kimia bubuk sari kerandang (*Canavalia virosa*). *Agritech: Jurnal Fakultas Teknologi Pertanian UGM*, 37(3), 334–342.
- Filipiak-Florkiewicz, A., Florkiewicz, A., Cieslik, E., Walkowska, I., Walczycka, M., Leszczynska, T., & Kapusta-Duch, J. (2011). Effects of various hydrothermal treatments on selected nutrients in legume seeds. *Polish journal of food and nutrition sciences*, 61(3), 181–186.
- Ginting, E., & Widodo, Y. (2013). Cyanide reduction in cassava root products through processing and selection of cultivars in relation to food safety. *Buletin Palawija*, (25), 225852.
- Gülcin, I. (2012). Antioxidant activity of food constituents: an overview. *Archives of toxicology*, 86(3), 345–391.
- Hassan, A. B., Al Maiman, S. A., Alshammari, G. M., Mohammed, M. A., Alhuthayli, H. F., Ahmed, I. A. M., Alfawaz, M. A., Yagoub, A. E. A., Fickak, A., & Osman, M. A. (2021). Effects of boiling and roasting treatments on the content of total phenolics and flavonoids and the antioxidant activity of peanut (*Arachis hypogaea* L.) pod shells. *Processes*, 9(9), 1542.
- Islami, R., Prangdimurti, E., Muhandri, T., & Adawiyah, D. R. (2025). Efek berbagai pretreatment koro pedang kupas terhadap kadar HCN, proksimat dan karakteristik fisik tepung koro pedang (*Canavalia ensiformis*). *Agrointek: Jurnal Teknologi Industri Pertanian*, 19(1), 11–18.
- Jayanti, E. T. (2019). Kandungan Protein Biji Dan Tempe Berbahan Dasar Kacang-Kacangan Lokal (*Fabaceae*) Non Kedelai (Seeds and Tempeh Protein Content From Non Soybean *Fabaceae*). *Bioscientist: Jurnal Ilmiah Biologi*, 7(1), 79–86.

<https://doi.org/10.33394/bioscientist.v7i1.2454>

- Joint FAO/WHO Expert Committee on Food Additives (JECFA). (2011). *Safety evaluation of certain food additives and contaminants: Cyanogenic glycosides*. World Health Organization.
- King, J., Leong, S. Y., Alpos, M., Johnson, C., Mcleod, S., Peng, M., Sutton, K., & Oey, I. (2024). Role of food processing and incorporating legumes in food products to increase protein intake and enhance satiety. *Trends in food science & technology*, 147, 104466.
<https://doi.org/10.1016/j.tifs.2024.104466>
- Kuliah Sari, D. E., Sari, I. N. I., & Estiasih, T. (2021). Cyanide detoxification methods in food: A review. *In IOP Conference Series: Earth and Environmental Science*, 733(1), 012099.
- Lawag, I. L., Islam, M. K., Sostaric, T., Lim, L. Y., Hammer, K., & Locher, C. (2023). Antioxidant activity and phenolic compound identification and quantification in Western Australian honeys. *Antioxidants*, 12(1), 189.
<https://doi.org/10.3390/antiox12010189>
- Maestri, D. (2024). Groundnut and tree nuts: a comprehensive review on their lipid components, phytochemicals, and nutraceutical properties. *Critical reviews in food science and nutrition*, 64(21), 7426–7450.
<https://doi.org/10.1080/10408398.2023.2185202>
- Maharani, P., Santoso, U., Rachma, Y. A., Fitriani, A., & Supriyadi, S. (2022). Efek pengolahan konvensional pada kandungan gizi dan anti gizi biji petai (*Parkia speciosa* Hassk.). *Jurnal Teknologi Pertanian*, 23(2), 151–164.
<https://doi.org/10.21776/ub.jtp.2022.023.02.6>
- Maphosa, Y., & Jideani, V. A. (2017). The role of legumes in human nutrition. *Functional food-improve health through adequate food*, 1, 13.
<http://dx.doi.org/10.5772/intechopen.69127>
- Mokrani, A., Arkoub-Djermoune, L., Mekhoukhe, A., Medouni-Adrar, S., Kaanin-Boudraa, G., Bourakba, S., & Touahri, Y. (2026). IMPACT OF DOMESTIC COOKING (BOILING) ON PHENOLIC CONTENTS AND ANTIOXIDANT ACTIVITY IN VARIOUS LENTIL CULTIVARS. *Food and Feed Research*.
<https://doi.org/10.5937/ffr0-58624>
- Multescu, M., Culetu, A., & Susman, I. E. (2024). Screening of the nutritional properties, bioactive components, and antioxidant properties in legumes. *Foods*, 13(22), 3528.
<https://doi.org/10.3390/foods13223528>
- Nielsen, S. S. (Ed.). (2017). *Food Analysis*. Fifth Edition. Springer: Switzerland.
- Nissar, J., Ahad, T., Naik, H. R., & Hussain, S. Z. (2017). A review phytic acid: As antinutrient or nutraceutical. *Journal of Pharmacognosy and Phytochemistry*, 6(6), 1554–1560.
- Nyirenda, K. K. (2020). Toxicity potential of cyanogenic glycosides in edible plants. *Medical toxicology*, 1–19.
- Olaniran, A. F., Okonkwo, C. E., Erinle, O. C., Owolabi, A. O., Ojediran, J. O., & Olayanju, T. A. (2020). Optimum boiling duration and its effect on

- nutritional quality and acceptability of mechanically dehulled unfermented locust bean seeds. *Preventive Nutrition and Food Science*, 25(2), 219–224.
Doi: 10.3746/pnf.2020.25.2.219
- Orhevba, B. A. (2011). The Effects of Cooking Time on the Nutritional Parameters of Soya Milk. *American Journal of Food Technology*, 6(4), 298–305.
- Pramita, D. S., Handajani, S., & Rachmawanti, D. (2008). Pengaruh teknik pemanasan terhadap kadar asam fitat dan aktivitas antioksidan koro benguk (*Mucuna pruriens*), koro glinding (*Phaseolus lunatus*), dan koro pedang (*Canavalia ensiformis*). *Biofarmasi*, 6(2), 36–44.
- Quilichini, T. D., Gao, P., Yu, B., Bing, D., Datla, R., Fobert, P., & Xiang, D. (2022). The seed coat's impact on crop performance in pea (*Pisum sativum* L.). *Plants*, 11(15), 2056.
<https://doi.org/10.3390/plants11152056>
- Raharjo, S. (1997). Peran Asam Fitat sebagai Antioksidan. *Agritech*, 17(2), 29–36.
- Saleh, N. M., Zahran, A. S., Metwalli, A. A., Awad, E. M., Ebiad, H., & Al-Tamimi, J. (2024). Changes in antioxidants and nutritional properties during germination of soybean. *Journal of King Saud University-Science*, 36(11), 103527.
- Sathya, A., & Siddhuraju, P. (2015). Effect of processing methods on compositional evaluation of underutilized legume, *Parkia roxburghii* G. Don (yongchak) seeds. *Journal of Food Science and Technology*, 52(10), 6157–6169.
- Shahidi, F., & Yeo, J. (2016). Insoluble-bound phenolics in food. *Molecules*, 21(9), 1216.
<https://doi.org/10.3390/molecules21091216>
- Sharma, S., Goyal, R., & Barwal, S. (2013). Domestic processing effects on physicochemical, nutritional and anti-nutritional attributes in soybean (*Glycine max* L. Merrill). *International Food Research Journal*, 20(6).
- Shi, L., Arntfield, S. D., & Nickerson, M. (2018). Changes in levels of phytic acid, lectins and oxalates during soaking and cooking of Canadian pulses. *Food Research International*, 107, 660–668.
<https://doi.org/10.1016/j.foodres.2018.02.056>
- Souza, F. H., & Marcos-Filho, J. Ú. L. I. O. (2001). The seed coat as a modulator of seed-environment relationships in Fabaceae. *Brazilian Journal of Botany*, 24, 365–375.
<https://doi.org/10.1590/S0100-84042001000400002>
- Sutedja, A. M., Ristiarini, S., Kuswardani, I., Epriliati, I., Aracelly, V. V., & Bawono, F. L. W. (2024). PERUBAHAN PROTEIN DAN HIDROGEN SIANIDA PADA PEMBUATAN TEMPE KACANG KORO PEDANG (*Canavalia ensiformis* (L) DC). *Jurnal Teknologi Pangan dan Gizi (Journal of Food Technology and Nutrition)*, 23(2), 160–168.
<https://doi.org/10.33508/jtpg.v23i2.5911>
- Thakur, P., Kumar, K., Ahmed, N., Yadav, A. N., Kumar, S., Rizvi, Q. U. E. H., Chauhan, D., & Jan, S. (2022). Impact of diverse processing treatments on nutritional and anti-nutritional characteristics of soybean (*Glycine max* L.). *Journal of Applied Biology & Biotechnology*, 10(3), 97–205.
Doi: 10.7324/JABB.2022.100313

- Thangadurai, D., Viswanathan, M., & Ramesh, N. (2001). The chemical composition and nutritional evaluation of *Canavalia virosa*: a wild perennial bean from Eastern Ghats of Peninsular India. *European Food Research and Technology*, 213(6), 456–459.
Doi: 10.1007/s002170100409
- Tsamo, C. V. P., Herent, M. F., Tomekpe, K., Emaga, T. H., Quetin-Leclercq, J., Rogez, H., Larondelle, Y., & Andre, C. M. (2015). Effect of boiling on phenolic profiles determined using HPLC/ESI-LTQ-Orbitrap-MS, physico-chemical parameters of six plantain banana cultivars (*Musa sp*). *Journal of Food Composition and Analysis*, 44, 158–169.
- Tura, D. C., Isho, A. A., Yetneberk, S., & Kebede, A. (2023). Effect of Traditional Processing Methods on Proximate Composition and Mineral Content of Mung Beans (*Vigna radiata L.*) Grown in Ethiopia. *Journal of Nutrition & Food Sciences*, 13 (046).
- Valen, Q. C. (2023). Variasi Tempe Non-Kedelai: Alternatif Pengganti Tempe Kedelai. *ZIGMA*, 38(2), 105–119.
- Wahyuningsih, S. (2024). *Buletin Konsumsi Pangan*. Volume 15 Nomor 2 Tahun 2024. Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal Kementerian Pertanian Tahun 2024.
- Williams, H. J., & Edwards, T. G. (1980). Estimation of Cyanide with Alkaline Picrate. *Journal of the Science of Food and Agriculture*, 31(1), 15–22.
- Winarti, E., Sarjiman, & Cahyaningrum, N. (2011). Identifikasi, Produksi, dan Potensi Kerandang sebagai Sumber Pangan dan Pakan Alternatif. *Buletin Plasma Nutfah*, 17(2), 122–128.
Doi: 10.21082/blpn.v17n2.2011.p122-128
- Yanuartono, Y., Nururrozi, A., & Indarjulianto, S. (2016). Fitat dan fitase: dampak pada hewan ternak. *Jurnal ilmu-ilmu peternakan*, 26(3), 59–78.
<https://doi.org/10.21776/ub.jiip.2016.026.03.09>