

DAFTAR PUSTAKA

- Abed. E, Ihab., A.N., Sulaiman., E., dan Mahmoud, A. (2016). Impact of spirulina on nutritional status, haematological profile and anaemia status in malnourished children in the gaza strip: Randomized clinical trial. *Maternal and Pediatric Nutrition*, 2(2). 2-6, <https://doi.org/10.4172/2472-1182.1000110>
- Almeida,F., R., Borges, L. A., Anacleto, D., De Souza, M. S. N., Da Silva, L. B. M., Monroy, Y. M., Batista, E. A. C., & Machado, A. P. O. (2025). Gluten-free cookies: A comprehensive review of substitutes for wheat flour. *Food and Humanity*, 4, 100549. <https://doi.org/10.1016/j.foohum.2025.100549>
- Aini, N., Sustriawan, B., Olivia, N. A., & Mela, E. (2025). Sensory profile, preference and nutritional value of gluten-free cookies made from corn flour, sweetened with sucrose and coconut crystal sugar. *Food Research*, 9(3), 292–302. [https://doi.org/10.26656/fr.2017.9\(3\).163](https://doi.org/10.26656/fr.2017.9(3).163)
- Anggraeni, A. A., Handayani, T. H. W., & Palupi, S. (2017). Sensory characteristic of gluten-free popular indonesian cookies. *Proceedings of the International Conference on Technology and Vocational Teachers (ICTVT 2017)*. International Conference on Technology and Vocational Teachers (ICTVT 2017). <https://doi.org/10.2991/ictvt-17.2017.3>
- AOAC, 2005. *Official Methods of Analytical Chemistry*. 18th ed. Maryland: AOAC International.
- Artina, Z. J., Ayu, D. F., & Rahmayuni, R. (2023). The crackers of modified cassava flour (Mocaf) and cowpea flour: Chemical and sensory properties. *AGRITEKNO: Jurnal Teknologi Pertanian*, 12(1), 57–64. <https://doi.org/10.30598/jagritekno.2023.12.1.57>
- Badan Standardisasi Nasional. (2022). 2973: Biskuit. Jakarta: Badan Standardisasi Nasional.
- Beckett, S. T., Francesconi, M. G., Geary, P. M., Mackenzie, G., & Maulny, A. P. E. (2006). DSC study of sucrose melting. *Carbohydrate Research*, 341(15), 2591–2599. <https://doi.org/10.1016/j.carres.2006.07.004>
- Braga-Souto, R. N., Bürck, M., Nakamoto, M. M., & Braga, A. R. C. (2025). Cracking Spirulina flavor: Compounds, sensory evaluations, and solutions. *Trends in Food Science & Technology*, 156, 104847. <https://doi.org/10.1016/j.tifs.2024.104847>

- Braspaiboon, S., Osiriphun, S., Surawang, S., Jirattananarangsri, W., Kanha, N., & Laokuldilok, T. (2022). Ultrasound-assisted alkaline extraction of proteins in several algae and their nutritional characteristics. *International Journal of Food Science & Technology*, 57(9), 6143–6154. <https://doi.org/10.1111/ijfs.15975>
- Çakir, E. (2024). Effect of spirulina platensis on textural, sensory and some physicochemical characteristics in gluten-free functional biscuit production. Cukurova University, Agriculture Faculty, 1. <https://doi.org/10.36846/CJAFS.2024.135>
- Chan, A. C., Mokhtar, S. U., & Hong, P. K. (2025). A systematic review on the determination and analytical methods for furanic compounds in caramel models. *Journal of Food Science and Technology*, 62(11), 1999–2012. <https://doi.org/10.1007/s13197-025-06419-4>
- Colonia, B. S. (2023). Deodorization of algae biomass to overcome off-flavors and odor issues for developing new food products: innovations, trends, and applications. *Food Chemistry Advances*, doi:<https://doi.org/10.1016/j.focha.2023.100270>
- Cuellar-Bermúdez, S. P.-D.-S.-S.-R.-D.-H. (2017). Deodorization of *Arthrospira platensis* biomass for further scale-up food applications. *Journal of the science of food and agriculture*, doi:<https://doi.org/10.1002/jsfa.8391>
- Diniyah, N., Iguchi, M., Nanto, M., Yoshino, T., Subagio, A. (2023). Dynamic rheological, thermal, and structural properties of starch from modified cassava flour (Mocaf) with two cultivars of cassava. *Industria: Jurnal Teknologi Dan Manajemen Agroindustri*, 12(1), 89–101. <https://doi.org/10.21776/ub.industria.2023.012.01.8>
- Devi, A., & Khatkar, B. S. (2016). Physicochemical, rheological and functional properties of fats and oils in relation to cookie quality: A review. *Journal of Food Science and Technology*, 53(10), 3633–3641. <https://doi.org/10.1007/s13197-016-2355-0>
- DLG (Deutsche Landwirtschafts-Gesellschaft). (2018). Practice guide for sensory panel training: Part 2: Training plans for sensory assessor and panel qualification (DLG Expert report 12/2018). DLG. <https://www.dlg.org>
- Ekantari, N., Marsono, Y., Pranoto, Y., dan Harmayani, E. (2017). Pengaruh Media Budidaya Menggunakan Air Laut dan Air Tawar terhadap Sifat Kimia dan Fungsional Biomassa Kering Spirulina platensis. *AGRITECH*, 37(2): 173-182. <https://jurnal.ugm.ac.id/agritech/>

- ElFar, O. A., Billa, N., Lim, H. R., Chew, K. W., Cheah, W. Y., Munawaroh, H. S. H., Balakrishnan, D., & Show, P. L. (2022). Advances in delivery methods of *Arthrospira platensis* (spirulina) for enhanced therapeutic outcomes. *Bioengineered*, 13(6), 14681–14718. <https://doi.org/10.1080/21655979.2022.2100863>
- El Hosry, L., Elias, V., Chamoun, V., Halawi, M., Cayot, P., Nehme, A., & Bou-Maroun, E. (2025). Maillard Reaction: Mechanism, Influencing Parameters, Advantages, Disadvantages, and Food Industrial Applications: A Review. *Foods* (Basel, Switzerland), 14(11), 1881. <https://doi.org/10.3390/foods14111881>
- Faridah, M. R., Hairi, A. N. A., Mat Yusoff, M., Rozzamri, A., Wan Ibadullah, W. Z., & Ismail-Fitry, M. R. (2025). Comparison of the physicochemical properties of palm-based shortenings of various melting temperatures and animal fats. *Food Chemistry: X*, 28, 102583. <https://doi.org/10.1016/j.fochx.2025.102583>
- FAO, (2003). *Food energy – methods of analysis and conversion factors*. Rome, (FAO Food and Nutrition Paper No. 77). <https://www.fao.org/4/y5022e/y5022e00.htm>
- Finamore, A., Palmery, M., Bensehaila, S., & Peluso, I. (2017). Antioxidant, immunomodulating, and microbial-modulating activities of the sustainable and ecofriendly spirulina. *Oxidative Medicine and Cellular Longevity*, 2017(1), 3247528. <https://doi.org/10.1155/2017/3247528>
- Gaur, K., Wal, A., Sharma, P., Parveen, A., Singh, P., Mishra, P., Wal, P., & Mishra, N. T. P. (2024). Exploring the nutritional and medicinal potential of spirulina. *Natural Resources for Human Health*, 4(3), 277–286. <https://doi.org/10.53365/nrfhh/188021>
- Ghanbari, E., Picken, S. J., & Van Esch, J. H. (2023). Analysis of differential scanning calorimetry (Dsc): Determining the transition temperatures, and enthalpy and heat capacity changes in multicomponent systems by analytical model fitting. *Journal of Thermal Analysis and Calorimetry*, 148(22), 12393–12409. <https://doi.org/10.1007/s10973-023-12356-1>
- Gogna, S., Kaur, J., Sharma, K., Prasad, R., Singh, J., Bhadariya, V., ... Jarial, S. (2022). Spirulina- An Edible Cyanobacterium with Potential Therapeutic Health Benefits and Toxicological Consequences. *Journal of the American Nutrition Association*, 42(6), 559–572. <https://doi.org/10.1080/27697061.2022.2103852>

- Gulcin, İ., & Alwasel, S. H. (2023). Dpph radical scavenging assay. *Processes*, 11(8), 2248. <https://doi.org/10.3390/pr11082248>
- Harna, H., Swamilaksita, P.D., Sa'pang, M, dan Irawan, A.M.A .(2023). The development of cookies from modified cassava flour with soy isolate protein (Isp) substitution as an alternative supplementary food for pregnant women with ced. *International Journal of Current Science Research and Review*, 06(02). <https://doi.org/10.47191/ijcsrr/V6-i2-95>
- Hoang, V. C., & Nguyen, T. N. (2024). Changes in nutritional and sensory qualities of cookies supplemented with macadamia oil cake. *Journal of Technical Education Science*, 19(3), 40–48. <https://doi.org/10.54644/jte.2024.1595>
- Hongu, T., Phillips, G. O., & Takigami, M. (2005). Frontier of health and comfort fibers. In *New Millennium Fibers* (pp. 173–217). Elsevier. <https://doi.org/10.1533/9781845690793.173>
- Huang, D., Chen, X., Tan, R., Wang, H., Jiao, L., Tang, H., Zong, Q., & Mao, Y. (2024). A comprehensive metabolomics analysis of volatile and non-volatile compounds in matcha processed from different tea varieties. *Food Chemistry: X*, 21, 101234. <https://doi.org/10.1016/j.fochx.2024.101234>
- Hussein, A. M. S., Mostafa, S., Ata, S. M., Hegazy, N. A., Abu-Reidah, I. M., & Zaky, A. A. (2025). Effect of spirulina microalgae powder in gluten-free biscuits and snacks formulated with quinoa flour. *Processes*, 13(3), 625. <https://doi.org/10.3390/pr13030625>
- Ilyin, S. O. (2024). Structural Rheology in the Development and Study of Complex Polymer Materials. *Polymers*, 16(17), 2458. <https://doi.org/10.3390/polym16172458>
- Indrianingsih, A. W., Khasanah, Y., Darsih, C., Hastuti, H. P., Suryani, A. E., Hastuti, M., Ni'maturrohman, D., Laila, U., Noviana, E., Rahayu, E., & Wiyono, T. (2025). Sorghum cookies fortified with Garcinia mangostana peel extract: Formulation, characterization, and evaluation of antioxidant and antidiabetic activity. *Bioactive Carbohydrates and Dietary Fibre*, 33, 100467. <https://doi.org/10.1016/j.bcdf.2025.100467>
- Irondi, E. A., Imam, Y. T., Ajani, E. O., & Alamu, E. O. (2023). Natural and modified food hydrocolloids as gluten replacement in baked foods: Functional benefits. *Grain & Oil Science and Technology*, 6(4), 163–171. <https://doi.org/10.1016/j.gaost.2023.10.001>

- Iqbal, A., Schulz, P., & Rizvi, S. S. (2021). Valorization of bioactive compounds in fruit pomace from agro-fruit industries: Present Insights and future challenges. *Food Bioscience*, 44, 101384.
- Ismaiel, M. M. S., El-Ayouty, Y. M., & Piercey-Normore, M. (2016). Role of pH on antioxidants production by *Spirulina (Arthrospira) platensis*. *Brazilian Journal of Microbiology*, 47(2), 298–304. <https://doi.org/10.1016/j.bjm.2016.01.003>
- Jakubczyk, K., Kochman, J., Kwiatkowska, A., Kałduńska, J., Dec, K., Kawczuga, D., & Janda, K. (2020). Antioxidant properties and nutritional composition of matcha green tea. *Foods*, 9(4), 483. <https://doi.org/10.3390/foods9040483>
- Jayasinghe, S., Kruger, R., Walsh, D., Cao, G., Rivers, S., Richter, M., & Breier, B. (2017). Is sweet taste perception associated with sweet food liking and intake? *Nutrients*, 9(7), 750. <https://doi.org/10.3390/nu9070750>
- Jariyah, Hidayat, A. W., & Munarko, H. (2024). Sensory profile characterization of non-wheat flour biscuits using Rate-All That-Apply (Rata) and emotional sensory mapping (Esm) method. *Future Foods*, 9, 100281. <https://doi.org/10.1016/j.fufo.2023.100281>
- Jia, X., Cui, H., Qin, S., Ren, J., Zhang, Z., An, Q., Zhang, N., Yang, J., Yang, Y., Fan, G., & Pan, S. (2024). Characterizing and decoding the key odor compounds of *Spirulina platensis* at different processing stages by sensomics. *Food Chemistry*, 461, 140944. <https://doi.org/10.1016/j.foodchem.2024.140944>
- Kadri, H. J., Ahmed, F., Rahman, Md. H., & Mondal, Md. I. H. (2025). Synthesis and characterisation of starch-g-polyacrylamide-co-polylactic acid hydrogel for the potential wound dressing application. *Polymer Bulletin*, 82(13), 7917–7941. <https://doi.org/10.1007/s00289-025-05840-1>
- Kashyap, G. C., Sarala, R., & Manjunath, U. (2022). Impact of spirulina chikki supplementation on nutritional status of children: An intervention study in tumkur district of karnataka, india. *Frontiers in Pediatrics*, 10, 860789. <https://doi.org/10.3389/fped.2022.860789>
- Kementerian Pertanian. (2024). *Statistik Konsumsi Pangan 2024*. Jakarta: Pusat Data dan Sistem Informasi Pertanian.

- Khasanah, Y., Indrianingsih, A. W., Triwitono, P., & Murdiati, A. (2023). Antioxidant, total phenolic content and physicochemical properties of modified cassava flour. *IOP Conference Series: Earth and Environmental Science*, 1241(1), 012094. <https://doi.org/10.1088/1755-1315/1241/1/012094>
- Khoirunnida, F., L., Harijono, Hu., S., dan Lin., J. (2024). Physicochemical Characteristics of Mocaf Flour and Rice Flour-Based Gluten-Free Cookies. *International Journal of Current Science Research and Review*. 7(8888-8895). <https://doi.org/10.47191/ijcsrr/V7-i12-28>
- Kim, H.-Y. (2014). Analysis of variance (Anova) comparing means of more than two groups. *Restorative Dentistry & Endodontics*, 39(1), 74–77. <https://doi.org/10.5395/rde.2014.39.1.74>
- Kroeger, C. M., Ejima, K., Hannon, B. A., Halliday, T. M., McComb, B., Teran-Garcia, M., Dawson, J. A., King, D. B., Brown, A. W., & Allison, D. B. (2021). Persistent confusion in nutrition and obesity research about the validity of classic nonparametric tests in the presence of heteroscedasticity: evidence of the problem and valid alternatives. *The American journal of clinical nutrition*, 113(3), 517–524. <https://doi.org/10.1093/ajcn/nqaa357>
- Kuatrakul, I., Kuarthongsri, P., Yabuuchi, C., Somsai, K., & Utama-ang*, N. (2018). Sensory Descriptive Analysis and Physicochemical Properties of *Spirulinaplatensis* from Different Drying Processes: Hot Air Drying and Microwave Vacuum Drying. *CURRENT APPLIED SCIENCE AND TECHNOLOGY*, 17(2), 191–199. retrieved from <https://li01.tci-thaijo.org/index.php/cast/article/view/128496>
- Lawless, H. T. (2010). *Sensory evaluation of food: principles and practices*. Springer Science & Business Media.
- Li, L., Huang, Y., Liu, Y., Xiong, Y., Wang, X., Tong, L., Wang, F., Fan, B., & Bai, X. (2023). Relationship between soybean protein isolate and textural properties of texturized vegetable protein. *Molecules*, 28(22), 7465. <https://doi.org/10.3390/molecules28227465>
- Lu, H., Guo, L., Zhang, L., Xie, C., Li, W., Gu, B., & Li, K. (2019). Study on quality characteristics of cassava flour and cassava flour short biscuits. *Food science & nutrition*, 8(1), 521–533. <https://doi.org/10.1002/fsn3.1334>
- Manrich, A., Juliano Elvis De Oliveira, Maria Alice Martins, & Luiz Henrique Capparelli Mattoso. (2020). Physicochemical and thermal characterization

- of the spirulina platensis. *Journal of Agricultural Science and Technology*, 10(5). <https://doi.org/10.17265/2161-6264/2020.05.004>
- Marcinkowska-Lesiak, M., Onopiuk, A., Zalewska, M., Cieřłoch, A., & Barotti, L. (2018). The effect of different level of Spirulina powder on the chosen quality parameters of shortbread biscuits. *Journal of Food Processing and Preservation*, 42(3), e13561. <https://doi.org/10.1111/jfpp.13561>
- Marcus, J. B. (2013). Food science basics: Healthy cooking and baking demystified. In *Culinary Nutrition* (pp. 51–97). Elsevier. <https://doi.org/10.1016/B978-0-12-391882-6.00002-9>
- Marzec, A., Stępień, A., Goclik, A., Kowalska, H., Kowalska, J., & Salamon, A. (2025). Analysis of the Correlation of Microstructure, Instrumental Texture, and Consumer Acceptance of Shortbread Biscuits with Selected Sweeteners and Fibre. *Applied Sciences*, 15(3), 1137. <https://doi.org/10.3390/app15031137>
- Matos, J., Cardoso, C., Bandarra, N. M., & Afonso, C. (2017). Microalgae as healthy ingredients for functional food: a review. *Food & function*, 8(8), 2672–2685. <https://doi.org/10.1039/c7fo00409e>
- Mélanie, V., Armelle, J., & François, M. (2024). Calibration-free image analysis method for grain-size distribution of small natural sand samples. *Earth Surface Processes and Landforms*, 49(10), 3189–3199. <https://doi.org/10.1002/esp.5884>
- Milani, J. M., Moammaei, S., Kharazi, S. H., & Berenjestanaki, M. M. (2024). Pasta Drying Defects as a Novel Ingredient for Hard Dough Biscuits: Effect of Drying Temperature and Granulation on Its Functionality. *Foods*, 13(10), 1487. <https://doi.org/10.3390/foods13101487>
- Molina, M., Vaz, S., & Bouchon, P. (2021). The creaming of short doughs and its impact on the quality attributes of rotary-molded biscuits. *Foods*, 10(3), 621. <https://doi.org/10.3390/foods10030621>
- Muccio, E., Lanza, R. F., Marra, F., Albanese, D., & Malvano, F. (2025). Proteins Extraction and Characterization in Spirulina Biomass: A Comparative Study of High-Pressure Homogenization and Alkaline Methods. *Foods*, 14(22), 3942. <https://doi.org/10.3390/foods14223942>
- Mursyid, Indriyani, & Herlanda, O. (2022). Perbedaan Karakteristik Tepung Umbi Suweg (*Amorphophallus campanulatus*) Berdasarkan Suhu dan Waktu Steam Blanching. *Journal Sains dan Teknologi Pangan*, 7(6), 5693–5703.

- Nakamoto, H., Nishimura, R., & Kobayashi, F. (2024). Effects of sensory combination on crispness and prediction of sensory evaluation value by Gaussian process regression. *PloS one*, 19(2), e0297620. <https://doi.org/10.1371/journal.pone.0297620>
- Nakib, D. M. E., Ibrahim, M. M., Mahmoud, N. S., Rahman, E. N. A. E., & Ghaly, A. E. (2019). Incorporation of spirulina (*Athrospira platensis*) in traditional egyptian cookies as a source of natural bioactive molecules and functional ingredients: Preparation and sensory evaluation of nutrition snack for school children. *European Journal of Nutrition & Food Safety*, 372–397. <https://doi.org/10.9734/ejnfs/2019/v9i430084>
- Nawaz, A., Li, E., Khalifa, I., Walayat, N., Liu, J., Nilofar, Muhammad Ahsan, H., Irshad, S., Barakat, H., Lorenzo, J. M., Pateiro, M., Siddiqui, S. A., & Inam-Ur-Raheem, M. (2021). Effect of structurally different pectin on dough rheology, structure, pasting and water distribution properties of partially meat-based sugar snap cookies. *Foods*, 10(11), 2692. <https://doi.org/10.3390/foods10112692>
- Nemati, R., & Takhar, P. S. (2025). Microstructural characterization of a wheat-based food material using image analysis and pore network modeling during baking. *Journal of Food Science*, 90(1), e17640. <https://doi.org/10.1111/1750-3841.17640>
- Nielsen, S. S. (2017). *Food Analysis*. © Springer International Publishing. doi:DOI 10.1007/978-3-319-45776-5
- Nugroho, A. (2025). Karakteristik Sensoris, Senyawa Volatil, dan Fisikokimia Bubuk Spirulina platensis yang terdeodorisasi berbantu sonikasi dan pengeringan. *Skripsi*. Universitas Gadjah Mada: Fakultas Teknologi Pertanian.
- North, M., Kothe, E., Klas, A., & Ling, M. (2021). How to define “Vegan”: An exploratory study of definition preferences among omnivores, vegetarians, and vegans. *Food Quality and Preference*, 93, 104246. <https://doi.org/10.1016/j.foodqual.2021.104246>
- Olatunde, A., Mohammed, A., Ibrahim, M. A., Tajuddeen, N., & Shuaibu, M. N. (2022). Vanillin: A food additive with multiple biological activities. *European Journal of Medicinal Chemistry Reports*, 5, 100055. <https://doi.org/10.1016/j.ejmcr.2022.100055>
- O Flynn, T. D., Hogan, S. A., Daly, D. F. M., O Mahony, J. A., & McCarthy, N. A. (2021). Rheological and Solubility Properties of Soy Protein Isolate.

Molecules (Basel, Switzerland), 26(10), 3015.
<https://doi.org/10.3390/molecules26103015>

Özer, E. A., Özbuldu, N., & Çoban, N. (2025). Development of vegan cookies using composite flour and determination of their principal quality characteristics. *Mustafa Kemal Üniversitesi Tarım Bilimleri Dergisi*, 30(1), 125–140. <https://doi.org/10.37908/mkutbd.1562899>

Pandiangan, F. I., dan Wijaya, O., A.(2022). Analisis Kandungan Gizi dan Gluten *Cookies* Tepung Modifikasi Singkong dengan Penambahan Whey Protein Konsentrat. *Jurnal Pengolahan pangan*, 7(2): 92-98.

Pandiselvam, R., Mitharwal, S., Rani, P., Shanker, M. A., Kumar, A., Aslam, R., Barut, Y. T., Kothakota, A., Rustagi, S., Bhati, D., Siddiqui, S. A., Siddiqui, M. W., Ramniwas, S., Aliyeva, A., & Mousavi Khaneghah, A. (2023). The influence of non-thermal technologies on color pigments of food materials: An updated review. *Current Research in Food Science*, 6, 100529. <https://doi.org/10.1016/j.crfs.2023.100529>

Paravisini, L., Moretton, C., Gouttefangeas, C., Nigay, H., Dacremont, C., & Guichard, E. (2017). Caramel flavour perception: Impact of the non-volatile compounds on sensory properties and in-vitro aroma release. *Food Research International*, 100, 209–215. <https://doi.org/10.1016/j.foodres.2017.07.003>

Patadan, A., Rumawas, M. A., & Sudradjat, S. E. (2023). Tinjauan pustaka: Potensi aktivitas antioksidan spirulina sp terhadap penyakit-penyakit metabolik dan proses degeneratif. *Jurnal MedScientiae*, 2(3). <https://doi.org/10.36452/JMedScientiae.v2i3.2978>

Pc, I., Ho, A., Tm, I., Cn, I., & Ln, E. (2025). Effect of dough thickness and baking temperatures on the proximate composition of optimized cookies from wheat-white yam flour using response surface methodology. *Applied Food Research*, 5(2), 101134. <https://doi.org/10.1016/j.afres.2025.101134>

Peng, Y., Kyriakopoulou, K., Ndiaye, M., Bianeis, M., Keppler, J. K., & van der Goot, A. J. (2021). Characteristics of Soy Protein Prepared Using an Aqueous Ethanol Washing Process. *Foods*, 10(9), 2222. <https://doi.org/10.3390/foods10092222>

Perez-Santana, M., Cagampang, G. B., Nieves, C., Cedeño, V., & MacIntosh, A. J. (2022). Use of high oleic palm oils in fluid shortenings and effect on physical properties of cookies. *Foods*, 11(18), 2793. <https://doi.org/10.3390/foods11182793>

- Podgórska-Kryszczuk, I. (2024). Spirulina—An invaluable source of macro- and micronutrients with broad biological activity and application potential. *Molecules*, 29(22), 5387. <https://doi.org/10.3390/molecules29225387>
- Priyanka S, Varsha R, Riya Verma, & Ayenampudi, S. B. (2023). Spirulina: A spotlight on its nutraceutical properties and food processing applications. *Journal of Microbiology, Biotechnology and Food Sciences*, e4785. <https://doi.org/10.55251/jmbfs.4785>
- Putri, N. A., Herlina, H., & Subagio, A. (2018). Karakteristik mocaf (Modified cassava flour) berdasarkan metode penggilingan dan lama fermentasi. *JURNAL AGROTEKNOLOGI*, 12(01), 79. <https://doi.org/10.19184/j-agt.v12i1.8252>
- Rahmawani, R., dan Fitriyaningsih, E. (2021). Formulations and characteristics of cookies made of organic red bean, soybean, and sago composites-based flour. *Journal of Applied Nutrition and Dietetic*. 1(1): 7-13
- Ramadani, A. S., & Palupi, P. J. (2021). Analisis Variasi Waktu Fermentasi Teh Sari Alang Alang (*Imperata cylindrica*) terhadap Kualitas Produk dan Organoleptik. *Agrointek: Jurnal Teknologi Industri Pertanian*, 1.
- Rasia, T. A., Vaz, B. D. S., Costa, J. A. V., & Morais, M. G. D. (2025). Nanoencapsulation of protein-rich Spirulina biomass: New frontiers for superfoods — A review. *Food Bioscience*, 73, 107587. <https://doi.org/10.1016/j.fbio.2025.107587>
- Ramli, M. R., Lin, S. W., Yoo, C. K., Idris, N. A., & Sahri, M. M. (2008). Physico-chemical properties and performance of high oleic and palm-based shortenings. *Journal of oleo science*, 57(11), 605–612. <https://doi.org/10.5650/jos.57.605>
- Rosenthal, A. J. (2024). An Exploration Into the Measurement and Reporting of Food Firmness and Hardness. In *Journal of texture studies* (Vol. 55, Issue 6, p. e12873). <https://doi.org/10.1111/jtxs.12873>
- Sahagún, M., & Gómez, M. (2018). Influence of protein source on characteristics and quality of gluten-free cookies. *Journal of Food Science and Technology*, 55(10), 4131–4138. <https://doi.org/10.1007/s13197-018-3339-z>
- Santagiuliana, M., Broers, L., Marigómez, I. S., Stieger, M., Piqueras-Fiszman, B., & Scholten, E. (2020). Strategies to compensate for undesired gritty sensations in foods. *Food Quality and Preference*, 81, 103842. <https://doi.org/10.1016/j.foodqual.2019.103842>

- Schindelin, J., I. et al. (2012), Fiji: an open-source platform for biological-image analysis. *Nat. Methods* 9, 676-682. <https://doi.org/10.1038/nmeth.2019>
- Shen, L., Pang, S., Zhong, M., Sun, Y., Qayum, A., Liu, Y., Rashid, A., Xu, B., Liang, Q., Ma, H., & Ren, X. (2023). A comprehensive review of ultrasonic assisted extraction (Uae) for bioactive components: Principles, advantages, equipment, and combined technologies. *Ultrasonics Sonochemistry*, 101, 106646. <https://doi.org/10.1016/j.ultsonch.2023.106646>
- Sogabe, T., Kobayashi, R., Thanatuksorn, P., Suzuki, T., & Kawai, K. (2021). Physical and structural characteristics of starch-based and conventional cookies: Water sorption, mechanical glass transition, and texture properties of their crust and crumb. *Journal of Texture Studies*, 52(3), 347–357. <https://doi.org/10.1111/jtxs.12585>
- Soni, A., R., Sudhakar, K., & S. Rana, R. (2021). Biochemical and thermal analysis of spirulina biomass through ftir, tga, chn. *Energy Engineering*, 118(4), 1045–1056. <https://doi.org/10.32604/EE.2021.016082>
- Spence, C., & Piqueras-Fiszman, B. (2016). *Multisensory Flavor Perception*, (107–132). Elsevier. <https://doi.org/10.1016/B978-0-08-100350-3.00006-7>
- Squeo, G., De Angelis, D., Leardi, R., Summo, C., & Caponio, F. (2021). Background, applications and issues of the experimental designs for mixture in the food sector. *Foods*, 10(5), 1128. <https://doi.org/10.3390/foods10051128>
- Stunda-Zujeva, A., Berele, M., Lece, A., & Šķesters, A. (2023). Comparison of antioxidant activity in various spirulina containing products and factors affecting it. *Scientific Reports*, 13(1), 4529. <https://doi.org/10.1038/s41598-023-31732-3>
- Subagio, A., Windrati, W.S., Witono, Y., dan Fahmi, F. 2008. *Prosedur Operasi Standar (POS): Produksi MOCAF Berbasis Klaster*. Kementerian Negara Riset dan Teknologi. Jakarta
- Sugito., H. A. (2006). PENAMBAHAN DAGING IKAN GABUS (*Ophicepallus striatus*BLKR) DAN APLIKASI PEMBEKUAN PADA PEMBUATAN PEMPEK GLUTEN. *Jurnal Ilmu-Ilmu Pertanian Indonesia*, 147 - 151.
- Tako, M., Tamaki, Y., Teruya, T., & Takeda, Y. (2014). The principles of starch gelatinization and retrogradation. *Food and Nutrition Sciences*, 05(03), 280–291. <https://doi.org/10.4236/fns.2014.53035>

- Tang, C.-H., Choi, S.-M., & Ma, C.-Y. (2007). Study of thermal properties and heat-induced denaturation and aggregation of soy proteins by modulated differential scanning calorimetry. *International Journal of Biological Macromolecules*, 40(2), 96–104. <https://doi.org/10.1016/j.ijbiomac.2006.06.013>
- Tapia, S. M., Moreno-Ruiz, A., Tres, A., Moreno-Yerro, N., Arrubla, P., Gastón-Lorente, M., Mohedano, M. L., Virto, R., & Fratebianchi, D. (2025). Butter aroma compounds in plant-based milk alternatives through fermentation: Screening of potential starter cultures and enhanced production in oat milk with *Lactococcus cremoris*. *LWT*, 223, 117754. <https://doi.org/10.1016/j.lwt.2025.117754>
- Tunick, M. H., Onwulata, C. I., Thomas, A. E., Phillips, J. G., Mukhopadhyay, S., Sheen, S., Liu, C.-K., Latona, N., Pimentel, M. R., & Cooke, P. H. (2013). Critical evaluation of crispy and crunchy textures: A review. *International Journal of Food Properties*, 16(5), 949–963. <https://doi.org/10.1080/10942912.2011.573116>
- Uribe-Wandurraga, Z. N., Igual, M., García-Segovia, P., & Martínez-Monzó, J. (2019). Effect of microalgae addition on mineral content, colour and mechanical properties of breadsticks. *Food & Function*, 10(8), 4685–4692. <https://doi.org/10.1039/C9FO00286C>
- Voong, K. Y., Norton-Welch, A., Mills, T. B., & Norton, I. T. (2019). Understanding and predicting sensory crispness of deep-fried battered and breaded coatings. *Journal of texture studies*, 50(6), 456–464. <https://doi.org/10.1111/jtxs.12456>
- Widawati, D., Santosa, G. W., & Yudiati, E. (2022). Pengaruh pertumbuhan spirulina platensis terhadap kandungan pigmen beda salinitas. *Journal of Marine Research*, 11(1), 61–70. <https://doi.org/10.14710/jmr.v11i1.30096>
- Withana, T. N., Ranasinghe, Yohan. S., Rathnayake, A. I., Bamunuarachchige, T. C., & De Zoysa, H. K. S. (2025). Applications of Spirulina in the food industry: Scientometric and systematic review. *Food and Humanity*, 5, 100644. <https://doi.org/10.1016/j.foohum.2025.100644>
- Xiong, S., Li, Y., Chen, G., Zou, H., Yu, Q., Si, J., & Yang, H. (2023). Incorporation of Huangjing flour into cookies improves the physicochemical properties and in vitro starch digestibility. *LWT*, 184, 115009. <https://doi.org/10.1016/j.lwt.2023.115009>

- Xu, M., Fralick, D., Zheng, J. Z., Wang, B., Tu, X. M., & Feng, C. (2017). The Differences and Similarities Between Two-Sample *T*-Test and Paired *T*-Test. *Shanghai archives of psychiatry*, 29(3), 184–188. <https://doi.org/10.11919/j.issn.1002-0829.217070>
- Yasmin, Purwanto, E. H., & Erika, C. (2023). Studi Tentang Perubahan Warna Selama Proses Pengolahan Biji Kakao Menjadi Coklat Batang Jenis Dark Chocolate. *JFP Jurnal Ilmiah Mahasiswa Pertanian*, 8(4). www.jim.unsyiah.ac.id/JFP
- Yuliani, Y., Riyadi, P. H., Dewi, E. N., Jaswir, I., & Agustini, T. W. (2021). *Ocimum basilicum* (kemangi) intervention on powder and microencapsulated *Spirulina platensis* and its bioactive molecules. *F1000Research*, 10, 485. <https://doi.org/10.12688/f1000research.52394.3>
- Yuliarti, O., Rasul, S., Salem Albedwawi, H. M., & Tarique, M. (2024). Evaluation of low methoxyl pectin concentration and dough chilling treatment in enhancing okara-wheat flour-based cookies structure. *LWT*, 213, 117052. <https://doi.org/10.1016/j.lwt.2024.117052>
- Zhang, B., Qiao, D., Zhao, S., Lin, Q., Wang, J., & Xie, F. (2021). Starch-based food matrices containing protein: Recent understanding of morphology, structure, and properties. *Trends in Food Science & Technology*, 114, 212–231. <https://doi.org/10.1016/j.tifs.2021.05.033>
- Žilić, S., Kocadağlı, T., Vančetović, J., & Gökmen, V. (2016). Effects of baking conditions and dough formulations on phenolic compound stability, antioxidant capacity and color of cookies made from anthocyanin-rich corn flour. *LWT*, 65, 597–603. <https://doi.org/10.1016/j.lwt.2015.08.057>
- Zydenbos, S., Humphrey-Taylor, V., & Wrigley, C. (2004). *Cookies, biscuits, and crackers | the diversity of products*. In *Encyclopedia of Grain Science* (pp. 313–317). Elsevier. <https://doi.org/10.1016/B0-12-765490-9/00019-7>