

DAFTAR PUSTAKA

- Alimahana, F., Kartika, I., Utami, A. W., Cahyanto, M. N., & Utami, T. (2023). Fermentasi Sari Koro Pedang Putih (*Canavalia ensiformis* (L.) DC.) dengan Penambahan Sukrosa dan Susu Skim. *AgriTECH*, 43(2), 116-126.
- Amah, V. T., Sudaryantiningsih, C., & Lolo, E. U. (2023). Analisa dampak limbah cair industri tahu di kampung krajan, mojosongo surakarta terhadap kualitas fisik dan biologis air sungai krajan. *Jurnal Teknik Sipil Dan Arsitektur*, 28(1), 60-68.
- Andersa, K. N., Mohammed, H. H., & Haji, A. (2025). Drying Characteristics, Color, and Functional and Chemical Properties of Figl (*Raphanus sativus* L.) Leaves and Petioles Under Convective Drying Conditions. *Journal of Food Processing and Preservation*, 2025(1), 4040817.
- AOAC. (2005). Official Methods of Analysis of the Association of Official Analytical Chemists. Published by the Association of Official Analytical Chemist. Marlyand
- Ardhinta, M. L. (2026). Pengaruh Jenis Koagulan terhadap Komposisi Kimia dan Sifat Sensoris Tahu Koro Pedang (*Canavalia ensiformis* (L.) DC.). Manuskrip yang belum dipublikasikan
- Aryanti, N., Kurniawati, D., Maharani, A., & Wardhani, D. H. (2016). Karakteristik dan analisis sensorik produk tahu dengan koagulan alami. *Jurnal Ilmiah Teknosains*, 2(2/Nov).
- Badan Standardisasi Nasional. (2018). Standar Nasional Indonesia 3142:2018 tentang Tahu. Badan Standardisasi Nasional.
- Baskara, K. Y., Hindarti, S., & Khoiriyah, N. (2024). POLA KONSUMSI TAHU RUMAH TANGGA PETANI DI DESA GADINGKULON KECAMATAN DAU. *Jurnal Sosial Ekonomi Pertanian dan Agribisnis*, 12(04).
- Bressani, R., Brenes, R. G., García, A., & Elías, L. G. (1987). Chemical composition, amino acid content and protein quality of *Canavalia* spp. seeds. *Journal of the Science of Food and Agriculture*, 40(1), 17-23.
- Cahya, N. A. D., Khirzin, M. H., Wicaksono, D. A., Prastujati, A. U., & Wilujeng, N. S. R. (2025). Pengaruh Perbedaan Jenis Bahan Baku Terhadap Mutu Fisikokimia Dan Organoleptik Tahu Susu. *Jurnal Kolaboratif Sains*, 8(4), 1815-1823.
- Cai, T. D., & Chang, K. C. (1997). DRY TOFU CHARACTERISTICS AFFECTED BY SOYMILK SOLID CONTENT AND COAGULATION TIME 1. *Journal of food quality*, 20(5), 391-402.
- Cai, T. D., Chang, K. C., Shih, M. C., Hou, H. J., & Ji, M. (1997). Comparison of bench and production scale methods for making soymilk and tofu from 13 soybean varieties. *Food research international*, 30(9), 659-668.
- Cao, F. H., Li, X. J., Luo, S. Z. Et al. (2017). Effects of organic acid coagulants on the physucal properties of and chemical interactions in tofu. *LWT-Food Science and Technology*, 85, 58-65. doi: 10.1016/j.lwt.2017.07.005.
- Chang, K.C. (2006). Chemistry and Technology of Tofu Making. In Hui, Y (Ed.) *Handbook of Food Science, Technology, and Engineering*, Volume 2 (Ch. 171). CRC Press. <https://doi.org/10.1201/b15995>.

- Chang, S. K., & Liu, Z. (2012). Soymilk and tofu manufacturing. *Handbook of food products manufacturing*. John Wiley & Sons, Inc, 1063-1089.
- Darini, M. T., & Kusdiarti, L. (2017). Pertumbuhan dan Hasil Koro Pedang Putih (*Canavalia Ensiformis* L.) pada Pemberian Macam Inokulan Rhizobium dan Dosis Urea di Lahan Pasir. *AGROISTA: Jurnal Agroteknologi*, 1(2).
- Darmajana, D. A., Afifah, N., & Indriati, A. (2020). The effect of extraction method and types of coagulants on the results and physicochemical properties of tofu. *Food Science and Technology*, 40(suppl 2), 677-682.
- da Silva Scherer, G. C. R., Colet, R., Cavalheiro, D., Valduga, E., Carrão-Panizzi, M. C., Steffens, J., ... & Steffens, C. (2023). Technological characteristics of tofu from soybean coagulated with cardoon flower extract. *Journal of food science and technology*, 60(4), 1323-1331.
- DeMan, J. M., DeMan, L., & Gupta, S. (1986). Texture and microstructure of soybean curd (tofu) as affected by different coagulants. *Food structure*, 5(1), 11.
- Dewi, S. R., Handayani, R., Bakar, A., & Ramli, S. (2021). Pemanfaatan Bittern Dan Cuka Sebagai Koagulan Pada Pembuatan Tahu. *Jurnal Inovasi Ramah Lingkungan*, 2(2), 6.
- Diniyah, N., Windrati, W.S., dan Maryanto. (2013). Pengembangan teknologi pangan berbasis koro-koroan sebagai bahan pangan alternatif pensubstitusi kedelai. *Seminar Nasional UPN "Veteran" Jawa Timur*.
- Doss, A., Pugalenth, M., & Vadivel, V. (2011). Nutritional evaluation of wild jack bean (*Canavalia ensiformis* DC) seeds in different locations of south India. *In World Applied Sciences Journal* (Vol. 13, Issue 7, pp. 1606–1612).
- Duc, N. Q., Que, N. T., Doan, N. D., Nguyen, P. X., & Nga, L. H. (2021). Effect of soymilk coagulating pH on tofu qualities. *Vietnam Journal of Science and Technology*, 59(2), 196-205.
- Dzikunoo, J., Ayernor, G. S., & Saalia, F. K., (2015). Effect of Methods of Extraction on Physicochemical Properties of Soy Proteins (Tofu). *American Journal of Food Science and Nutrition Research* 2(5) : 138–144.
- Fadhlurrohman, I., Andeyani, L., Belvayuna, N., Johan, R. F., Arkan, N. D., Setyawardani, T., & Sumarmono, J. (2025). PEMANFAATAN ENZIM TRANSGLUTAMINASE DALAM PENGEMBANGAN PRODUK SOSIS DARI BERBAGAI BAHAN BAKU DAGING. *Jurnal Pangan dan Gizi*, 15(2), 98-104.
- Fikriyah, Y. U., & Nasution, R. S. (2021). Analisis kadar air dan kadar abu pada teh hitam yang dijual di pasaran dengan menggunakan metode gravimetri. *Amina*, 3(2), 50-54.
- Geng, Y., Du, X., Jia, R., Zhu, Y., Lu, Y., Guan, X., ... & Zhang, M. (2024). Research Progress on Tofu Coagulants and Their Coagulation Mechanisms. *Foods*, 13(21), 3475.
- Guan, X., Zhong, X., Lu, Y., Du, X., Jia, R., Li, H., & Zhang, M. (2021). Changes of soybean protein during tofu processing. In *Foods* (Vol. 10, Issue 7). MDPI AG. <https://doi.org/10.3390/foods10071594>.
- Herdhiansyah, D., Reza, R., Sakir, S., & Asriani, A. (2022). Kajian proses pengolahan tahu: Studi kasus industri tahu di Kecamatan Kabangka Kabupaten

- Muna. *Agritech: Jurnal Fakultas Pertanian Universitas Muhammadiyah Purwokerto*, 24(2), 231-237.
- Heymann, H., & Ebeler, S. E. (2017). Overview of applicable sensory evaluation techniques. *Sensory and Instrumental Evaluation of Alcoholic Beverages*, 34-71.
- Hui, T., & Xing, G. (2022). Effect of transglutaminase pre-crosslinking treatment incorporated with glucono- δ -lactone on the physicochemical and digestive properties of tofu. *Polymers*, 14(12), 2364.
- Hou, H.J. and Chang, K.C., 2004. Storage conditions affect soybean color, chemical composition and tofu qualities. *Journal of Food Processing and Preservation* 28: 473-488.
- Indiarto, R., Nurhadi, B., & Subroto, E. (2012). Kajian karakteristik tekstur (texture profil analysis) dan organoleptik daging ayam asap berbasis teknologi asap cair tempurung kelapa. *Jurnal Teknologi Hasil Pertanian*, 5(2).
- Ishartani, D., Affandi, D. R., Amanto, B. S., & Rahayu, P. P. (2019). Kandungan proksimat, asam sianida, asam fitat dan tekstur tahu kedelai (glycine max)-koro pedang putih (canavalia ensiformis) dengan penggumpal asam asetat. *Jurnal Teknologi Hasil Pertanian*, 12(1), 12-17.
- Jayasena, V., Tah, W. Y., & Nasar-Abbas, S. M. (2014). Effect of coagulant type and concentration on the yield and quality of soy-lupin tofu. *Quality Assurance and Safety of Crops & Foods*, 6(2), 159-166.
- Joo, K. H., & Cavender, G. A. (2020). Investigation of tofu products coagulated with trimagnesium citrate as a novel alternative to nigari and gypsum: Comparison of physical properties and consumer preference. *LWT*, 118, 108819.
- Kamizake, N. K. K., Silva, L. C. P., & Prudencio, S. H. (2018). Impact of soybean aging conditions on tofu sensory characteristics and acceptance. *Journal of the Science of Food and Agriculture*, 98(3), 1132-1139.
- Kim, Y. N., Muttakin, S., Jung, Y. M., Heo, T. Y., & Lee, D. U. (2019). Tailoring physical and sensory properties of tofu by the addition of jet-milled, superfine, defatted soybean flour. *Foods*, 8(12), 617.
- Kwak, E. J., & Lim, S. I. (2004). The effect of sugar, amino acid, metal ion, and NaCl on model Maillard reaction under pH control. *Amino Acids*, 27(1), 85–90. <https://doi.org/10.1007/s00726-004-0067-7>.
- Lee, J. H., & San Jung, H. (2017). Physicochemical and consumer acceptance of tofu supplemented with licorice powder. *Preventive Nutrition and Food Science*, 22(4), 359.
- Li, J., Cheng, Y., Tatsumi, E., Saito, M., & Yin, L. (2014). The use of W/O/W controlled-release coagulants to improve the quality of bittern-solidified tofu. *Food Hydrocolloids*, 35, 627-635.
- Li, C., Rui, X., Zhang, Y., Cai, F., Chen, X., & Jiang, M. (2017). Production of tofu by lactic acid bacteria isolated from naturally fermented soy whey and evaluation of its quality. *LWT-Food Science and Technology*, 82, 227-234.
- Li, J., Qiao, Z., Tatsumi, E., Saito, M., Cheng, Y., & Yin, L. (2013). A novel approach to improving the quality of bittern-solidified tofu by W/O controlled-release coagulant. 1: Preparation of W/O bittern coagulant and its controlled-

- release property. *Food and Bioprocess Technology*, 6(7), 1790–1800.
<https://doi.org/10.1007/s11947-012-0896-4>.
- Li, Z., Zhang, S., Gao, Z., Guo, X., Wang, R., Zheng, M., & Xing, G. (2025). Compound Salt-Based Coagulants for Tofu Gel Production: Balancing Quality and Protein Digestibility. *Gels*, 11(7), 524.
- Liu, H. H., Chien, J. T., & Kuo, M. I. (2013). Ultra high pressure homogenized soy flour for tofu making. *Food Hydrocolloids*, 32(2), 278-285.
- Liu, J., Yang, S., Tang, R., Yang, W., & Xing, G. (2024). Enhanced tofu quality through calcium sulfate and transglutaminase treatment: physicochemical properties and digestibility analysis. *International Journal of Food Science and Technology*, 59(10), 7610-7618.
- Miasur, M. P., Suhardi, B., & Suletra, I. W. (2021). Pengukuran pemenuhan standar GMP dan WISE pada pabrik tahu karya mukti bandungan. *Performa: Media Ilmiah Teknik Industri*, 20(2), 189-198.
- Maukar, A.L., Runtuk, J.K., Andira, A. 2019. Perancangan alat produksi tahu yang higienis pada industri rumah tangga. *Jurnal Sistem dan Manajemen Industri*, 3(1), 31-42.
- Meilgaard, M., Civille, G.V. And Carr, B.T., (2000). *Sensory Evaluation Techniques*. 2nd Edition. CRC Press, London.
- Midayanto, D. N., & Yuwono, S. S. (2014). Penentuan Atribut Mutu Tekstur Tahu Untuk Direkomendasikan Sebagai Syarat Tambahan Dalam Standar Nasional Indonesia [in Press Oktober 2014]. *Jurnal pangan dan agroindustri*, 2(4), 259-267.
- Mohan', V. R., & Janardhanan, K. (1994). The biochemical composition and nutrient assessment of less known pulses of the genus *Canavalia*. In *International Journal of Food Sciences and Nutrition*. 45, 255-262.
<https://doi.org/10.3109/09637489409166166>.
- Murdia, L.K. and Wadhwani, R., (2010). Effect of processing parameters on texture and yield of tofu. *As. J. Food Ag-Ind.*, 3(02), pp. 232-241.
- Nguyen, V. T., Nguyen, V. D., & Quoc, L. P. T. (2023). Influence of chicken eggshell powder as an alternative coagulant on the yield and textural characteristics of tofu. *J. Teknol.-Sci. Eng*, 85, 159-165.
- Ningrum, M. K. (2023). Indonesia Masih Bergantung Impor Kedelai Dari Amerika. doi: [https://nasional.tempo.co/read/1678661/ indonesia-masih-bergantung-imporkedelai-dari-amerika-inipenyebabnya](https://nasional.tempo.co/read/1678661/indonesia-masih-bergantung-imporkedelai-dari-amerika-inipenyebabnya)
- Nishizawa, K., & Arie, Y. (2016). Reversible changes of canavalin solubility controlled by divalent cation concentration in crude sword bean extract. *Bioscience, Biotechnology and Biochemistry*, 80(12), 2459–2466.
<https://doi.org/10.1080/09168451.2016.1224642>.
- No, H. K., & Meyers, S. P. (2004). Preparation of tofu using chitosan as a coagulant for improved shelf-life. *International journal of food science & technology*, 39(2), 133-141.
- Obatolu, V.A. (2008). Effect of different coagulants on yield and quality of tofu from soymilk. *European Food Research and Technology*, 226, 467-472.
- Oseni, O. A., Ibeto, A., & Aruna, M. O. (2011). Effects of dehusking on the composition of phytochemicals nutrients , antinutrients , minerals and in-vitro

- multi enzyme digestibility of the seed of Brazilian Jack beans (*Canavalia braziliensis*). *International Research Journal of Biotechnology*, 2(8), 192–197.
- Paleekui, P., Rattanamoto, B., Kanha, N., Rakariyatham, K., Klangpetch, W., Osiriphun, S., & Laokuldilok, T. (2025). Texture-Modified Soy Protein Gels Using Transglutaminase and Agar for Elderly Dysphagia Management. *Gels*, 11(4), 303.
- Paz-Yépez, C., Gavilanes-Tomalá, M., Palmay-Paredes, J., Medina-Galarza, G., Guerrero-Luzuriaga, S., & Velázquez Martí, B. (2024). Effects of Organic Acid Coagulants on the Textural and Physical–Chemical Properties of Tofu. *Applied Sciences*, 14(19), 8580.
- Permana, I. (2001). *Pengaruh Varietas Kedelai (Glycine Max Merr) dan Jenis Koagulan Pada Rendemen dan Kualitas Tahu*. IPB. Bogor.
- Prabhakaran, M. P., Perera, C. O., & Valiyaveetil, S., (2006). Effect of different coagulants on the isoflavone levels and physical properties of prepared firm tofu. *Food Chemistry* 99(3):492–499.
- Prakash, D., Misra, P. N., & Misra, P. S. (1987). Amino acid profile of winged bean (*Psophocarpus tetragonolobus* (L.) DC): a rich source of vegetable protein. *Plant Foods for Human Nutrition*, 37(3), 261-264.
- Purwandari, F. A., Westerbos, C., Lee, K., Fogliano, V., & Capuano, E. (2023). Proximate composition, microstructure, and protein and starch digestibility of seven collections of Jack bean (*Canavalia ensiformis*) with different optimal cooking times. *Food Research International*, 170. <https://doi.org/10.1016/j.foodres.2023.112956>.
- Purwandari, F. A., Fogliano, V., & Capuano, E. (2024). Tempeh fermentation improves the nutritional and functional characteristics of Jack beans (*Canavalia ensiformis* (L.) DC). *Food and Function*, 15(7), 3680–3691. <https://doi.org/10.1039/d3fo05379b>
- Puspitojati, E., Cahyanto, M. N., Marsono, Y., & Indrati, R. (2019). Production of Angiotensin-I-Converting Enzyme (ACE) Inhibitory Peptides during the Fermentation of Jack Bean (*Canavalia ensiformis*) Tempe. *Pakistan Journal of Nutrition*, 18(5), 464–470. <https://doi.org/10.3923/pjn.2019.464.470>
- Pusat Data dan Sistem Informasi Pertanian. (2025). *Analisis Kinerja Perdagangan Kedelai*, 15(2A).
- Pusat Data dan Sistem Informasi Pertanian. (2024). *Buletin Konsumsi Pangan*, 15(2).
- Qiu, L., Zhu, Y., Zhu, X., Liu, L., Lv, M., Huang, Y., ... & Qu, M. (2025). Effects of ultrasound on the structure and properties of soy protein gels prepared with different 11S/7S ratios. *Food Hydrocolloids*, 167, 111392.
- Rahmah, A. A., Utami, T. & Cahyanto, M. N. (2019). *Thesis*. Perubahan Kandungan Zat Gizi, HCN dan Tanin Selama Proses Pengolahan Sari Koro Pedang Putih (*Canavalia ensiformis*). Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta
- Ratnaningsih, G. E., Adie, M. M., & Harnowo, D. (2017). Sifat fisikokimia dan kandungan serat pangan galurgalur harapan kedelai. *Jurnal Penelitian Pascapanen Pertanian*, 14(1), 35-45.

- Rekha, C. R., & Vijayalakshmi, G. (2013). Influence of processing parameters on the quality of soycurd (tofu). *Journal of Food Science and Technology*, 50(1), 176-180.
- Rosita, R., Hudoyo, A., & Soelaiman, A. (2019). Analisis usaha, nilai tambah, dan kesempatan kerja agroindustri tahu di Bandar Lampung. *Jurnal Ilmu Ilmu Agribisnis: Journal of Agribusiness Science*, 7(2), 211-218.
- Rózyło, R. (2020). Recent trends in methods used to obtain natural food colorants by freeze-drying. *Trends in Food Science & Technology*, 102, 39-50.
- Rui, X., Fu, Y., Zhang, Q., Li, W., Zare, F., Chen, X., ... & Dong, M. (2016). A comparison study of bioaccessibility of soy protein gel induced by magnesiumchloride, glucono- δ -lactone and microbial transglutaminase. *LWT-Food Science and Technology*, 71, 234-242.
- Saleh, E., Alwi, L. O., & Herdhiansyah, D. (2020). Kajian Proses Pengolahan Tahu pada Industri Tahu Karya Mulia di Desa LabusaKecamatan Konda Kabupaten Konawe Selatan. *Tekper: Jurnal Teknologi dan Manajemen Industri Pettanian*, 1(3), 185-190.
- Shi, Y. G., Yang, Y., Piekoszewski, W., Zeng, J. H., Guan, H. N., Wang, B., ... & Zhang, N. (2020). Influence of four different coagulants on the physicochemical properties, textural characteristics and flavour of tofu. *International Journal of Food Science and Technology*, 55(3), 1218-1229.
- Shi, W., Zhang, T., Xie, H., Xing, B., Wen, P., Ouyang, K., ... & Zhao, Q. (2024). Characterization and in vitro digestibility of soybean tofu: Influence of the different kinds of coagulant. *Food Chemistry*, 450, 138984.
- Shurtleff, W. dan A. Aoyagi. (1975). *The Book of Tofu: Food for Mankind Volume 1*. Autumn Press.USA
- Shurtleff W. dan Aoyogi A., (2000). *Tofu and Soymilk Production, The Book of Tofu Vol. II*. New Age of Study, Lafayette.
- Solomon, S. G., Okomoda, V. T., & Oguiche, O. (2018). Nutritional value of raw *Canavalia ensiformis* and its utilization as partial replacement for soybean meal in the diet of *Clarias gariepinus* (Burchell, 1822) fingerlings. *Food Science and Nutrition*, 6(1), 207–213. <https://doi.org/10.1002/fsn3.548>.
- Sudaryantiningsih, C., & Pambudi, Y. S. (2024). Optimalisasi Proses Produksi Tahu di Pabrik Dele Emas Krajan Mojosongo Surakarta: Analisis Kelayakan dan Implementasi Good Manufacturing Practice (GMP). *JURNAL EKONOMI, SOSIAL & HUMANIORA*, 6(02), 376-383.
- Supriatna, D., Hasrini, R. F., Syah, D., & Karsono, Y. (2020). Pengaruh masa simpan whey dan suhu penggumpalan terhadap kadar protein dan parameter tekstur pada produk tahu. *Warta IHP (Warta Industri Hasil Pertanian)*, 37(2), 187-193.
- Supriatna, D., Rienoviar, R., Pohan, H. G., Lubis, E. H., & Isyanti, M. (2019). Profil Koagulasi Protein Tahu Campuran Kacang Koro Pedang (*Canavalia ensiformis* DC) dengan Kacang Kedelai. *Indonesian Journal of Industrial Research*, 36(2), 62-72.
- Susanti, I., Siregar, N. C., & Supriatna, D. (2013). Potensi kacang koro pedang (*Canavila ensiformis* DC) sebagai sumber protein produk pangan. *Indonesian Journal of Industrial Research*, 7(1), 1-13.

- Susilo, N. I. D. K. (2015). Peluang Agribisnis Koro Pedang sebagai Bahan Baku Pengganti Kedelai untuk Industri Tempe di Kabupaten Jember. *Agritrop*, 13(2), 273-280.
- Szczesniak, A. S. (1963). Classification of textural characteristics a. *Journal of food science*, 28(4), 385-389.
- Syamsiana, A., Rizal, S., Erna, M., & Astuti, S. (2024). Formulasi kacang koro pedang (*Canavalia ensiformis*) dan kacang kedelai (*Glycine max* L.) terhadap total kapang, total khamir, dan sifat sensori tempe mosaccha Formulation of jack beans (*Canavalia ensiformis*) and soybeans (*Glycine max* L.) on total molds, total yeasts, and sensory properties of mosaccha tempeh. *Jurnal Agroindustri Berkelanjutan*, 3(2), 325-342.
- Tang, T., Shi, Y., Yang, S., Li, J., Chen, J., Wu, X., & Xing, G. (2023). A comparative study on the physicochemical characteristics and protein digestibility of tofu induced by magnesium chloride or combined with transglutaminase. *International Journal of Food Science and Technology*, 58(9), 4666-4674.
- Wahyudi, R., Indriani, H., & Haris, M. S. (2022). Tahu Sabar (Sari Bahari) Upaya Pemanfaatan Limbah Produksi Garam sebagai Tahu Bahan Organik Ramah Lingkungan bagi Penderita Stunting. *Amerta Nutrition*, 6(1), 44-52.
- Wang, C. C. R., & Chang, S. K. C., (1995). Physicochemical Properties and Tofu Quality of Soybean Cultivar Proto. *Journal of Agricultural and Food Chemistry* 43(12):3029–3034
- Wang, C., Li, J., Zhou, S., Zhou, J., Lan, Q., Qin, W., ... & Zhang, Q. (2019). Application of transglutaminase for quality improvement of whole soybean curd. *Journal of food science and technology*, 56(1), 233-244.
- Wang, H. L., & CW, H. (1982). Coagulation conditions in tofu processing.
- Wang, J. L., Tang, C. H., Zhou, Z. H., & Yang, X. Q. (2006). The study on the texture of microbial transglutaminase tofu. *Grain Process*, 3, 77-80.
- Wang, Y., Yang, X., & Li, L. (2020). A new style of fermented tofu by *Lactobacillus casei* combined with salt coagulant. *3 Biotech*, 10(2), 81.
- Widiantara, T., & Cahyadi, W. (2017). Pemanfaatan kacang koro pedang (*Canavalia ensiformis* L) terhadap pembuatan tahu kacang koro berdasarkan perbedaan konsentrasi koagulan. *Pasundan Food Technology Journal*, 4(3), 182-190.
- Widiantara, T., Taufik, Y., Garnida, Y. & Yulianti, D. (2018). Aktivitas antioksidan beberapa ekstrak kacang koro (*Canavalia ensiformis*) menggunakan metode 1,1- diphenil 1,2- dipikrilhidrazil (DPPH). *Chimica et Natura Acta*, 6(1), 30-33. <http://dx.doi.org/10.24198/cna.v6.n1.16785>
- Widjajaseputra, A. (2020). Peran jenis dan konsentrasi koagulan pada karakteristik tahu dan tingkat penerimaan konsumen. *Jurnal Teknologi Pangan dan Gizi*, 19(2). Universitas Katolik Widya Mandala Surabaya.
- Winarno, F., G. 2002. Pangan Gizi, Teknologi, dan Konsumen, Edisi pertama, Penerbit PT. Gramedia Pustaka Utama. Jakarta.
- Wu, C., Hua, Y., Chen, Y., Kong, X., & Zhang, C. (2017). Effect of temperature, ionic strength and 11S ratio on the rheological properties of heat-induced soy

- protein gels in relation to network proteins content and aggregates size. *Food Hydrocolloids*, 66, 389-395.
- Yang, X., Jiang, S., & Li, L. (2021). The gel properties and gastric digestion kinetics of a novel lactic acid bacteria fermented tofu: Focusing on the effects of transglutaminase. *LWT*, 143, 110998.
- Yasir, S. B. M., Sutton, K. H., Newberry, M. P., Andrews, N. R., & Gerrard, J. A. (2007). The impact of transglutaminase on soy proteins and tofu texture. *Food chemistry*, 104(4), 1491-1501.
- Yenket, R., CHAMBERS IV, E. D. G. A. R., & Adhikari, K. (2011). A comparison of seven preference mapping techniques using four software programs. *Journal of Sensory Studies*, 26(2), 135-150.
- Yarlina, V. P., Ramdani, M. R., Zaida, Sukri, N., Djali, M., Andoyo, R., Lani, M. N. (2022). Protein Isolate of Jack Bean Tempeh (*Canavalia ensiformis*) by Spray Drying Method with Variation of Inlet Temperature. *Int. J. Adv. Sci. Eng. Inf. Technol*, 12(5), 1775–1780. <https://doi.org/10.18517/ijaseit.12.5.16228>.
- Zhang, Q., Wang, C., Li, B., Li, L., Lin, D., Chen, H., Liu, Y., Li, S., Qin, W., Liu, J., Liu, W., & Yang, W. (2018). Research progress in tofu processing: From raw materials to processing conditions. *Critical Reviews in Food Science and Nutrition*, 58(9), 1448–1467. <https://doi.org/10.1080/10408398.2016.1263823>.
- Zhang, M., Wang, P., Zou, M., Yang, R., Tian, M., & Gu, Z. (2019). Microbial transglutaminase-modified protein network and its importance in enhancing the quality of high-fiber tofu with okara. *Food Chemistry*, 289, 169–176. <https://doi.org/10.1016/j.foodchem.2019.03.038>.
- Zheng, L., Regenstien, J. M., Teng, F., & Li, Y. (2020). Tofu products: A review of their raw materials, processing conditions, and packaging. In *Comprehensive Reviews in Food Science and Food Safety* (Vol. 19, Issue 6, pp. 3683–3714). Blackwell Publishing Inc. <https://doi.org/10.1111/1541-4337.12640>.
- Zulvana, A. H., Andriati, N., Sri, A., & Widiastuti, S. (2019). In silico approach in evaluation of jack bean (*Canavalia ensiformis*) canavalin protein as precursors of bioactive peptides with dual antioxidant and angiotensin i-converting enzyme inhibitor. *Materials Science Forum*, 948 MSF, 85–94. <https://doi.org/10.4028/www.scientific.net/MSF.948.85>.
- Zuo, F., Chen, Z., Shi, X., Wang, R., & Guo, S. (2016). Yield and textural properties of tofu as affected by soymilk coagulation prepared by a high-temperature pressure cooking process. *Food Chemistry*, 213, 561-566.