

DAFTAR PUSTAKA

- Acar, E. G., Ozen, E., Dikmetas, D. N., Alakas, E., Karbancioglu-Guler, F., Esatbeyoglu, T., Nofar, M., Altay, F., & Kahveci, D. (2025). Protein Extraction From Agricultural Waste: Effects of the Precipitation Method on the Composition and Physicochemical Properties of Green Leaf Protein Concentrates. *Journal of Food Science*, 90(9), 70563. <https://doi.org/10.1111/1750-3841.70563>
- Acebron, L. B., & Dopico, D. C. (2000). The Importance of Intrinsic and Extrinsic Cues to Expected and Experienced Quality: An Empirical Application for Beef. *Food Quality and Preference*, 11(3), 229–238. [https://doi.org/10.1016/S0950-3293\(99\)00059-2](https://doi.org/10.1016/S0950-3293(99)00059-2)
- Adebiyi, A. P., & Aluko, R. E. (2011). Functional properties of protein fractions obtained from commercial yellow field pea (*Pisum sativum* L.) seed protein isolate. *Food Chemistry*, 128(4), 902–908. <https://doi.org/10.1016/j.foodchem.2011.03.116>
- Adebo, J. A., Njobeh, P. B., Gbashi, S., Oyedeji, A. B., Ogundele, O. M., Oyeyinka, S. A., Adebo, O. A. (2022). Fermentation of Cereals and Legumes: Impact on Nutritional Constituents and Nutrient Bioavailability. *Fermentation*, 8(2), 63. <https://doi.org/10.3390/fermentation8020063>
- Aeni, S. N., & Setiawan, S. R. D. (2022). *Cara Budidaya Kacang Koro Pedang agar Hasilnya Menguntungkan*. Kompas. https://agri.kompas.com/read/2022/10/04/195620984/cara-budidaya-kacang-koro-pedang-agar-hasilnya-menguntungkan?utm_source=Various&utm_medium=Referral&utm_campaign=AIML_Widget_Desktop diakses pada Selasa, 3 Februari 2026.
- Agbede, J. O., Aletor, V. A. (2005). Studies of the Chemical Composition and Protein Quality Evaluation of Differently Processed *Canavalia ensiformis* and *Mucuna*

- pruriens Seed Flours. *Journal of Food Composition and Analysis*, 18, 89–103.
<https://doi.org/10.1016/j.jfca.2003.10.011>
- Ajibola, C. F., Malomo, S. A., Fagbemi, T. N., & Aluko, R. E. (2016). Polypeptide Composition and Functional Properties of African Yam Bean Seed (*Sphenostylis stenocarpa*) Albumin, Globulin and Protein Concentrate. *Food Hydrocolloids*, 56, 189–200. <https://doi.org/10.1016/j.foodhyd.2015.12.013>
- Akande, K. E., Doma, U. D., Agu, H. O., & Adamu, H. M. (2010). Major Antinutrients Found in Plant Protein Sources, Their Effect on Nutrition. *Pakistan Journal of Nutrition*, 9(8), 827–832. <https://doi.org/10.3923/pjn.2010.827.832>
- Akhtar, S., Farooqui, A., Younis, K., Mani, A., Singh, H. (2024). Plant Proteins for Sustainable Food Production: “Serving Present to Secure the Future”. *International Journal of Food Science and Technology* 2024, 59(1), 460–461. <https://doi.org/10.1111/ijfs.16807>
- Akyüz, A., Tekin, I., Aksoy, Z., & Ersus, S. (2024). Determination of process parameters and precipitation methods for potential large-scale production of sugar beet leaf protein concentrate. *Journal of Food Science and Agriculture*, 104(6), 3235–3245. <https://doi.org/10.1002/jsfa.13210>
- Angelis, D. D., Latrofa, V., Squeo, G., Pasqualone, A., Summo, C. (2024). Techno-functional, rheological, and chemical properties of plant-based protein ingredients obtained with dry fractionation and wet extraction. *Current Research in Food Science*, 9, 100906. <https://doi.org/10.1016/j.crfs.2024.100906>
- Arjuni, A. (2026). Unpublished. Skripsi.
- Aruchunan, U., Henry, C. J., Sim, S. Y. J. (2025). Role of protein-lipid interactions for food and food-based applications. *Food Hydrocolloids*, 160(1), 110715. <https://doi.org/10.1016/j.foodhyd.2024.110715>
- Association of Official Analytical Chemist (AOAC). (2005). *Official Methods of Analysis 18th Edition*. Association of Official Analytical Chemists. Arlington, USA.

- Asensio-Grau, A., Calvo-Lerma, J., Heredia, A., Andr es, A. (2020). Enhancing the Nutritional Profile and Digestibility of Lentil Flour by Solid State Fermentation with *Pleurotus ostreatus*. *Food & Function*, 11, 7905–7912. <https://doi.org/10.1039/d0fo01527j>
- Azevedo, P. Z., Costa, J. E. G., Matos, J. S., de Souza, B. R., Rodrigues, S., Fernandes, F. A. N., Silva, V. M., Vidigal, M. C. T. R., Stringheta, P. C., Martins, E., Campelo, P. H. (2025). Techno-Functionalities of White Bean Protein Concentrate: A Comparative Study with Soy and Pea Proteins. *Macromol*, 5(1), 3. <https://doi.org/10.3390/macromol5010003>
- Badan Ketahanan Pangan. (2007). *Pedoman Umum Percepatan Bangkit Kedelai. Direktorat Jendral Tanaman Pangan*. Direktorat Jendral Budidaya Kacang-kacangan dan Umbi-umbian. Jakarta : Departemen Pertanian.
- Badan Pusat Statistik. (2010). *Statistik Indonesia*. <http://www.bps.go.id/> diakses pada Rabu, 4 Februari 2026.
- Bogahawaththa, D., Chau, N. H. B., Trivedi, J., Dissanayake, M., Vasiljevic, T. (2019). Impact of selected process parameters on solubility and heat stability of pea protein isolate. *LWT*, 102, 246-253. <https://doi.org/10.1016/j.lwt.2018.12.034>
- Buniowska-Olejn k, M., Mykhalevych, A., Urba ski, J., Hadijeva, I., Berthold-Pluta, A., & Banach, M. (2025). Storage quality and antioxidant properties of yogurt fortified with highly bioavailable formula of curcumin. *LWT*, 223, 117798. <https://doi.org/10.1016/j.lwt.2025.117798>
- Boukid, F., & Analogues, P.-B. M. (2021). Plant-based Meat Analogues: From Niche to Mainstream. *European Food Research and Technology*, 247(2), 297–308. <https://doi.org/10.1007/s00217-020-03630-9>
- Boye, J. I., Aksay, S., Roufik, S., Rib reau, S., Mondor, M., Farnworth, E., & Rajamohamed, S. H. (2010). Comparison of the Functional Properties of Pea, Chickpea and Lentil Protein Concentrates Processed Using Ultrafiltration and Isoelectric Precipitation Techniques. *Food Research International*, 43(2), 537–546. <https://doi.org/10.1016/j.foodres.2009.07.021>

- Caldeira, R. F., Gouvêa, L. P., Azevedo, T. L., Conte, C., de Sa, D. G. C. F., Galdeano, M. C., Felberg, I., Lima, J. R., Mellinger, C. G. (2024). Processing parameters, techno-functional properties and potential food application of lentil protein concentrate as an ingredient for the plant-based market. *Food Research International*, 189, 114569. <https://doi.org/10.1016/j.foodres.2024.114569>
- Calicioglu, O., Flammini, A., Bracco, S., Bellù, L., Sims, R. (2019). The Future Challenges of Food and Agriculture: An Integrated Analysis of Trends and Solutions. *Sustainability*, 11(1), 222. <https://doi.org/10.3390/su11010222>
- Caliskan. C., Nyhan, L., Halm, J., Feng, S., Hernandez-Olivas, E., Brodkorb, A., Zannini, E., Arendt, E. K. (2025). Bridging the Gap: Techno-functional and Nutritional Evaluation of Rapeseed and Legume Proteins for Dairy Alternatives. *Applied Food Research*, 5(2), 101450. <https://doi.org/10.1016/j.afres.2025.101450>
- Castejón, N., Luna, P., Señoráns, F. J. (2018). Alternative Oil Extraction Methods from *Echium plantagineum* L. Seeds Using Advanced Techniques and Green Solvents. *Food Chem*, 244, 75–82. <https://doi.org/10.1016/j.foodchem.2017.10.014>
- Chiang, J. H., Loveday, S. M., Hardacre, A. K., Parker, M. E. Effects of Soy Protein to Wheat Gluten Ratio on the Physicochemical Properties of Extruded Meat Analogues. *Food Structure*, 19, 100102. <https://doi.org/10.1016/j.foostr.2018.11.002>
- Contreras, M. M., Lama-Muñoz, A., Gutiérrez-Pérez, J. M., Espínola, F., Moya, M., & Castro, E. (2019). Protein Extraction from Agri-food Residues for Integration in Biorefinery: Potential Techniques and Current Status. *Bioresource Technology*, 280, 459–477. <https://doi.org/10.1016/j.biortech.2019.02.040>
- Costa, J. E. G., Matos, J. S., Azevado, P. Z., Souza, F. C. A., Rodrigues, S., Fernandes, F. A. N., Silva, V. M., Bezerra, J. A., Sanches, E. A., Lamarao, C. V., Vidigal, M. C. T. R., Stringheta, P. C., Martins, E., Campelo, P. H. (2025). Techno-functionality of Jack Bean (*r ensiformis*) Protein Concentrate: a Comparative

- Study with Soy and Pea Proteins. *J Sci Food Agric*, 105(6), 3439-3452.
<https://doi.org/10.1002/jsfa.14108>
- Cui, L., Bandillo, N., Wang, Y., Ohm, J., Chen, B., Rao, J. (2020). Functionality and structure of yellow pea protein isolate as affected by cultivars and extraction pH. *Food Hydrocolloids*, 108, 106008.
<https://doi.org/10.1016/j.foodhyd.2020.106008>
- Das, G., Sharma, A., Sarkar, P. K. (2022). Conventional and Emerging Processing Techniques for the Post-Harvest Reduction of Antinutrients in Edible Legumes. *Applied Food Research*, 2(1), 100112.
<https://doi.org/10.1016/j.afres.2022.100112>
- Derkach, S. R., Kuchina, Y. A., Kolotova, D. S., Petrova, L. A., Volchenko, V. I., Glukharev, A. Y., & Grokhovsky, V. A. (2022). Properties of Protein Isolates from Marine Hydrobionts Obtained by Isoelectric Solubilisation/Precipitation: Influence of Temperature and Processing Time. *International Journal of Molecular Sciences*, 23(22), 14221. <https://doi.org/10.3390/ijms232214221>
- Dhara, O., Rani, K. N. P., Chakrabarti, P. P. (2022). Supercritical Carbon Dioxide Extraction of Vegetable Oils: Retrospective and Prospects. *European Journal of Lipid Science and Technology*, 124(8), 2200006.
<https://doi.org/10.1002/ejlt.202200006>
- Domínguez, R., Bermúdez, R., Pateiro, M., Lucas-González, R., Lorenzo, J. M. (2023). Optimization and Characterization of Lupin Protein Isolate Obtained Using Alkaline Solubilization-Isoelectric Precipitation. *Foods*, 12, 3875.
<https://doi.org/10.3390/foods12203875>
- Dundar, A. N., & Gocmen, D. (2013). Effects of autoclaving temperature and storing time on resistant starch formation and its functional and physicochemical properties. *Carbohydrate Polymers*, 97(2), 764-771.
<https://doi.org/10.1016/j.carbpol.2013.04.083>

- Emkani, M., Oliete, B., & Saurel, R. (2021). Pea protein extraction assisted by lactic fermentation: Impact on protein profile and thermal properties. *Foods*, 10(3), 549. <https://doi.org/10.3390/foods10030549>
- Espinosa-P´aez, E., Alanis-Guzm´an, M. G., Hern´andez-Luna, C. E., B´aez-Gonz´alez, J. G., Amaya-Guerra, C. A., Andr´es-Grau, A. M. (2017). Increasing Antioxidant Activity and Protein Digestibility in *Phaseolus vulgaris* and *Avena sativa* by Fermentation with the *Pleurotus ostreatus* Fungus. *Molecules*, 22(12). <https://doi.org/10.3390/molecules22122275>
- FAO. (2003). *Food Energy—Methods of Analysis and Conversion Factors*. Food and Agriculture Organization of the United Nations, Roma: FAO.
- FAO. (2008). *Food Outlook*. Global Market Analysis, Roma: FAO.
- FDA. (2021). *Food Additive Status List FDA*. US Food Drug Administration. USA : Silver Spring.
- Fatima, A., Singh, P., Pandey, V. K., Singh, R., Rustagi, S. (2024). Exploring the Significance of Protein Concentrate: A Review on Sources, Extraction Methods, and Applications. *Food Chemistry Advances*, 5. <https://doi.org/10.1016/j.focha.2024.100771>
- Fredrikson, M., Biot, P., Alminger, M. L., Carlsson, N. G., Sandberg, A. S. (2001). Production Process for High Quality Pea Protein Isolate with Low Content of Oligosaccharides and Phytate. *Journal of Agricultural and Food Chemistry*, 49, 1208–1212.
- Gao, Z., Shen, P., Lan, Y., Cui, L., Ohm, J., Chen, B., Rao, J. (2020). Effect of alkaline extraction pH on structure properties, solubility, and beany flavor of yellow pea protein isolate. *Food Research International*, 131, 109045. <https://doi.org/10.1016/j.foodres.2020.109045>
- Gautheron, O., Nyhan, L., Torreiro, M. G., Tlais, A. Z. A., Cappello, C., Gobbetti, M., Hammer, A. K., Zannini, E., Arendt, E. K., & Sahin, A. W. (2024). Exploring the Impact of Solid-State Fermentation on Fava Bean Flour: A Comparative

- Study of *Aspergillus oryzae* and *Rhizopus oligosporus*. *Foods*, 13(18), 2922.
<https://doi.org/10.3390/foods13182922>
- Ha, S. M. L., Bruijn, W. J. C., Vreeke, G. J. C., Bruins, M. E., Nieuwland, M., van der Goot, A. J., Keppler, J. K. (2025). Protein extraction from oat: Isoelectric precipitation and water-based extraction. *Future Foods*, 11, 100591.
<https://doi.org/10.1016/j.fufo.2025.100591>
- Hadidi, M., Aghababaei, F., McClements, D. J. (2023). Enhanced Alkaline Extraction Techniques for Isolating and Modifying Plant-based Proteins. In *Food Hydrocolloids*, 145. Elsevier B.V.
<https://doi.org/10.1016/j.foodhyd.2023.109132>
- Hadinoto, K., Ling, J. K., Pu, S., Tran, T. (2024). Article Effects of Alkaline Extraction pH on Amino Acid Compositions, Protein Secondary Structures, Thermal Stability, and Functionalities of Brewer's Spent Grain Proteins. *International Journal of Molecular Science*, 25(12), 6369.
<https://doi.org/10.3390/ijms25126369>
- Hague, D. (1975). Studies of Storage Protein of Higher Plant, I. Concanavalin A from Three Species of the Genus *Canavalia*. *Plant Physiology*, 55, 636–642.
- Hansen, L., Bu, F., Ismail, B. P. (2022). Structure-Function Guided Extraction and Scale-Up of Pea Protein Isolate Production. *Foods*, 11(23), 3773.
<https://doi.org/10.3390/foods11233773>
- Huang, L., Wang, C., Zhang, Y., Chen, X., Huang, Z., Xing, G., & Dong, M. (2019). Degradation of anti-nutritional factors and reduction of immunoreactivity of tempeh by co-fermentation with *Rhizopus oligosporus* RT-3 and *Actinomucor elegans* DCY-1. *Food Science and Technology*, 54(5), 1836–1848.
<https://doi.org/10.1111/ijfs.14085>
- Jaffe, N.G. (1980). *Heamagglutinins (Lectins) In: Liener, I.E. (Ed.), Toxic Constituents of Plant Food Stuffs*, pp. 73–102. New York: Academic Press.

- Jakobson, K., Kaleda, A., Adra, K., Tammik, M., Vaikma, H., Kriščiunaite, T., Vilu, R. (2023). Techno-Functional and Sensory Characterization of Commercial Plant Protein Powders. *Foods*, 12(14), 2805. <https://doi.org/10.3390/foods12142805>
- Jayaraman, K. S., & Das Gupta, D. K. (1992). Dehydration of Fruits and Vegetables - Recent Developments in Principles and Techniques. *Drying Technology*, 10(1), 1–50. <https://doi.org/10.1080/07373939208916413>
- Jia, W., Rodriguez-Alonso, E., Bianeis, M., Keppler, J. K., & van der Goot, A. J. (2021b). Assessing Functional Properties of Rapeseed Protein Concentrate Versus Isolate for Food Applications. *Innovative Food Science & Emerging Technologies*, 68. <https://doi.org/10.1016/j.ifset.2021.102636>
- Juul, L., Haue, S. K., Bruhn, A., Boderskov, T., Dalsgaard, T. K. (2023). Alkaline pH increases protein extraction yield and solubility of the extracted protein from sugar kelp (*Saccharina latissima*). *Food and Bioprocess Processing*, 140, 144–150. <https://doi.org/10.1016/j.fbp.2023.05.008>
- Kaleda, A., Talvistu, K., Vaikma, H., Tammik, M.-L., Rosenvald, S., & Vilu, R. (2021). Physicochemical, Textural, and Sensorial Properties of Fibrous Meat Analogs from Oatpea Protein Blends Extruded at Different Moistures, Temperatures, and Screw Speeds. *Future Foods*, 4. <https://doi.org/10.1016/j.fufo.2021.100092>
- Khushairay, E. S. I., Ghani, M. A., Babji, A. S., Yusop, S. M. (2023). The Nutritional and Functional Properties of Protein Isolates from Defatted Chia Flour Using Different Extraction pH. *Foods*, 12(16), 3046. <https://doi.org/10.3390/foods12163046>
- Kitessa, D.A. (2024). Review on effect of fermentation on physicochemical properties, anti-nutritional factors and sensory properties of cereal-based fermented foods and beverages. *Annals of Microbiology*, 74, 32. <https://doi.org/10.1186/s13213-024-01763-w>
- Krause, M., Sørensen, J. C., Petersen, I. L., Duque-Estrada, P., Cappello, C., Tlais, A. Z. A., Di Cagno, R., Ispiryan, L., Sahin, A. W. & Arendt, E. K., Zannini, E..

- (2023). Associating Compositional, Nutritional and Techno-functional Characteristics of Faba Bean (*Vicia faba* L.) Protein Isolates and Their Production Side-streams with Potential Food Applications. *Foods*, 12(5), 919. <https://doi.org/10.3390/foods12050919>
- Kristinsson, H. G., & Rasco, B. A. (2000). Fish protein hydrolysates: Production, biochemical, and functional properties. *Critical Reviews in Food Science and Nutrition*, 40(1), 43–81. <https://doi.org/10.1080/10408690091189266>
- Kuhlman, B., & Bradley, P. (2019). Advances in protein structure prediction and design. *Nature Reviews Molecular Cell Biology*, 20, 681–697. <https://doi.org/10.1038/s41580-019-0163-x>
- Kumari, S., Singh, K., Kushwaha, P., Kumar, K. S. (2022). Functional and Biochemical Properties of some Economically Important Edible Seaweeds. *Current Research in Nutrition and Food Science*, 10(2), 802-816. <http://dx.doi.org/10.12944/CRNFSJ.10.2.32>
- Kurniawati, E., & Brilliantina, A. (2025). KAJIAN SIFAT KIMIA PADA BEBERAPA JENIS TEPUNG TERIGU: KADAR AIR, KADAR ABU, DAN KADAR GLUTEN BASAH. *Journal of Food Industrial Technology*, 2(3), 75-81. <https://doi.org/10.25047/jofit.v2i3.6036>
- Kusumah, S. H., Andoyo, R., Rialita, T. (2020). Protein Isolation Techniques of Beans Using Different Methods: A Review. *IOP Conference Series: Earth and Environmental Science*, 443(1). <https://doi.org/10.1088/1755-1315/443/1/012053>
- Laleg, K., Cassan, D., Barron, C., Prabhasankar, P., & Micard, V. (2016). Structural, culinary, nutritional and anti-nutritional properties of high protein, gluten free, 100% legume pasta. *PLoS ONE*, 11(9), 1–19. <https://doi.org/10.1371/journal.pone.0160721>
- Lam, A. C. Y., Karaca, A. C., Tyler, R. T., & Nickerson, M. T. (2018). Pea protein isolates: Structure, extraction, and functionality. *Food Reviews International*, 34(2), 126-147. <https://doi.org/10.1080/87559129.2016.1242135>

- Le, T. P. L., Samarathunga, J., Gabard, M., Strazdins, K., Rens, J., Adhikari, B. (2025). Comparison of extraction methods to obtain highpurity protein concentrate from green microalgae *Nannochloropsis oceanic*. *Sustainable Food Technology*, 3(2), 549-558. <https://doi.org/10.1039/D4FB00387J>
- Li, W., Shu, C., Yan, S., Shen, Q. (2010). Characteristics of Sixteen Mung Bean Cultivars and Their Protein Isolates. *International Journal of Food Science and Technology*, 45(6), 1205–1211. <https://doi.org/10.1111/j.1365-2621.2010.02259.x>
- Li, Y., Xu, H., Pan, J., Mintah, B. K., Dabbour, M., He, R., & Ma, H. (2024). Improving the emulsification characteristics of rapeseed protein isolate by ultrasonication assisted pH shift treatment. *International Journal of Biological Macromolecules*, 282, 137221. <https://doi.org/10.1016/j.ijbiomac.2024.137221>
- Li, J., Chen, Y., Hua, X., Yin, L., YAng, J., Yu, W., & Zhang, T. (2024). Soy protein isolate with higher solubility and improved gel properties when co-assembled with walnut protein. *International Journal of Food Science and Technology*, 59(7), 5057–5065. <https://doi.org/10.1111/ijfs.17242>
- Liang, X., McClements, D. J., Jin, Z., & Chen, L. (2024). Whey protein nanoparticles: Enhancing solubility, environmental resistance, and bio-accessibility of pterostilbene. *Food Bioscience*, 60, 104290. <https://doi.org/10.1016/j.fbio.2024.104290>
- Liu, Y., Fei, Y., Li, C., Cheng, J., Xue, F. (2024). Impact of Probiotic Fermentation on the Physicochemical Properties of Hemp Seed Protein Gels. *Polymers*, 16(21), 3032. <https://doi.org/10.3390/polym16213032>
- Liu, R., Flanagan, B. M., Ratanpaul, V., Gidley, M. J. (2025). Valorising legume protein extraction side-streams: Isolation and characterisation of fibre-rich and starch-rich co-products from wet fractionation of five legumes. *Food Hydrocolloids*, 164, 111191. <https://doi.org/10.1016/j.foodhyd.2025.111191>

- Lo, D., Romulo, A., Lin, J., Wang, Y., Wijaya, C. H., Wu, M. (2022). Effect of Different Fermentation Conditions on Antioxidant Capacity and Isoflavones Content of Soy Tempeh. *Agriculture and Food*, 7(3), 567-579.
- López-Calabozo, R., Martínez-Martín, I., Rodríguez-Fernández, M., Absi, Y., Vivar-Quintana, A. M., & Revilla, I. (2025). The Influence of the Nutritional and Mineral Composition of Vegetable Protein Concentrates on Their Functional Properties. *Foods*, 14(3), 509. <https://doi.org/10.3390/foods14030509>
- Luque de Castro, M. D., & Priego-Capote, F. (2010). Soxhlet Extraction: Past and Present Panacea. *Journal of Chromatography*, 1217(16), 2383-2389. <https://doi.org/10.1016/j.chroma.2009.11.027>
- Ma, K. K., Grossmann, L., Nolden, A. A., McClements, D. J., Kinchla, A. J. (2022). Functional and physical properties of commercial pulse proteins compared to soy derived protein. *Future Foods*, 6, 100155. <https://doi.org/10.1016/j.fufo.2022.100155>
- Makeri, M. U., Mohamed, S. A., Karim, R., Ramakrishnan, Y., Muhammad, K. (2017). Fractionation, Physicochemical, and Structural Characterization of Winged Bean Seed Protein Fractions with Reference to Soybean. *International Journal of Food Properties*, 20(sup2), 2220–2236. <https://doi.org/10.1080/10942912.2017.1369101>
- Manzanilla-Valdez, M. L., Ma, Z., Mondor, M., & Hernández-Álvarez, A. J. (2024). Decoding the Duality of Antinutrients: Assessing the Impact of Protein Extraction Methods on Plant-Based Protein Sources. *Journal of Agricultural and Food Chemistry*, 72(22), 12319–12339. <https://doi.org/10.1021/acs.jafc.4c00380>
- Marjuki, I., Susilaningsih, S. E. P., Darini, M. T. (2018). Pengaruh Macam Amelioran Lokal dan Dosis Legin Koro terhadap Pertumbuhan dan Hasil Tanaman Koro Pedang (*Canavalia ensiformis* L.) di Lahan Marjinal Tanah Grumusol. *Jurnal Ilmiah Agroust*, 2, 126-135.
- Meganaharshini, M., Sudhakar, V., Bharathia, N. D., Deepakc, S. (2023). Review on Recent Trends in the Application of Protein Concentrates and Isolates – A Food

- Industry Perspective. *Food and Humanity*, 1, 308-325.
<https://doi.org/10.1016/j.foohum.2023.05.022>
- Messina, V., Skylas, D. J., Roberts, T. H., Valtchev, P., Whiteway, C., Li, Z., Hopf, A., Dehghani, F., Quail, K. J., Kaiser, B. N. (2025). Pulse Proteins: Processing, Nutrition, and Functionality in Foods. *Foods*, 14(7), 1151.
<https://doi.org/10.3390/foods14071151>
- Mora-Uzeta, C., Cuevas-Rodriguez, E., Lopez-Cervantes, J., Mil'an-Carrillo, J., Guti'errez D. R., Reyes, M. C. (2020). Improvement Nutritional/Antioxidant Properties of Underutilized Legume Tepary Bean (*Phaseolus Acutifolius*) by Solid State Fermentation. *Agrociencia*, 53(7), 987–1003.
- Morad, M. M., Leung, H. K., Hsu, D. L., Finney, P. L. (1980). Effect of Germination on Physicochemical and Bread-baking Properties of Yellow Pea, Lentil, and Faba Bean Flours and Starches. *Cereal Chemistry*, 57(6), 390–396.
- Mortensen, A. B., & Wallin, H. (1989). Gravimetric Determination of Ash in Foods: NMKL Collaborative Study. *Journal of Association of Official Analytical Chemists*, 72(3), 481–483. <https://doi.org/10.1093/jaoac/72.3.481>
- Moure, A., Sineiro, J., Domínguez, H., & Parajo, ' J. C. (2006). Functionality of Oilseed Protein Products: A Review. *Food Research International*, 39(9), 945–963. <https://doi.org/10.1016/j.foodres.2006.07.002>
- Mune, M. A. M., Minka, S. R., Mbome, I. L. (2014). Optimising functional properties during preparation of cowpea protein concentrate, *Food Chemistry*, 154, 32–37, <https://doi.org/10.1016/j.foodchem.2013.12.108>
- Nanik, P., Roni, R. A. Z., Hakeki, A. Z., Setiarto, R. H. B. (2024). Effects of extraction solvent and isoelectric point on the quality of jack bean (*Canavalia ensiformis*) protein. *Food Science and Biotechnology*, 34, 1317–1325.
<https://doi.org/10.1007/s10068-024-01795-7>
- Nath, K. D., Das, Y. M. S., Ramanathan, P., Ramasamy, S. (2015). A Review on Nondestructive Methods for the Measurement of Moisture Contents in Food Items. *international conference on circuits, power and computing technologies*

- [ICCPCT-2015] (pp. 1–6). Nagercoil, India: IEEE.
<https://doi.org/10.1109/ICCPCT.2015.7159367>
- Náthia-Neves, G., Getachew, A. T., Santana, A. L., Jacobsen, C. (2025). Legume Proteins in Food Products: Extraction Techniques, Functional Properties, and Current Challenges. *Foods*, 14, 1626. <https://doi.org/10.3390/foods14091626>
- Nkhata, S. G., Ayua, E., Kamau, E. H., Shingiro, J. B. (2018). Fermentation and germination improve nutritional value of cereals and legumes through activation of endogenous enzymes. *Food Science and Nutrition*, 6(8), 2446-2458. <https://doi.org/10.1002/fsn3.846>
- Odedije, J. O., Akande, E. A., Fapojuwo, O. O., Olawuyi, O. J. (2019). Influence of Roasting on Nutritional and Antinutritional Factors of Jackbean, *Canavalia ensiformis* (L) D.C. Flour. *Journal of Underutilized Legumes*, 1, 112-121.
- Ogawa, T., & Adachi, S. (2014). Measurement of Moisture Profiles in Pasta During Rehydration Based on Image Processing. *Food and Bioprocess Technology*, 7(5), 1465–1471. <https://doi.org/10.1007/s11947-013-1156-y>
- Oliveira, M. M. G., Fessori, A. G. B. W., Huamani-Meléndez, V. J., & Mauro, M. A. (2025). Cowpea protein concentrate: A detailed analysis of composition, structure, and technological properties. *Food Research International*, 213, 116581. <https://doi.org/10.1016/j.foodres.2025.116581>
- Ojo, M. O., Oni, O. K., Zubair, A. B., Femi, F. A., Audu, Y., Etim, B., Adeyeye, S. A. O. (2024). Influence of Fermentation Period on the Chemical and Functional Properties, Antinutritional Factors, and In Vitro Digestibility of White Lima Beans Flour. *Food Science*, 89(12), 9047-9059. <https://doi.org/10.1111/1750-3841.17501>
- Ologhobo, A. D., Apata, D. F., Oyejide, A. (1993). Utilization of Raw Jack Bean (*Canavalia ensiformis*) and Jack Bean Fractions in Diets for Broiler Chicks. *British Poultry Science*, 34, 323–337.
- Ozgolet, M., Cakmak, Z. H. T., Bozkurt, F., Sagdic, O., Karasu, S. (2024). Optimization of extraction parameters of protein isolate from milk thistle seed:

- Physicochemical and functional characteristics. *Food Science and Nutrition*, 12(5), 3346-3359. <https://doi.org/10.1002/fsn3.4001>
- Patel, P., Pang, Y. L. J., Choi, W. J., Wong, A. (2025). Protein Extraction and Isolation from Legumes and Algae: An Industry Primer. *Food and Bioprocess Technology*, 18, 8380–8408. <https://doi.org/10.1007/s11947-025-03958-8>
- Pokharel, U., Adhikari, N., Gautam, N., Poudel, R., Timsina, P., Dangal, A., Giuffre, A. M. (2024). Effects of Different Processing Methods on the Antinutritional Factors Present in Mungbean (*Vigna radiata* L.). *Analytica*, 5(3), 414-429. <https://doi.org/10.3390/analytica5030026>
- Polkinghorne, R. J., & Thompson, J. M. (2010). Meat Standards and Grading: A Aorld View. *Meat Science*, 86(1), 227–235. <https://doi.org/10.1016/j.meatsci.2010.05.010>
- Prasetyo, B., Suwignyo, B., Ishigaki, G., Gondo, T., Jati, D. K., Prasajo, Y. S. (2025). Nutrient Content of Jack Bean (*Canavalia ensiformis*) at Different Growth Stages in Blora, East Java, Indonesia. *BIO Web of Conferences* 164, 1-7. <https://doi.org/10.1051/bioconf/202516402001>
- Prasajo, Y.S., Prasetyo, B., Suwignyo, B. (2025). Morphology Characteristic and Biomass Production of Jack Bean (*Canavalia ensiformis*) at Different Growth Stages in Blora, Central Java, Indonesia. *Aust J Crop Sci.* 19(01), 84-88. <https://doi.org/10.21475/ajcs.25.19.01.p218>
- Pratama, R. I., Rostini, I., Liviawaty, E. (2014). Karakteristik Biskuit dengan Penambahan Tepung Tulang Ikan Jangilus (*Istiophorus* Sp.). *Jurnal Akuatika*, 5(1), 30-39.
- Purwandari, F. A., Vogliano, V., Capuano, E. (2024). Tempeh Fermentation Improves the Nutritional and Functional Characteristics of Jack Beans (*Canavalia ensiformis* (L.) DC). *Food and Function*, 15(7), 3680–3691.
- Putro, N. T. L., Arisasmita, J. H., Srianta, I. (2015). KAJIAN KADAR HCN DAN KARAKTERISTIK PATI PADA TEPUNG KORO PEDANG (*Canavalia*

ensiformis) DAN LARUTAN NATRIUM BIKARBONAT (NAHCO₃). *Journal of Food Technology and Nutrition*, 14(2), 72-82

Razak, D. L. A., Rashid, N. Y. A., Jamaluddin, A., Sharifudin, S. A., & Long, K. (2015). Enhancement of phenolic acid content and antioxidant activity of rice bran fermented with *Rhizopus oligosporus* and *Monascus purpureus*. *Biocatalysis and Agricultural Biotechnology*, 4(1), 33-38. <https://doi.org/10.1016/j.bcab.2014.11.003>

Rodrigues, I. M., Coelho, J. F. J., & Carvalho, M. G. V. S. (2012). Isolation and Valorization of Vegetable Proteins from Oilseed Plants: Methods, Limitations, and Potential. *Journal of Food Engineering*, 109(3), 337–346. <https://doi.org/10.1016/j.jfoodeng.2011.10.027>

Rosida, D. F., Elianarni, D., & Sarofa, U. (2021). Optimation 1,2 Formulation of Meat Analog from Cowpea (*Vigna unguiculata* L Walp) Protein Curds and Cocoyams (*Xanthosoma sagittifolium*) Modification Starch as Filler. *International Journal Food Science Technology*, 42, 1–8. <https://doi.org/10.1590/fst.59120>

Sadeghi, A., Kardooni, Z., Ebrahimi, M., Assadpour, E., & Jafari, S. M. (2025). The role of water alternatives in bread formulation and its quality; An emerging source of sustainable and cost-effective bakery improvers. *Future Foods*, 12, 100733. <https://doi.org/10.1016/j.fufo.2025.100733>

Samaniego-Vaesken, M. L., Partearroyo, T., Valero, T., Rodriguez, P., Soto-Méndez, M. J., Hernández-Ruiz, A., Villoslada, F. L., Leis, R., Victoria, E. M., Moreno, J. M., Ortega, R. M., Ruiz-López, M. D., Gil, A., Varela-Moreiras, G. (2020). Carbohydrates, Starch, Total Sugar, Fiber Intakes and Food Sources in Spanish Children Aged One to <10 Years—Results from the EsNuPI Study. *Nutrients*, 12(10), 3171; <https://doi.org/10.3390/nu12103171>

Samard, S., & Ryu, G. H. (2019) A Comparison of Physicochemical Characteristics, Texture, and Structure of Meat Analogue and Meats. *Journal of the Science Food Agriculture*, 99(6), 2708–2715. DOI : [10.1002/jsfa.9438](https://doi.org/10.1002/jsfa.9438)

- Sari, Y. W., Mulder, W. J., Sanders, J. P. M., Bruins, M. E. (2015). Towards plant protein refinery: Review on protein extraction using alkali and potential enzymatic assistance. *Biotechnology Journal*, 10(8), 1138-1157. <https://doi.org/10.1002/biot.201400569>
- Schlangen, M., Taghian, S., Schutyser, M., Van der Goot, A. (2022). Dry Fractionation to Produce Functional Fractions from Mung Bean, Yellow Pea and Cowpea Flour. *Innovative Food Science & Emerging Technologies*, 78, 103018. <https://doi.org/10.1016/j.ifset.2022.103018>
- Schoss, K., & Glavač, N. K. (2024). Supercritical CO₂ Extraction vs. Hexane Extraction and Cold Pressing: Comparative Analysis of Seed Oils from Six Plant Species. *Plants*, 13(23), 3409. <https://doi.org/10.3390/plants13233409>
- Schreuders, F. K., Dekkers, B. L., Bodnár, I., Erni, P., Boom, R. M., van der Goot, A. J. (2019). Comparing Structuring Potential of Pea and Soy Protein with Gluten for Meat Analogue Preparation. *Journal of Food Engineering*, 261, 32–39. <https://doi.org/10.1016/j.jfoodeng.2019.04.022>
- Shand, P. J., Ya, H., Pietrasik, Z., & Wanasundara, P. (2007). Physicochemical and textural properties of heat-induced pea protein isolate gels. *Food Chemistry*, 102(4), 1119–1130. <https://doi.org/10.1016/j.foodchem.2006.06.060>
- Shanthakumar, P., Klepacka, J., Bains, A., Chawla, P., Dhull, S. B., Najda, J. (2022). The Current Situation of Pea Protein and Its Application in the Food Industry. *Molecules*, 27(16), 5354. <https://doi.org/10.3390/molecules27165354>
- Sharma, R., Garg, P., Kumar, P., Bhatia, S. K., Kulshrestha, S. (2020). Microbial Fermentation and Its Role in Quality Improvement of Fermented Foods. *Fermentation*, 6(4), 106. <https://doi.org/10.3390/fermentation6040106>
- Sharma, D., Gite, S., Tuohy, M. G. (2024). Exploring the Physicochemical Characteristics of Marine Protein Hydrolysates and the Impact of In Vitro Gastrointestinal Digestion on Their Bioactivity. *Marine Drugs*, 22(10), 452; <https://doi.org/10.3390/md22100452>

- Shen, P., Yang, J., Nikiforidis, C. V., Mocking-Bode, H. C., Sagis, L. M. (2023). Cruciferin Versus Napin – Air-Water Interface and Foam Stabilizing Properties of Rapeseed Storage Proteins. *Food Hydrocolloids*, 136, 108300. <https://doi.org/10.1016/j.foodhyd.2022.108300>
- Shevkani, K., Sharma, P., Singh, B., Kaur, A., & Singh, N. (2024). Structural, Technofunctional and Nutraceutical Properties of Lentil Proteins – A Concise Review. *International Journal of Food Science and Technology*, 59(10), 6875–6884. <https://doi.org/10.1111/ijfs.17491>
- Shin, J., & Park, S. (2015). Comparison of Fat Determination Methods Depending on Fat Definition in Bakery Products. *LWT - Food Science and Technology*, 63(2), 972-977. <https://doi.org/10.1016/j.lwt.2015.04.011>
- Shrestha, S., van 't Hag, L., Haritos, V. S., Dhital, S. (2023). Lentil and Mungbean Protein Isolates: Processing, Functional Properties, and Potential Food Applications. *Food Hydrocolloids*, 135. <https://doi.org/10.1016/j.foodhyd.2022.108142>
- Silva, C. M., Felberg, I., Lima, J. R., Gouvêa, L. P., Galdeano, M. C., Caldeira, R. F., Azevedo, T. L. (2022). *Guide for Technological-Functional Characterization of Protein Ingredients for the Plant-Based Market*. Brazil: Brazilian Agricultural Research Corporation.
- Sim, S. Y. J., Akila, Chiang, J. H., Henry, C. J. (2021). Plant Proteins for Future Foods: A Roadmap. *Foods*, 10, 1967. <https://doi.org/10.3390/foods10081967>
- Singh, J., & Singh, N. (2003). Studies on the morphological and rheological properties of granular cold water soluble corn and potato starches. *Food Hydrocolloids*, 17(1), 63–72. [https://doi.org/10.1016/S0268-005X\(02\)00036-X](https://doi.org/10.1016/S0268-005X(02)00036-X)
- Slavin, J. L. (2013). Carbohydrates, Dietary Fiber, and Resistant Starch in White Vegetables: Links to Health Outcomes. *Advances in Nutrition*, 4(3), 351S-355S. <https://doi.org/10.3945/an.112.003491>
- Soccol, C. R., da Costa, E. S. F., Letti, L. A. J., Karp, S. G., Woiciechowski, A. L., & Vandenberghe, L. P. S. (2017). Recent developments and innovations in solid

- state fermentation. *Biotechnology Research and Innovation*, 1(1), 52-71.
<https://doi.org/10.1016/j.biori.2017.01.002>
- Solomon, S. G., Okomoda, V. T., Oguiche, O. (2017). Nutritional Value of Raw *Canavalia ensiformis* and Its Utilization as Partial Replacement for Soybean Meal in the Diet of *Clarias gariepinus* (Burchell, 1822) Fingerlings. *Food Science and Nutrition*, 6, 207–213. <https://doi.org/10.1002/fsn3.548>
- Song, H., Zhong, M., Sun, Y., Li, Y., Qi, B. (2023). Recovery of proteins from soybean oil-body wastewater at various pH levels and their structural and functional characterization. *LWT*, 174, 114455. <https://doi.org/10.1016/j.lwt.2023.114455>
- Sosulski, F. W., & McCurdy, A. (1987). Functionality of Flours, Protein Fractions and Isolates from Field Peas and Faba Bean. *Journal of Food Science*, 52(4), 1010–1014. <https://doi.org/10.1111/j.1365-2621.1987.tb14263.x>
- Sridhar, K. R., Seena, S. (2006). Nutritional and Antinutritional Significance of Four Unconventional Legumes of the Genus *Canavalia*– A Comparative Study. *Food Chemistry* 99, 267–288. DOI:[10.1016/j.foodchem.2005.07.049](https://doi.org/10.1016/j.foodchem.2005.07.049)
- Stone, A. K., Karalash, A., Tyler, R. T., Warkentin, T. D., & Nickerson, M. T. (2015). Functional attributes of pea protein isolates prepared using different extraction methods and cultivars. *Food Research International*, 18(1), 31-38.
<https://doi.org/10.1016/j.foodres.2014.11.017>
- Subagio, A. (2010). Strategi Pencapaian Swasembada Kedelai dengan Pengembangan Sumber Protein Nabati Alternatif. *Pangan*, 19(2), 127-134.
- Sukma, A. C. T., Anwar, H., & Ikhsanudin, A. (2022). Effect of *Rhizopus oryzae* fermentation on proximate composition, anti-nutrient contents, and functional properties of banana peel flour. *International Food Research Journal* 29(5), 1205-1214. <https://doi.org/10.47836/ifrj.29.5.21>
- Sun, P. D., Foster, C. E., & Boyington, J. C. (2004). Overview of Protein Structural and Functional Folds. *Current Protocols in Protein Science*, 35.
<https://doi.org/10.1002/0471140864.ps1701s35>

- Susanti, I., Hasanah, F., Siregar, N. C., Supriatna, D. (2013). Potensi Kacang Koro Pedang (*Canavalia ensiformis*) sebagai Sumber Protein Produk Pangan. *Jurnal Riset Industri*, 7(1), 1-13.
- Syahputri, D. A., & Wardani, A. K. (2015). Pengaruh Fermentasi Jali (*Colx lacryma jobi-L*) pada Proses Pembuatan Tepung Terhadap Karakteristik Fisik dan Kimia Cookies dan Roti Tawar. *Jurnal Pangan dan Agroindustri*, 3(3), 984-995.
- Szmańko, T., Lesiów, T., & Górecka, J. (2021). The water-holding capacity of meat: A reference analytical method. *Food Chemistry*, 357, 129727. <https://doi.org/10.1016/j.foodchem.2021.129727>
- Tan, M., Nawaz, M. A., Buckow, R. (2023). Functional and Food Application of Plant Proteins – A Review. *Food Reviews International*, 39(5), 2428-2456. <https://doi.org/10.1080/87559129.2021.1955918>
- Tang, D., Yin, G., He, Y., Hu, S., Li, B., Li, L., Liang, H., Borthakur, D. (2009). Recovery of protein from brewer's spent grain by ultrafiltration. *Biochemical Engineering Journal*, 48(1), 1-5. <https://doi.org/10.1016/j.bej.2009.05.019>
- Tas, O., Ertugrul, U., Grunin, L., Oztop, M. H. (2021). An Investigation of Functional Quality Characteristics and Water Interactions of Navy Bean, Chickpea, Pea, and Lentil Flours. *Journal of Food Science*, 4(1), 136. <https://doi.org/10.1002/leg3.136>
- Tarahi, M., Abdolalizadeh, L., Hedayati, S. (2024). Mung Bean Protein Isolate: Extraction, Structure, Physicochemical Properties, Modifications, and Food Applications. *Food Chemistry*, 444. <https://doi.org/10.1016/j.foodchem.2024.138626>
- Ter, Z. Y., Chang, L. S., Babji, A. S., Zaini, N. A. M., Fazry, S., Sarbini, S. R., Peterbauer, C. K., Lim, S. J. (2024). A review on proteolytic fermentation of dietary protein using lactic acid bacteria for the development of novel proteolytically fermented foods. *International Journal of Food Science and Technology*, 59(3), 1213–1236. <https://doi.org/10.1111/ijfs.16888>

- Terefe, N. S., & Augustin, M. A. (2019). Fermentation for Tailoring the Technological and Health Related Functionality of Food Products. *Critical Reviews in Food Science and Nutrition*, 60, 2887–2913. <https://doi.org/10.1080/10408398.2019.1666250>
- Teterycz, D., Sobota, A., Zarzycki, P., & Latoch, A. (2020). Legume flour as a natural colouring component in pasta production. *Journal of Food Science and Technology*, 57(1), 301–309. <https://doi.org/10.1007/s13197-019-04061-5>
- Toor, B. S., Kaur, A., & Kaur, J. (2022). Fermentation of legumes with *Rhizopus oligosporus*: effect on physicochemical, functional and microstructural properties. *International Journal of Food Science and Technology*, 57(3), 1763–1772. <https://doi.org/10.1111/ijfs.15552>
- Udedibie, A. B. I. (1990). *Nutritional Evaluation of Jack Bean (Canavalia ensiformis) for the Nigerian Poultry Industry*. *AMBIO*, 19(8), 361–365.
- Varayil, H., Mitra, J. (2025). Functional and Structural Characterization of Legume Protein Derivatives for Advanced Plant Based Food Applications. *Sustainable Food Technology*, 2026(4), 1172–1187.
- Vioque, J., Alaiz, M., Girón-Calle, J. (2012). Nutritional and Functional Properties of *Vicia faba* Protein Isolates and Related Fractions. *Food Chemistry*, 132(1), 67–72. <https://doi.org/10.1016/j.foodchem.2011.10.033>
- Wang, L., Jiang, L., Li, Y., Liu, Q., Wang, S. Sui, X. (2011). Optimization of Extraction Process of Protein Isolate from Mung Bean. *Procedia Engineering*, 15, 5250–5258, <https://doi.org/10.1016/j.proeng.2011.08.973>
- Wang, Y., Zhu, L., Zhu, Z., Liu, M., Zhao, X. (2024). Effects of Different pH Levels on the Structural and Functional Properties of Proteins of *Phaeodactylum tricornutum*. *Molecules*, 29(13), 3139. <https://doi.org/10.3390/molecules29133139>
- Wang, Y., Tuccillo, F., Yang, X., Hashim, M., Xu, Y., Maina, N. H., Coda, R., Katina, K. (2025). Expanding food applications of yeast protein by microbial

- fermentation: techno-functional, rheological and aroma characterization. *Food Hydrocolloids*, 169, 111582. <https://doi.org/10.1016/j.foodhyd.2025.111582>
- Wang, C., Hu, C., Li, X., Shen, R., Yin, L., Wu, Q., & Hu, T. (2025). Effects of *Rhizopus oligosporus*-Mediated Solid-State Fermentation on the Protein Profile and α -Glucosidase Inhibitory Activity of Selenium-Biofortified Soybean Tempeh. *Foods*, 14(16), 2899. <https://doi.org/10.3390/foods14162899>
- Willett, W., Rockström, J., Loken, B., Springmann, M., Lang, T., Vermeulen, S., Garnett, T., Tilman, D., DeClerck, F., Wood, A., et al. (2019). Food in the Anthropocene: The EAT–Lancet Commission on Healthy Diets from Sustainable Food Systems. *The Lancet*, 393, 447–492.
- Wittmüss, M., Amft, J., Heyn, T. R., Schwarz, K. (2024). Oil binding capacity and related physicochemical properties of commercial plant protein products. *Food Bioscience*, 59, 103823. <https://doi.org/10.1016/j.fbio.2024.103823>
- Wybraniec, S., Michalowski, T., Garcia Asuero, A. (2013). An Overview of the Kjeldahl Method of Nitrogen Determination. Part II. Sample Preparation, Working Scale, Instrumental Finish, and Quality Control. *Critical Reviews in Analytical Chemistry*, 43(4), 224–272. <https://doi.org/10.1080/10408347.2012.751787>
- Yang, J., Wen, C., Duan, Y., Deng, Q., Peng, D., Zhang, H., Ma, H. (2021). The Composition, Extraction, Analysis, Bioactivities, Bioavailability and Applications in Food System of Flaxseed (*Linum usitatissimum* L.) Oil: A Review. *Trends Food Science and Technology*, 118, 252–260. <https://doi.org/10.1016/j.tifs.2021.09.025>
- Yousefi, N., Yancheshmeh, B. S., Gernaey, K. V. (2025). The Potential of Fermentation-Based Processing on Protein Modification: A Review. *Foods*, 14(20), 3461. <https://doi.org/10.3390/foods14203461>
- Yousf, N., Nazir, F., Salim, R., Ahsan, H., & Sirwal, A. (2017). Water Solubility Index and Water Absorption Index of Extruded Product from Rice and Carrot Blend. *Journal of Pharmacognosy and Phytochemistry JPP*, 6(66), 2165–2168.

<http://www.phytojournal.com/archives/2017/vol6issue6/PartAD/6-6-326-909.pdf>

- Yu, R., Huppertz, T., & Vasiljevic, T. (2024). Impact of reconstitution conditions on the solubility of faba bean protein isolate. *Foods*, 13(23), 3857. <https://doi.org/10.3390/foods13233857>
- Zhang, Y., Wei, R., Azi, F., Jiao, L., Wang, H., He, T., Liu, X., Wang, R., & Lu, B. (2022). Solid-state fermentation with *Rhizopus oligosporus* RT-3 enhanced the nutritional properties of soybeans. *Frontiers in Nutrition*, 9, 972860. <https://doi.org/10.3389/fnut.2022.972860>
- Zhao, Y., Sun-Waterhouse, D., Zhao, M., Zhao, Q., Qiu, C., Su, G. (2018). Effects of solid-state fermentation and proteolytic hydrolysis on defatted soybean meal. *LWT*, 97, 496-502. <https://doi.org/10.1016/j.lwt.2018.06.008>
- Zhao, X., Xing, T., Xu, X., & Zhou, G. (2020). Influence of extreme alkaline pH induced unfolding and aggregation on PSE-like chicken protein edible film formation. *Food Chemistry*, 319, 126574. <https://doi.org/10.1016/j.foodchem.2020.126574>