

Daftar Pustaka

- Abdullah, M., & Koc, A. B. (2013). KINETICS OF ULTRASOUND-ASSISTED OIL EXTRACTION FROM BLACK SEED (*NIGELLA SATIVA*): OIL EXTRACTION FROM BLACK SEED. *Journal of Food Processing and Preservation*, 37(5), 814–823. <https://doi.org/10.1111/j.1745-4549.2012.00704.x>
- Abdullahi, I. D., Zakiyya, M. Y., Yepshak, N. B., Umar, M., Ben-Musa, A. S., & Jibrin, S. J. (2021). Physicochemical analysis of oil extracted from roselle (*Hibiscus sabdariffa* L.) seeds in Kano metropolis. *Direct Research Journal of Agriculture and Food Science*, 9(9), 297-301.
- Aladedunye, F., & Dellaporta, R. (2025). Two new chemical methods for quantifying carbonyl secondary oxidation products in frying oils and their correlation with the p-anisidine value. *Journal of the American Oil Chemists' Society*, 102(5), 913–921. <https://doi.org/10.1002/aocs.12927>
- Ali, R. F. M., & El-Anany, A. M. (2017). Hypolipidemic and Hypocholesterolemic Effect of Roselle (*Hibiscus sabdariffa* L.) Seeds Oil in Experimental Male Rats. *Journal of Oleo Science*, 66(1), 41–49. <https://doi.org/10.5650/jos.ess16126>
- Alibe, I. M., & Inuwa, B. (2012). Physicochemical and anti-microbial properties of sunflower (*Helianthus annuus* L.) seed oil. *International Journal of Science and Technology*, 2(4), 151-154.
- Allay, A., Benkirane, C., Moumen, A. B., Rbah, Y., Fauconnier, M.-L., Caid, H. S., Elamrani, A., & Mansouri, F. (2025). Microwave-Assisted Extraction of Hemp Seed Oil: Process Optimization for Enhancing Oil Yield and Bioactive Compound Extractability. *International Journal of Food Science*, 2025(1), 7381308. <https://doi.org/10.1155/ijfo/7381308>
- Al-Okbi, S. Y., Abdel-Raze, A. G., Mohammed, S. E., & Ottai, M. E.-S. (2017). Roselle Seed as a Potential New Source of Healthy Edible Oil. *Journal of*

Biological Sciences, 17(6), 267–277.
<https://doi.org/10.3923/jbs.2017.267.277>

Alshaibani, A., Yaakob, Z., & Ghaleb, A. (2014). Optimization of Sunflower Oil Hydrogenation on Pd-B/-Al₂O₃ Catalyst. *Oriental Journal of Chemistry*, 30(1). <https://doi.org/10.13005/ojc/300120>

Amaria Moulay, A., Diaf, K., Elbahri, Z., Mesli, A., Chafi, N., & Besbes, N. (2023). P-Anisidine release study by hydrolysis of Schiff bases in homogeneous media. *Bulletin of the Chemical Society of Ethiopia*, 37(3), 745–755. <https://doi.org/10.4314/bcse.v37i3.16>

Aytaç, E. (2022). Comparison of extraction methods of virgin coconut oil: Cold press, soxhlet and supercritical fluid extraction. *Separation Science and Technology*, 57(3), 426–432. <https://doi.org/10.1080/01496395.2021.1902353>

Aziz, A. R. A., & Aziz, S. A. (2018). Application of Box Behnken Design to Optimize the Parameters for Kenaf-Epoxy as Noise Absorber. *IOP Conference Series: Materials Science and Engineering*, 454, 012001. <https://doi.org/10.1088/1757-899X/454/1/012001>

Beg, S., & Raza, K. (2021). Full Factorial and Fractional Factorial Design Applications in Pharmaceutical Product Development. In S. Beg (Ed.), *Design of Experiments for Pharmaceutical Product Development* (pp. 43–53). Springer Singapore. https://doi.org/10.1007/978-981-33-4717-5_4

Carreira-Casais, A., Otero, P., Garcia-Perez, P., Garcia-Oliveira, P., Pereira, A. G., Carpena, M., Soria-Lopez, A., Simal-Gandara, J., & Prieto, M. A. (2021). Benefits and Drawbacks of Ultrasound-Assisted Extraction for the Recovery of Bioactive Compounds from Marine Algae. *International Journal of Environmental Research and Public Health*, 18(17), 9153. <https://doi.org/10.3390/ijerph18179153>

- Chew, L. Y., Teng, S. K., Neo, Y. P., Sim, Y. Y., & Chew, S. C. (2024). The Potential of Roselle (*Hibiscus sabdariffa*) Plant in Industrial Applications: A Promising Source of Functional Compounds. *Journal of Oleo Science*, 73(3), 275–292. <https://doi.org/10.5650/jos.ess23111>
- Chakraborty, D., Das, J., Das, P. K., Bhattacharjee, S. C., & Das, S. (2017). Evaluation of the parameters affecting the extraction of sesame oil from sesame (*Sesamum indicum* L.) seed using soxhlet apparatus. *International Food Research Journal*, 24(2).
- Chung, M., & Yoo, K. S. (2019). Optimization of MOF-235 Synthesis by Analysis of Statistical Design of Experiment. *Applied Chemistry for Engineering*, 30(5), 615–619. <https://doi.org/10.14478/ACE.2019.1066>
- Cuvelier, M.-E., & Maillard, M.-N. (2013). Erratum: Stabilité des huiles alimentaires au cours de leur stockage. *Oléagineux, Corps Gras, Lipides*, 20(3), 176–176. <https://doi.org/10.1051/ocl.2013.0511>
- Dar, I. H., Junaid, P. M., Ahmad, S., Shams, R., Dash, K. K., Shaikh, A. M., & Béla, K. (2024). Optimization of ultrasound-assisted extraction of *Nigella sativa* seed oil for enhancement of yield and antioxidant activity. *Discover Applied Sciences*, 6(3), 104. <https://doi.org/10.1007/s42452-024-05714-7>
- Dhiman, A., Chopra, R., Homroy, S., & Chand, M. (2025). Perilla seed oil-based omega-3 fatty acid rich designer lipid enriched with rosemary extract: A sustainable approach to enhance oxidative stability and functional properties. *Discover Food*, 5(1), 134. <https://doi.org/10.1007/s44187-025-00388-5>
- Djabir, Y. Y., Adnan, J., Amalia, N., Ramli, N., Sartini, S., Mamada, S. S., & Usmar, U. (2021). Roselle (*Hibiscus sabdariffa* L.) calyx water extract ameliorates isoniazid and rifampicin induced liver and renal injuries in rats. *Journal of Herbmed Pharmacology*, 10(3), 296–303. <https://doi.org/10.34172/jhp.2021.34>

- Dymińska, L., Calik, M., Albegar, A. M. M., Zająć, A., Kostyń, K., Lorenc, J., & Hanuza, J. (2017). Quantitative determination of the iodine values of unsaturated plant oils using infrared and Raman spectroscopy methods. *International Journal of Food Properties*, 20(9), 2003–2015. <https://doi.org/10.1080/10942912.2016.1230744>
- Ebong, C. U. (2019). *A COMPARISON OF IODINE VALUES OF SOME CO.* <https://doi.org/10.13140/RG.2.2.24160.02560>
- Emmanouilidou, M. G., Koukourikou-Petridou, M., Gerasopoulos, D., & Kyriacou, M. C. (2021). Oxidative stability, fatty-acid and phenolic composition of Cypriot monovarietal virgin olive oils with progressive fruit maturity. *Journal of Food Composition and Analysis*, 104, 104191. <https://doi.org/10.1016/j.jfca.2021.104191>
- Esmailzadeh Kenari, R., & Dehghan, B. (2020a). Optimization of ultrasound-assisted solvent extraction of hemp (*Cannabis sativa* L.) seed oil using RSM: Evaluation of oxidative stability and physicochemical properties of oil. *Food Science & Nutrition*, 8(9), 4976–4986. <https://doi.org/10.1002/fsn3.1796>
- Esmailzadeh Kenari, R., & Dehghan, B. (2020b). Optimization of ultrasound-assisted solvent extraction of hemp (*Cannabis sativa* L.) seed oil using RSM: Evaluation of oxidative stability and physicochemical properties of oil. *Food Science & Nutrition*, 8(9), 4976–4986. <https://doi.org/10.1002/fsn3.1796>
- Fachrina, S., & Broto, R. W. (2023). Optimization of soxhlet extraction of candlenut oil (*Aleurites moluccana* (L.) Willd) using factorial experimental design level 23. *Journal of Vocational Studies on Applied Research*, 5(1), 5-9.
- Fajriyati, M., Herman, B., Muhammad, Y., Suhardi, S., & Sayuti, M. (2025). Extraction of mango seed kernel oil using the Soxhlet method with ethanol as a solvent. *Food Research*, 9(5), 45. [https://doi.org/10.26656/fr.2017.9\(5\).399](https://doi.org/10.26656/fr.2017.9(5).399)
- Fathimah, R. N., Setyaningsih, W., Carrera, C., & Palma, M. (2020). Microwave-Assisted Extraction of Phenolics from Hibiscus sabdariffa Flowers: Method Development and Validation. *The 1st International Electronic Conference on*

Food Science and Functional Foods, 51. https://doi.org/10.3390/foods_2020-07681

Ferreira, S. L. C., Bruns, R. E., Ferreira, H. S., Matos, G. D., David, J. M., Brandão, G. C., Da Silva, E. G. P., Portugal, L. A., Dos Reis, P. S., Souza, A. S., & Dos Santos, W. N. L. (2007). Box-Behnken design: An alternative for the optimization of analytical methods. *Analytica Chimica Acta*, 597(2), 179–186. <https://doi.org/10.1016/j.aca.2007.07.011>

Fišnar, J., Sabolová, M., & Réblová, Z. (2018). Relationship between tocopherols depletion and polymerised triacylglycerols formation during heating of vegetable oils. *Czech Journal of Food Sciences*, 36(6), 441–451. <https://doi.org/10.17221/73/2018-CJFS>

Fuad, M., Abd. Karim, K., & Mat Don, M. (2016). Ultrasound-assisted Extraction of Oil from *Calophyllum inophyllum* Seeds: Statistical Optimisation using Box-Behnken Design. *Journal of Physical Science*, 27(2), 103–121. <https://doi.org/10.21315/jps2016.27.2.8>

Gaforio, J. J., Sánchez-Quesada, C., López-Biedma, A., Ramírez-Tortose, M. D. C., & Warleta, F. (2015). Molecular Aspects of Squalene and Implications for Olive Oil and the Mediterranean Diet. In *The Mediterranean Diet* (pp. 281–290). Elsevier. <https://doi.org/10.1016/B978-0-12-407849-9.00026-9>

Gharby, S., Asbbane, A., Nid Ahmed, M., Gagour, J., Hallouch, O., Oubannin, S., Bijla, L., Goh, K. W., Bouyahya, A., & Ibourki, M. (2025). Vegetable oil oxidation: Mechanisms, impacts on quality, and approaches to enhance shelf life. *Food Chemistry: X*, 28, 102541. <https://doi.org/10.1016/j.fochx.2025.102541>

Ghohestani, E., Tashkhourian, J., & Hemmateenejad, B. (2023). Colorimetric determination of peroxide value in vegetable oils using a paper based analytical device. *Food Chemistry*, 403, 134345. <https://doi.org/10.1016/j.foodchem.2022.134345>

Ghosh, P., Priyadarshini, S., Munshi, M., Beula, P., Atthoti, L., Kruthi, G. S., Sravan, B. S., Irshaan, S., Rana, S. S., & Abdullah, S. (2023). Physicochemical characterization and mass modelling of Roselle (*Hibiscus sabdariffa* L.) calyx and seeds. *Food Chemistry Advances*, 3, 100400. <https://doi.org/10.1016/j.focha.2023.100400>

Grebenteuch, S., Kroh, L. W., Drusch, S., & Rohn, S. (2021). Formation of Secondary and Tertiary Volatile Compounds Resulting from the Lipid Oxidation of Rapeseed Oil. *Foods*, 10(10), 2417. <https://doi.org/10.3390/foods10102417>

Halim, Y., Evelyne, C., Rosa, D., & Ramli, S. (2022). Development of Roselle (*Hibiscus sabdariffa* L.) Calyx Jelly Candy. *Caraka Tani: Journal of Sustainable Agriculture*, 37(2), 357. <https://doi.org/10.20961/carakatani.v37i2.61537>

Hastrawirid, R. W., Dwiloka, B., & Rizqiati, H. (2024). Effect of Sucrose Addition on Viscosity, pH, Total Yeast, and Hedonic Quality of Water Kefir Roselle. *Journal of Applied Food Technology*, 11(2), 61–65. <https://doi.org/10.17728/jaft.22719>

Hernández-Santos, B., Rodríguez-Miranda, J., Herman-Lara, E., Torruco-Uco, J. G., Carmona-García, R., Juárez-Barrientos, J. M., Chávez-Zamudio, R., & Martínez-Sánchez, C. E. (2016). Effect of oil extraction assisted by ultrasound on the physicochemical properties and fatty acid profile of pumpkin seed oil (*Cucurbita pepo*). *Ultrasonics Sonochemistry*, 31, 429–436. <https://doi.org/10.1016/j.ultsonch.2016.01.029>

Hu, G., Li, J., Huang, S., & Li, Y. (2016). Oil recovery from petroleum sludge through ultrasonic assisted solvent extraction. *Journal of Environmental Science and Health, Part A*, 51(11), 921–929. <https://doi.org/10.1080/10934529.2016.1191308>

Huang, Y., Li, F., Bao, G., Li, M., & Wang, H. (2022). Qualitative and quantitative analysis of the influence of biodiesel fatty acid methyl esters on iodine value.

Environmental Science and Pollution Research, 29(2), 2432–2447.
<https://doi.org/10.1007/s11356-021-15762-w>

Hussein, M. E., El Senousy, A. S., Abd-elsalam, W. H., Ahmed, K. A., El-askary, H. I., Mouneir, S. M., & Fishawy, A. M. (2019). Roselle Seed Oil and its Nano-Formulation Alleviated Oxidative Stress, Activated Nrf2 and Downregulated m-RNA Expression Genes of Pro-inflammatory Cytokines in Paracetamol-intoxicated Rat Model. *Records of Natural Products*, 14(1), 1–17. <https://doi.org/10.25135/rnp.133.19.03.1220>

Isopencu, G., Stroescu, M., Brosteanu, A., Chira, N., Pârvulescu, O. C., Busuioc, C., & Stoica-Guzun, A. (2019). Optimization of ultrasound and microwave assisted oil extraction from sea buckthorn seeds by response surface methodology. *Journal of Food Process Engineering*, 42(1), e12947. <https://doi.org/10.1111/jfpe.12947>

Jabbar, N. (2024). OPTIMIZATION OF ULTRASOUND-ASSISTED EXTRACTION AND PHYSICOCHEMICAL CHARACTERIZATION OF PEONY SEED OIL FOR FUNCTIONAL FOOD APPLICATIONS. *Journal of Population Therapeutics and Clinical Pharmacology*, 4343–4361. <https://doi.org/10.53555/6m2ete23>

Jahurul, M. H. A., Shian, O. K., Sharifudin, M. S., Hasmadi, M., Lee, J. S., Mansoor, A. H., Jumardi, R., Khan, M. F., Jinap, S., Omar, A. K. M., & Zaidul, I. S. M. (2021). Effects of drying methods on oxidative stability of roselle seed oil (*Hibiscus Sabdariffa*): An optimization approach. *Journal of Food Science and Technology*, 58(3), 902–910. <https://doi.org/10.1007/s13197-020-04604-1>

Jalili, F., Jafari, S. M., Emam-Djomeh, Z., Malekjani, N., & Farzaneh, V. (2018). Optimization of Ultrasound-Assisted Extraction of Oil from Canola Seeds with the Use of Response Surface Methodology. *Food Analytical Methods*, 11(2), 598–612. <https://doi.org/10.1007/s12161-017-1030-z>

- Juhaimi, F. A., Uslu, N., Babiker, E. E., Ghafoor, K., Ahmed, I. A. M., & Özcan, M. (2019). The Effect of Different Solvent Types and Extraction Methods on Oil Yields and Fatty Acid Composition of Safflower Seed. *Journal of Oleo Science*, 68(11), 1099–1104. <https://doi.org/10.5650/jos.ess19131>
- K Yusuf, A. (2018). A Review of Methods Used for Seed Oil Extraction. *International Journal of Science and Research (IJSR)*, 7(12), 233–238. <https://doi.org/10.21275/1121804>
- Kalkan, E., & Maskan, M. (2025). Optimization of Sonication and Homogenization-Assisted Solvent Extraction of Cottonseed Oil Using RSM: Oil Recovery, Antioxidant Properties, and Oxidative Stability. *Journal of Food Process Engineering*, 48(5), e70125. <https://doi.org/10.1111/jfpe.70125>
- Karami, H., Rasekh, M., & Mirzaee-Ghaleh, E. (2020). Qualitative analysis of edible oil oxidation using an olfactory machine. *Journal of Food Measurement and Characterization*, 14(5), 2600–2610. <https://doi.org/10.1007/s11694-020-00506-0>
- Khalfi, A., Garrigós, M. C., Ramos, M., & Jiménez, A. (2024). Optimization of the Microwave-Assisted Extraction Conditions for Phenolic Compounds from Date Seeds. *Foods*, 13(23), 3771. <https://doi.org/10.3390/foods13233771>
- Kumoro, A. C., Retnowati, D. S., & Mutiarini, A. (2024). *Effect of microwave power and extraction time on the yield of highly-valuable vegetable oil and microstructure during microwave-assisted extraction of roselle seeds*. 040002. <https://doi.org/10.1063/5.0211289>
- Lamidi, S., Olaleye, N., Bankole, Y., Obalola, A., Aribike, E., & Adigun, I. (2023). Applications of Response Surface Methodology (RSM) in Product Design, Development, and Process Optimization. In P. Kayarogannam (Ed.), *Response Surface Methodology—Research Advances and Applications*. IntechOpen. <https://doi.org/10.5772/intechopen.106763>

- Larasati, I. D., Carrera, C., Lioe, H. N., Estiasih, T., Yuliana, N. D., Manikharda, Daniel Ray, H. R., Palma, M., & Setyaningsih, W. (2024). Anthocyanin extraction from roselle (*Hibiscus sabdariffa* L.) calyces: A microwave-assisted approach using Box-Behnken design. *Journal of Agriculture and Food Research*, 18, 101480. <https://doi.org/10.1016/j.jafr.2024.101480>
- Li, H.-Z., Zhang, Z.-J., Hou, T.-Y., Li, X.-J., & Chen, T. (2015). Optimization of ultrasound-assisted hexane extraction of perilla oil using response surface methodology. *Industrial Crops and Products*, 76, 18–24. <https://doi.org/10.1016/j.indcrop.2015.06.021>
- Lin, X., Yi, X., & Ni, S. (2021). Optimization of Ultrasonic-assisted Extraction and Fatty Acid Composition of Oil from *Paeonia suffruticosa* Andr. Seed. *Journal of Oleo Science*, 70(1), 39–49. <https://doi.org/10.5650/jos.ess20206>
- Loganathan, V., Vijayan, L., Balakrishnaraja, R., & Abdullah, S. (2024). Optimization of microwave-assisted extraction of Tamarindus indica seed oil: An in silico approach to development of potential hypolipidemic compound for reducing LDL cholesterol. *Measurement: Food*, 13, 100125. <https://doi.org/10.1016/j.meaf00.2023.100125>
- Loganathan, R., Tarmizi, A. H. A., Vethakkan, S. R., & Teng, K. T. (2022). A review on lipid oxidation in edible oils. *Malaysian Journal of Analytical Sciences*, 26(6), 1378-1393.
- Lopes De Mello, H., Anastacio Alves, L., Araujo Dias, E., De Sá Pereira Magalhães, S., Cotta-de-Almeida, V., & Da Cunha Bisaggio, R. (2021). Sonodynamic and Photodynamics Used as a Combined Therapy in the Treatment of Malignant Neoplasms: Facts and Open Questions. In N. Mayumi Inada, H. Harb Buzzá, K. Cristina Blanco, & L. Danilo Dias (Eds.), *Photodynamic Therapy—From Basic Science to Clinical Research*. IntechOpen. <https://doi.org/10.5772/intechopen.94600>

- Luque De Castro, M. D., & Priego-Capote, F. (2010). Soxhlet extraction: Past and present panacea. *Journal of Chromatography A*, 1217(16), 2383–2389. <https://doi.org/10.1016/j.chroma.2009.11.027>
- Madhu, K., Ganapathy, S., Saraswathi, T., Gurusamy, K., & Amuthaselvi, G. (2024). Optimization of ultrasound probe assisted extraction for PKM1 moringa seed oil. *Plant Science Today*, 11(sp4). <https://doi.org/10.14719/pst.5566>
- Marangoni, F., Agostoni, C., Borghi, C., Catapano, A. L., Cena, H., Ghiselli, A., La Vecchia, C., Lercker, G., Manzato, E., Pirillo, A., Riccardi, G., Risé, P., Visioli, F., & Poli, A. (2020). Dietary linoleic acid and human health: Focus on cardiovascular and cardiometabolic effects. *Atherosclerosis*, 292, 90–98. <https://doi.org/10.1016/j.atherosclerosis.2019.11.018>
- Mohamed, R., Fernández, J., Pineda, M., & Aguilar, M. (2007). Roselle (*Hibiscus sabdariffa*) Seed Oil Is a Rich Source of γ -Tocopherol. *Journal of Food Science*, 72(3). <https://doi.org/10.1111/j.1750-3841.2007.00285.x>
- Mohammadpour, H., Sadrameli, S. M., Eslami, F., & Asoodeh, A. (2019). Optimization of ultrasound-assisted extraction of Moringa peregrina oil with response surface methodology and comparison with Soxhlet method. *Industrial Crops and Products*, 131, 106–116. <https://doi.org/10.1016/j.indcrop.2019.01.030>
- Mokhtari, Z., Department of Food Science and Technology, Faculty of Agriculture, University of Zanjan, Zanjan, Iran, Zarringhalami, S., Department of Food Science and Technology, Faculty of Agriculture, University of Zanjan, Zanjan, Iran, Ganjloo, A., & Department of Food Science and Technology, Faculty of Agriculture, University of Zanjan, Zanjan, Iran. (2018). Evaluation of Chemical, Nutritional and Antioxidant Characteristics of Roselle (*Hibiscus sabdariffa* L.) Seed. *Nutrition and Food Sciences Research*, 5(1), 41–46. <https://doi.org/10.29252/nfsr.5.1.41>

- Montalvo-González, E., Villagrán, Z., González-Torres, S., Iñiguez-Muñoz, L., Isiordia-Espinoza, M., Ruvalcaba-Gómez, J., Arteaga-Garibay, R., Acosta, J., González-Silva, N., & Anaya-Esparza, L. (2022). Physiological Effects and Human Health Benefits of Hibiscus sabdariffa: A Review of Clinical Trials. *Pharmaceuticals*, 15(4), 464. <https://doi.org/10.3390/ph15040464>
- Moradi, N., Rahimi, M., Moeini, A., & Parsamoghdam, M. A. (2018). Impact of ultrasound on oil yield and content of functional food ingredients at the oil extraction from sunflower. *Separation Science and Technology*, 53(2), 261–276. <https://doi.org/10.1080/01496395.2017.1384016>
- Mushtaq, A., Roobab, U., Denoya, G. I., Inam-Ur-Raheem, M., Gullón, B., Lorenzo, J. M., Barba, F. J., Zeng, X., Wali, A., & Aadil, R. M. (2020). Advances in green processing of seed oils using ultrasound-assisted extraction: A review. *Journal of Food Processing and Preservation*, 44(10). <https://doi.org/10.1111/jfpp.14740>
- Nadeem, R., Iqbal, A., Zia, M. A., Anwar, F., Shahid, S. A., Mahmood, Z., ... & Akhtar, N. (2015). Effect of cold-pressing and soxhlet extraction on the physico-chemical attributes of sunflower (*Helianthus annuus* L.) seed oil. *International journal of chemical and biochemical Sciences*, 7(2015), 41-46.
- Naeem, M. A., Zahran, H. A., & Hassanein, M. M. M. (2019). Evaluation of green extraction methods on the chemical and nutritional aspects of roselle seed (*Hibiscus sabdariffa* L.) oil. *OCL*, 26, 33. <https://doi.org/10.1051/ocl/2019030>
- Nguyen, Q. V., & Chuyen, H. V. (2020). Processing of Herbal Tea from Roselle (*Hibiscus sabdariffa* L.): Effects of Drying Temperature and Brewing Conditions on Total Soluble Solid, Phenolic Content, Antioxidant Capacity and Sensory Quality. *Beverages*, 6(1), 2. <https://doi.org/10.3390/beverages6010002>
- Nguyen, N. T. T., Le, H. A. V., Pham, D. A., & Tran, T. N. Y. (2018). Evaluation of physical, nutritional and sensorial properties cookie supplied with Hibiscus

sabdariffa L. seed powder (without shell). *International Food Research Journal*, 25(3).

Nurkhasanah, A., Fardad, T., Carrera, C., Setyaningsih, W., & Palma, M. (2023). Ultrasound-Assisted Anthocyanins Extraction from Pigmented Corn: Optimization Using Response Surface Methodology. *Methods and Protocols*, 6(4), 69. <https://doi.org/10.3390/mps6040069>

O'Brien, S. F., Osmond, L., & Yi, Q. (2015). How do I interpret a p value? *Transfusion*, 55(12), 2778–2782. <https://doi.org/10.1111/trf.13383>

Oguche, S. O. (2021). *Extraction and Physicochemical Characterization of Sunflower Seed Oil*. Unpublished. <https://doi.org/10.13140/RG.2.2.29906.63687>

Ortega-Ortega, M. D. L. A., Cruz-Cansino, N. D. S., Alanís-García, E., Delgado-Olivares, L., Ariza-Ortega, J. A., Ramírez-Moreno, E., & Manríquez-Torres, J. D. J. (2017). Optimization of Ultrasound Extraction of Cactus Pear (*Opuntia ficus indica*) Seed Oil Based on Antioxidant Activity and Evaluation of Its Antimicrobial Activity. *Journal of Food Quality*, 2017, 1–9. <https://doi.org/10.1155/2017/9315360>

Ottaway, J. M., Chance Carter, J., Adams, K. L., Camancho, J., Lavine, B. K., & Booksh, K. S. (2021). Comparison of Spectroscopic Techniques for Determining the Peroxide Value of 19 Classes of Naturally Aged, Plant-Based Edible Oils. *Applied Spectroscopy*, 75(7), 781–794. <https://doi.org/10.1177/0003702821994500>

Palomer, X., Pizarro-Delgado, J., Barroso, E., & Vázquez-Carrera, M. (2018). Palmitic and Oleic Acid: The Yin and Yang of Fatty Acids in Type 2 Diabetes Mellitus. *Trends in Endocrinology & Metabolism*, 29(3), 178–190. <https://doi.org/10.1016/j.tem.2017.11.009>

Panda, D., & Manickam, S. (2019). Cavitation Technology—The Future of Greener Extraction Method: A Review on the Extraction of Natural Products and

- Process Intensification Mechanism and Perspectives. *Applied Sciences*, 9(4), 766. <https://doi.org/10.3390/app9040766>
- Patel, S. A., & Brooks, C. L. (2006). Revisiting the hexane-water interface via molecular dynamics simulations using nonadditive alkane-water potentials. *The Journal of Chemical Physics*, 124(20), 204706. <https://doi.org/10.1063/1.2198538>
- Peng, W. L., Mohd-Nasir, H., Setapar, S. H. M., Ahmad, A., & Lokhat, D. (2020). Optimization of process variables using response surface methodology for tocopherol extraction from Roselle seed oil by supercritical carbon dioxide. *Industrial Crops and Products*, 143, 111886. <https://doi.org/10.1016/j.indcrop.2019.111886>
- Piasecka, I., Brzezińska, R., Wiktor, A., & Górska, A. (2024). Response Surface Methodology for Ultrasound-Assisted Oil Extraction Optimization from Blackberry, Chokeberry, and Raspberry Waste Products. *Applied Sciences*, 14(16), 7214. <https://doi.org/10.3390/app14167214>
- Prasomthong, J., Limpeanchob, N., Daodee, S., Chonpathompikunlert, P., & Tunsophon, S. (2022). Hibiscus sabdariffa extract improves hepatic steatosis, partially through IRS-1/Akt and Nrf2 signaling pathways in rats fed a high fat diet. *Scientific Reports*, 12(1), 7022. <https://doi.org/10.1038/s41598-022-11027-9>
- Priore, P., Gnoni, A., Natali, F., Testini, M., Gnoni, G. V., Siculella, L., & Damiano, F. (2017). Oleic Acid and Hydroxytyrosol Inhibit Cholesterol and Fatty Acid Synthesis in C6 Glioma Cells. *Oxidative Medicine and Cellular Longevity*, 2017(1), 9076052. <https://doi.org/10.1155/2017/9076052>
- Pulassery, S., Abraham, B., Ajikumar, N., Munnilath, A., & Yoosaf, K. (2022). Rapid Iodine Value Estimation Using a Handheld Raman Spectrometer for On-Site, Reagent-Free Authentication of Edible Oils. *ACS Omega*, 7(11), 9164–9171. <https://doi.org/10.1021/acsomega.1c05123>

- Qi, Y., Huang, Y., Li, H., Jin, Z., Amorati, R., & Shi, L. (2025). Effect of fatty acid composition on rosemary antioxidants in stabilizing woody edible oils: A kinetic and machine learning analysis of volatiles under accelerated oxidation. *Food Chemistry*, 492, 145214. <https://doi.org/10.1016/j.foodchem.2025.145214>
- Rahardjo, A. P. (2020). *Minyak goreng untuk pengolahan pangan* (Cetakan pertama). Gadjah Mada University Press.
- Rasmussen, P. P., Stevanato, N., Raspe, D. T., Garcia, V. A. D. S., & Da Silva, C. (2022). Babassu kernel oil: Enhanced extraction and chemical characterization. *Journal of Food Processing and Preservation*, 46(6). <https://doi.org/10.1111/jfpp.16559>
- Romano, R., Filosa, G., Pizzolongo, F., Durazzo, A., Lucarini, M., Severino, P., Souto, E. B., & Santini, A. (2021). Oxidative stability of high oleic sunflower oil during deep-frying process of purple potato Purple Majesty. *Heliyon*, 7(3), e06294. <https://doi.org/10.1016/j.heliyon.2021.e06294>
- Sadak, M. S., El-Bassiouny, H. M. S., Abd Allah, M. M. S., & Bakry, B. A. (2018). Improving nutritional value of Roselle seeds by arginine, Fe-EDTA and hemin applications. *Bioscience Research*, 15(3), 2089-2103.
- Sakaino, M., Sano, T., Kato, S., Shimizu, N., Ito, J., Rahmania, H., Imagi, J., & Nakagawa, K. (2022). Carboxylic acids derived from triacylglycerols that contribute to the increase in acid value during the thermal oxidation of oils. *Scientific Reports*, 12(1), 12460. <https://doi.org/10.1038/s41598-022-15627-3>
- Saleh, F. (2020). Quality Assessment of Frying Oil from some Restaurants in Al-Ahsa City, Saudi Arabia. *Basic and Applied Sciences - Scientific Journal of King Faisal University*. <https://doi.org/10.37575/b/agr/2090>

- Salem, M., Moustafa, H. E., Abdel-Aziz, M. E., & Roushdi, M. (2002). PROPERTIES OF ROSELLE SEEDS (*Hibiscus sabdauriffa* L.) AS A NEW SOURCE OF OIL. *Journal of Food and Dairy Sciences*, 27(1), 425-437.
- Sánchez-Mendoza, J., Domínguez-López, A., Navarro-Galindo, S., & López-Sandoval, J. A. (2008). Some physical properties of Roselle (*Hibiscus sabdariffa* L.) seeds as a function of moisture content. *Journal of Food Engineering*, 87(3), 391–397. <https://doi.org/10.1016/j.jfoodeng.2007.12.023>
- Shen, L., Pang, S., Zhong, M., Sun, Y., Qayum, A., Liu, Y., Rashid, A., Xu, B., Liang, Q., Ma, H., & Ren, X. (2023). A comprehensive review of ultrasonic assisted extraction (UAE) for bioactive components: Principles, advantages, equipment, and combined technologies. *Ultrasonics Sonochemistry*, 101, 106646. <https://doi.org/10.1016/j.ultsonch.2023.106646>
- Siol, M., Piasecka, I., Mańko-Jurkowska, D., Górska, A., & Bryś, J. (2025). Optimization and Impact of Ultrasound-Assisted Extraction on Pomegranate Seed Oil Quality: A Comparative Study of Bioactive Potential and Oxidation Parameters. *Molecules*, 30(8), 1837. <https://doi.org/10.3390/molecules30081837>
- Soares, S., & Rocha, F. (2018). Fast Spectrophotometric Determination of Iodine Value in Biodiesel and Vegetable Oils. *Journal of the Brazilian Chemical Society*. <https://doi.org/10.21577/0103-5053.20180044>
- Soukup, J., & Kouřimská, L. (2019). The effect of fatty acid profile on the stability of non-traditional and traditional plant oils. *Potravinárstvo Slovak Journal of Food Sciences*, 13(1), 744–750. <https://doi.org/10.5219/1064>
- Stanisavljević, I. T., Lazić, M. L., & Veljković, V. B. (2007). Ultrasonic extraction of oil from tobacco (*Nicotiana tabacum* L.) seeds. *Ultrasonics Sonochemistry*, 14(5), 646–652. <https://doi.org/10.1016/j.ultsonch.2006.10.003>
- Szpisják-Gulyás, N., Al-Tayawi, A. N., Horváth, Zs. H., László, Zs., Kertész, Sz., & Hodúr, C. (2023). Methods for experimental design, central composite design and the Box–Behnken design, to optimise operational parameters: A

review. *Acta Alimentaria*, 52(4), 521–537.
<https://doi.org/10.1556/066.2023.00235>

Tan, B. A., Nair, A., Zakaria, M. I. S., Low, J. Y. S., Kua, S. F., Koo, K. L., Wong, Y. C., Neoh, B. K., Lim, C. M., & Appleton, D. R. (2023). Free Fatty Acid Formation Points in Palm Oil Processing and the Impact on Oil Quality. *Agriculture*, 13(5), 957. <https://doi.org/10.3390/agriculture13050957>

Tawil, S., Roschat, W., Phewphong, S., Wonam, A., Kaisri, T., Namwongsa, K., Thammayod, A., Leelatam, T., Maneerat, B., Moonsin, P., Yoosuk, B., Janetaisong, P., & Promarak, V. (2025). Sustainable biodiesel production and properties enhancement from locally sourced Roselle (*Hibiscus sabdariffa* L.) as an alternative biofuel feedstock in Thailand. *Biomass and Bioenergy*, 193, 107596. <https://doi.org/10.1016/j.biombioe.2025.107596>

Thomsen, K., Raak, N., Gregersen, S. B., Månsson, L., & Miquel Becker, E. (2024). Enzyme-assisted extraction of rapeseed oil with minimum water addition: A proof-of-concept study. *International Journal of Food Science & Technology*, 59(5), 3013–3019. <https://doi.org/10.1111/ijfs.17030>

Thuy, N. M., Tram, N. B., Cuong, D. G., Duy, H. K., An, L. T., Tien, V. Q., Giau, T. N., & Tai, N. V. (2022). Evaluation of functional characteristics of roselle seed and its use as a partial replacement of wheat flour in soft bread making. *Journal of Applied Biology & Biotechnology*. <https://doi.org/10.7324/JABB.2023.110226>

Toukara, F., Sodio, B., Amza, T., Le, G.-W., & Shi, Y.-H. (2013). Antioxidant Effect and Water-Holding Capacity of Roselle (*Hibiscus sabdariffa* L.) Seed Protein Hydrolysates. *Advance Journal of Food Science and Technology*, 5(6), 752–757. <https://doi.org/10.19026/ajfst.5.3159>

Tunjungsari, G. P., & Fikroh, R. A. (2024). Comparison of Antioxidant Activity and Chemical Profile between Green Tea Kombucha with Green Tea and Rosela Combination Kombucha. *Bioscientist: Jurnal Ilmiah Biologi*, 12(1), 757. <https://doi.org/10.33394/bioscientist.v12i1.9977>

- Vasiljević, L., Dobrnjac, S., Blagojević, S., & Aćimović, M. (2025). Assessment of the Oxidative State of Thermally Treated Sunflower Oil After Regeneration with Molecular Sieves. *The IX International Congress “Engineering, Environment and Materials in Process Industry”—EEM2025*, 20. <https://doi.org/10.3390/engproc2025099020>
- Venkatesan, K., Venkatesan, S., & Manivannan, N. (2024). Antibacterial Activity of Hibiscus sabdariffa (Rosella) Using Methanolic Extract. *Journal of Pharmacy and Bioallied Sciences*, 16(Suppl 2), S1191–S1194. https://doi.org/10.4103/jpbs.jpbs_527_23
- Wazed, M. A., Yasmin, S., Basak, P., Hossain, A., Rahman, M. M., Hasan, M. R., Khair, M. M., & Khatun, M. N. (2023). Evaluation of physicochemical parameters of edible oils at room temperature and after heating at high temperature. *Food Research*, 7(4), 91–100. [https://doi.org/10.26656/fr.2017.7\(4\).900](https://doi.org/10.26656/fr.2017.7(4).900)
- Wu, H.-Y., Yang, K.-M., & Chiang, P.-Y. (2018). Roselle Anthocyanins: Antioxidant Properties and Stability to Heat and pH. *Molecules*, 23(6), 1357. <https://doi.org/10.3390/molecules23061357>
- Yang, R., Xue, L., Zhang, L., Wang, X., Qi, X., Jiang, J., Yu, L., Wang, X., Zhang, W., Zhang, Q., & Li, P. (2019). Phytosterol Contents of Edible Oils and Their Contributions to Estimated Phytosterol Intake in the Chinese Diet. *Foods*, 8(8), 334. <https://doi.org/10.3390/foods8080334>
- Yusni, Y., & Meutia, F. (2020). Action Mechanism of Rosella (*Hibiscus sabdariffa* L.) Used to Treat Metabolic Syndrome in Elderly Women. *Evidence-Based Complementary and Alternative Medicine*, 2020(1), 5351318. <https://doi.org/10.1155/2020/5351318>
- Zhang, N., Li, Y., Wen, S., Sun, Y., Chen, J., Gao, Y., Sagymbek, A., & Yu, X. (2021). Analytical methods for determining the peroxide value of edible oils: A mini-review. *Food Chemistry*, 358, 129834. <https://doi.org/10.1016/j.foodchem.2021.129834>

- Zhang, Q., Jiang, Y., Qin, Y., Liu, J., Xie, Y., Zhang, L., Li, K., Wang, X., & Liu, G. (2024). Linoleic Acid Alleviates Lipopolysaccharide Induced Acute Liver Injury via Activation of Nrf2. *Physiological Research*, (3/2024), 381–391. <https://doi.org/10.33549/physiolres.935201>
- Zhang, W., Pan, Y., Huang, W., Chen, H., & Yang, H. (2019). Optimized ultrasonic-assisted extraction of papaya seed oil from Hainan/Eksotika variety. *Food Science & Nutrition*, 7(8), 2692–2701. <https://doi.org/10.1002/fsn3.1125>
- Zhou, Y., Zhao, W., Lai, Y., Zhang, B., & Zhang, D. (2020). Edible Plant Oil: Global Status, Health Issues, and Perspectives. *Frontiers in Plant Science*, 11, 1315. <https://doi.org/10.3389/fpls.2020.01315>
- Zio, S., Tarnagda, B., Sankara, S., Tapsoba, F., Zongo, C., & Savadogo, A. (2025). Nutritional and therapeutic interest of most widely produced and consumed plant oils by human: A review. *Applied Food Research*, 5(2), 101093. <https://doi.org/10.1016/j.afres.2025.101093>