

DAFTAR PUSTAKA

- Ahnen, R. T., Jonnalagadda, S. S., & Slavin, J. L. (2019). Role of plant protein in nutrition, wellness, and health. *Nutrition reviews*, 77(11), 735-747.
- Amin, A. M., Hujjatusnaini, N., Winanto, A., Nisa, B. H., Khairunisa, K., & Prasetyo, P. (2022). Pemanfaatan Limbah Biji Durian (*Durio Zibenthinus*) Sebagai Bahan Baku Alternatif Pembuatan Tempe. *Jurnal Binomial*, 5(1), 34-44.
- Arianto, A., Nohong, B., & Nurhaedah, N. (2014). Analisis kandungan asam sianida (HCN) pada kacang koro pedang (*Canavalia ensiformis*) dengan menggunakan lama perendaman NaCl yang berbeda. *Journal Galung Tropika*, 3(3), 186-191.
- Arifa, M. I., YT, A. R., & Moniyana, R. (2025). Analisis Korelasi Spearman Input terhadap Output: Studi pada Industri Keripik Pisang di Sentra Keripik Pisang Jalan Pagar Alam Kota Bandar Lampung. *Economics and Digital Business Review*, 6(2), 1242-1247.
- Association Of Official Analytical Chemist (AOAC). (2005). Official Method Of Analysis Of The Association Of Official Analytical Of Chemist. Association Of Official Analytical Chemist, Inc., Virginia, Usa: AOAC.
- Astawan, M., Faishal, M. A., Prayudani, A. P. G., Wresdiyati, T., & Sardjono, R. E. (2023). Effects of seed germination on physicochemical and bioactive compounds characteristics of velvet bean tempe. *Current Research in Nutrition and Food Science*, 11(2), 808–821. <https://doi.org/10.12944/CRNFSJ.11.2.30>
- Astuti, T., Sitompul, M., & Faadhilanisyah, A. (2023). Tempeh consumption patterns in Indonesian family and contribution nutritional adequacy. *AcTion: Aceh Nutrition Journal*, 8(4), 518-525.
- Banti, M., Dan Bajo, W. (2020). Review On Nutritional Importance And Anti-Nutritional Factors Of Legumes. *International Journal Of Nutrition And Food Sciences*.9(6). 138-149.
- BPOM. (2021). *PerBPOM No.11 Tahun 2021 Tentang Perubahan Atas PerBPOM No.13 Tahun 2020 Tentang Bahan Tambahan Pangan Perisa*.
- BPN. (2024). *Rata-Rata Konsumsi Per Jenis Pangan Penduduk Indonesia Nasional Update Tahun 2024*.
- BPS. (2025). *Impor Kedelai Menurut Negara Asal Utama, 2017-2024*.
- Bukhari, M. R. (2022). Pelatihan Fermentasi Tempe. *Barakti: Journal Of Community Service*, 1(1), 10-14.
- Castaneda, L. A. F, Auer, J., Leong, S. L. L., Newson, W. R., Passoth, V., Langton, M., Zamaratskaia, G. (2024). Optimizing Soaking And Boiling Time In The Development Of Tempeh-Like Products From Faba Bean (*Vicia Faba L.*). *Fermentation*, 10(8), 407.
- Chalid, S. Y., Muawanah, A., Nurbayti, S., & Utami, W. M. (2020). Characteristics And Antioxidant Activity Of Kidney Bean (*Phaseolus Vulgaris L.*) Tempeh As Functional Food. *Science And Mathematics International Journal*.

- Cheng, Z., Zhang, C., Li, S., Xu, Y., Wan, Y., Yu, H., ... & Cheng, J. (2026). Water-Holding Capacity Regulation of Dietary Fibers in Soybean Residue: From Modification Strategies, to Function Improvement and Food Texture Optimization. *Food Frontiers*, 7(2), e70170.
- Damanik, R.N.S., D.Y.W. Pratiwi, N. Widyastuti, N. Rustanti, G. Anjani and D.N. Afifah. 2018. Nutritional Composition Changes During Tempeh Gembus Processing. IOP Conf. Series: Earth and Environmental Science. Vol. 116. No.1: 1–10.
- Davies, N. T., & Reid, H. (1979). An Evaluation of the Phytate, Zinc, Copper, Iron and Manganese Contents of, and Zn Availability from, Soya-Based Textured-Vegetable-Protein Meat-Substitutes or Meat-Extenders. *British Journal of Nutrition*, 41(3), 579–589. <https://doi.org/10.1079/BJN19790073>
- Djaafar, T. F., Cahyaningrum, N., & Marwati, T. (2019). Potensi Kacang Lokal Sebagai Bahan Baku Tempe Dan Karaktersitik Kimianya. *Research Fair Unisri*, 3(1).
- Djaafar, T. F., Cahyaningrum, N., & Purwaningsih, H. (2010). Physico-Chemical Characteristics Of Tribal Bean (*Canavalia Virosa*) And Its Alternative Tofu And Tempeh Food Products. *Indonesian Journal Of Agricultural Science*, 11(2), 74-80.
- Djaafar, T. F., Nurdeana, N., Rahayu, S., & Apriyati, E. (2011). Pemanfaatan Biji Kerandang (*Canavalia Virosa*) Sebagai Bahan Pengganti Kedelai Dalam Pembuatan Tahu Utilization Of Tribal Bean (*Canavalia Virosa*) As Soybean Substitution In Tofu Making. *Agritech*, 31(01).
- Djaafar, T. F., Santosa, U., Cahyanto, M. N., & Rahayu, E. S. (2012). Pengaruh Perendaman Dan Perebusan Terhadap Kandungan Protein, Gula, Total Fenolik Dan Aktivitas Antioksidan Kerandang (*Canavalia Virosa*). *Agritech*, 32(3).
- Ellent, S. S., Dewi, L., & Tapilouw, M. C. (2022). Karakteristik Mutu Tempe Kedelai (*Glycine Max L.*) Yang Dikemas Dengan Klobot. *Agritekno: Jurnal Teknologi Pertanian*, 11(1), 32-40.
- European Food Safety Authority (EFSA). (2022). *Technical Report on the notification of xuta (edible variety of Jatropha curcas L.) roasted and ground seed kernels as a traditional food from a third country pursuant to Article 14 of Regulation (EU) 2015/2283* (Vol. 19, No. 3, p. 7197E).
- Fadholah, A., Murni, D., & Maryani, N. (2025). FERMENTASI KACANG TANAH MENGGUNAKAN RHIZOPUS sp. *Indonesian Journal of Mathematics, Science dan Education Mathematics, Science*, 3(1), 1-12.
- Fathimah, R. N., & Majchrzak, T. (2024). Investigation of the Frying Fume Composition During Deep Frying of Tempeh Using GC-MS and PTR-MS. *Molecules*, 29(21), 5046.
- Fitri, S. M. A., Astawan, M., Nurtama, B., Wresdiyati, T., & Sardjono, R. E. (2024). Sensory profile of tempe made from a combination of velvet bean and soybean using rate-all-that-apply. *Food Res*, 8(4), 20-32.

- Górska, K., Pejcz, E., & Harasym, J. (2025). Tempeh And Fermentation—Innovative Substrates In A Classical Microbial Process. *Applied Sciences*, 15(16), 8888.
- Habibie, F. M., Simamora, G. R. R., & Prayitno, S. A. (2025). Characteristics of Food Raw Materials Made from Rubber Seeds Based on Variations in Soaking and Heating Times for Tempeh Production: Karakteristik Bahan Baku Pangan Berbahan Biji Karet Berdasarkan Variasi Lama Perendaman dan Pemanasan untuk Pembuatan Tempe. *Journal of Tropical Food and Agroindustrial Technology*, 6(02), 47-54.
- Handayani, L., Wahyuni, S., & Habibie, D. (2023). Komparasi Proksimat Pada Kedelai Lokal Varietas Anjasmoro Dan Kedelai Impor. *Best Journal (Biology Education, Sains And Technology)*, 6(2), 773-779.
- Helsius, S. B.D., Inayah, I., Puspaningtyas, D. E., Sari, P. M., & Kusuma, N. H. (2023). Effect of cassava fermentation on reducing sugar and sucrose levels: a preliminary study of healthy snack development. *Journal of Healthcare and Biomedical Science (JHBS)*, 1(2).
- Ihsan, H., Nintasari, R., Saputra, P., & Prabawa, I. D. G. P. Pemanfaatan Biji Karet Sebagai Campuran Pakan Ternak Industri Ayam Potong Utilization Of Rubber Seeds As Mixed Animal Feed Chicken Industry.
- Joint FAO/WHO Expert Committee on Food Additives (JECFA). (2011). *Safety evaluation of certain food additives and contaminants: Cyanogenic glycosides*. World Health Organization.
- Jeleń, H., Majcher, M., Ginja, A., & Kuligowski, M. (2013). Determination of compounds responsible for tempeh aroma. *Food chemistry*, 141(1), 459-465.
- Khamidah, A., Ginting, E., Ambarsari, I., Antarlina, S. S., Utomo, J. S., Pangestu, A., ... & Oktaningrum, G. N. (2025). Physicochemical, anti-nutritional, and sensory characteristics of jack bean (*Canavalia ensiformis* L.) and velvet bean (*Mucuna pruriens*) tempe pretreated with different detoxification methods. *Applied Food Research*, 101199.
- Kumar, Y., Basu, S., Goswami, D., Devi, M., Shivhare, U. S., & Vishwakarma, R. K. (2022). Anti-nutritional Compounds In Pulses: Implications And Alleviation Methods. *Legume Science*, 4(2), 111.
- Kustyawati, M. E. (2017). Profile of aroma compounds and acceptability of modified tempeh. *International Food Research Journal* 24 (2): 734-740 (April 2017), 24(2), 734-740.
- Kusumawati, I., Astawan, M., & Prangdimurti, E. (2020). Proses Produksi Dan Karakteristik Tempe Dari Kedelai Pecah Kulit. *Pangan*. 29(2). 117-126.
- Liana, G. L. (2023). Pengaruh Lama Perendaman Air Jeruk Nipis Terhadap Kadar Proksimat Tepung Biji Nangka Toaya. *Jurnal Kesehatan*, 16(1), 104-114.
- Lachowicz, J. I., Alexander, J., & Aaseth, J. O. (2024). Cyanide And Cyanogenic Compounds—Toxicity, Molecular Targets, And Therapeutic Agents. *Biomolecules*, 14(11), 1420.
- Langyan, S., Yadava, P., Khan, F. N., Dar, Z. A., Singh, R., & Kumar, A. (2022). Sustaining Protein Nutrition Through Plant-Based Foods. *Frontiers In Nutrition*, 8, 772573.

- Legesang, E. O., Purwanti, E. A. S., Malau, R. R., Yolanda, S. F., & Irawati, W. (2025). Inovasi Produk Cheesy Tempeh Ball Berbasis Fermentasi *Rhizopus* Spp. Sebagai Potensi Wirausaha Pangan Berkelanjutan. *Oryza: Jurnal Pendidikan Biologi*, 14(2), 255-269.
- Liu, Y., Zhang, Z., & Hu, L. (2022). High efficient freeze-drying technology in food industry. *Critical Reviews in Food Science and Nutrition*, 62(12), 3370-3388.
- Maidala, A., Doma, U. D., & Egbo, L. M. (2013). Effects of different processing methods on the chemical composition and antinutritional factors of soybean [*Glycine max* (L.) Merrill]. *Pakistan Journal of Nutrition*, 12(12), 1057-1060.
- Maligan, J. M., Salsabella, F., & Wulan, S. N. (2018). Uji Preferensi Konsumen Pada Karakteristik Organoleptik Produk Roti Gandum Utuh Di Kota Malang Jawa Timur. *Jurnal Pangan dan Agroindustri*, 6(4).
- Meilgaard, M., Civille, G. V., Dan Carr, B. T. (2016). *Sensory Evaluation Techniques 5th Edition*. Crc Press
- Murata, M. (2021). Browning and pigmentation in food through the Maillard reaction. *Glycoconjugate Journal*, 38(3), 283-292.
- Ningsih, B. A., Alamsyah, A., & Ariyana, M. D. (2025). Pembuatan Tempe Berbasis Kacang Hijau (*Vigna Radiata*): Kajian Konsentrasi Glukono Delta Lactone (Gdl) Dengan Lama Perendaman. *Jurnal Edukasi Pangan*, 3(1), 38-48.
- Nissar, J., Ahad, T., Naik, H. R., & Hussain, S. Z. (2017). A review phytic acid: As antinutrient or nutraceutical. *Journal of Pharmacognosy and Phytochemistry*, 6(6), 1554–1560.
- Nyirenda, K. K. (2020). Toxicity Potential Of Cyanogenic Glycosides In Edible Plants. *Medical Toxicology*, 1-19.
- Ozurumba, A. U., & Onyewenjo, S. C. (2022). Effects of Frying Time on the Concentration of Cyanide in Garri (A Fermented Cassava Product). *Science View Journal*, 3(1), 181–182. <https://doi.org/10.55989/zaar8031>
- Pramita, D. S., Handajani, S., & Rachmawati, D. (2008). Pengaruh teknik pemanasan terhadap kadar asam fitat dan aktivitas antioksidan koro benguk (*Mucuna pruriens*), koro glinding (*Phaseolus lunatus*), dan koro pedang (*Canavalia ensiformis*). *Biofarmasi*, 6(2), 36–44. <https://doi.org/10.13057/biofar/f060202>
- Prativi, M. B. N., Astuti, D. I., Putri, S. P., Laviña, W. A., Fukusaki, E., & Aditiawati, P. (2023). Metabolite changes in Indonesian tempe production from raw soybeans to over-fermented tempe. *Metabolites*, 13(2), 300.
- Pusat Data Dan Sistem Informasi Pertanian (PDSIP). (2024). *Buletin Konsumsi Pangan* (Vol. 15, No. 2). Sekretariat Jenderal Kementerian Pertanian Republik Indonesia.
- Ramli, N. A. M., Chen, Y. H., Zin, Z. M., Abdullah, M. A. A., Rusli, N. D., & Zainol, M. K. (2021, May). Effect of soaking time and fermentation on the nutrient and antinutrients composition of *Canavalia ensiformis* (Kacang Koro). In *IOP Conference Series: Earth and Environmental Science* (Vol. 756, No. 1, p. 012033). IOP Publishing.

- Rahman, E. S. A. A., El-Fishawy, F. A., El-Geddawy, M. A., Kurz, T., & El-Rify, M. N. (2007). The changes in the lipid composition of mung bean seeds as affected by processing methods. *International Journal of Food Engineering*, 3(5).
- Rendi, A. M., Supriadi, S., & Suherman, S. (2020). Flower Extracts Of Cage Plants (*Canavalia Virosa*) As An Indicator Of Acid Base. *Jurnal Akademika Kimia*, 9(4), 191-198.
- Rifna, E. J., Dwivedi, M., & Chauhan, O. P. (2022). Role of water activity in food preservation. In *Advances in food chemistry: Food components, processing and preservation* (pp. 39-64). Singapore: Springer Nature Singapore.
- Rizkyanto, R., & Ulfah, M. (2025). Kesehatan Dan Penerimaan Konsumen Terhadap Plant-Based Food Di Indonesia: Studi Literatur. *Jukej: Jurnal Kesehatan Jompa*, 4(2), 658-663.
- Sabrinatami, Z., Purwandari, F. A., Utami, T., & Cahyanto, M. N. (2025). Comparison Of Acid Fermentation Under Vacuum And By Conventional Method In Tempeh Production: Microbial And Chemical Changes. *Journal Of Food Quality And Hazards Control*, 12(4), 263-270.
- Sari, I. P., & Mardhiyyah, Y. S. (2020). Kajian Literatur: Potensi Pemanfaatan Protein Tempe Non-Kedelai. *Jurnal Teknologi Pangan*, 14(2), 72-87.
- Schwartz, L. (2023). *Glucose: Metabolism and homeostasis* (pp. 70–78). Elsevier eBooks. <https://doi.org/10.1016/b978-0-12-821848-8.00130-x>
- SNI. (2006). SNI 01:2346:2006 tentang Petunjuk Pengujian Organoleptik. Badan Standardisasi Nasional
- SNI. (2015). SNI 3144:2015 Tentang Tempe Kedelai . Badan Standardisasi Nasional
- Sudarmadji, S. 1997. *Analisa Bahan Makanan dan Pertanian*. PAU Pangan dan Gizi UGM, Liberty.
- Sugianto. (2019). Diversifikasi Produk Olahan Mangrove Bisa Meningkatkan Kesejahteraan Masyarakat Pesisir Indramayu. *Mangifera Edu*. 3(2). 133-139.
- Suprpto, Hadi. 2006. Pengaruh Perendaman Pisang Kepok (*Musa acuminax balbisiana* Calla) Dalam Larutan Garam Terhadap Mutu Tepung Yang Dihasilkan. *Jurnal Teknologi Pertanian* 1(2): 74-80, Maret 2006.
- Sutedja, A. M., Ristiarini, S., Kuswardani, I., Epriliati, I., Aracelly, V. V., & Bawono, F. L. W. (2024). Perubahan Protein Dan Hidrogen Sianida Pada Pembuatan Tempe Kacang Koro Pedang (*Canavalia Ensiformis* (L) Dc). *Jurnal Teknologi Pangan Dan Gizi*. 23(2). 160-168.
- Swathi Dan Karpagam. (2023). An Anatomical Studies On *Canavalia Virosa* (Roxb.) Wight & Arn. *International Journal Of Pharmaceutical Science Invention*. 12(1). 1-6.
- Tao, A., Zhang, H., Duan, J., Xiao, Y., Liu, Y., Li, J., ... & Yu, X. (2022). Mechanism and application of fermentation to remove beany flavor from plant-based meat analogs: a mini review. *Frontiers in Microbiology*, 13, 1070773.

- Thangadurai, D., Viswanathan, M., & Ramesh, N. (2001). The Chemical Composition And Nutritional Evaluation Of *Canavalia Virosa*: A Wild Perennial Bean From Eastern Ghats Of Peninsular India. *European Food Research And Technology*, 213(6), 456-459.
- Thulesen, L., Duque-Estrada, P., Zhang, L., Martin, M. S., Aaslyng, M. D., & Petersen, I. L. (2025). Faba Bean Tempeh: The Effects Of Fermentation And Cooking On Protein Nutritional Quality And Sensory Quality. *Food Chemistry Advances*, 6, 100894.
- Valen, Q. C. (2023). Variasi Tempe Non-Kedelai: Alternatif Pengganti Tempe Kedelai. *Zigma*, 38(2), 105-119.
- Ververis, E., Ackerl, R., Azzollini, D., Colombo, P. A., de Sesmaisons, A., Dumas, C., ... & Gelbmann, W. (2020). Novel foods in the European Union: Scientific requirements and challenges of the risk assessment process by the European Food Safety Authority. *Food Research International*, 137, 109515.
- Wang, H., Sun, C., Yang, S., Ruan, Y., Lv, L., Guo, X., Wu, X., & Chen, Y. (2023). *Exploring the impact of initial moisture content on microbial community and flavor generation in Xiaoqu baijiu fermentation*. <https://doi.org/10.1016/j.fochx.2023.100981>
- Wanita, Y. P., Djaafar, T. F., & Purwaningsih, P. (2014). Pengembangan Teknologi Pengolahan Yoghurt Kerandang (*Canavalia Virosa*) Dan Analisa Usahanya. *Jurnal Pengkajian Dan Pengembangan Teknologi Pertanian*, 14(3), 139184.
- Wikandari, R., Tanugraha, D. R., Yastanto, A. J., Gmoser, R., & Teixeira, J. A. (2023). Development of meat substitutes from filamentous fungi cultivated on residual water of tempeh factories. *Molecules*, 28(3), 997.
- Williams, H. J., Dan Edwards, T. G. (1980). Estimation Of Cyanide With Alkaline Picrate. *Journal Science Food Agriculture*. 31. 15-22.
- Winarti, E., Sarjiman, N., Dan Cahyaningrum, N. (2011). Identifikasi, Produksi, Dan Potensi Kerandang Sebagai Sumber Pangan Dan Pakan Alternatif. *Buletin Plasma Nutfah*. 17(2). 122-128.
- Yamin, R. M., & Amaro, M. (2024). Analisis mutu kimia, mikrobiologi dan organoleptik tempe kedelai dengan penambahan tepung tapioka (*Manihot esculenta*). *Jurnal Edukasi Pangan*, 2(2), 64-77.