

DAFTAR PUSTAKA

- Birt, D. F., Boylston, T., Hendrich, S., Jane, J.-L., Hollis, J., Li, L., McClelland, J., Moore, S., Phillips, G. J., Rowling, M., Schalinske, K., Scott, M. P., & Whitley, E. M. (2013). Resistant Starch: Promise for Improving Human Health. *Advances in Nutrition*, 4(6), 587–601. <https://doi.org/10.3945/an.113.004325>
- BPS. (2024). *Impor Kedelai menurut Negara Asal Utama, 2017-2024*. <https://www.bps.go.id/id/statistics-table/1/MjAxNSMx/impor-kedelai-menurut-negara-asal-utama--2017-2024.html>
- BPS. (2025). *Rata-Rata Konsumsi per Kapita Seminggu Beberapa Macam Bahan Makanan Penting, 2007-2025*. <https://www.bps.go.id/id/statistics-table/1/OTUwIzE=/rata-rata-konsumsi-per-kapita-seminggu-beberapa-macam-bahan-makanan-penting--2007-2022.html>
- Chigwedere, C. M., Olaoye, T. F., Kyomugasho, C., Jamsazzadeh Kermani, Z., Pallares Pallares, A., Van Loey, A. M., Grauwet, T., & Hendrickx, M. E. (2018). Mechanistic insight into softening of Canadian wonder common beans (*Phaseolus vulgaris*) during cooking. *Food Research International*, 106, 522–531. <https://doi.org/10.1016/j.foodres.2018.01.016>
- Dhital, S., Bhattarai, R. R., Gorham, J., & Gidley, M. J. (2016). Intactness of cell wall structure controls the in vitro digestion of starch in legumes. *Food & Function*, 7(3), 1367–1379. <https://doi.org/10.1039/C5FO01104C>
- Do, D. T., Singh, J., Johnson, S., & Singh, H. (2022). Probing the Double-Layered

Cotyledon Cell Structure of Navy Beans: Barrier Effect of the Protein Matrix on

In Vitro Starch Digestion. *Nutrients*, 15(1), 105.

<https://doi.org/10.3390/nu15010105>

Food and Agriculture Organization of the United Nations. (2009). *How to Feed the*

World in 2050. <https://www.fao.org/3/i1318e/i1318e.pdf>

Fuentes-Zaragoza, E., Riquelme-Navarrete, M. J., Sánchez-Zapata, E., & Pérez-

Álvarez, J. A. (2010). Resistant starch as functional ingredient: A review. *Food*

Research International, 43(4), 931–942.

<https://doi.org/10.1016/j.foodres.2010.02.004>

Giang, N. T. N., Tan, N. D., Khai, T. V., & Tuyen, V. T. X. (2024). Effect of initial

total soluble solids and pH on the quality of fermented beverage from green

asparagus roots (*Asparagus officinalis* L.). *Food Research*, 8(3), 460–468.

[https://doi.org/10.26656/fr.2017.8\(3\).570](https://doi.org/10.26656/fr.2017.8(3).570)

Herdiani, E. (2021). *Koro Pedang, Alternatif Pengganti Kedelai*.

<https://bbpplembang.bppsdp.pertanian.go.id/publikasi-detail/1456>

Holland, C., Ryden, P., Edwards, C. H., & Grundy, M. M.-L. (2020). Plant Cell Walls:

Impact on Nutrient Bioaccessibility and Digestibility. *Foods*, 9(2), 201.

<https://doi.org/10.3390/foods9020201>

Kiers, J. L., Nout, R. M., & Rombouts, F. M. (2000). In vitro digestibility of processed

and fermented soya bean, cowpea and maize. *Journal of the Science of Food and*

Agriculture, 80(9), 1325–1331. [https://doi.org/10.1002/1097-](https://doi.org/10.1002/1097-0010(200007)80:9<1325::AID-JSFA648>3.0.CO;2-K)

[0010\(200007\)80:9<1325::AID-JSFA648>3.0.CO;2-K](https://doi.org/10.1002/1097-0010(200007)80:9<1325::AID-JSFA648>3.0.CO;2-K)

Kumawati Rofidah, Nira Putriana, Alifah Gita Cahyani Roqimah, & Liss Dyah Dewi

Arini. (2024). Membangun Kesehatan Dari Dalam Dengan Menu Sehat Berprotein Tinggi. *Jurnal Ilmu Kesehatan Dan Gizi*, 2(3), 06–19.
<https://doi.org/10.55606/jig.v2i3.2933>

Kyomugasho, C., Wainaina, I., Grauwet, T., Van Loey, A., & Hendrickx, M. E. (2023). Bean softening during hydrothermal processing is greatly limited by pectin solubilization rather than protein denaturation or starch gelatinization. *Food Research International*, 165, 112471.
<https://doi.org/10.1016/j.foodres.2023.112471>

Lovegrove, A., Edwards, C. H., De Noni, I., Patel, H., El, S. N., Grassby, T., Zielke, C., Ulmius, M., Nilsson, L., Butterworth, P. J., Ellis, P. R., & Shewry, P. R. (2017). Role of polysaccharides in food, digestion, and health. *Critical Reviews in Food Science and Nutrition*, 57(2), 237–253.
<https://doi.org/10.1080/10408398.2014.939263>

Manickavasagan, A., Ganeshmoorthy, K., Claereboudt, M., AlYahyai, R., & Khriji, L. (2014). Non-destructive measurement of total soluble solid (TSS) content of dates using near infrared (NIR) imaging. *Emirates Journal of Food and Agriculture*, 26(11), 970. <https://doi.org/10.9755/ejfa.v26i11.18102>

Masahid, A. D., Belgis, M., & Agesti, H. V. (2021). Functional Properties of Adlay Flour (*Coix lacryma-jobi* L. var. Ma-yuen) Resulting from Modified Durations of Fermentation Using *Rhizopus oligosporus*. *International Journal on Food, Agriculture and Natural Resources*, 2(2), 1–6. <https://doi.org/10.46676/ij->

fanres.v2i2.32

- Mayasari, T. S. (2022). Effect of Hydrolysis Time and Acid Concentration on Yield and Quality of Glucose Syrup from Kepok Banana Starch (*Musa paradisiaca* L.). *Central Research Institute for Agriculture*, 16, 87–95. <https://doi.org/https://doi.org/10.59651/cceria.v16i3.3>
- Megazyme Ltd. (2024). *Total Starch Assay Procedure (K-TSTA)*. https://prod-docs.megazyme.com/documents/Assay_Protocol/K-TSTA-100A_DATA.pdf
- Miao, W., Li, N., & Wu, J.-L. (2022). Food-polysaccharide utilization via in vitro fermentation: microbiota, structure, and function. *Current Opinion in Food Science*, 48, 100911. <https://doi.org/10.1016/j.cofs.2022.100911>
- Nout, M. J. R., & Kiers, J. L. (2005). Tempe fermentation, innovation and functionality: update into the third millenium. *Journal of Applied Microbiology*, 98(4), 789–805. <https://doi.org/10.1111/j.1365-2672.2004.02471.x>
- Prativi, M. B. N., Astuti, D. I., Putri, S. P., Laviña, W. A., Fukusaki, E., & Aditiawati, P. (2023). Metabolite Changes in Indonesian Tempe Production from Raw Soybeans to Over-Fermented Tempe. *Metabolites*, 13(2), 300. <https://doi.org/10.3390/metabo13020300>
- Purwandari, F. A., Fogliano, V., & Capuano, E. (2024). Tempeh fermentation improves the nutritional and functional characteristics of Jack beans (*Canavalia ensiformis* (L.) DC). *Food & Function*, 15(7), 3680–3691. <https://doi.org/10.1039/D3FO05379B>
- Rahmawati, D., Gunawan-Puteri, M. D., & Santosa, E. (2021). Non-Soy Legumes as

Alternative Raw Ingredient for Tempe Production in Indonesia with Additional Health Benefits: a Review. *Journal of Functional Food and Nutraceutical*.
<https://doi.org/10.33555/jffn.v3i1.73>

Romulo, A., & Surya, R. (2021). Tempe: A traditional fermented food of Indonesia and its health benefits. *International Journal of Gastronomy and Food Science*, 26, 100413. <https://doi.org/10.1016/j.ijgfs.2021.100413>

Senanayake, D., Torley, P. J., Chandrapala, J., & Terefe, N. S. (2023). Microbial Fermentation for Improving the Sensory, Nutritional and Functional Attributes of Legumes. *Fermentation*, 9(7), 635. <https://doi.org/10.3390/fermentation9070635>

Singh, J., Dartois, A., & Kaur, L. (2010). Starch digestibility in food matrix: a review. *Trends in Food Science & Technology*, 21(4), 168–180. <https://doi.org/10.1016/j.tifs.2009.12.001>

Snelson, M., Jong, J., Manolas, D., Kok, S., Louise, A., Stern, R., & Kellow, N. J. (2019). Metabolic Effects of Resistant Starch Type 2: A Systematic Literature Review and Meta-Analysis of Randomized Controlled Trials. *Nutrients*, 11(8), 1833. <https://doi.org/10.3390/nu11081833>

Sridhar, K. R., & Seena, S. (2006). Nutritional and antinutritional significance of four unconventional legumes of the genus *Canavalia* – A comparative study. *Food Chemistry*, 99(2), 267–288. <https://doi.org/10.1016/j.foodchem.2005.07.049>

Teoh, S. Q., Chin, N. L., Chong, C. W., Ripen, A. M., How, S., & Lim, J. J. L. (2024). A review on health benefits and processing of tempeh with outlines on its functional microbes. *Future Foods*, 9, 100330.

<https://doi.org/10.1016/j.fufo.2024.100330>

Ulya, Z., Lufika, R. D., Mandira, A. S., Lestari, D., & Mailida, S. (2025). Analisis Rantai Nilai Produk Tempe Berbasis Tempe Koro di Banda Aceh dan Aceh Besar untuk Mendukung Konsumsi Pangan Berkelanjutan. *Jurnal Penelitian Inovatif*,

5(3), 2321–2330. <https://doi.org/10.54082/jupin.1700>

Vasconcelos, I. M., & Oliveira, J. T. A. (2004). Antinutritional properties of plant lectins. *Toxicon*, 44(4), 385–403. <https://doi.org/10.1016/j.toxicon.2004.05.005>

Waleed, S., Arshad, M. U., & Saeed, A. I. and F. (2025). Effect of Fermentation on the Physicochemical, Structural, Textural, Thermal and Pasting Properties of Adzuki Beans. *Global NEST Journal*. <https://doi.org/10.30955/gnj.07670>

Wang, Y., Ou, X., Al-Maqtari, Q. A., He, H.-J., & Othman, N. (2024). Evaluation of amylose content: Structural and functional properties, analytical techniques, and future prospects. *Food Chemistry: X*, 24, 101830. <https://doi.org/10.1016/j.fochx.2024.101830>

Wang, Z., Wang, S., Xu, Q., Kong, Q., Li, F., Lu, L., Xu, Y., & Wei, Y. (2023). Synthesis and Functions of Resistant Starch. *Advances in Nutrition*, 14(5), 1131–1144. <https://doi.org/10.1016/j.advnut.2023.06.001>

Xie, Q., Fan, B., Tao, R., Wang, F., & Sun, Y. (2025). A Comprehensive Review of Starch: Structure, Properties, Chemical Modification, and Application in Food Preservation. *Food Frontiers*, 6(4), 1645–1657. <https://doi.org/10.1002/fft2.70040>

Zhang, Y., Wei, R., Azi, F., Jiao, L., Wang, H., He, T., Liu, X., Wang, R., & Lu, B.

(2022). Solid-state fermentation with *Rhizopus oligosporus* RT-3 enhanced the nutritional properties of soybeans. *Frontiers in Nutrition*, 9. <https://doi.org/10.3389/fnut.2022.972860>

Zhu, J., Bai, Y., & Gilbert, R. G. (2023). Effects of the Molecular Structure of Starch in Foods on Human Health. *Foods*, 12(11), 2263. <https://doi.org/10.3390/foods12112263>