

REFERENCES

- Agustinisari, I., Mulia, K., Harimurti, N., Nasikin, M., Rienoviar, Herawati, H., & Manalu, L.P. (2024). The Potency of Maillard Conjugates Containing Whey Protein as Natural Emulsifier. *International Journal of Food Science*. 1, 1-21. DOI: [10.1155/2024/3254132](https://doi.org/10.1155/2024/3254132).
- Anandharamakrishnan, C., Rielly, C.D., & Stapley, A.G.F. (2007). Effects of Process Variables on the Denaturation of Whey Proteins during Spray Drying. *Drying Technology*. 25(5), 799-807. DOI: [10.1080/07373930701370175](https://doi.org/10.1080/07373930701370175).
- A'yun, Q., Hidayat, C., de Meeren, P.V. (2025). Optimization of wet heat conjugation method for heat stability improvement of whey protein. *BIO Web of Conferences*. 167, 1-5. DOI: [10.1016/j.foodhyd.2018.08.018](https://doi.org/10.1016/j.foodhyd.2018.08.018).
- A'yun, Q., Demicheli, P., de Neve, L., Wu, J., Balcaen, M., Setiowati, A.D., Martins, J.C., van Troys, M., & de Meeren, P.V. (2020). Dry heat induced whey protein-lactose conjugates largely improve the heat stability of O/W emulsions. *International Dairy Journal*. 108, 1-9. DOI: [10.1016/j.idairyj.2020.104736](https://doi.org/10.1016/j.idairyj.2020.104736).
- Duongthingoc, D., George, P., Katopo, L., Gorczyca, E., & Kasapis, S. (2013). Effect of whey protein agglomeration on spray dried microcapsules containing *Saccharomyces boulardii*. *Food Chemistry*. 141(3), 1782-1788. DOI: [10.1016/j.foodchem.2013.04.093](https://doi.org/10.1016/j.foodchem.2013.04.093).
- Euston, S.R., Finnigan, S.R., & Hirst, R.L. (2000). Aggregation kinetics of heated whey protein-stabilized emulsions. *Food Hydrocolloids*. 14, 155-161. DOI: [10.1016/S0268-005X\(99\)00061-2](https://doi.org/10.1016/S0268-005X(99)00061-2).
- Famelart, M.H., Schong, E., & Croguennec, T. (2018). Dry heating a freeze-dried whey protein powder: Formation of microparticles at pH 9.5. *Journal of Food Engineering*. 224, 112-120. DOI: [10.1016/j.jfoodeng.2017.12.010](https://doi.org/10.1016/j.jfoodeng.2017.12.010).
- Fritzwald-Stegmann, B.F. (1986). Lactose and some of its derivatives. *Journal of the Society of Dairy Technology*. 39(3), 91-97. DOI: [10.1111/j.1471-0307.1986.tb02379.x](https://doi.org/10.1111/j.1471-0307.1986.tb02379.x).
- Haas, J., Kim, B.J., Atamer, Z., Wu, C., & Dallas, D.C. (2024). Effects of spray drying and freezer drying on the protein profile of whey protein concentrate. *Journal of Food Science*. 89(11), 7477-7493. DOI: [10.1111/1750-3841.17349](https://doi.org/10.1111/1750-3841.17349).
- Haggag, Y. A., & Faheem, A.M. (2015). Evaluation of nano spray drying as a method for drying and formulation of therapeutic peptides and proteins. *Frontiers in Pharmacology*. 6(140), 1-5. DOI: [10.3389/fphar.2015.00140](https://doi.org/10.3389/fphar.2015.00140).
- Haque, M. K., & Roos, Y.H. (2008). Water Plasticization and Crystallization of Lactose in Spray-dried Lactose/Protein Mixtures. *Journal of Food Science*. 69(1), 23-29. DOI: [10.1111/j.1365-2621.2004.tb17863.x](https://doi.org/10.1111/j.1365-2621.2004.tb17863.x).
- Hebishy, E. (2013). *Application of ultra high-pressure homogenization (UHPH) in the production of submicron/nano-oil-in-water emulsions using vegetable oils*

- and milk proteins as emulsifiers*. Doctoral dissertation, Universitat Autònoma de Barcelona.
- Hogan, S.A., & O'Callaghan, D.J. (2013). Moisture sorption and stickiness behaviour of hydrolysed whey protein/lactose powders. *Dairy Science & Technology*. 93, 505-521. DOI: <https://doi.org/10.1007/s13594-013-0129-2>.
- Huang, C., Chai, Q., Zhang, M., Li, X., Askar, G., Cui, H., Hayat, K., Zhang, X., & Ho, C.T. (2025). Structural and functional evolution of whey protein isolate-dextran Maillard conjugates during vacuum thermal reaction of spray-dried substrate. *International Journal of Biological Macromolecules*. 334, 1-10. DOI: [10.1016/j.ijbiomac.2025.149209](https://doi.org/10.1016/j.ijbiomac.2025.149209).
- Hernández-García, S., Salazar-Montoya, J.A., & Totosa, A. (2016). Emulsifying Properties of Food Proteins Conjugated with Glucose or Lactose by Two Methods (Spray-Drying Or Freeze-Drying). *International Journal of Food Properties*. 19(3), 526-536. DOI: [10.1080/10942912.2015.1033551](https://doi.org/10.1080/10942912.2015.1033551).
- Hogan, S.A., & O'Callaghan, D.J. (2010). Influence of milk proteins on the development of lactose-induced stickiness in dairy powders. *International Dairy Journal*. 20(3), 212-221. DOI: [10.1016/j.idairyj.2009.11.002](https://doi.org/10.1016/j.idairyj.2009.11.002).
- Ishiguro, R., & Fujisawa, T. (2023). Thermodynamic and kinetic analysis on oligomeric protein dissociation during high-pressure native PAGE velocity method. *Analytical Biochemistry*. 664, 1-10. DOI: [10.1016/j.ab.2022.115035](https://doi.org/10.1016/j.ab.2022.115035).
- Julmohammad, N., Money, K.A.I., Samidin, S., & Huda, N. (2024). EFFECTS OF pH ON THE PHYSICOCHEMICAL, MICROSTRUCTURE, AND FUNCTIONAL PROPERTIES OF DRY HEATED WHEY PROTEIN ISOLATE-LACTOSE AND WHEY PROTEIN ISOLATE. *Malaysian Journal of Biochemistry & Molecular Biology*. 2, 60-69. DOI: -
- Kim, W., Wang, Y., & Selomulya, C. (2020). Dairy and plant proteins as natural food emulsifiers. *Trends in Food Science & Technology*. 105, 261-272. DOI: [10.1016/j.tifs.2020.09.012](https://doi.org/10.1016/j.tifs.2020.09.012).
- Kumar, L.R.G., Mohanan, V., Pavithra, P.A., & Anas, K.K. (2026). Encapsulation of squalene in oil-in-water emulsions: Utilization of heat-polymerized whey proteins as emulsifiers. *International Journal of Biological Macromolecules*. 352, 1-10. DOI: [10.1016/j.ijbiomac.2026.151090](https://doi.org/10.1016/j.ijbiomac.2026.151090).
- Laemmli, U.K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*. 227(5259), 680-685. DOI: [10.1038/227680a0](https://doi.org/10.1038/227680a0).
- Lillard, J.S., Clare, D.A., & Daubert, C.R. (2009). Glycosylation and expanded utility of a modified whey protein ingredient via carbohydrate conjugation at low pH. *Journal of Dairy Science*. 92(1), 35-48. DOI: [10.3168/jds.2008-1263](https://doi.org/10.3168/jds.2008-1263).
- Liu, J., Ru, Q., & Ding, Y. (2012). Glycation a promising method for food protein modification: Physicochemical properties and structure, a review. *Food Research International*. 49(1), 170-183. DOI: [10.1016/j.foodres.2012.07.034](https://doi.org/10.1016/j.foodres.2012.07.034).

- Liu, G., & Zhong, Q. (2014). Removal of milk fat globules from whey protein concentrate 34% to prepare clear and heat-stable protein dispersions. *Journal of Dairy Science*. 97(10), 6097-6106. DOI: [10.3168/jds.2014-8439](https://doi.org/10.3168/jds.2014-8439).
- Liu, H., Zhu, X., Jiang, Y., Sun-Waterhouse, D., Huang, Q., Li, F., Li, D. (2021). Physicochemical and emulsifying properties of whey protein isolate (WPI)-polydextrose conjugates prepared via Maillard reaction. *International Journal of Food Science and Technology*. 56(8), 3784-3794. DOI: [10.1111/ijfs.14994](https://doi.org/10.1111/ijfs.14994).
- Li, Z., Cao, H., Wu, Y., Li, H., Sun, G., Li, K., Zhang, S., Li, H., & Yu, J. (2026). Effect of Freeze-Drying and Spray-Drying on Emulsibility and Stability of Emulsions Stabilized by Covalent and Non-Covalent Whey Protein-Dextran Complexes. *Journal of Food Science*. 91(2). DOI: [10.1111/1750-3841.70913](https://doi.org/10.1111/1750-3841.70913).
- Martins, S.I.F.S., Jongen, W.M.F., & van Boekel, M.A.J.S. (2000). A review of Maillard reaction in food and implications to kinetic modelling. *Trends in Food Science & Technology*. 11(9-10), 364-373. DOI: [10.1016/S0924-2244\(01\)00022-X](https://doi.org/10.1016/S0924-2244(01)00022-X).
- McClements, D.J., & Jafari, S.M. (2018). Improving emulsion formation, stability and performance using mixed emulsifiers: A review. *Advances in Colloid and Interface Science*. 251, 55-79. DOI: [10.1016/j.cis.2017.12.001](https://doi.org/10.1016/j.cis.2017.12.001).
- McClements, D.J., Bai, L., & Chung, C. (2017). Recent Advances in the Utilization of Natural Emulsifiers to Form and Stabilize Emulsions. *Annual Review of Food Science and Technology*. 8, 205-236. DOI: [10.1146/annurev-food-030216-030154](https://doi.org/10.1146/annurev-food-030216-030154).
- Mokrzycki, W.S., & Tatol, M. (2011). Color difference Delta E - A survey. *Machine Graphics and Vision*. 20(4), 383-411. DOI: -
- Monahan, F.J., McClements, D.J., & German, J.B. (1996). Disulfide-mediated Polymerization Reactions and Physical Properties of Heated WPI-stabilized Emulsions. 61(3), 504-509. DOI: [10.1111/j.1365-2621.1996.b13143.x](https://doi.org/10.1111/j.1365-2621.1996.b13143.x).
- Morr, C.V., & Ha, E.Y.W. (1993). Whey protein concentrates and isolates: Processing and functional properties. *Critical Reviews in Food Science and Nutrition*. 33(6), 431-476. DOI: [10.1080/10408399309527643](https://doi.org/10.1080/10408399309527643).
- Nacka, F., Chobert, J.M., Burova, T., Léonil, J., & Haertlé. (1998). Induction of new physicochemical and functional properties by the glycosylation of whey proteins. *Journal of Protein Chemistry*. 17, 495-503. DOI: [10.1023/A:1022530904218](https://doi.org/10.1023/A:1022530904218).
- Norn, V. (2015). *Emulsifiers in Food Technology (2nd Edition)*. Denmark: Wiley-Blackwell.
- Nooshkam, M., Varidi, M., Zareie, Z., & Alkobeisi, F. (2023). Behavior of protein-polysaccharide conjugate-stabilized food emulsions under various destabilization conditions. *Food Chemistry: X*. 18, 1-14. DOI: [10.1016/j.fochx.2023.100725](https://doi.org/10.1016/j.fochx.2023.100725).

- Pearce, K.N., & Kinsella, J.E. (1978). Emulsifying Properties of Proteins: Evaluation of a Turbidimetric Technique. *Journal of Agricultural and Food Chemistry*. 26(3), 716-723. DOI: [10.1021/jf60217a041](https://doi.org/10.1021/jf60217a041).
- Santos, D., Maurício, A.C., Sencadas, V., Santos, J.D., Fernandes, M.H., & Gomes, P.S. (2018). *Biomaterials: Physics and Chemistry - New Addition*. Boston: IntechOpen.
- Schong, E., & Famelart, M.H. (2018). Dry heating of whey proteins leads to formation of microspheres with useful functional properties. *Food Research International*. 113, 210-220. DOI: [10.1016/j.foodres.2018.07.004](https://doi.org/10.1016/j.foodres.2018.07.004).
- Schong, E., & Famelart, M.H. (2019). Influence of lactose on the formation of whey protein microparticles obtained by dry heating at alkaline pH. *Food Hydrocolloids*. 87, 477-486. DOI: [10.1016/j.foodhyd.2018.08.018](https://doi.org/10.1016/j.foodhyd.2018.08.018).
- Sfakianakis, P., & Tzia, C. (2014). Conventional and Innovative Processing of Milk for Yoghurt Manufacture; Development of Texture and Flavor: A Review. *Foods*. 3(1), 176-193. DOI: [10.3390/foods3010176](https://doi.org/10.3390/foods3010176).
- Spotti, M.J., Perduca, M.J., Piagentini, A., Santiago, L.G., Rubiolo, A.C., & Carrara, C.R. (2013). Gel mechanical properties of milk whey protein-dextran conjugates obtained by Maillard reaction. *Food Hydrocolloids*. 31(1), 26-32. DOI: [10.1016/j.foodhyd.2012.08.009](https://doi.org/10.1016/j.foodhyd.2012.08.009).
- Turchiuli, C., Fianfrancesco, A., Palzer, S., & Dumoulin, E. (2011). Evolution of particle properties during spray drying in relation with stickiness and agglomeration control. *Powder Technology*. 208(2), 433-440. DOI: [10.1016/j.powtec.2010.08.040](https://doi.org/10.1016/j.powtec.2010.08.040).
- Truong, V., Bhandari, B.R., & Howes, T. (2005). Optimization of concurrent spray drying process for sugar-rich foods. Part II – Optimization of spray drying process based on glass transition concept. *Journal of Food engineering*. 71(1), 66-72. DOI: [10.1016/j.jfoodeng.2004.10.018](https://doi.org/10.1016/j.jfoodeng.2004.10.018).
- Wang, Y., & Vardhanabhuti, B. (2024). The Influence of pH on the Emulsification Properties of Heated Whey Protein-Pectin Complexes. *Foods*. 13(14), 1-15. DOI: [10.3390/foods13142295](https://doi.org/10.3390/foods13142295).
- Wang, W., Sheng, H., Zhou, J., Yuan, P., Zhang, X., Liu, M., & Gu, X. (2021). The effect of a variable initial pH on the structure and rheological properties of whey protein and monosaccharide gelation via the Maillard reaction. *International Dairy Journal*. 113, 1-10. DOI: [10.1016/j.idairyj.2020.104896](https://doi.org/10.1016/j.idairyj.2020.104896).
- Wu, J., Chen, H., Zhou, L., Liu, W., Zhong, J., & Liu, C. (2021). An insight into heat-induced gelation of whey protein isolate-lactose mixed and conjugate solutions: rheological behavior, microstructure, and molecular forces. *European Food Research and Technology*. 247, 1711-1724. DOI: [10.1007/s00217-021-03741-x](https://doi.org/10.1007/s00217-021-03741-x).
- Vaghela, M., & Kilara, A. (1996). Lipid Composition of Whey Protein Concentrates Manufactured Commercially and in the Laboratory. *Journal of Dairy Science*. 79(7), 1172-1183. DOI: [10.3168/jds.S0022-0302\(96\)76471-8](https://doi.org/10.3168/jds.S0022-0302(96)76471-8).

Xi, C., Kang, N., Zhao, C., Liu, Y., Sun, Z., & Zhang, T. (2020). Effects of pH and different sugars on the structures and emulsification properties of whey protein isolate-sugar conjugates. *Food Bioscience*. 33, 1-9. DOI: [10.1016/j.fbio.2019.100507](https://doi.org/10.1016/j.fbio.2019.100507).