

DAFTAR PUSTAKA

- Abdulhalim, B. A., & Mohammad, M. A. (2023). Reducing antinutritional hydrogen cyanide, phytic acid, and trypsin inhibitor in rambling vetch (*Vicia peregrina*). *IOP Conference Series: Earth and Environmental Science*, 1158, 052003. <https://doi.org/10.1088/1755-1315/1158/5/052003>
- Akapunam, M. A., & Dedeh, I. O. (1997). Traditional processing and utilization of jack bean (*Canavalia ensiformis*) in Nigeria. *Plant Foods for Human Nutrition*, 51(3), 235–244.
- Ali, F., Tian, K., & Wang, Z. X. (2021). Modern techniques efficacy on tofu processing: A review. *Trends in Food Science & Technology*, 116, 766–785.
- Amanda, G. (2019, October 12). Keuntungan Berlipat, Kementan Rangsang Budidaya Kacang Koro. [Republika.co.id. https://ekonomi.republika.co.id/berita/pz95mv423/keuntungan-berlipat-kementan-rangsang-budidaya-kacang-koro](https://ekonomi.republika.co.id/berita/pz95mv423/keuntungan-berlipat-kementan-rangsang-budidaya-kacang-koro)
- Anjum, N., Sheikh, M. A., Saini, C. S., Hameed, F., Sharma, H. K., & Bhat, A. (2021). Cyanogenic glycosides. In *Handbook of Plant and Animal Toxins in Food: Occurrence, Toxicity, and Prevention* (pp. 191–200). CRC Press. <https://doi.org/10.1201/9781003178446-10>
- Anjum, S., Agnihotri, V., Rana, S., Pandey, A., & Pande, V. (2023). The impact of processing methods and conditions on nutritional properties of soybean-based tofu: A review. *Journal of Food Engineering and Technology*, 12(1), 1–13.
- Aristyarini, R., Gustam, A., Evar, F. O., Surahman, S., & Hatimah, H. (2025). Proximate characteristics of tofu dregs flour as an alternative food ingredient. *G-Tech Jurnal Teknologi Terapan*, 9(3), 1657–1663. <https://doi.org/10.70609/g-tech.v9i3.7458>
- Awoyale, W. A., Oyedele, H. A., Adebo, O. A., & Kayitesi, E. (2025). *Relationship between the chemical composition, textural attributes, and sensory acceptability of tofu as influenced by different coagulants*. *Frontiers in Nutrition*, 12, 1724587. <https://doi.org/10.3389/fnut.2025.1724587>
- Badan Pusat Statistik. (2024). Analisis produktivitas jagung dan kedelai di Indonesia: Hasil survei ubinan 2023 (Vol. 4). Jakarta: BPS.
- Badan Pusat Statistik. (2024). Analisis produktivitas jagung dan kedelai di Indonesia: Hasil survei ubinan 2023 (Vol. 4). Jakarta: BPS.
- Blok, A. E., Bolhuis, D. P., Kibbelaar, H. V. M., Bonn, D., Velikov, K. P., & Stieger, M. (2021). Comparing rheological, tribological and sensory properties of microfibrillated cellulose dispersions and xanthan gum solutions. *Food Hydrocolloids*, 121, 107052.
- BPS, 2024. Rata-rata Konsumsi Perkapita Seminggu Menurut Kelompok Kacang-Kacangan Per Kabupaten/kota (Satuan Komoditas), 2024. www.bps.go.id. Diakses tanggal 01 Oktober 2025
- Bressani, R., Brenes, R. G., García, A., & Elías, L. G. (1987). Chemical composition, amino acid content and protein quality of *Canavalia* spp. seeds. *Journal of the Science of Food and Agriculture*, 40(1), 17–23.
- Cai, T. D., & Chang, K. C. (1997). *Dry tofu characteristics affected by soymilk solid content and coagulation time*. *Journal of Food Quality*, 20(5), 391–402.

- Cai, T. D., Chang, K. C., & Shih, M. C. (2017). Effects of organic acid coagulants on tofu properties and protein interactions. *LWT – Food Science and Technology*, 84, 390–397.
- Chang, K.C. (2006). Chemistry and Technology of Tofu Making. In Hui, Y (Ed.) *Handbook of Food Science, Technology, and Engineering*, Volume 2 (Ch. 171). CRC Press. <https://doi.org/10.1201/b15995>.
- Duc, N. Q., Que, N. T., Doan, N. D., Nguyen, P. X., & Nga, L. H. (2021). Effect of soymilk coagulating pH on tofu qualities. *Vietnam Journal of Science and Technology*, 59(2), 196-205.
- Dzikunoo, J., Ayernor, G. S., & Saalia, F. K. (2015). Effect of methods of extraction on physicochemical properties of soy proteins (tofu). *American Journal of Food Science and Nutrition Research*, 2(5), 138–144.
- El Hosry, L., Elias, V., Chamoun, V., Halawi, M., Cayot, P., Nehme, A., & Bou-Maroun, E. (2025). Maillard Reaction: Mechanism, Influencing Parameters, Advantages, Disadvantages, and Food Industrial Applications: A Review. *Foods*, 14(11), 1881.
- FAO. (2003). Food energy – methods of analysis and conversion factors (FAO Food and Nutrition Paper No. 77). Food and Agriculture Organization of the United Nations.
- Fayyaz, M. S., Chughtai, M. F. J., Khaliq, A., Mehmood, T., Bordiga, M., Mukonzo Kasongo, E. L., & Alsulami, T. (2025). Comparative Analysis of Proximate, Nutritional, and Phytochemical Profiles of Soybean Varieties Using FTIR and HPLC. *Food Science & Nutrition*, 13(10), e71072.
- Geng, Y., Du, X., Jia, R., Zhu, Y., Lu, Y., Guan, X., Hu, Y., Zhu, X., & Zhang, M. (2024). Research Progress on Tofu Coagulants and Their Coagulation Mechanisms. In *Foods* (Vol. 13, Issue 21). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/foods13213475>
- Girsang, F., Yanti, F., & Damanik, R. (2024). Cara Pembuatan Tahu Bagi Kalangan Masyarakat. *Jurnal Pengabdian Masyarakat Sapangambe Manoktok Hitei*, 4(2), 281-286.
- Guan, X., Zhong, X., Lu, Y., Du, X., Jia, R., Li, H., & Zhang, M. (2021). Changes of soybean protein during tofu processing. *Foods*, 10(7), 1594.
- Guan, Z., Zhang, J., Zhang, S., He, Y., Li, Y., Regenstein, J. M., Xie, Y., & Zhou, P. (2023). Effect of coagulant and treatment conditions on the gelation and textural properties of acidic whey tofu. *Foods*, 12(5), 918. <https://doi.org/10.3390/foods12050918>
- Hageraats, S., Graamans, L., Righini, I., Carpineti, C., Van Munnen, D., Wang, S., & Stanghellini, C. (2023). Fully non-invasive measurement of protein content in soybean based on spectral characteristics of the pod. *Journal of Food Composition and Analysis*, 119, 105245.
- Herdiani, E. (2021, December 21). Koro Pedang, Alternatif Pengganti Kedelai. BBPP Lembang.
<https://bbpplembang.bppsdp.pertanian.go.id/publikasidetil/1456>
- James, A. T., & Yang, A. (2016). Interactions of protein content and globulin subunit composition of soybean proteins in relation to tofu gel properties. *Food chemistry*, 194, 284-289.

- Jiang, Y., Wang, S., He, F., Fan, Q., Ma, Y., Yan, W., ... & Zhao, W. (2018). Inactivation of lipoxygenase in soybean by radio frequency treatment. *International Journal of Food Science and Technology*, 53(12), 2738-2747.
- Joint FAO/WHO Expert Committee on Food Additives. (2012). Evaluation of certain food additives and contaminants: Seventy-fourth report of the Joint FAO/WHO Expert Committee on Food Additives (JECFA) (WHO Technical Report Series No. 966). World Health Organization. <https://apps.who.int/iris/handle/10665/44430>
- Kohyama, K., Murata, M., Tani, F., Sano, Y., & Doi, E. (1995). Effect of protein composition on gelation of mixtures containing soybean 7S and 11S globulins. *Bioscience, Biotechnology, and Biochemistry*, 59(2), 240–245. <https://doi.org/10.1271/bbb.59.240>
- Kristanto, A., & Sulandjari, S. (2018). PENGARUH SUBSTITUSI KACANG KORO PEDANG (*Canavalia ensiformis*) DAN JUMLAH NIGARI TERHADAP SIFAT ORGANOLEPTIK TAHU. *Jurnal Tata Boga*, 7(2).
- Li, C., Rui, X., Zhang, Y., Cai, F., Chen, X., & Jiang, M. (2017). Production of tofu by lactic acid bacteria isolated from naturally fermented soy whey and evaluation of its quality. *LWT-Food Science and Technology*, 82, 227-234.
- Liu, K. (1997). Soybeans: Chemistry, Technology, and Utilization. New York: Springer.
- Martins, S. I. F. S., Jongen, W. M. F., & van Boekel, M. A. J. S. (2000). A review of Maillard reaction in food and implications to kinetic modelling. *Food and Chemical Toxicology*, 38(3), 345–364.
- Mauchly, J. W. (1940). Significance test for sphericity of a normal n-variate distribution. *The Annals of Mathematical Statistics*, 11(2), 204–209.
- Miasur, M. P., Suhardi, B., & Suletra, I. W. (2021). Pengukuran pemenuhan standar GMP dan WISE pada pabrik tahu karya mukti bandungan. *Performa: Media Ilmiah Teknik Industri*, 20(2), 189-198.
- Mohan, V. R., & Janardhanan, K. (1994). The biochemical composition and nutrient assessment of less known pulses of the genus *Canavalia*. *International journal of food sciences and nutrition*, 45(4), 255-262.
- Muflihah, F.A (2026). Pengaruh Jenis Koagulan terhadap Sifat Fisik dan Sensoris Tahu Koro Pedang Putih (*Canavalia ensiformis* (L.) Dc.). Manuskrip yang belum dipublikasikan
- Munjal, S. D., Dhankhar, J., Sharma, A., & Dhull, S. B. (2024). Physicochemical properties of native Jack bean (*Canavalia ensiformis*) starch: An underutilised legume. *Journal of Applied and Natural Science*, 16(1), 410.
- Murekatete, N., Zhang, C., Karangwa, E., & Hua, Y. (2015). Soft tofu-type gels: relationship between volatile compounds and sensory characteristics as affected by coagulants and raw materials. *International Journal of Food Engineering*, 11(3), 307-321.
- Nadendla, K., & Friedman, S. H. (2017). Light control of protein solubility through isoelectric point modulation. *Journal of the American Chemical Society*, 139(49), 17861-17869.

- Nayik, G. A., & Kour, J. (2019). Cyanogenic glycosides in food plants: Occurrence, toxicity and detoxification. In *Handbook of Plant and Animal Toxins in Food* (pp. 212–223). Springer.
- No, H. K., Meyers, S. P., & Lee, K. S. (2004). Effect of coagulants on tofu quality. *International Journal of Food Science & Technology*.
- Nogueira, A., Wosiacki, G., Hui, Y., & Özgül, E. (2012). *Handbook of Plant-Based Fermented Food and Beverage Technology*.
- Nursalma, C. A., Setyowati, S., & Sitasari, A. (2021). Substitusi tepung kacang koro pedang (*canavalia ensiformis* (L.) DC.) Pada pie susu ditinjau dari sifat organoleptik, kandungan gizi dan unit cost. *Puinovakesmas*, 2(1), 1-11. <https://doi.org/10.29238/puinova.v2i1.1061>
- Okomoda, V. T., Tiarniyu, L. O., & Uma, S. G. (2016). Effects of hydrothermal processing on nutritional value of *Canavalia ensiformis* and its utilization by *Clarias gariepinus* (Burchell, 1822) fingerlings. *Aquaculture Reports*, 3, 214-219.
- Paz, S., Rubio, C., Gutiérrez, Á. J., González-Weller, D., & Hardisson, A. (2021). Dietary Intake of Essential Elements (Na, K, Mg, Ca, Mn, Zn, Fe, Cu, Mo, Co) from Tofu Consumption. *Biological trace element research*, 199(1), 382-388.
- Paza, G.P (2026). Evaluasi Kimia dan Karakteristik Sensoris Tempe Koro Pedang Putih (*Canavalia ensiformis* (L.) DC) dengan berbagai Metode Pengasaman. Manuskrip yang belum dipublikasikan
- Poysa, V., Woodrow, L., & Yu, K. (2006). Effect of soy protein subunit composition on tofu quality. *Food Research International*, 39(3), 309–317.
- Prabhakaran, M. P., Perera, C. O., & Valiyaveetil, S. (2006). Effect of different coagulants on the isoflavone levels and physical properties of prepared firm tofu. *Food Chemistry*, 99(3), 492–499. <https://doi.org/10.1016/j.foodchem.2005.08.011>.
- Prakash, D., Misra, P. N., & Misra, P. S. (1987). Amino acid profile of winged bean (*Psophocarpus tetragonolobus* (L.) DC): a rich source of vegetable protein. *Plant Foods for Human Nutrition*, 37(3), 261-264.
- Purwandari, F. A., Fogliano, V., & Capuano, E. (2024). Tempeh fermentation improves the nutritional and functional characteristics of Jack beans (*Canavalia ensiformis* (L.) DC). *Food & Function*, 15(7), 3680-3691.
- Purwandari, F. A., Westerbos, C., Lee, K., Fogliano, V., & Capuano, E. (2023). Proximate composition, microstructure, and protein and starch digestibility of seven collections of Jack bean (*Canavalia ensiformis*) with different optimal cooking times. *Food Research International*, 170, 112956.
- Purwaningsih, E. (2007). *Cara Pembuatan Tahu dan Manfaat Kedelai*. Ganeca Exact.
- Puspitojati, E., Indrati, R., Cahyanto, M. N., & Marsono, Y. (2019). Jack bean as tempe ingredients: The safety study and fate of protein against gastrointestinal enzymes. *IOP Conference Series: Earth and Environmental Science*, 346, 012070. <https://doi.org/10.1088/1755-1315/346/1/012070>.

- Rui, X., Fu, Y., Zhang, Q., Li, W., Zare, F., Chen, X., Jiang, M., & Dong, M. (2016). A comparison study of bioaccessibility of soy protein gel induced by magnesiumchloride, glucono- δ -lactone and microbial transglutaminase. *LWT- Food Science and Technology*, 71, 234–242. <https://doi.org/10.1016/J.LWT.2016.03.032>.
- Sakinah, R. G., Alifianty, O. F., Hermana, W., Nahrowi, N., & Ridla, M. (2024). Influence of the inclusion of soaked and peeled jack bean meals in the broiler ration on internal vital organs, digestive tract organs, and intestinal villi morphology. *Jurnal Peternakan*, 21(2), 172-179.
- Sammour, R. H., Gatehouse, J. A., Gilroy, J., & Boulter, D. (1984). The homology of the major storage protein of jack bean (*Canavalia ensiformis*) to pea vicilin and its separation from a-mannosidase. In *Planta*. 161(1), 61-70. <https://doi.org/10.1007/BF00951461>.
- Shari, S. B., Sholikhin, A., & Suroto, A. (2020). Penambahan Nori Dalam Proses Pembuatan Tahu Sutera Dari Sari Pati Singkong. *Jurnal Pariwisata Indonesia*, 16(1), 12-26.
- Shi, M., Huang, Y., Deng, Q., Xie, J., Nie, S., & Xie, M. (2020). Influence of four different coagulants on the physicochemical properties, textural characteristics and flavour of tofu. *Foods*, 9(10), 1372. <https://doi.org/10.3390/foods9101372>
- Shi, W., Zhang, T., Xie, H., Xing, B., Wen, P., Ouyang, K., ... & Zhao, Q. (2024). Characterization and in vitro digestibility of soybean tofu: Influence of the different kinds of coagulant. *Food Chemistry*, 450, 138984.
- Shi, Y. G., Yang, Y., Piekoszewski, W., Zeng, J. H., Guan, H. N., Wang, B., ... & Zhang, N. (2020). Influence of four different coagulants on the physicochemical properties, textural characteristics and flavour of tofu. *International Journal of Food Science and Technology*, 55(3), 1218-1229.
- Soedarjo, M. (2021). Teknologi produksi tanaman koro pedang [*Canavalia ensiformis* (L.)]. *Journal of Tropical Agricultural Engineering and Biosystems-Jurnal Keteknik Pertanian Tropis dan Biosistem*, 9(3), 226-226.
- Solomon, S. G., Okomoda, V. T., & Oguche, O. (2018). Nutritional value of raw *Canavalia ensiformis* and its utilization as partial replacement for soybean meal in the diet of *Clarias gariepinus* (Burchell, 1822) fingerlings. *Food Science and Nutrition*, 6(1), 207–213. <https://doi.org/10.1002/fsn3.548>.
- Syahfitri, W. Y. N., Kurniawati, S., Adventini, N., Atmodjo, D. P. D., Kusmartini, I., Damastuti, E., ... & Santoso, M. (2020). Characterization of Micronutrients in Tofu from Several Cities in Java Island Indonesia. *Journal of nutritional science and vitaminology*, 66(Supplement), S262-S266.
- Taylor, J. (2006). *Toxicological profile for cyanide*. US Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry.
- Toda, K., Yagasaki, K., & Takahashi, K. (2008). Relationship between protein composition and coagulation reactivity, particulate formation, and

- incorporation of lipids in soymilk. *Bioscience, biotechnology, and biochemistry*, 72(11), 2824–2830. <https://doi.org/10.1271/bbb.80217>
- Van Bergen, G., Neufingerl, N., Meijboom, S., de Rosa Spierings, K., Zandstra, E. H., & Polet, I. (2024). What's cooking, if not meat? Effects of repeated home-use, recipe inspiration and meal context on perception of plant-based meat analogues. *Appetite*, 193, 107135. <https://doi.org/10.1016/j.appet.2023.107135>
- Van der Riet, W. B., Wight, A. W., Cilliers, J. J. L., & Datel, J. M. (1989). Food chemical investigation of tofu and its byproduct okara. *Food Chemistry*, 34(3), 193–202.
- Vijayan, P., Song, Z., Toy, J. Y. H., Yu, L. L., & Huang, D. (2024). Effect of transglutaminase on gelation and functional properties of mung bean protein isolate. *Food Chemistry*, 454, 139590. <https://doi.org/10.1016/j.foodchem.2024.139590>
- Williams, H. J., & Edwards, T. G. (1980). Estimation of cyanide with alkaline picrate. *Journal of the Science of Food and Agriculture*, 31(1), 15–22.
- World Health Organization, Geneva (2006). Safety evaluation of certain contaminants in food. Prepared by the Sixty-fourth meeting of the Joint FAO/WHO Expert Committee on Food Additives (JECFA). FAO food and nutrition paper, 82, 1–778.
- Yanti, R., Setyaningsih, W., Triwitono, P., Yuniansyah, R., & Admi, E. S. M. (2022). Effect of Different Coagulants and Various Concentrations on Quality of Jack Bean Tofu. *Journal of applied agricultural science and technology*, 6(1), 1–10.
- Yuwono, S. S., & Waziroh, E. (2020). Tofu processing at tofu industry using fermented whey as coagulants. *Current Nutrition & Food Science*, 16(4), 601–606.
- Yuwono, S. S., & Waziroh, E. (2020). Tofu processing at tofu industry using fermented whey as coagulants. *Current Nutrition & Food Science*, 16(4), 601–606.
- Zandstra, E. H., & Van Os, D. E. (2025). Multisensory contextual cues and information increase plant-based meat choice and enhance taste perception. *Food Quality and Preference*, 126, 105385. <https://doi.org/10.1016/j.foodqual.2024.105385>
- Zhang, M., Wang, P., Zou, M., Yang, R., Tian, M., & Gu, Z. (2019). Microbial transglutaminase-modified protein network and its importance in enhancing the quality of high-fiber tofu with okara. *Food Chemistry*, 289, 169–176. <https://doi.org/10.1016/J.FOODCHEM.2019.03.038>
- Zheng, L., Regenstein, J. M., Teng, F., & Li, Y. (2020). Tofu products: A review of their raw materials, processing conditions, and packaging. In *Comprehensive Reviews in Food Science and Food Safety* (Vol. 19, Issue 6, pp. 3683–3714). Blackwell Publishing Inc. <https://doi.org/10.1111/1541-4337.12640>
- Zheng, L., Regenstein, J. M., Teng, F., & Li, Y. (2020). Tofu products: A review of their raw materials, processing conditions, and packaging. *Comprehensive*

reviews in food science and food safety, 19(6), 3683–3714.

<https://doi.org/10.1111/1541-4337.12640>

Zhu, J., Deng, H., Yang, A., Wu, Z., Li, X., Tong, P., & Chen, H. (2019). Effect of microbial transglutaminase cross-linking on the quality characteristics and potential allergenicity of tofu. *Food & function*, 10(9), 5485-5497.

Zulvana, A. H., Andriati, N., Sri, A., & Widiastuti, S. (2019). In silico approach in evaluation of jack bean (*Canavalia ensiformis*) canavalin protein as precursors of bioactive peptides with dual antioxidant and angiotensin converting enzyme inhibitor. *Materials Science Forum*, 948 MSF, 85–94.

<https://doi.org/10.4028/www.scientific.net/MSF.948.85>.