

DAFTAR PUSTAKA

- Abou-Zeid, S. M., AbuBakr, H. O., Mohamed, M. A., & El-Bahrawy, A. (2018). Ameliorative effect of pumpkin seed oil against emamectin induced toxicity in mice. *Biomedicine & Pharmacotherapy*, 98, 242-251.
- Adams, G. G., Imran, S., Wang, S., Mohammad, A., Kok, S., Gray, D. A., ... & Harding, S. E. (2011). The hypoglycaemic effect of pumpkins as anti-diabetic and functional medicines. *Food Research International*, 44(4), 862-867.
- Adebowale, K. O., Olu-Owolabi, B. I., & Olawumi, E. K. (2005). Functional properties of native, physically and chemically modified breadfruit (*Artocarpus altilis*) starch. *Food Chemistry*, 93(1), 9–15.
- Aghaei, S., Nikzad, H., Taghizadeh, M., Tameh, A. A., Taherian, A., & Moravveji, A. (2014). Protective effect of Pumpkin seed extract on sperm characteristics, biochemical parameters and epididymal histology in adult male rats treated with Cyclophosphamide. *Andrologia*, 46(8), 927-935.
- Ahern, N., Arendt, E. K., & Sahin, A. W. (2023). Protein soft drinks: A retail market analysis and selected product characterization. *Beverages*, 9(3), 73.
- Atudorei, D., Stroe, S. G., & Codină, G. G. (2021). Impact of germination on the microstructural and physicochemical properties of different legume types. *Plants*, 10(3), 592.
- Amin, M. Z., Islam, T., Uddin, M. R., Uddin, M. J., Rahman, M. M., & Satter, M. A. (2019). Comparative study on nutrient contents in the different parts of indigenous and hybrid varieties of pumpkin (*Cucurbita maxima* Linn.). *Heliyon*, 5(9).
- Aminah, S., Sulistyaningrum, H., & Rohadi, R. (2025). Karakteristik kimia dan fungsional minuman instan kecambah kedelai terfortifikasi kalsium. *Agrointek: Jurnal Teknologi Industri Pertanian*, 19(1), 49-59.
- Anggorodi, R., 1994, Ilmu Makanan Ternak Umum, PT Gramedia, Jakarta
- AOAC, 1999. Official Method of Analysis. 16th edition. Association of Official Analytical Chemist International. USA.
- AOAC. 2005. Official Methods of Analysis of the Association of Official Analytical Chemists. Published by the Association of Official Analytical Chemists. Marlyand
- Arisanti, D., & Mutsyahidan, A. M. A. (2018). Karakteristik sifat fisikokimia teh herbal" sekam"(serai kombinasi kayu manis) sebagai minuman fungsional. *Jurnal Technopreneur (JTech)*, 6(2), 62-66.

- Asfi, W. M., Harun, N., & Zalfiatri, Y. (2017). Pemanfaatan tepung kacang merah dan pati sagu pada pembuatan crackers (Doctoral dissertation, Riau University)
- Astawan, Made. 2009. Panduan Karbohidrat Terlengkap. Jakarta: PT Gramedia Pustaka.
- Badan Pusat Statistik. 2022. Produksi Tanaman Sayuran Dalam Angka. BPS – Statistik Indonesia. Jakarta.
- Badan Pengawas Obat dan Makanan. (2022). Peraturan Badan Pengawas Obat dan Makanan Nomor 1 Tahun 2022 tentang Pengawasan Klaim Pada Label Dan Iklan Pangan Olahan. Badan Pengawas Obat dan Makanan Republik Indonesia.
- Barbosa-Cánovas, G. V., Ortega-Rivas, E., Juliano, P., & Yan, H. (2005). Mixing. *Food powders: Physical properties, processing, and functionality*, 221-246.
- Bassinello, P. Z., ... Takeiti, C. Y. (2025). Performance of technological and cooking techniques. *Food Control*, 172, Article 111164. <https://doi.org/10.1016/j.>
- Chaudhary, N., Vyas, S. and Joshi, I. (2013). Biochemical and enzymatic changes associated with duration of germination of wheat moth based food mixes. *International Journal of Science and Research*, 4(2), 2267-2271
- Chen, Y., Yin, R., Guo, L., Zhao, D., & Sun, B. (2025). Development and Validation of a Consumer-Oriented Sensory Evaluation Scale for Pale Lager Beer. *Foods*, 14(16), 2834.
- Cooke, M. H., Stephens, D. J., & Bridgwater, J. (1976). Powder mixing—a literature survey. *Powder Technology*, 15(1), 1-20.
- Darwin, P. (2013). Menikmati Gula Tanpa Rasa Takut. Sinar Ilmu.
- Dekka, S., Vincent, H., Tito Anand, M., Jagan Mohan, R., & Rajagopal, V. (2023). *Unveiling the germination behavior of kidney beans: Insights into their physicochemical, antinutrients, and functional characteristics in whole and dehusked matrices*. *Food Chemistry Advances*, 3, 100509.
- Dickinson, E. (2012). Emulsion stability and rheology. *Current Opinion in Colloid & Interface Science*, 17(1), 25–32.
- Elewa, M., El-Saady, G., Ibrahim, K., Tawfek, M., & Elhossieny, H. (2020). A novel method for brix measuring in raw sugar solution. *Egyptian Sugar Journal*, 15, 69-86.
- Fellows, P. J. (2009). Food Processing Technology: Principles and Practice. Woodhead Publishing.

- Fan, L. T., Chen, Y. M., & Lai, F. S. (1990). Recent developments in solids mixing. *Powder Technology*, 61(3), 255-287.
- Ferdiawan, N., Nurwantoro, N., & Dwiloka, B. (2019). Pengaruh lama waktu germinasi terhadap sifat fisik dan sifat kimia tepung kacang tolo (*Vigna unguiculata* L). *Jurnal Teknologi Pangan*, 3(2), 349-354.
- Fessenden, R. J. (1990). *Kimia Organik*. Erlangga.
- Fitriya, W., & Alfionita, K. (2019). The capability of cinnamon as an off-flavor masking agent for *Spirulina platensis* enriched food product. *Jurnal Perikanan Universitas Gadjah Mada*. <https://doi.org/10.22146/jfs.35546>
- Habibah, N. F., Alsuhehndra, A., & Mahdiyah, M. (2026). Pengaruh Substitusi Tepung Terigu Dengan Tepung Kecambah Kacang Merah (*Phaseolus vulgaris* L) Terhadap Kualitas Fisik Dan Mutu Sensoris Kue Kacang. *Jurnal Ilmiah Wahana Pendidikan*, 12(3. B), 148-159.
- Hadi, A., & Siratunnisak, N. (2016). Pengaruh penambahan bubuk coklat terhadap sifat fisik, kimia, dan organoleptik minuman instan bekatul. *Action: Aceh Nutrition Journal*, 1(2), 121-129.
- Hartati, Y., Telisa, I., Purnamasari, S. E., & Nilawati, N. S. (2023). Formulasi Minuman Serbuk Tinggi Energi, Tinggi Protein Berbahan Dasar Tepung Ikan Lele. *Jurnal Pustaka Padi (Pusat Akses Kajian Pangan dan Gizi)*, 2(2), 45-52.
- Jayaprakasam, B., Seeram, N. P., & Nair, M. G. (2003). Anticancer and antiinflammatory activities of cucurbitacins from *Cucurbita andreana*. *Cancer letters*, 189(1), 11-16.
- Jaywant, S. A., Singh, H., & Arif, K. M. (2022). Sensors and instruments for brix measurement: A review. *Sensors*, 22(6), 2290.
- Kaczmaraska, K. T., Chandra-Hioe, M. V., Frank, D., & Arcot, J. (2018). Aroma characteristics of lupin and soybean after germination and effect of fermentation on lupin aroma. *Lwt*, 87, 225-233.
- Kim, M. S., Nattress, L., & Simons, C. T. (2025). Investigating the effect of protein type and protein concentration on texture and mouthfeel sensory properties of plant and animal-based beverages. *Food Quality and Preference*, 126, 105399.
- Kinsella, J. E. (1979). Functional properties of soy proteins. *Journal of the American Oil Chemists' Society*.
- Koyama, M., & Kitamura, Y. (2014). Development of a new rice beverage by improving the physical stability of rice slurry. *Journal of Food Engineering*, 131, 89-95

- Krizanova, J., Rosenfeld, D. L., Tomiyama, A. J., & Guardiola, J. (2021). Pro-environmental behavior predicts adherence to plant-based diets. *Appetite*, 163, 105243.
- Li, M., Wang, B., Lv, W., Lin, R., & Zhao, D. (2022). Characterization of pre-gelatinized kidney bean (*Phaseolus vulgaris* L.) produced using microwave hot-air flow rolling drying technique. *Lwt*, 154, 112673.
- LU, J., Cheng, J. H., XU, Y., CHEN, Y., Qian, K., & Zhang, Y. (2023). Effect of germination on nutritional quality of soybean. *Food Science and Technology*, 43, e008323.
- Maghfiroh, E., Aminah, S., & Sya'di, Y. K. (2025). Kadar Protein, Aktivitas Antioksidan, dan Sifat Sensoris Bolu Kukus dengan Penambahan Tepung Kecambah Kacang Merah. *Jurnal Pangan dan Gizi*, 15(2), 65-72.
- Maghfiroh, E., Aminah, S., & Sya'di, Y. K. (2025). KADAR PROTEIN, AKTIVITAS ANTIOKSIDAN DAN SIFAT SENSORIS BOLU KUKUS DENGAN PENAMBAHAN TEPUNG KECAMBAH KACANG MERAH. *Jurnal Pangan dan Gizi*, 15(2), 65-72.
- Makfoeld, Djarir. 2002. Kamus Istilah Pangan dan Nutrisi. Yogyakarta: Kanisius.
- McClements, D. J. (2015). Food Emulsions: Principles, Practices, and Techniques. CRC Press.
- McClements, DJ; Newman, E.; McClements, IF. (2019) Susu nabati: Tinjauan ilmu pengetahuan yang mendasari desain, fabrikasi, dan kinerjanya. *Compr. Rev. Food Sci. Food Saf.*, 18 , 2047–2067.
- Messina, M., & Messina, V. (2010). The role of soy in vegetarian diets. *Nutrients*, 2(8), 855-888.
- Mordor Intelligence. (2024). *Ready-to-drink protein beverages market – growth, trends, and forecast (2026–2031)*. Mordor Intelligence.
- Mudgil, D., & Barak, S. (2017). *Functional Foods : Sources and Health Benefits*. Scientific Publishers.
- Mustafidah, C., & Widjanarko, S. B. (2015). Umur Simpan Minuman Serbuk Berserat dari Tepung Porang (*Amorphophallus oncophyllus*) dan Karagenan Melalui Pendekatan Kadar Air Kritis. *Jurnal pangan dan agroindustri*, 3(2).
- Natarajan, S. S., Xu, C., Bae, H., Caperna, T. J., & Garrett, W. M. (2006). Characterization of storage proteins in wild (*Glycine soja*) and cultivated (*Glycine max*) soybean seeds using proteomic analysis. *Journal of Agricultural and Food Chemistry*, 54(8), 3114-3120.
- Navin Venketeish, K. S., Govindarajan, N., & Pandiselvam, R. (2025). Influence of Processing Techniques on the Proximate Composition, Anti-Nutritional

Factors, and Amino Acid Profile of Red Kidney Beans (*Phaseolus vulgaris* L). *Plant Foods for Human Nutrition*, 80(1), 13.

Nkhata, S. G., Ayua, E. H., Kamau, E. H., & Shingiro, J. B. (2018). Fermentation and germination improve nutritional value of cereals and legumes through activation of endogenous enzymes. *Food Research International*, 113, 414–425.

Nurjanati, M., Winarsi, H., dan Dwiyanti, H. 2018. Efek Lama Perkecambahan Terhadap Sifat Sensori Dan Kadar Protein Terlarut Susu Kecambah Kacang Merah (Sukarah) Untuk Remaja Obesitas. Jurusan Teknologi Pertanian Universitas Jenderal Soedirman.

Nursten, H. (2005). *The Maillard Reaction: Chemistry, Biochemistry, and Implications*. Royal Society of Chemistry.

Odelia, S., Umar, L. M., Zhe, G., & Lo, D. (2025). Analysis of physicochemical and sensory properties of plant-based protein powder drinks. In *BIO Web of Conferences* (Vol. 169, p. 04009). EDP Sciences.

Odelia, S., Umar, L. M., Zhe, G., & Lo, D. (2025). Analysis of physicochemical and sensory properties of plant-based protein powder drinks. In *BIO Web of Conferences* (Vol. 169, p. 04009). EDP Sciences.

Odelia, S., Umar, L. M., Zhe, G., & Lo, D. (2025). Analysis of physicochemical and sensory properties of plant-based protein powder drinks. In *BIO Web of Conferences* (Vol. 169, p. 04009). EDP Sciences.

Ojha, P., Karki, T. B., & Maharjan, S. (2014). Effect of sprouting in physico-chemical properties of tofu. *Journal of Nutritional Health & Food Engineering*, 1(2), 1-8.

Oliveira, M. E. A. S., Santos, M. B., Gozzi, G., da Fonseca Cechin, C., Gottschalk, L. M. F., Bassinello, P. Z., ... & Takeiti, C. Y. (2025). Performance of technological and microbiological quality characteristics of germinated rice: A comparative study of cooking techniques. *Food Control*, 172, 111164.

Pandiansyah, A., Asiah, N., Ramadhan, K., & Ardiansyah, A. (2024). Aktivitas Antioksidan dan Profil Sensori Minuman Sari Kacang Merah (*Phaseolus vulgaris* L.) dengan Penambahan Ekstrak Jahe Merah. *urnal Mutu Pangan: Indonesian Journal of Food Quality*, 11(2), 71-77.

PBB. (2024). *Population prospects and projections to 2050*. United Nations Population Division.

Damodaran, S. (2005). Protein stabilization of emulsions and foams. In *Food Proteins and Their Applications*. CRC Press.

- Dickinson, E. (2010). Food emulsions and foams: Stabilization by particles and proteins. *Current Opinion in Colloid & Interface Science*, 15(1–2), 40–49.
- Foegeding, E. A., Luck, P. J., & Davis, J. P. (2006). Factors determining the physical properties of protein foams. *Food Hydrocolloids*, 20(2–3), 284–292.
- Renkema, J. M. S., & van Vliet, T. (2002). Heat-induced gel formation by soy proteins. *Journal of Agricultural and Food Chemistry*, 50(6), 1569–1573.
- Rao, M. A. (2014). *Rheology of Fluid and Semisolid Foods*. Springer.
- Rahman, S., Mohammed, S., Dubey, P. K., & Kumar, S. (2023). A comprehensive review on the effect of germination on the physiochemical properties of wheat, millet, and legumes. *Journal of Food Chemistry & Nanotechnology*, 9(S1), S323-S334.
- Reyes-Jurado, F.; Soto-Reyes, N.; Dávila-Rodríguez, M.; Lorenzo-Leal, A.; Jiménez-Munguía, M.; Mani-López, E.; López-Malo, A. Alternatif susu nabati: Jenis, proses, manfaat, dan karakteristik. *Makanan Rev.Int.* 2021 , 6 , 1–32.
- Rezig, L., Chibani, F., Chouaibi, M., Dalgarrondo, M., Hessini, K., Guéguen, J., & Hamdi, S. (2013). Pumpkin (*Cucurbita maxima*) seed proteins: sequential extraction processing and fraction characterization. *Journal of agricultural and food chemistry*, 61(32), 7715-7721.
- Saputro, D. H., Andriani, M. A. M., & Siswanti, S. (2015). Karakteristik sifat fisik dan kimia formulasi tepung kecambah kacang-kacangan sebagai bahan minuman fungsional. *Jurnal Teknosains Pangan*, 4(1).
- Sa'diyah, H. (2025). Analisis Kadar Karbohidrat dan Viskositas pada Minuman Fungsional Nabati (Kedelai dan Jagung) dengan Variasi Penambahan Kacang Hijau, Kacang Merah, dan Beras Merah. *Media Ilmiah Kesehatan Indonesia*, 3(3), 124-134.
- Sethi, S.; Tyagi, SK; Anurag, RK Alternatif susu nabati segmen minuman fungsional yang sedang berkembang: Sebuah tinjauan. *J. Food Sci. Technol.* 2016 , 53 , 3408–3423
- Shenoy, P., Xanthakis, E., Innings, F., Jonsson, C., Fitzpatrick, J., & Ahrné, L. (2015). Dry mixing of food powders: Effect of water content and composition on mixture quality of binary mixtures. *Journal of Food Engineering*, 149, 229-236.
- Siddiq, A., Hasan, A. M., & Alam, S. (2018). Dose dependent hepatotoxic effects of dry seed *Phaseolus vulgaris* linn.(red kidney beans) on rabbits. *Acta Alimentaria*, 47(3), 291-297.

- Siddiq, M., Uebersax, M. A., & Siddiq, F. (2022). Global production, trade, processing and nutritional profile of dry beans and other pulses. *Dry beans and pulses: Production, processing, and nutrition*, 1-28.
- Smith, A., & Jones, B. (2024). Perspectives on future protein production and population growth. *Journal of Agricultural and Food Chemistry*.
- Song, Z., Yang, Y., Chen, F., Fan, J., Wang, B., Bian, X., ... & Zhang, N. (2022). Effects of concentration of Soybean protein isolate and Maltose and oil phase volume fraction on freeze-thaw stability of Pickering emulsion. *Foods*, 11(24), 4018.
- Srenuja, D., Hema, V., Anand, M. T., Mohan, R. J., & Vidyalakshmi, R. (2023). Unveiling the germination behavior of kidney beans: Insights into their physicochemical, antinutrients, and functional characteristics in whole and dehusked matrices. *Food Chemistry Advances*, 3, 100509.
- Torres, A. 2007. Food for Thought: Microorganism Contaminants in Dried Fruits. California: California State Science Fair Project Summary.
- Utami, S. M., Ismaya, N. A., Ratnaningtyas, T. O., & Yunarto, N. (2022). Formulasi Sediaan Minuman Serbuk Fungsional Kombinasi Biji Jagung (*Zea mays* L.) dan Madu. *Jurnal Kefarmasian Indonesia*, 109-117.
- Wang, L., Li, X., Gao, F., Liu, Y., Lang, S., Wang, C., & Zhang, D. (2023). Effect of ultrasound combined with exogenous GABA treatment on polyphenolic metabolites and antioxidant activity of mung bean during germination. *Ultrasonics Sonochemistry*, 94, 106311.
- Winarno, F.G.(2004). Kimia Pangan dan Gizi. PT Gramedia Pustaka. Jakarta.
- Winarsi, H., Septiana, A. T., & Wulandari, S. P. (2020). Germination improves sensory, phenolic, protein content and anti-inflammatory properties of red kidney bean (*Phaseolus vulgaris* L.) sprouts milk. *Food Research*, 4(6), 1921-1928.
- Winarsi, H., Septiana, A. T., & Wulandari, S. P. (2020). Germination improves sensory, phenolic, protein content and anti-inflammatory properties of red kidney bean (*Phaseolus vulgaris* L.) sprouts milk. *Food Research*, 4(6), 1921-1928.
- Xu, B., & Chang, S. K. C. (2015). Effect of soaking, boiling, and steaming on total phenolic content and antioxidant activities of cool season food legumes. *Food Chemistry*, 180, 108–116.
- Xu, Q., Zhang, S., Wang, Y., Jiang, P., Zhang, J., Wang, X., & Zhang, D. (2025). Physical stress induces metabolic changes in kidney bean: GABA, polyphenol spectrum, and antioxidant capacity. *Food Research International*, 118194.