

DAFTAR PUSTAKA

- Abdillah, A. A., & Charles, A. L. (2021). Characterization of a natural biodegradable edible film obtained from arrowroot starch and iota-carrageenan and application in food packaging. *International Journal of Biological Macromolecules*, 191, 618–626. <https://doi.org/10.1016/j.ijbiomac.2021.09.141>
- Abotbina, W., Sapuan, S. M., Sultan, M. T. H., Alkbir, M. F. M., & Ilyas, R. A. (2021). Development and characterization of Cornstarch-Based bioplastiks Packaging film using a combination of different plastikizers. *Polymers*, 13(20), 3487. <https://doi.org/10.3390/polym13203487>
- Agama-Acevedo, E., Garcia-Suarez, F. J., Gutierrez-Meraz, F., Sanchez-Rivera, M. M., Martin, E. S., & Bello-Pérez, L. A. (2010). Isolation and partial characterization of Mexican taro (*Colocasia esculenta* L.) starch. *Starch - Stärke*, 63(3), 139–146. <https://doi.org/10.1002/star.201000113>
- Ahmidah, S. A., Qomariah, U. K. N., & Faizah, M. (2024). Analisis Sistem Budidaya Tanaman Talas Pratama (*Colocasia esculenta* L.) Schott var. Pratama) Di Pondok Pesantren Fathul Ulum Jombang. *Exact Papers in Compilation (EPiC)*, 6(4), 10–19. <https://doi.org/10.32764/epic.v6i4.1194>
- Alee, M., Duan, Q., Chen, Y., Liu, H., Ali, A., Zhu, J., Jiang, T., Rahaman, A., Chen, L., & Yu, L. (2021). Plasticization efficiency and characteristics of monosaccharides, disaccharides, and Low-Molecular-Weight polysaccharides for Starch-Based materials. *ACS Sustainable Chemistry & Engineering*, 9(35), 11960–11969. <https://doi.org/10.1021/acssuschemeng.1c04374>
- Aljilji, A., Mahmutović, O., Bašić, H., & Prazina, N. (2020). Mechanical properties of dried fruit packaging materials. *Periodicals of Engineering and Natural Sciences (International University of Sarajevo)*, 8(4), 2547–2552. <https://doi.org/10.21533/pen.v8i4.1487> analysis of the AOAC International (21th ed). AOAC.
- Anwar, M. A., Suprihatin, S., Sasongko, N. A., Najib, M., Pranoto, B., Firmansyah, I., & Soekotjo, E. S. (2025). Sustainable waste management strategies for multilayer plastic in Indonesia. *Cleaner and Responsible Consumption*, 16, 100254. <https://doi.org/10.1016/j.clrc.2025.100254>
- Aprianita, A., Purwandari, U., Watson, B., & Vasiljevic, T. (2009). Physico-chemical properties of flours and starches from selected commercial tubers available in Australia. *International Food Research Journal*, 16, 507–520.

- Association of Official Analytical Chemist (AOAC). (2019). Official methods of analysis of the AOAC International (21th ed).
- Badan Pusat Statistik Kabupaten Bangka Tengah. (2024, April 26). *Luas panen, produksi dan produktivitas dari talas*. Diakses pada 7 Januari 2026 melalui <https://bangkatengahkab.bps.go.id/id/statistiks-table/2/MTM4IzI=/luas-panen-produksi-dan-produktivitas-dari-talas.html>
- Badan Standardisasi Nasional. (1994). *Mi instan* (SNI 01-3551-1994). Badan Standardisasi Nasional.
- Badan Standardisasi Nasional. (2011). *Tapioka* (SNI 3451:2011). Jakarta: Badan Standardisasi Nasional.
- Berti, S., Jagus, R. J., Flores, S. K., & González-Martínez, C. (2023). Antimicrobial Edible Starch Films Obtained By Casting and Thermo-compression Techniques. *Food and Bioprocess Technology*, 17(4), 904–916. <https://doi.org/10.1007/s11947-023-03172-4>
- Bhat, F. M., & Riar, C. S. (2016). Effect of amylose, particle size & morphology on the functionality of starches of traditional rice cultivars. *International Journal of Biological Macromolecules*, 92, 637–644. <https://doi.org/10.1016/j.ijbiomac.2016.07.078>
- Borbolla-Jiménez, F. V., Peña-Corona, S. I., Farah, S. J., Jiménez-Valdés, M. T., Pineda-Pérez, E., Romero-Montero, A., Del Prado-Audelo, M. L., Bernal-Chávez, S. A., Magaña, J. J., & Leyva-Gómez, G. (2023). Films for wound healing fabricated using a solvent casting technique. *Pharmaceutics*, 15(7), 1914. <https://doi.org/10.3390/pharmaceutics15071914>
- Cahyana, Y., Verrell, C., Kriswanda, D., Aulia, G. A., Yusra, N. A., Marta, H., Sukri, N., Esirgapovich, S. J., & Abduvakhitovna, S. S. (2023). Properties Comparison of Oxidized and Heat Moisture Treated (HMT) Starch-Based biodegradable films. *Polymers*, 15(9), 2046. <https://doi.org/10.3390/polym15092046>
- Chakraborty, I., Pallen, S., Shetty, Y., Roy, N., & Mazumder, N. (2020). Advanced microscopy techniques for revealing molecular structure of starch granules. *Biophysical Reviews*, 12(1), 105–122. <https://doi.org/10.1007/s12551-020-00614-7>
- Chaléat, C., Halley, P. J., & Truss, R. (2014). Mechanical properties of Starch-Based plastics. In *Elsevier eBooks* (pp. 187–209). <https://doi.org/10.1016/b978-0-444-53730-0.00023-3>
- Chandla, N. K., Khatkar, S. K., Singh, S., Saxena, D. C., Jindal, N., Bansal, V., & Wakchaure, N. (2020). Tensile Strength and Solubility Studies of Edible Biodegradable Films Developed from Pseudo-cereal Starches: An Inclusive

- Comparison with Commercial Corn Starch. *Asian Journal of Dairy and Food Research, OF*. <https://doi.org/10.18805/ajdfr.dr-1522>
- Chatti, S., Laperrière, L., Reinhart, G., & Tolio, T. (Eds.). (2019). *CIRP Encyclopedia of Production Engineering* (2nd ed.). Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-662-53120-4>
- Chen, Y., Wang, J., Xu, L., Nie, Y., Ye, Y., Qian, J., Liu, F., & Zhang, L. (2024). Effects of different *plasticizers* on the structure, physical properties and film forming performance of Curdlan edible films. *Foods*, 13(23), 3930. <https://doi.org/10.3390/foods13233930>
- Cho, Y., & Kang, K. (2020). Functional Analysis of Starch Metabolism in Plants. *Plants*, 9. <https://doi.org/10.3390/plants9091152>.
- Çokkuvvetli, A. T., Yolaçan, Ö., & Deniz, S. (2024). Mechanical, optical, and barrier characteristics of tapioca and rice starch-based edible thermoplastic antimicrobial packaging films. *AIP Conference Proceedings*, 3158, 140004. <https://doi.org/10.1063/5.0205203>
- Corradini, E., De Morais, L. C., Demarquette, N. R., Agnelli, J. a. M., & Mattoso, L. H. C. (2007). Study of process parameters for starch, gluten, and glycerol mixtures. *Polymers for Advanced Technologies*, 18(10), 861–867. <https://doi.org/10.1002/pat.937>
- Davies, T. E., Li, H., Bessette, S., Gauvin, R., Patience, G. S., & Dummer, N. F. (2022). Experimental methods in chemical engineering: Scanning electron microscopy and X-ray ultra-microscopy—SEM and XuM. *The Canadian Journal of Chemical Engineering*, 100(11), 3145–3159. <https://doi.org/10.1002/cjce.24405>
- Da Rosa Zavareze, E., Halal, S. L. M. E., De Los Santos, D. G., Helbig, E., Pereira, J. M., & Dias, A. R. G. (2011). Resistant starch and thermal, morphological and textural properties of heat-moisture treated rice starches with high-, medium- and low-amylose content. *Starch - Stärke*, 64(1), 45–54. <https://doi.org/10.1002/star.201100080>
- Da Silva, M. C., Ascheri, D. P. R., De Carvalho, C. W. P., Galdeano, M. C., & De Andrade, C. T. (2013). Characterization of cassava starch processed in an internal mixer. *Polímeros*, 23(6), 825–832. <https://doi.org/10.4322/polimeros.2014.007>
- Deka, D., & Sit, N. (2016). Dual modification of taro starch by microwave and other heat moisture treatments. *International Journal of Biological Macromolecules*, 92, 416–422. <https://doi.org/10.1016/j.ijbiomac.2016.07.040>

- Díaz-Montes, E., & Castro-Muñoz, R. (2021). Edible Films and Coatings as Food-Quality Preservers: An Overview. *Foods*, 10(2), 249. <https://doi.org/10.3390/foods10020249>
- Dong, W., He, F., Jiang, H., Liu, L., & Qiu, Z. (2021). Comparative transcriptome sequencing of taro corm development with a focus on the starch and sucrose metabolism pathway. *Frontiers in Genetics*, 12, 771081. <https://doi.org/10.3389/fgene.2021.771081>
- Dong, Y., Li, Y., , Z., Rao, Z., Zheng, X., Tang, K., & Liu, J. (2023). Effect of polyol plasticizers on properties and microstructure of soluble soybean polysaccharide edible films. *Food Packaging and Shelf Life*. <https://doi.org/10.1016/j.fpsl.2022.101023>.
- Dorantes-Fuertes, M., López-Méndez, M. C., Martínez-Castellanos, G., Meléndez-Armenta, R. Á., & Jiménez-Martínez, H. (2024). Starch extraction Methods in Tubers and Roots: A Systematic review. *Agronomy*, 14(4), 865. <https://doi.org/10.3390/agronomy14040865>
- Duncan, S., & Hannah, S. (2012). Light-protective packaging materials for foods and beverages. In *Elsevier eBooks* (pp. 303–322). <https://doi.org/10.1533/9780857095664.3.303>
- Edhirej, A., Sapuan, S. M., Jawaid, M., & Zahari, N. I. (2016). Effect of various plasticizers and concentration on the physical, thermal, mechanical, and structural properties of cassava-starch-based films. *Starch - Stärke*, 69(1–2). <https://doi.org/10.1002/star.201500366>
- Eslami, Z., Elkoun, S., Robert, M., & Adjallé, K. (2023). A review of the effect of plasticizers on the physical and mechanical properties of Alginate-Based films. *Molecules*, 28(18), 6637. <https://doi.org/10.3390/molecules28186637>
- Fitriani, S. (2018). Daya Pembengkakan Serta Sifat Pasta dan Termal Pati Sagu, Pati Beras dan Pati Ubi Kayu. *JITIPARI (Jurnal Ilmiah Teknologi Dan Industri Pangan UNISRI)*, 3(1). <https://doi.org/10.33061/jitipari.v3i1.1987>
- Fujiwara, N., Hall, C., & Carlson, R. (2016). A comparison of Rapid Visco Analyzer starch pasting curves and test baking for under- and overdosed dry baked mixes. *Cereal Foods World*, 61(1), 29–37. <https://doi.org/10.1094/cfw-61-1-0029>
- Gao, N., Starink, M. J., & Langdon, T. G. (2009). Using differential scanning calorimetry as an analytical tool for ultrafine grained metals processed by severe plastic deformation. *Materials Science and Technology*, 25(6), 687–698. <https://doi.org/10.1179/174328409x408901>
- Gdoutos, E., & Konsta-Gdoutos, M. (2024). Tensile testing. In *Solid mechanics and its applications* (pp. 1–34). https://doi.org/10.1007/978-3-031-45990-0_1

- Gniewosz, M., Pobiega, K., Kraśniewska, K., Synowiec, A., Chaberek, M., & Galus, S. (2022). Characterization and Antifungal Activity of Pullulan Edible Films Enriched with Propolis Extract for Active Packaging. *Foods*, 11(15), 2319. <https://doi.org/10.3390/foods11152319>
- Gupta, R. K., Guha, P., & Srivastav, P. P. (2024a). Insights into the physicochemical, crystalline, multistructural, thermal and digestibility behavior of taro starch (*Colocasia esculenta*) modified by cold plasma treatment with high voltage dielectric barrier discharge (HVDBD): An alternative technique for chemical modification of starch and environmental sustainability. *Journal of Cleaner Production*, 461, 142710. <https://doi.org/10.1016/j.jclepro.2024.142710>
- Hajlaoui, K., Abdelhedi, O., Salem, A., Debeaufort, F., Zouari, N., Zhang, Y., & Jridi, M. (2024). Food-grade gelatin from camel skin: Extraction, characterisation and potential use for thin film packaging preparation. *Food Hydrocolloids*, 150, 109698. <https://doi.org/10.1016/j.foodhyd.2023.109698>
- Hazrati, K., Sapuan, S., Zuhri, M., & Jumaidin, R. (2021). Effect of *plasticizers* on physical, thermal, and tensile properties of thermoplastic films based on *Dioscorea hispida* starch. *International Journal of Biological Macromolecules*, 185, 219–228. <https://doi.org/10.1016/j.ijbiomac.2021.06.099>
- Homez, A. K., Daza, L. D., Solanilla, J. F., & Váquiro, H. A. (2018). Effect of temperature, starch and *plasticizer* concentrations on color parameters of ulluco (*Ullucus tuberosus* Caldas) edible films. *IOP Conference Series Materials Science and Engineering*, 437, 012003. <https://doi.org/10.1088/1757-899x/437/1/012003>
- Hoover, R. (2001). Composition, molecular structure, and physicochemical properties of tuber and root starches: A review. *Carbohydrate Polymers*, 45, 253–267. [https://doi.org/10.1016/S0144-8617\(00\)00260-5](https://doi.org/10.1016/S0144-8617(00)00260-5)
- Hosseini, S.F., Rezaei, M., Zandi, M. & Farahmand, F. (2013). Preparation and functional properties of fish gelatin – chitosan blend edible films. *Food Chemistry*. 136(3–4):1490–1495.
- Hussain, S. A., Yadav, M. P., Sharma, B. K., Qi, P. X., & Jin, T. Z. (2024). Biodegradable food packaging films using a combination of hemicellulose and cellulose derivatives. *Polymers*, 16(22), 3171. <https://doi.org/10.3390/polym16223171>
- Ibrahim, M., Sapuan, S., Zainudin, E., & Zuhri, M. (2019). Physical, thermal, morphological, and tensile properties of cornstarch-based films as affected by different *plasticizers*. *International Journal of Food Properties*, 22(1), 925–941. <https://doi.org/10.1080/10942912.2019.1618324>

- Jaderi, Z., Yazdi, F. T., Mortazavi, S. A., & Koocheki, A. (2022). Effects of glycerol and sorbitol on a novel biodegradable edible film based on *Malva sylvestris* flower gum. *Food Science & Nutrition*, 11(2), 991–1000. <https://doi.org/10.1002/fsn3.3134>
- Jaidka, S., Sharma, R., Kaur, S., & Singh, D. P. (2022). Scanning Electron Microscopy (SEM): Learning to Generate and Interpret the Topographical Aspects of Materials. In *Microscopic Techniques for the Non-Expert* (pp. 165–185). https://doi.org/10.1007/978-3-030-99542-3_7
- Jeevahan, J., Chandrasekaran, M., & Sethu, A. (2019). Influence of nanocellulose addition on the film properties of the bionanocomposite edible films prepared from maize, rice, wheat, and potato starches. *AIP Conference Proceedings*, 2162, 020073. <https://doi.org/10.1063/1.5130283>
- Karim, A. A., Norziah, M. H., & Seow, C. C. (2000). Methods for the study of starch retrogradation. *Food Chemistry*, 71(1), 9–36.
- Karnwal, A., Rauf, A., Jassim, A. Y., Selvaraj, M., Al-Tawaha, A. R. M. S., Kashyap, P., Kumar, D., & Malik, T. (2025). Advanced starch-based films for food packaging: Innovations in sustainability and functional properties. *Food Chemistry X*, 29, 102662. <https://doi.org/10.1016/j.fochx.2025.102662>
- Kaschuk, J. J., Haj, Y. A., Garcia, J. V., Kamppinen, A., Rojas, O. J., Abitbol, T., Miettunen, K., & Vapaavuori, J. (2024). Processing factors affecting roughness, optical and mechanical properties of nanocellulose films for optoelectronics. *Carbohydrate Polymers*, 332, 121877. <https://doi.org/10.1016/j.carbpol.2024.121877>
- Kocira, A., Kozłowiec, K., Panasiewicz, K., Staniak, M., Szpunar-Krok, E., & Hortyńska, P. (2021). Polysaccharides as Edible Films and Coatings: Characteristics and Influence On Fruit and Vegetable Quality—A Review. *Agronomy*, 11(5), 813. <https://doi.org/10.3390/agronomy11050813>
- Kumar, N., Pratibha, Petkoska, A. T., Khojah, E., Sami, R., & Al-Mushhin, A. a. M. (2021). Chitosan Edible Films Enhanced with Pomegranate Peel Extract: Study on Physical, Biological, Thermal, and Barrier Properties. *Materials*, 14(12), 3305. <https://doi.org/10.3390/ma14123305>
- Liu, H., Xie, F., Yu, L., Chen, L., & Li, L. (2009). Thermal processing of starch-based polymers. *Progress in Polymer Science*, 34, 1348–1368. <https://doi.org/10.1016/j.progpolymsci.2009.07.001>
- Liu, S., Yuan, T. Z., Wang, X., Reimer, M., Isaak, C., & Ai, Y. (2019). Behaviors of starches evaluated at high heating temperatures using a new model of Rapid

- Visco Analyzer – RVA 4800. *Food Hydrocolloids*, 94, 217–228.
<https://doi.org/10.1016/j.foodhyd.2019.03.015>
- Lue, S., Lee, D., Chen, J., Chiu, C., Hu, C., Jean, Y., & Lai, J. (2008). Diffusivity enhancement of water vapor in poly(vinyl alcohol)–fumed silica nano-composite membranes: Correlation with polymer crystallinity and free-volume properties. *Journal of Membrane Science*, 325(2), 831–839.
<https://doi.org/10.1016/j.memsci.2008.09.015>
- Mali, S., Karam, L. B., Ramos, L. P., & Grossmann, M. V. E. (2004). Relationships among the Composition and Physicochemical Properties of Starches with the Characteristics of Their Films. *Journal of Agricultural and Food Chemistry*, 52(25), 7720–7725. <https://doi.org/10.1021/jf049225>
- Mallick, N., Pal, D., Agrawal, M., & Soni, A. B. (2020). Effect of different plasticizers on mechanical, thermal, and barrier properties of corn starch/polyvinyl alcohol/rice husk flour based bio-composite films. *Zenodo (CERN European Organization for Nuclear Research)*. <https://doi.org/10.5281/zenodo.5668184>
- Melani, L., & Kim, H. (2019). Physicochemical Properties of Starches from Several Agricultural Sources: Application to a Starch-based Adhesive. *Journal of Korea Technical Association of the Pulp and Paper Industry*, 51(2), 100–107.
<https://doi.org/10.7584/jktappi.2019.04.51.2.100>
- Mohamed, S.A.A., El-Sakhawy, M., and El-Sakhawy, M.A.M. (2020). Polysaccharides, Protein, and Lipid-Based Natural Edible films in Food Packaging: A Review. *Carbohydrate Polymers*, 238.
- Muratkhan, M., Zhainagul, K., Svetlana, K., Toimbayeva, D., Temirova, I., Tazhina, S., Khamitova, D., Saule, S., Tultabayeva, T., Bulashev, B., & Ospankulova, G. (2025). Development and Optimization of Edible Antimicrobial Films Based on Dry Heat-Modified Starches from Kazakhstan. *Foods*, 14(11), 2001.
<https://doi.org/10.3390/foods14112001>
- Naveen, R., & Loganathan, M. (2023). Role of Varieties of Starch in the Development of Edible Films—A Review. *Starch - Stärke*, 76(11–12).
<https://doi.org/10.1002/star.202300138>
- Nguyen, T. D. H., & Truong, D. H. (2025). Edible Film-forming potential of Gelatin Blends With Glycerol and Sorbitol for Application in Instant Noodle Seasoning Powder Packaging. *Tropical Journal of Natural Product Research*, 9(1).
<https://doi.org/10.26538/tjnpr/v9i1.50>
- Ningrum, A., Widyastuti Perdani, A., Supriyadi, Siti Halimatul Munawaroh, H., Aisyah, S., & Susanto, E. (2021). Characterization of Tuna Skin Gelatin Edible Films with Various Plasticizers-Essential Oils and Their Effect on Beef

- Appearance. *Journal of Food Processing and Preservation*, 45(9), 1-13.
<https://doi.org/10.1111/jfpp.15701>
- Noda, T., Takahata, Y., Sato, T., *et al.*. (1998). Physicochemical properties of starches extracted from sweetpotato roots differing in physiological age. *Journal of Agricultural and Food Chemistry*, 46, 232–236.
- Nurhidajah, N., Pranata, B., & Yonata, D. (2021). Pemodelan Persamaan Arrhenius Untuk Memperdiksi Umur Simpan Penyedap Rasa Cangkang Rajungan. *AGROINTEK*, 15(2), 566–573. <https://doi.org/10.21107/agrointek.v15i2.9720>
- Nurtiana, W., & Pamela, V. Y. (2019). Characterization of chemical properties and color of starch from Talas Beneng (*Xanthosoma undipesh* K. Koch) extraction as a source of indigenous carbohydrate from Pandeglang regency, Banten province. *IOP Conference Series Earth and Environmental Science*, 383(1), 012050. <https://doi.org/10.1088/1755-1315/383/1/012050>
- Pangesti, A. D., Rahim, A., & Hutomo, G. S. (2014). Karakteristik Fisik, Mekanik dan Sensoris Edible Film dari Pati Talas Pada Berbagai Konsentrasi Asam Palmitat. *AGROTEKBIS*, 2(6), 248881. <https://www.neliti.com/publications/248881/karakteristik-fisik-mekanik-dan-sensoris-edible-film-dari-pati-talas-pada-berbag>
- Pei, J., Palanisamy, C. P., Srinivasan, G. P., Panagal, M., Kumar, S. S. D., & Mironescu, M. (2024). A comprehensive review on starch-based sustainable edible films loaded with bioactive components for food packaging. *International Journal of Biological Macromolecules*, 274(Pt 1), 133332. <https://doi.org/10.1016/j.ijbiomac.2024.133332>
- Ploypetchara, T., & Gohtani, S. (2018). Effect of sugar on starch edible film properties: plasticized effect. *Journal of Food Science and Technology*, 55, 3757-3766. <https://doi.org/10.1007/s13197-018-3307-7>.
- Ploypetchara, T., & Gohtani, S. (2020). Characteristics of rice starch film blended with sugar (trehalose/allose) and oil (canola oil/coconut oil): Part I - Filmogenic solution behavior and mechanical properties.. *Journal of food science*. <https://doi.org/10.1111/1750-3841.15455>.
- Puspita, S. E., Eris, F. R., & Riyanto, R. A. (2022). Physical-Mechanical Properties of Edible Film Based on Beneng Taro (*Xanthosoma Undipes* K.Koch) Starch with Plasticizer. *Food ScienTech Journal*, 4(1), 37. <https://doi.org/10.33512/fsj.v4i1.15711>
- Putri, T. R., Adhitasari, A., Paramita, V., Yulianto, M. E., & Ariyanto, H. D. (2023). Effect of different starch on the characteristics of edible film as functional

- packaging in fresh meat or meat products: A review. *Materials Today Proceedings*, 87, 192–199. <https://doi.org/10.1016/j.matpr.2023.02.396>
- Qoeroti, B., Pangastuti, A., & Susilowati, A. (2021). Application of edible film incorporated with *Portulaca oleracea* extract to inhibit microbiological and oxidative damage in sausages. *Biodeversitas*, 22(8), 3556-3561.
- Quezada-Correa, L. M., Contreras-Dioses, O., Martínez-Mora, E. O., Gómez-Aldapa, C. A., Ramírez-Moreno, E., & Cuenca-Mayorga, F. P. (2021). Thermal and functional properties of starch extracted from tubers cultivated in the Ecuadorian Andean region. *Acta Agriculturae Slovenica*, 117(2). <https://doi.org/10.14720/aas.2021.117.2.1755>
- Rahmawati, W., Kusumastuti, Y. A., & Aryanti, N. (2012). Karakterisasi Pati Talas (*Colocasia Esculenta* (L.) Schott) Sebagai Alternatif Sumber Pati Industri di Indonesia. *JURNAL TEKNOLOGI KIMIA DAN INDUSTRI*, 1(1), 347–351. <http://eprints.undip.ac.id/36686/>
- Rahmi, Q., Wulandari, E., & Gumilar, J. (2022). Pengaruh Konsentrasi Gliserol pada Gelatin Kulit Kelinci terhadap Kadar Air, Ketebalan Film, dan Laju Transmisi Uap Air Edible Film. *Jurnal Teknologi Hasil Peternakan*, 3, 19. <https://doi.org/10.24198/jthp.v3i1.39444>
- Ratnayake, W. S., & Jackson, D. S. (2008). Chapter 5 Starch gelatinization. *Advances in Food and Nutrition Research*, 55, 221–268. [https://doi.org/10.1016/s1043-4526\(08\)00405-1](https://doi.org/10.1016/s1043-4526(08)00405-1)
- Ridla, M., Permatasari, F., & Nahrowi, N. (2023b). Pengaruh Lama Penyimpanan dan Jenis Kemasan terhadap Kadar Air dan Kualitas Sifat Fisik Dedak Padi. *Jurnal Agripet*, 23(2), 187–195. <https://doi.org/10.17969/agripet.v23i2.26979>
- Ríos-Ríos, K., González-Mondragón, E., Segura-Campos, M., Ramírez-Jiménez, M., López-Luna, J., López-Martínez, I., & Betancur-Ancona, D. (2016). Physicochemical and nutritional characterization of starch isolated from *Colocasia antiquorum* Cultivated in Oaxaca, Mexico. *Journal of Chemistry*, 2016, 1–7. <https://doi.org/10.1155/2016/6721418>
- Rodríguez, A. B., Vargas-Torres, A., Chimal, S. R., Cortez, R. O. N., Del Carmen Coutiño Laguna, B., & Palma-Rodríguez, H. M. (2025). Evaluation of double-modified taro starch for the encapsulation and protection of bioactive compounds in *Hibiscus Sabdariffa* extract. *Carbohydrate Research*, 560, 109768. <https://doi.org/10.1016/j.carres.2025.109768>
- Rolland-Sabaté, A., Sánchez, T., Buléon, A., Colonna, P., Jaillais, B., Ceballos, H., & Dufour, D. (2011). Structural characterization of novel cassava starches with low and high-amylose contents in comparison with other commercial sources.

Food Hydrocolloids, 27(1), 161–174.
<https://doi.org/10.1016/j.foodhyd.2011.07.008>

Romero-Bastida, C. A., Bello-Pérez, L. A., García, M. A., Martino, M. N., Solorza-Feria, J., & Zaritzky, N. E. (2005). Physicochemical and microstructural characterization of films prepared by thermal and cold gelatinization from non-conventional sources of starches. *Carbohydrate Polymers*, 60(2), 235–244. <https://doi.org/10.1016/j.carbpol.2005.01.004>

Saberi, B., Thakur, R., Vuong, Q. V., Chockchaisawasdee, S., Golding, J. B., Scarlett, C. J., & Stathopoulos, C. E. (2016). Optimization of physical and optical properties of biodegradable edible films based on pea starch and guar gum. *Industrial Crops and Products*, 86, 342–352. <https://doi.org/10.1016/j.indcrop.2016.04.015>

Salama, H., Aziz, M. A., Saad, G., & Elsoholy, M. (2021). Optimization of the water vapor permeability of starch/alginate edible system reinforced with microcrystalline cellulose for the shelf-life extension of green capsicums. *Egyptian Journal of Chemistry*, 0(0), 0. <https://doi.org/10.21608/ejchem.2021.66683.3434>

Sanyang, M. L., Sapuan, S. M., Jawaid, M., Ishak, M. R., & Sahari, J. (2016). Effect of *plasticizer* type and concentration on physical properties of biodegradable films based on sugar palm (arenga pinnata) starch for food packaging. *Journal of Food Science and Technology*, 53(1), 326–336. <https://doi.org/10.1007/s13197-015-2009-7>

Sartika, M., Rambe, F. R., Parinduri, S. Z. D. M., Harahap, H., Nasution, H., Lubis, M., Taslim, & Manurung, R. (2022). Tensile properties of edible films from various types of starch with the addition of glycerol as *plasticizer*: a review. *IOP Conference Series Earth and Environmental Science*, 1115(1), 012075. <https://doi.org/10.1088/1755-1315/1115/1/012075>

Sasaki, T., Yasui, T., & Matsuki, J. (2000). Effect of Amylose Content on Gelatinization, Retrogradation, and Pasting Properties of Starches from Waxy and Nonwaxy Wheat and Their F1 Seeds. *Cereal Chemistry*, 77(1), 58–63. <https://doi.org/10.1094/cchem.2000.77.1.58>

Shah, Y. A., Bhatia, S., Al-Harrasi, A., Afzaal, M., Saeed, F., Anwer, M. K., Khan, M. R., Jawad, M., Akram, N., & Faisal, Z. (2023). Mechanical properties of Protein-Based food packaging materials. *Polymers*, 15(7), 1724. <https://doi.org/10.3390/polym15071724>

Shanbhag, C., Shenoy, R., Shetty, P., Srinivasulu, M., & Nayak, R. (2023). Formulation and characterization of starch-based novel biodegradable edible films for food

- packaging. *Journal of Food Science and Technology*, 60, 2858 - 2867. <https://doi.org/10.1007/s13197-023-05803-2>.
- Singh, N., Singh, J., Kaur, L., Sodhi, N. S., & Gill, B. S. (2003). Morphological, thermal and rheological properties of starches from different botanical sources. *Food Chemistry*, 81, 219–231. [https://doi.org/10.1016/S0308-8146\(02\)00416-8](https://doi.org/10.1016/S0308-8146(02)00416-8)
- Soraya, S., Yanti, S., & Mikhratunnisa, M. (2019). Pengaruh Sirup Gula Cair Hasil Hidrolisis Enzimatis dari Sagu (*Metroxylon* sp.) Sebagai Media Fermentasi Terhadap Kadar Sefalosporin C. *Pro Food*, 5(1), 430–439. <https://doi.org/10.29303/profood.v5i1.90>
- Sothornvit, R., & Krochta, J. M. (2005). Plasticizer effect on mechanical properties of β -lactoglobulin films. *Journal of Food Engineering*, 50, 149–155.
- Sothornvit, R., & Krochta, J. M. (2005). Plasticizers in edible films and coatings. In *Elsevier eBooks* (pp. 403–433). <https://doi.org/10.1016/b978-012311632-1/50055-3>
- Suhery, W. N., Anggraini, D., & Endri, N. (2015). Pembuatan Dan Evaluasi Pati Talas (*Colocasia esculenta* Schott) Termodifikasi dengan Bakteri Asam Laktat (*Lactobacillus* sp). *Jurnal Sains Farmasi & Klinis*, 1(2), 207. <https://doi.org/10.29208/jsfk.2015.1.2.36>
- Syarifuddin, A., Haliza, N., Izzah, N., Tahir, M. M., & Dirpan, A. (2025). Physical, Mechanical, Barrier, and Optical Properties of Sodium Alginate/Gum Arabic/Gluten Edible Films Plasticized with Glycerol and Sorbitol. *Foods*, 14(7), 1219. <https://doi.org/10.3390/foods14071219>
- Talja, R. A., Helén, H., Roos, Y. H., & Jouppila, K. (2007). Effect of various polyols and polyol contents on physical and mechanical properties of potato starch-based films. *Carbohydrate Polymers*, 67(3), 288–295. <https://doi.org/10.1016/j.carbpol.2006.05.019>
- Tester, R. F., & Morrison, W. R. (1990). Swelling and gelatinization of cereal starches. I. Effects of amylopectin, amylose, and lipids. *Europe PMC (PubMed Central)*, 67(6), 551–557. <https://europepmc.org/article/AGR/IND91005375>.
- Thakur, R., Pristijono, P., Golding, J. B., et al.. (2017). Amylose–lipid complex formation and its effect on film properties. *Food Packaging and Shelf Life*, 12, 43–52. <https://doi.org/10.1016/j.fpsl.2017.03.003>
- Thakur, R., Pristijono, P., Scarlett, C. J., Bowyer, M., Singh, S., & Vuong, Q. V. (2019). Starch-based films: Major factors affecting their properties. *International Journal of Biological Macromolecules*, 132, 1079–1089. <https://doi.org/10.1016/j.ijbiomac.2019.03.190>

- Tong, Q., Xiao, Q., & Lim, L. (2012). Effects of glycerol, sorbitol, xylitol and fructose plasticisers on mechanical and moisture barrier properties of pullulan–alginate–carboxymethylcellulose blend films. *International Journal of Food Science & Technology*, 48(4), 870–878. <https://doi.org/10.1111/ijfs.12039>
- Urbanek, A.K., Rymowicz, W., dan Mironezuk, A.M., (2018), Degradation of Plastics and Plastic-degrading Bacteria in Cold Marine Habitats, *Appl. Microbiol. Biotechnol.*, 102(18), 7669-7678.
- Wahidin, M., Srimarlita, A., Sulaiman, I., & Indarti, E. (2021). Transparency and thickness of jackfruit and durian seed starch edible film. *IOP Conference Series Earth and Environmental Science*, 667(1), 012030. <https://doi.org/10.1088/1755-1315/667/1/012030>
- Wang, X., Reddy, C. K., & Xu, B. (2018). A systematic comparative study on morphological, crystallinity, pasting, thermal and functional characteristics of starches resources utilized in China. *Food Chemistry*, 259, 81–88. <https://doi.org/10.1016/j.foodchem.2018.03.121>
- Wardana, A.A., and DewantiWidyaningsih, T. (2017). Development of Edible Films from Tapioca Starch and Agar, Enriched with Red Cabbage (*Brassica Oleracea*) as a Sausage Deterioration Bio-indicator. *IOP Conf. Ser. Earth Environ. Sci.* 109: 012-031.
- Warkoyo, W., Dzikrika, A. I., Wahyudi, V. A., Siskawardani, D. D., & Zahoor, M. (2023). Study of Physical, Mechanical, and Barrier Edible Film Based on Yellow Sweet Potato with Additional Glycerol and Palm Oil. *E3S Web of Conferences*, 432, 00037. <https://doi.org/10.1051/e3sconf/202343200037>
- Weng, S., Marcet, I., Rendueles, M., & Díaz, M. (2024). Edible Films from the Laboratory to Industry: A Review of the Different Production Methods. *Food and Bioprocess Technology*, 18(4), 3245–3271. <https://doi.org/10.1007/s11947-024-03641-4>
- Ye, F., Li, J., & Zhao, G. (2020). Physicochemical properties of different-sized fractions of sweet potato starch and their contributions to the quality of sweet potato starch. *Food Hydrocolloids*, 108, 106023. <https://doi.org/10.1016/j.foodhyd.2020.106023>
- Yoon, J., & Lim, S. (2003). Molecular fractionation of starch by density-gradient ultracentrifugation. *Carbohydrate Research*, 338(7), 611–617. [https://doi.org/10.1016/s0008-6215\(02\)00539-6](https://doi.org/10.1016/s0008-6215(02)00539-6)
- Yulianti, C. (2024, September 11). "Indonesia Jadi Penyumbang Sampah Plastik Terbesar ke-2 di Dunia, Ini Penyebabnya". *kompas.com*. Diakses pada 6 Januari

2026 melalui <https://www.detik.com/edu/detikpedia/d7536226/indonesia-jadi-penyumbang-sampah-plastik-terbesar-ke-2-di-dunia-ini-penyebabnya>.

- Zeng, F., Liu, H., & Liu, G. (2013). Physicochemical properties of starch extracted from *Colocasia esculenta* (L.) Schott (Bun-long taro) grown in Hunan, China. *Starch - Stärke*, 66(1–2), 142–148. <https://doi.org/10.1002/star.201300039>
- Zhang, K., Su, T., Cheng, F., Lin, Y., Zhou, M., Zhu, P., *et al.*, (2019), Effect of Sodium Citrate/Polyethylene Glycol on Plasticization and Retrogradation of Maize Starch, *Int. J. Biol. Macromol.*, 1(1), 1-7.
- Zhang, Y., & Han, J. H. (2006). Mechanical and Thermal Characteristics of Pea Starch Films Plasticized with Monosaccharides and Polyols. *Journal of Food Science*, 71(2). <https://doi.org/10.1111/j.1365-2621.2006.tb08891.x>
- Zhou, T., Zhang, L., Liu, Q., Liu, W., & Hu, H. (2021). Rheological behaviors and physicochemical changes of doughs reconstituted from potato starch with different sizes and gluten. *Food Research International*, 145, 110397. <https://doi.org/10.1016/j.foodres.2021.110397>