UNIVERSITAS
GADJAH MADA
**KARAKTERISTIK EDIBLE FILM BERBASIS PATI TALAS (Colocasia esculenta (L.) Schott var. pratama) DENGAN
PLASTICIZER FRUKTOSA DAN APLIKASINYA SEBAGAI KEMASAN MINYAK BUMBU**
Hanif Aditya, Dr. Rini Yanti, S.T.P., M.P.; Dr. Manikharda, S.T.P., M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdillah, A. A., & Charles, A. L. (2021). Characterization of a natural biodegradable edible film obtained from arrowroot starch and iota-carrageenan and application in food packaging. *International Journal of Biological Macromolecules*, *191*, 618–626. https://doi.org/10.1016/j.ijbiomac.2021.09.141

Abotbina, W., Sapuan, S. M., Sultan, M. T. H., Alkbir, M. F. M., & Ilyas, R. A. (2021). Development and characterization of Cornstarch-Based bioplastiks Packaging film using a combination of different plastikizers. *Polymers*, *13*(20), 3487. https://doi.org/10.3390/polym13203487

Agama-Acevedo, E., Garcia-Suarez, F. J., Gutierrez-Meraz, F., Sanchez-Rivera, M. M., Martin, E. S., & Bello-Pérez, L. A. (2010). Isolation and partial characterization of Mexican taro (Colocasia esculenta L.) starch. *Starch - Stärke*, *63*(3), 139–146. https://doi.org/10.1002/star.201000113

Ahmidah, S. A., Qomariah, U. K. N., & Faizah, M. (2024). Analisis Sistem Budidaya Tanaman Talas Pratama (Colocasia esculenta L.) Schott var. Pratama) Di Pondok Pesantren Fathul Ulum Jombang. *Exact Papers in Compilation (EPiC)*, *6*(4), 10–19. https://doi.org/10.32764/epic.v6i4.1194

Alee, M., Duan, Q., Chen, Y., Liu, H., Ali, A., Zhu, J., Jiang, T., Rahaman, A., Chen, L., & Yu, L. (2021). Plasticization efficiency and characteristics of monosaccharides, disaccharides, and Low-Molecular-Weight polysaccharides for Starch-Based materials. *ACS Sustainable Chemistry & Engineering*, *9*(35), 11960–11969. https://doi.org/10.1021/acssuschemeng.1c04374

Aljilji, A., Mahmutović, O., Bašić, H., & Prazina, N. (2020). Mechanical properties of dried fruit packaging materials. *Periodicals of Engineering and Natural Sciences (International University of Sarajevo)*, *8*(4), 2547–2552. https://doi.org/10.21533/pen.v8i4.1487 analysis of the AOAC International (21th ed). AOAC.

Anwar, M. A., Suprihatin, S., Sasongko, N. A., Najib, M., Pranoto, B., Firmansyah, I., & Soekotjo, E. S. (2025). Sustainable waste management strategies for multilayer plastic in Indonesia. *Cleaner and Responsible Consumption*, *16*, 100254. https://doi.org/10.1016/j.clrc.2025.100254

Aprianita, A., Purwandari, U., Watson, B., & Vasiljevic, T. (2009). Physico-chemical properties of flours and starches from selected commercial tubers available in Australia. *International Food Research Journal, 16*, 507–520.

UNIVERSITAS GADJAH MADA
KARAKTERISTIK EDIBLE FILM BERBASIS PATI TALAS (Colocasia esculenta (L.) Schott var. pratama) DENGAN PLASTICIZER FRUKTOSA DAN APLIKASINYA SEBAGAI KEMASAN MINYAK BUMBU
Hanif Aditya, Dr. Rini Yanti, S.T.P., M.P.; Dr. Manikharda, S.T.P., M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Association of Official Analytical Chemist (AOAC). (2019). Official methods of analysis of the AOAC International (21th ed).

Badan Pusat Statistik Kabupaten Bangka Tengah. (2024, April 26). *Luas panen, produksi dan produktivitas dari talas*. Diakses pada 7 Januari 2026 melalui https://bangkatengahkab.bps.go.id/id/statistiks-table/2/MTM4IzI=/luas-panen-produksi-dan-produktivitas-dari-talas.html

Badan Standardisasi Nasional. (1994). *Mi instan* (SNI 01-3551-1994). Badan Standardisasi Nasional.

Badan Standardisasi Nasional. (2011). *Tapioka* (SNI 3451:2011). Jakarta: Badan Standardisasi Nasional.

Berti, S., Jagus, R. J., Flores, S. K., & González-Martínez, C. (2023). Antimicrobial Edible Starch Films Obtained By Casting and Thermo-compression Techniques. *Food and Bioprocess Technology*, *17*(4), 904–916. https://doi.org/10.1007/s11947-023-03172-4

Bhat, F. M., & Riar, C. S. (2016). Effect of amylose, particle size & morphology on the functionality of starches of traditional rice cultivars. *International Journal of Biological Macromolecules*, *92*, 637–644. https://doi.org/10.1016/j.ijbiomac.2016.07.078

Borbolla-Jiménez, F. V., Peña-Corona, S. I., Farah, S. J., Jiménez-Valdés, M. T., Pineda-Pérez, E., Romero-Montero, A., Del Prado-Audelo, M. L., Bernal-Chávez, S. A., Magaña, J. J., & Leyva-Gómez, G. (2023). Films for wound healing fabricated using a solvent casting technique. *Pharmaceutics*, *15*(7), 1914. https://doi.org/10.3390/pharmaceutics15071914

Cahyana, Y., Verrell, C., Kriswanda, D., Aulia, G. A., Yusra, N. A., Marta, H., Sukri, N., Esirgapovich, S. J., & Abduvakhitovna, S. S. (2023). Properties Comparison of Oxidized and Heat Moisture Treated (HMT) Starch-Based biodegradable films. *Polymers*, *15*(9), 2046. https://doi.org/10.3390/polym15092046

Chakraborty, I., Pallen, S., Shetty, Y., Roy, N., & Mazumder, N. (2020). Advanced microscopy techniques for revealing molecular structure of starch granules. Biophysical Reviews, 12(1), 105–122.https://doi.org/10.1007/s12551-020-00614-7

Chaléat, C., Halley, P. J., & Truss, R. (2014). Mechanical properties of Starch-Based plastics. In *Elsevier eBooks* (pp. 187–209). https://doi.org/10.1016/b978-0-444-53730-0.00023-3

Chandla, N. K., Khatkar, S. K., Singh, S., Saxena, D. C., Jindal, N., Bansal, V., & Wakchaure, N. (2020). Tensile Strength and Solubility Studies of Edible Biodegradable Films Developed from Pseudo-cereal Starches: An Inclusive

UNIVERSITAS GADJAH MADA
KARAKTERISTIK EDIBLE FILM BERBASIS PATI TALAS (Colocasia esculenta (L.) Schott var. pratama) DENGAN PLASTICIZER FRUKTOSA DAN APLIKASINYA SEBAGAI KEMASAN MINYAK BUMBU
Hanif Aditya, Dr. Rini Yanti, S.T.P., M.P.; Dr. Manikharda, S.T.P., M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Comparison with Commercial Corn Starch. *Asian Journal of Dairy and Food Research*, *OF*. https://doi.org/10.18805/ajdfr.dr-1522

Chatti, S., Laperrière, L., Reinhart, G., & Tolio, T. (Eds.). (2019). *CIRP Encyclopedia of Production Engineering* (2nd ed.). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-662-53120-4

Chen, Y., Wang, J., Xu, L., Nie, Y., Ye, Y., Qian, J., Liu, F., & Zhang, L. (2024). Effects of different *plasticizer*s on the structure, physical properties and film forming performance of Curdlan edible films. *Foods*, *13*(23), 3930. https://doi.org/10.3390/foods13233930

Cho, Y., & Kang, K. (2020). Functional Analysis of Starch Metabolism in Plants. *Plants*, 9. https://doi.org/10.3390/plants9091152.

Çokkuvvetli, A. T., Yolaçan, Ö., & Deniz, S. (2024). Mechanical, optical, and barrier characteristics of tapioca and rice starch-based edible thermoplastic antimicrobial packaging films. *AIP Conference Proceedings*, *3158*, 140004. https://doi.org/10.1063/5.0205203

Corradini, E., De Morais, L. C., Demarquette, N. R., Agnelli, J. a. M., & Mattoso, L. H. C. (2007). Study of process parameters for starch, gluten, and glycerol mixtures. *Polymers for Advanced Technologies*, *18*(10), 861–867. https://doi.org/10.1002/pat.937

Davies, T. E., Li, H., Bessette, S., Gauvin, R., Patience, G. S., & Dummer, N. F. (2022). Experimental methods in chemical engineering: Scanning electron microscopy andX-ray ultra-microscopy—SEMandXuM. *The Canadian Journal of Chemical Engineering*, *100*(11), 3145–3159. https://doi.org/10.1002/cjce.24405

Da Rosa Zavareze, E., Halal, S. L. M. E., De Los Santos, D. G., Helbig, E., Pereira, J. M., & Dias, A. R. G. (2011). Resistant starch and thermal, morphological and textural properties of heat-moisture treated rice starches with high-, medium- and low-amylose content. *Starch - Stärke*, *64*(1), 45–54. https://doi.org/10.1002/star.201100080

Da Silva, M. C., Ascheri, D. P. R., De Carvalho, C. W. P., Galdeano, M. C., & De Andrade, C. T. (2013). Characterization of cassava starch processed in an internal mixer. *Polímeros*, *23*(6), 825–832. https://doi.org/10.4322/polimeros.2014.007

Deka, D., & Sit, N. (2016). Dual modification of taro starch by microwave and other heat moisture treatments. *International Journal of Biological Macromolecules*, *92*, 416–422. https://doi.org/10.1016/j.ijbiomac.2016.07.040

UNIVERSITAS GADJAH MADA
KARAKTERISTIK EDIBLE FILM BERBASIS PATI TALAS (Colocasia esculenta (L.) Schott var. pratama) DENGAN PLASTICIZER FRUKTOSA DAN APLIKASINYA SEBAGAI KEMASAN MINYAK BUMBU
Hanif Aditya, Dr. Rini Yanti, S.T.P., M.P.; Dr. Manikharda, S.T.P., M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Díaz-Montes, E., & Castro-Muñoz, R. (2021). Edible Films and Coatings as Food-Quality Preservers: An Overview. *Foods*, *10*(2), 249. https://doi.org/10.3390/foods10020249

Dong, W., He, F., Jiang, H., Liu, L., & Qiu, Z. (2021). Comparative transcriptome sequencing of taro corm development with a focus on the starch and sucrose metabolism pathway. *Frontiers in Genetics*, *12*, 771081. https://doi.org/10.3389/fgene.2021.771081

Dong, Y., Li, Y., , Z., Rao, Z., Zheng, X., Tang, K., & Liu, J. (2023). Effect of polyol *plasticizer*s on properties and microstructure of soluble soybean polysaccharide edible films. Food Packaging and Shelf Life. https://doi.org/10.1016/j.fpsl.2022.101023.

Dorantes-Fuertes, M., López-Méndez, M. C., Martínez-Castellanos, G., Meléndez-Armenta, R. Á., & Jiménez-Martínez, H. (2024). Starch extraction Methods in Tubers and Roots: A Systematic review. *Agronomy*, *14*(4), 865. https://doi.org/10.3390/agronomy14040865

Duncan, S., & Hannah, S. (2012). Light-protective packaging materials for foods and beverages. In *Elsevier eBooks* (pp. 303–322). https://doi.org/10.1533/9780857095664.3.303

Edhirej, A., Sapuan, S. M., Jawaid, M., & Zahari, N. I. (2016). Effect of various *plasticizer*s and concentration on the physical, thermal, mechanical, and structural properties of cassava-starch-based films. *Starch - Stärke*, *69*(1–2). https://doi.org/10.1002/star.201500366

Eslami, Z., Elkoun, S., Robert, M., & Adjallé, K. (2023). A review of the effect of *plasticizer*s on the physical and mechanical properties of Alginate-Based films. *Molecules*, *28*(18), 6637. https://doi.org/10.3390/molecules28186637

Fitriani, S. (2018). Daya Pembengkakan Serta Sifat Pasta dan Termal Pati Sagu, Pati Beras dan Pati Ubi Kayu. *JITIPARI (Jurnal Ilmiah Teknologi Dan Industri Pangan UNISRI)*, *3*(1). https://doi.org/10.33061/jitipari.v3i1.1987

Fujiwara, N., Hall, C., & Carlson, R. (2016). A comparison of Rapid Visco Analyzer starch pasting curves and test baking for under- and overdosed dry baked mixes. *Cereal Foods World*, *61*(1), 29–37. https://doi.org/10.1094/cfw-61-1-0029

Gao, N., Starink, M. J., & Langdon, T. G. (2009). Using differential scanning calorimetry as an analytical tool for ultrafine grained metals processed by severe plastic deformation. *Materials Science and Technology*, *25*(6), 687–698. https://doi.org/10.1179/174328409x408901

Gdoutos, E., & Konsta-Gdoutos, M. (2024). Tensile testing. In *Solid mechanics and its applications* (pp. 1–34). https://doi.org/10.1007/978-3-031-45990-0_1

UNIVERSITAS GADJAH MADA
KARAKTERISTIK EDIBLE FILM BERBASIS PATI TALAS (Colocasia esculenta (L.) Schott var. pratama) DENGAN PLASTICIZER FRUKTOSA DAN APLIKASINYA SEBAGAI KEMASAN MINYAK BUMBU
Hanif Aditya, Dr. Rini Yanti, S.T.P., M.P.; Dr. Manikharda, S.T.P., M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Gniewosz, M., Pobiega, K., Kraśniewska, K., Synowiec, A., Chaberek, M., & Galus, S. (2022). Characterization and Antifungal Activity of Pullulan Edible Films Enriched with Propolis Extract for Active Packaging. *Foods*, *11*(15), 2319. https://doi.org/10.3390/foods11152319

Gupta, R. K., Guha, P., & Srivastav, P. P. (2024a). Insights into the physicochemical, crystalline, multistructural, thermal and digestibility behavior of taro starch (Colocasia esculenta) modified by cold plasma treatment with high voltage dielectric barrier discharge (HVDBD): An alternative technique for chemical modification of starch and environmental sustainability. *Journal of Cleaner Production*, *461*, 142710. https://doi.org/10.1016/j.jclepro.2024.142710

Hajlaoui, K., Abdelhedi, O., Salem, A., Debeaufort, F., Zouari, N., Zhang, Y., & Jridi, M. (2024). Food-grade gelatin from camel skin: Extraction, characterisation and potential use for thin film packaging preparation. Food Hydrocolloids,150, 109698 https://doi.org/10.1016/j.foodhyd.2023.109698

Hazrati, K., Sapuan, S., Zuhri, M., & Jumaidin, R. (2021). Effect of *plasticizer*s on physical, thermal, and tensile properties of thermoplastic films based on Dioscorea hispida starch. *International Journal of Biological Macromolecules*, *185*, 219–228. https://doi.org/10.1016/j.ijbiomac.2021.06.099

Homez, A. K., Daza, L. D., Solanilla, J. F., & Váquiro, H. A. (2018). Effect of temperature, starch and *plasticizer* concentrations on color parameters of ulluco (Ullucus tuberosus Caldas) edible films. *IOP Conference Series Materials Science and Engineering*, *437*, 012003. https://doi.org/10.1088/1757-899x/437/1/012003

Hoover, R. (2001). Composition, molecular structure, and physicochemical properties of tuber and root starches: A review. *Carbohydrate Polymers, 45*, 253–267. https://doi.org/10.1016/S0144-8617(00)00260-5

Hosseini, S.F., Rezaei, M., Zandi, M. & Farahmand, F. (2013). Preparation and functional properties of fish gelatin – chitosan blend edible films. Food Chemistry. 136(3–4):1490–1495.

Hussain, S. A., Yadav, M. P., Sharma, B. K., Qi, P. X., & Jin, T. Z. (2024). Biodegradable food packaging films using a combination of hemicellulose and cellulose derivatives. *Polymers*, *16*(22), 3171. https://doi.org/10.3390/polym16223171

Ibrahim, M., Sapuan, S., Zainudin, E., & Zuhri, M. (2019). Physical, thermal, morphological, and tensile properties of cornstarch-based films as affected by different *plasticizer*s. *International Journal of Food Properties*, *22*(1), 925–941. https://doi.org/10.1080/10942912.2019.1618324

UNIVERSITAS GADJAH MADA
KARAKTERISTIK EDIBLE FILM BERBASIS PATI TALAS (Colocasia esculenta (L.) Schott var. pratama) DENGAN PLASTICIZER FRUKTOSA DAN APLIKASINYA SEBAGAI KEMASAN MINYAK BUMBU
Hanif Aditya, Dr. Rini Yanti, S.T.P., M.P.; Dr. Manikharda, S.T.P., M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Jaderi, Z., Yazdi, F. T., Mortazavi, S. A., & Koocheki, A. (2022). Effects of glycerol and sorbitol on a novel biodegradable edible film based on Malva sylvestris flower gum. *Food Science & Nutrition*, *11*(2), 991–1000. https://doi.org/10.1002/fsn3.3134

Jaidka, S., Sharma, R., Kaur, S., & Singh, D. P. (2022). Scanning Electron Microscopy (SEM): Learning to Generate and Interpret the Topographical Aspects of Materials. In *Microscopic Techniques for the Non-Expert* (pp. 165–185). https://doi.org/10.1007/978-3-030-99542-3_7

Jeevahan, J., Chandrasekaran, M., & Sethu, A. (2019). Influence of nanocellulose addition on the film properties of the bionanocomposite edible films prepared from maize, rice, wheat, and potato starches. *AIP Conference Proceedings*, *2162*, 020073. https://doi.org/10.1063/1.5130283

Karim, A. A., Norziah, M. H., & Seow, C. C. (2000). Methods for the study of starch retrogradation. *Food Chemistry*, 71(1), 9–36.

Karnwal, A., Rauf, A., Jassim, A. Y., Selvaraj, M., Al-Tawaha, A. R. M. S., Kashyap, P., Kumar, D., & Malik, T. (2025). Advanced starch-based films for food packaging: Innovations in sustainability and functional properties. *Food Chemistry X*, *29*, 102662. https://doi.org/10.1016/j.fochx.2025.102662

Kaschuk, J. J., Haj, Y. A., Garcia, J. V., Kamppinen, A., Rojas, O. J., Abitbol, T., Miettunen, K., & Vapaavuori, J. (2024). Processing factors affecting roughness, optical and mechanical properties of nanocellulose films for optoelectronics. *Carbohydrate Polymers*, *332*, 121877. https://doi.org/10.1016/j.carbpol.2024.121877

Kocira, A., Kozłowicz, K., Panasiewicz, K., Staniak, M., Szpunar-Krok, E., & Hortyńska, P. (2021). Polysaccharides as Edible Films and Coatings: Characteristics and Influence On Fruit and Vegetable Quality—A Review. *Agronomy*, *11*(5), 813. https://doi.org/10.3390/agronomy11050813

Kumar, N., Pratibha, Petkoska, A. T., Khojah, E., Sami, R., & Al-Mushhin, A. a. M. (2021). Chitosan Edible Films Enhanced with Pomegranate Peel Extract: Study on Physical, Biological, Thermal, and Barrier Properties. *Materials*, *14*(12), 3305. https://doi.org/10.3390/ma14123305

Liu, H., Xie, F., Yu, L., Chen, L., & Li, L. (2009). Thermal processing of starch-based polymers. *Progress in Polymer Science, 34*, 1348–1368. https://doi.org/10.1016/j.progpolymsci.2009.07.001

Liu, S., Yuan, T. Z., Wang, X., Reimer, M., Isaak, C., & Ai, Y. (2019). Behaviors of starches evaluated at high heating temperatures using a new model of Rapid

UNIVERSITAS GADJAH MADA
KARAKTERISTIK EDIBLE FILM BERBASIS PATI TALAS (Colocasia esculenta (L.) Schott var. pratama) DENGAN PLASTICIZER FRUKTOSA DAN APLIKASINYA SEBAGAI KEMASAN MINYAK BUMBU
Hanif Aditya, Dr. Rini Yanti, S.T.P., M.P.; Dr. Manikharda, S.T.P., M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Visco Analyzer – RVA 4800. *Food Hydrocolloids*, *94*, 217–228. https://doi.org/10.1016/j.foodhyd.2019.03.015

Lue, S., Lee, D., Chen, J., Chiu, C., Hu, C., Jean, Y., & Lai, J. (2008). Diffusivity enhancement of water vapor in poly(vinyl alcohol)–fumed silica nano-composite membranes: Correlation with polymer crystallinity and free-volume properties. *Journal of Membrane Science*, *325*(2), 831–839. https://doi.org/10.1016/j.memsci.2008.09.015

Mali, S., Karam, L. B., Ramos, L. P., & Grossmann, M. V. E. (2004). Relationships among the Composition and Physicochemical Properties of Starches with the Characteristics of Their Films. *Journal of Agricultural and Food Chemistry*, *52*(25), 7720–7725. https://doi.org/10.1021/jf049225

Mallick, N., Pal, D., Agrawal, M., & Soni, A. B. (2020). Effect of different *plasticizer*s on mechanical, thermal, and barrier properties of corn starch/polyvinyl alcohol/rice husk flour based bio-composite films. *Zenodo (CERN European Organization for Nuclear Research)*. https://doi.org/10.5281/zenodo.5668184

Melani, L., & Kim, H. (2019). Physicochemical Properties of Starches from Several Agricultural Sources: Application to a Starch-based Adhesive. *Journal of Korea Technical Association of the Pulp and Paper Industry*, *51*(2), 100–107. https://doi.org/10.7584/jktappi.2019.04.51.2.100

Mohamed, S.A.A., El-Sakhawyb, M., and El-Sakhawyb, M.A.M. (2020). Polysaccharides, Protein, and Lipid-Based Natural Edible films in Food Packaging: A Review.Carbohydrate Polymers, 238.

Muratkhan, M., Zhainagul, K., Svetlana, K., Toimbayeva, D., Temirova, I., Tazhina, S., Khamitova, D., Saule, S., Tultabayeva, T., Bulashev, B., & Ospankulova, G. (2025). Development and Optimization of Edible Antimicrobial Films Based on Dry Heat–Modified Starches from Kazakhstan. *Foods*, *14*(11), 2001. https://doi.org/10.3390/foods14112001

Naveen, R., & Loganathan, M. (2023). Role of Varieties of Starch in the Development of Edible Films—A Review. *Starch - Stärke*, *76*(11–12). https://doi.org/10.1002/star.202300138

Nguyen, T. D. H., & Truong, D. H. (2025). Edible Film-forming potential of Gelatin Blends With Glycerol and Sorbitol for Application in Instant Noodle Seasoning Powder Packaging. *Tropical Journal of Natural Product Research*, *9*(1). https://doi.org/10.26538/tjnpr/v9i1.50

Ningrum, A., Widyastuti Perdani, A., Supriyadi, Siti Halimatul Munawaroh, H., Aisyah, S., & Susanto, E. (2021). Characterization of Tuna Skin Gelatin Edible Films with Various *Plasticizer*s-Essential Oils and Their Effect on Beef

UNIVERSITAS GADJAH MADA
KARAKTERISTIK EDIBLE FILM BERBASIS PATI TALAS (Colocasia esculenta (L.) Schott var. pratama) DENGAN PLASTICIZER FRUKTOSA DAN APLIKASINYA SEBAGAI KEMASAN MINYAK BUMBU
Hanif Aditya, Dr. Rini Yanti, S.T.P., M.P.; Dr. Manikharda, S.T.P., M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Appearance. Journal of Food Processing and Preservation, 45(9), 1-13. https://doi.org/10.1111/jfpp.15701

Noda, T., Takahata, Y., Sato, T., *et al.*. (1998). Physicochemical properties of starches extracted from sweetpotato roots differing in physiological age. *Journal of Agricultural and Food Chemistry, 46*, 232–236.

Nurhidajah, N., Pranata, B., & Yonata, D. (2021). Pemodelan Persamaan Arhenius Untuk Memperdiksi Umur Simpan Penyedap Rasa Cangkang Rajungan. *AGROINTEK*, *15*(2), 566–573. https://doi.org/10.21107/agrointek.v15i2.9720

Nurtiana, W., & Pamela, V. Y. (2019). Characterization of chemical properties and color of starch from Talas Beneng (Xanthosoma undipesh K. Koch) extraction as a source of indigenous carbohydrate from Pandeglang regency, Banten province. *IOP Conference Series Earth and Environmental Science*, *383*(1), 012050. https://doi.org/10.1088/1755-1315/383/1/012050

Pangesti, A. D., Rahim, A., & Hutomo, G. S. (2014). Karakteristik Fisik, Mekanik dan Sensoris Edible Film dari Pati Talas Pada Berbagai Konsentrasi Asam Palmitat. *AGROTEKBIS*, *2*(6), 248881. https://www.neliti.com/publications/248881/karakteristik-fisik-mekanik-dan-sensoris-edible-film-dari-pati-talas-pada-berbag

Pei, J., Palanisamy, C. P., Srinivasan, G. P., Panagal, M., Kumar, S. S. D., & Mironescu, M. (2024). A comprehensive review on starch-based sustainable edible films loaded with bioactive components for food packaging. *International Journal of Biological Macromolecules*, *274*(Pt 1), 133332. https://doi.org/10.1016/j.ijbiomac.2024.133332

Ploypetchara, T., & Gohtani, S. (2018). Effect of sugar on starch edible film properties: plasticized effect. *Journal of Food Science and Technology*, 55, 3757-3766. https://doi.org/10.1007/s13197-018-3307-7.

Ploypetchara, T., & Gohtani, S. (2020). Characteristics of rice starch film blended with sugar (trehalose/allose) and oil (canola oil/coconut oil): Part I - Filmogenic solution behavior and mechanical properties.. *Journal of food science*. https://doi.org/10.1111/1750-3841.15455.

Puspita, S. E., Eris, F. R., & Riyanto, R. A. (2022). Physical-Mechanical Properties of Edible Film Based on Beneng Taro (Xanthosoma Undipes K.Koch) Starch with *Plasticizer*. *Food ScienTech Journal*, *4*(1), 37. https://doi.org/10.33512/fsj.v4i1.15711

Putri, T. R., Adhitasari, A., Paramita, V., Yulianto, M. E., & Ariyanto, H. D. (2023). Effect of different starch on the characteristics of edible film as functional

UNIVERSITAS GADJAH MADA
KARAKTERISTIK EDIBLE FILM BERBASIS PATI TALAS (Colocasia esculenta (L.) Schott var. pratama) DENGAN PLASTICIZER FRUKTOSA DAN APLIKASINYA SEBAGAI KEMASAN MINYAK BUMBU
Hanif Aditya, Dr. Rini Yanti, S.T.P., M.P.; Dr. Manikharda, S.T.P., M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

packaging in fresh meat or meat products: A review. *Materials Today Proceedings*, *87*, 192–199. https://doi.org/10.1016/j.matpr.2023.02.396

Qoeroti, B., Pangastuti, A., & Susilowati, A. (2021). Aplication of edible film incorporated with Portulaca oleracea extract to inhibit microbiological and oxidative damage in sausages. Biodeversitas, 22(8), 3556-3561.

Quezada-Correa, L. M., Contreras-Dioses, O., Martínez-Mora, E. O., Gómez-Aldapa, C. A., Ramírez-Moreno, E., & Cuenca-Mayorga, F. P. (2021). Thermal and functional properties of starch extracted from tubers cultivated in the Ecuadorian Andean region. *Acta Agriculturae Slovenica*, *117*(2). https://doi.org/10.14720/aas.2021.117.2.1755

Rahmawati, W., Kusumastuti, Y. A., & Aryanti, N. (2012). Karakterisasi Pati Talas (Colocasia Esculenta (L.) Schott) Sebagai Alternatif Sumber Pati Industri di Indonesia. *JURNAL TEKNOLOGI KIMIA DAN INDUSTRI*, *1*(1), 347–351. http://eprints.undip.ac.id/36686/

Rahmi, Q., Wulandari, E., & Gumilar, J. (2022). Pengaruh Konsentrasi Gliserol pada Gelatin Kulit Kelinci terhadap Kadar Air, Ketebalan Film, dan Laju Transmisi Uap Air Edible Film. Jurnal Teknologi Hasil Peternakan, 3, 19.https://doi.org/10.24198/jthp.v3i1.39444

Ratnayake, W. S., & Jackson, D. S. (2008). Chapter 5 Starch gelatinization. *Advances in Food and Nutrition Research*, *55*, 221–268. https://doi.org/10.1016/s1043-4526(08)00405-1

Ridla, M., Permatasari, F., & Nahrowi, N. (2023b). Pengaruh Lama Penyimpanan dan Jenis Kemasan terhadap Kadar Air dan Kualitas Sifat Fisik Dedak Padi. *Jurnal Agripet*, *23*(2), 187–195. https://doi.org/10.17969/agripet.v23i2.26979

Ríos-Ríos, K., González-Mondragón, E., Segura-Campos, M., Ramírez-Jiménez, M., López-Luna, J., López-Martínez, I., & Betancur-Ancona, D. (2016). Physicochemical and nutritional characterization of starch isolated fromColocasia antiquorumCultivated in Oaxaca, Mexico. *Journal of Chemistry*, *2016*, 1–7. https://doi.org/10.1155/2016/6721418

Rodríguez, A. B., Vargas-Torres, A., Chimal, S. R., Cortez, R. O. N., Del Carmen Coutiño Laguna, B., & Palma-Rodríguez, H. M. (2025). Evaluation of double-modified taro starch for the encapsulation and protection of bioactive compounds in Hibiscus Sabdariffa extract. *Carbohydrate Research*, *560*, 109768. https://doi.org/10.1016/j.carres.2025.109768

Rolland-Sabaté, A., Sánchez, T., Buléon, A., Colonna, P., Jaillais, B., Ceballos, H., & Dufour, D. (2011). Structural characterization of novel cassava starches with low and high-amylose contents in comparison with other commercial sources.

UNIVERSITAS GADJAH MADA
KARAKTERISTIK EDIBLE FILM BERBASIS PATI TALAS (Colocasia esculenta (L.) Schott var. pratama) DENGAN PLASTICIZER FRUKTOSA DAN APLIKASINYA SEBAGAI KEMASAN MINYAK BUMBU
Hanif Aditya, Dr. Rini Yanti, S.T.P., M.P.; Dr. Manikharda, S.T.P., M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Food Hydrocolloids, *27*(1), 161–174. https://doi.org/10.1016/j.foodhyd.2011.07.008

Romero-Bastida, C. A., Bello-Pérez, L. A., García, M. A., Martino, M. N., Solorza-Feria, J., & Zaritzky, N. E. (2005). Physicochemical and microstructural characterization of films prepared by thermal and cold gelatinization from non-conventional sources of starches. *Carbohydrate Polymers*, *60*(2), 235–244. https://doi.org/10.1016/j.carbpol.2005.01.004

Saberi, B., Thakur, R., Vuong, Q. V., Chockchaisawasdee, S., Golding, J. B., Scarlett, C. J., & Stathopoulos, C. E. (2016). Optimization of physical and optical properties of biodegradable edible films based on pea starch and guar gum. *Industrial Crops and Products*, *86*, 342–352. https://doi.org/10.1016/j.indcrop.2016.04.015

Salama, H., Aziz, M. A., Saad, G., & Elsoholy, M. (2021). Optimization of the water vapor permeability of starch/alginate edible system reinforced with microcrystalline cellulose for the shelf-life extension of green capsicums. *Egyptian Journal of Chemistry*, *0*(0), 0. https://doi.org/10.21608/ejchem.2021.66683.3434

Sanyang, M. L., Sapuan, S. M., Jawaid, M., Ishak, M. R., & Sahari, J. (2016). Effect of *plasticizer* type and concentration on physical properties of biodegradable films based on sugar palm (arenga pinnata) starch for food packaging. *Journal of Food Science and Technology*, *53*(1), 326–336. https://doi.org/10.1007/s13197-015-2009-7

Sartika, M., Rambe, F. R., Parinduri, S. Z. D. M., Harahap, H., Nasution, H., Lubis, M., Taslim, & Manurung, R. (2022). Tensile properties of edible films from various types of starch with the addition of glycerol as *plasticizer*: a review. *IOP Conference Series Earth and Environmental Science*, *1115*(1), 012075. https://doi.org/10.1088/1755-1315/1115/1/012075

Sasaki, T., Yasui, T., & Matsuki, J. (2000). Effect of Amylose Content on Gelatinization, Retrogradation, and Pasting Properties of Starches from Waxy and Nonwaxy Wheat and Their F1 Seeds. *Cereal Chemistry*, *77*(1), 58–63. https://doi.org/10.1094/cchem.2000.77.1.58

Shah, Y. A., Bhatia, S., Al-Harrasi, A., Afzaal, M., Saeed, F., Anwer, M. K., Khan, M. R., Jawad, M., Akram, N., & Faisal, Z. (2023). Mechanical properties of Protein-Based food packaging materials. *Polymers*, *15*(7), 1724. https://doi.org/10.3390/polym15071724

Shanbhag, C., Shenoy, R., Shetty, P., Srinivasulu, M., & Nayak, R. (2023). Formulation and characterization of starch-based novel biodegradable edible films for food

UNIVERSITAS GADJAH MADA
KARAKTERISTIK EDIBLE FILM BERBASIS PATI TALAS (Colocasia esculenta (L.) Schott var. pratama) DENGAN PLASTICIZER FRUKTOSA DAN APLIKASINYA SEBAGAI KEMASAN MINYAK BUMBU
Hanif Aditya, Dr. Rini Yanti, S.T.P., M.P.; Dr. Manikharda, S.T.P., M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

packaging. *Journal of Food Science and Technology*, 60, 2858 - 2867. https://doi.org/10.1007/s13197-023-05803-2.

Singh, N., Singh, J., Kaur, L., Sodhi, N. S., & Gill, B. S. (2003). Morphological, thermal and rheological properties of starches from different botanical sources. *Food Chemistry, 81*, 219–231. https://doi.org/10.1016/S0308-8146(02)00416-8

Soraya, S., Yanti, S., & Mikhratunnisa, M. (2019). Pengaruh Sirup Gula Cair Hasil Hidrolisis Enzimatis dari Sagu (Metroxylon sp.) Sebagai Media Fermentasi Terhadap Kadar Sefalosporin C. *Pro Food*, *5*(1), 430–439. https://doi.org/10.29303/profood.v5i1.90

Sothornvit, R., & Krochta, J. M. (2005). *Plasticizer* effect on mechanical properties of β-lactoglobulin films. *Journal of Food Engineering, 50*, 149–155.

Sothornvit, R., & Krochta, J. M. (2005). *Plasticizer*s in edible films and coatings. In *Elsevier eBooks* (pp. 403–433). https://doi.org/10.1016/b978-012311632-1/50055-3

Suhery, W. N., Anggraini, D., & Endri, N. (2015). Pembuatan Dan Evaluasi Pati Talas (Colocasia esculenta Schoot) Termodifikasi dengan Bakteri Asam Laktat (Lactobacillus sp). *Jurnal Sains Farmasi & Klinis*, *1*(2), 207. https://doi.org/10.29208/jsfk.2015.1.2.36

Syarifuddin, A., Haliza, N., Izzah, N., Tahir, M. M., & Dirpan, A. (2025). Physical, Mechanical, Barrier, and Optical Properties of Sodium Alginate/Gum Arabic/Gluten Edible Films Plasticized with Glycerol and Sorbitol. *Foods*, *14*(7), 1219. https://doi.org/10.3390/foods14071219

Talja, R. A., Helén, H., Roos, Y. H., & Jouppila, K. (2007). Effect of various polyols and polyol contents on physical and mechanical properties of potato starch-based films. *Carbohydrate Polymers*, *67*(3), 288–295. https://doi.org/10.1016/j.carbpol.2006.05.019

Tester, R. F., & Morrison, W. R. (1990). Swelling and gelatinization of cereal starches. I. Effects of amylopectin, amylose, and lipids. *Europe PMC (PubMed Central)*, *67*(6), 551–557. https://europepmc.org/article/AGR/IND91005375.

Thakur, R., Pristijono, P., Golding, J. B., *et al.*. (2017). Amylose–lipid complex formation and its effect on film properties. *Food Packaging and Shelf Life, 12*, 43–52. https://doi.org/10.1016/j.fpsl.2017.03.003

Thakur, R., Pristijono, P., Scarlett, C. J., Bowyer, M., Singh, S., & Vuong, Q. V. (2019). Starch-based films: Major factors affecting their properties. *International Journal of Biological Macromolecules*, *132*, 1079–1089. https://doi.org/10.1016/j.ijbiomac.2019.03.190

UNIVERSITAS GADJAH MADA
KARAKTERISTIK EDIBLE FILM BERBASIS PATI TALAS (Colocasia esculenta (L.) Schott var. pratama) DENGAN PLASTICIZER FRUKTOSA DAN APLIKASINYA SEBAGAI KEMASAN MINYAK BUMBU
Hanif Aditya, Dr. Rini Yanti, S.T.P., M.P.; Dr. Manikharda, S.T.P., M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Tong, Q., Xiao, Q., & Lim, L. (2012). Effects of glycerol, sorbitol, xylitol and fructose plasticisers on mechanical and moisture barrier properties of pullulan–alginate–carboxymethylcellulose blend films. *International Journal of Food Science & Technology*, *48*(4), 870–878. https://doi.org/10.1111/ijfs.12039

Urbanek, A.K., Rymowiez, W., dan Mironezuk, A.M., (2018), Degradation of Plastics and Plastic-degrading Bacteria in Cold Marine Habitats, Appl. Microbiol. Biotechnol., 102(18), 7669-7678.

Wahidin, M., Srimarlita, A., Sulaiman, I., & Indarti, E. (2021). Transparency and thickness of jackfruit and durian seed starch edible film. *IOP Conference Series Earth and Environmental Science*, *667*(1), 012030. https://doi.org/10.1088/1755-1315/667/1/012030

Wang, X., Reddy, C. K., & Xu, B. (2018). A systematic comparative study on morphological, crystallinity, pasting, thermal and functional characteristics of starches resources utilized in China. *Food Chemistry*, *259*, 81–88. https://doi.org/10.1016/j.foodchem.2018.03.121

Wardana, A.A., and DewantiWidyaningsih, T. (2017). Development of Edible Films from Tapioca Starch and Agar, Enriched with Red Cabbage (Brassica Oleracea) as a Sausage Deterioration Bio-indicator. IOP Conf. Ser. Earth Environ. Sci. 109: 012-031.

Warkoyo, W., Dzikrika, A. I., Wahyudi, V. A., Siskawardani, D. D., & Zahoor, M. (2023). Study of Physical, Mechanical, and Barrier Edible Film Based on Yellow Sweet Potato with Additional Glycerol and Palm Oil. *E3S Web of Conferences*, *432*, 00037. https://doi.org/10.1051/e3sconf/202343200037

Weng, S., Marcet, I., Rendueles, M., & Díaz, M. (2024). Edible Films from the Laboratory to Industry: A Review of the Different Production Methods. *Food and Bioprocess Technology*, *18*(4), 3245–3271. https://doi.org/10.1007/s11947-024-03641-4

Ye, F., Li, J., & Zhao, G. (2020). Physicochemical properties of different-sized fractions of sweet potato starch and their contributions to the quality of sweet potato starch. *Food Hydrocolloids*, *108*, 106023. https://doi.org/10.1016/j.foodhyd.2020.106023

Yoon, J., & Lim, S. (2003). Molecular fractionation of starch by density-gradient ultracentrifugation. *Carbohydrate Research*, *338*(7), 611–617. https://doi.org/10.1016/s0008-6215(02)00539-6

Yulianti, C. (2024, September 11). "Indonesia Jadi Penyumbang Sampah Plastik Terbesar ke-2 di Dunia, Ini Penyebabnya". kompas.com. Diakses pada 6 Januari

UNIVERSITAS
GADJAH MADA
**KARAKTERISTIK EDIBLE FILM BERBASIS PATI TALAS (Colocasia esculenta (L.) Schott var. pratama) DENGAN
PLASTICIZER FRUKTOSA DAN APLIKASINYA SEBAGAI KEMASAN MINYAK BUMBU**
Hanif Aditya, Dr. Rini Yanti, S.T.P., M.P.; Dr. Manikharda, S.T.P., M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

2026 melalui https://www.detik.com/edu/detikpedia/d7536226/indonesia-jadi-penyumbang-sampah-plastik-terbesar-ke-2-di dunia-ini-penyebabnya.

Zeng, F., Liu, H., & Liu, G. (2013). Physicochemical properties of starch extracted from Colocasia esculenta (L.) Schott (Bun-long taro) grown in Hunan, China. *Starch - Stärke*, *66*(1–2), 142–148. https://doi.org/10.1002/star.201300039

Zhang, K., Su, T., Cheng, F., Lin, Y., Zhou, M., Zhu, P., *et al.*.,(2019), Effect of Sodium Citrate/Polyethylene Glycol on Plasticization and Retrogradation of Maize Starch, Int. J. Biol. Macromol., 1(1), 1-7.

Zhang, Y., & Han, J. H. (2006). Mechanical and Thermal Characteristics of Pea Starch Films Plasticized with Monosaccharides and Polyols. *Journal of Food Science*, *71*(2). https://doi.org/10.1111/j.1365-2621.2006.tb08891.x

Zhou, T., Zhang, L., Liu, Q., Liu, W., & Hu, H. (2021). Rheological behaviors and physicochemical changes of doughs reconstituted from potato starch with different sizes and gluten. *Food Research International*, *145*, 110397. https://doi.org/10.1016/j.foodres.2021.110397