

DAFTAR PUSTAKA

- Abriyenti, A., Sasmi, M., & Susanto, H. (2020). Prilaku Konsumen Terhadap Produk Tempe Di Pasar Benai Kecamatan Benai Kabupaten Kuantan Singingi. *Green Swarnadwipa: Jurnal Pengembangan Ilmu Pertanian*, 9(1), 127-135.
- Achouri, A., Boye, J. I., & Zamani, Y. (2006). Identification of volatile compounds in soymilk using solid-phase microextraction-gas chromatography. *Food Chemistry*, 99(4), 759-766.
- Adeyeye, S. A. O., et al. (2017). *Cowpea tempeh: Effect of fermentation on mineral profile and fungal contamination*. *Journal of Food Research*, 6(2): 32–40.
- Ajewole, K. (2002). Investigation into the lesser known Pulse-*Canavalia ensiformis*: Chemical composition and Fatty acid profile.
- Al-Khalili, M., Pathare, P. B., Rahman, S., & Al-Habsi, N. (2025). Aroma compounds in food: Analysis, characterization and flavor perception. *Measurement: Food*, 18, 100220.
- Arifin, Z., & Fitriani, D. (2021). *Perbandingan mutu tempe dari kacang kedelai dengan kacang tanah*. *Al-Kimia: Jurnal Penelitian Sains Kimia*, 9(1): 12–20.
- Arista, Y. L. V., Chastelyna, A. J., Khairunnisa, A., & da Costa Moniz, J. P. G. (2024). Karakteristik Sensori Dan Fitokimia Tempe Berbasis Biji Almond (*Prunus dulcis* L), Kedelai (*Glycine max* L) Dan Kacang Hijau (*Vigna radiata* L). *JAGO TOLIS: Jurnal Agrokompleks Tolis*, 4(3), 174-182.
- Astuti, T., Sitompul, M., & Faadhilansiyah, A. (2023). Tempeh consumption patterns in Indonesian family and contribution nutritional adequacy. *AcTion: Aceh Nutrition Journal*, 8(4), 518-525.
- Badan Pusat Statistik. (2024). *Impor Kedelai menurut Negara Asal Utama, 2017-2023*. Badan Pusat Statistik. <https://www.bps.go.id/id/>
- Barus, T., Giovania, G., & Lay, B. W. (2020). Lactic acid bacteria from tempeh and their ability to acidify soybeans in tempeh fermentation. *Microbiology Indonesia*, 14(4), 4-4.
- Becalski, A., Halldorson, T., Hayward, S., & Roscoe, V. (2016). Furan, 2-methylfuran and 3-methylfuran in coffee on the Canadian market. *Journal of Food Composition and Analysis*, 47, 113-119.
- Belitz, H. D., Grosch, W., & Schieberle, P. (2009). *Food chemistry*. Berlin, Heidelberg: Springer Berlin Heidelberg.
- Bressani, R., Brenes, R. G., García, A., & Elías, L. G. (1987). Chemical composition, amino acid content and protein quality of *Canavalia* spp. seeds. *Journal of the Science of Food and Agriculture*, 40(1), 17-23.
- Castaneda, L. A. F., Saini, S., Laaksonen, O., Kårlund, A., Leong, S. L. L., Newson, W. R., ... & Zamaratskaia, G. (2025). Sensory and volatile compound profiles in tempeh-like products from faba bean and oats. *Current Research in Food Science*, 10, 101029.
- Chambers IV, E., & Koppel, K. (2013). Associations of volatile compounds with sensory aroma and flavor: The complex nature of flavor. *Molecules*, 18(5), 4887-4905.

- Chen, X., Lu, Y., Zhao, A., Wu, Y., Zhang, Y., & Yang, X. (2022). Quantitative analyses for several nutrients and volatile components during fermentation of soybean by *Bacillus subtilis* natto. *Food Chemistry*, 374, 131725.
- Chen, C., Sheng, M., Yuan, H., Pan, X., Tian, H., & Lou, X. (2025). Perceptual interaction of aroma compounds and their effects on the enhancement of flavor quality in foods: A review. *Trends in Food Science & Technology*, 105315.
- Clark, G. S. (1995). An aroma chemical profile. *Perfum. Flavorist*, 20, 41-44.
- de Reu, J. C., Marcel ten Wolde, R., de Groot, J., Nout, M. R., Rombouts, F. M., & Gruppen, H. (1995). Protein hydrolysis during soybean tempe fermentation with *Rhizopus oligosporus*. *Journal of Agricultural and Food Chemistry*, 43(8), 2235-2239.
- Díaz, A. M., Caldas, G. V., & Blair, M. W. (2010). Concentrations of condensed tannins and anthocyanins in common bean seed coats. *Food Research International*, 43(2), 595–601. <https://doi.org/10.1016/j.foodres.2009.07.014>
- Doores, S. (2005). Organic acids. *FOOD SCIENCE AND TECHNOLOGY-NEW YORK-MARCEL DEKKER-*, 145, 91.
- El-Shemy, H., Abdel-Rahim, E., Shaban, O., Ragab, A., Carnovale, E., & Fujita, K. (2000). Comparison of nutritional and antinutritional factors in soybean and fababean seeds with or without cortex. *Soil Science and Plant Nutrition*, 46(2), 515-524.
- Elsharif, S. A., & Buettner, A. (2017). Influence of the chemical structure on the odor characters of β -citronellol and its oxygenated derivatives. *Food Chemistry*, 232, 704-711.
- Englyst, K. N., & Englyst, H. N. (2005). Carbohydrate bioavailability. *British Journal of Nutrition*, 94(1), 1-11.
- Feng, X. M., Eriksson, A. R., & Schnürer, J. (2005). Growth of lactic acid bacteria and *Rhizopus oligosporus* during barley tempeh fermentation. *International Journal of Food Microbiology*, 104(3), 249-256.
- Feng, X. M., Larsen, T. O., & Schnürer, J. (2007). Production of volatile compounds by *Rhizopus oligosporus* during soybean and barley tempeh fermentation. *International journal of food microbiology*, 113(2), 133-141.
- Fitria, R., et al. (2022). *Kandungan protein biji dan tempe berbahan dasar kacang-kacangan lokal (Fabaceae) non kedelai*. *Bioscientist: Jurnal Ilmiah Biologi*, 10(1):38-48. <https://ejournal.undikma.ac.id/index.php/bioscientist/article/view/2454>
- Gharibzahedi, S. M. T., & Jafari, S. M. (2017). The importance of minerals in human nutrition: Bioavailability, food fortification, processing effects and nanoencapsulation. *Trends in Food Science & Technology*, 62, 119-132.
- Ghosh, D., & Chattopadhyay, P. (2012). Application of principal component analysis (PCA) as a sensory assessment tool for fermented food products. *Journal of food science and technology*, 49(3), 328-334.
- Harahap, R. H., Lubis, Z., & Kaban, J. (2018). Komponen Flavor Volatil tempe yang dibungkus dengan daun pisang dan plastik. *Agritech*, 38(2), 194-199.

- Harmayani, E., Santoso, U., & Gardjito, M. (2019). *Makanan tradisional indonesia seri 1: kelompok makanan fermentasi dan makanan yang populer di masyarakat* (Vol. 1). Ugm Press.
- Harris, R. S. dan E. Karmas. 1989. Evaluasi Gizi pada Pengolahan Bahan Pangan. ITB – Press, Bandung.
- Holt, S., Miks, M. H., de Carvalho, B. T., Foulquie-Moreno, M. R., & Thevelein, J. M. (2019). The molecular biology of fruity and floral aromas in beer and other alcoholic beverages. *FEMS microbiology reviews*, 43(3), 193-222.
- Hulu, A., & Rahayu, A. Y. S. (2024). Study of policy innovation strategy to accelerate achievement of Indonesian soybean self-sufficiency in 2035. *Asian Journal of Social and Humanities*, 2(6), 1419-1430.
- Islami, R., Prangdimurti, E., Muhandri, T., & Adawiyah, D. R. (2025). Efek berbagai pretreatment koro pedang kupas terhadap kadar HCN, proksimat dan karakteristik fisik tepung koro pedang (Canavalia ensiformis). *Agrointek: Jurnal Teknologi Industri Pertanian*, 19(1), 11-18.
- Jacob, A. M., Gaby, C., Rachman, H., Sulistyo, J., & Krisbianto, O. (2025). Determination of optimum fermentation time through microscopic, sensory, and eating quality comparison of hyacinth beans, sword beans, and soybean tempeh. *Agrointek: Jurnal Teknologi Industri Pertanian*, 19(4), 937-949.
- Jeleń, H., Majcher, M., Ginja, A., & Kuligowski, M. (2013). Determination of compounds responsible for tempeh aroma. *Food Chemistry*, 141(1), 459-465.
- Ju, J. H., Jo, M. H., Heo, S. Y., Kim, M. S., Kim, C. H., Paul, N. C., ... & Oh, B. R. (2023). Production of highly pure R, R-2, 3-butanediol for biological plant growth promoting agent using carbon feeding control of *Paenibacillus polymyxa* MDBDO. *Microbial Cell Factories*, 22(1), 121.
- Kaneko, J. J. (1997). Carbohydrate metabolism and its diseases. In *Clinical biochemistry of domestic animals* (pp. 45-81). Academic Press.
- Keenan, D. F., Brunton, N. P., Mitchell, M., Gormley, R., & Butler, F. (2012). Flavour profiling of fresh and processed fruit smoothies by instrumental and sensory analysis. *Food Research International*, 45(1), 17-25.
- Kennedy, J. F., & Cosnett, I. R. (2001). Food flavours biology and chemistry: The Royal Society of Chemistry, Milton Road, Cambridge; Carolyn Fisher, Thomas R. Scott; 1997, 158 pages, ISBN 0-85404-538-4.
- Keskin, S. O., Ali, T. M., Ahmed, J., Shaikh, M., Siddiq, M., & Uebersax, M. A. (2022). Physico-chemical and functional properties of legume protein, starch, and dietary fiber—A review. *Legume Science*, 4(1), e117.
- Kun, J., Meng, Q., Wei, C. C., Xie, G., Yan, J., Ho, C. T., & Tong, H. (2022). Characterization of the key compounds responsible for the fermented soybean-like cup aroma of raw Pu-erh tea using instrumental and sensory methods. *LWT*, 162, 113458.
- Kustyawati, M. E. (2017). Profile of aroma compounds and acceptability of modified tempeh. *International Food Research Journal* 24 (2): 734-740 (April 2017), 24(2), 734-740.

- Lan, H., Lin, X., Ma, H., Lu, L., Liao, W., Wang, Y., ... & Li, C. (2025). Formation of Aroma Characteristics in Roasted *Camellia oleifera* Seeds. *Foods*, 15(1), 87.
- Lancioni, C., Castells, C., Candal, R., & Tascon, M. (2022). Headspace solid-phase microextraction: Fundamentals and recent advances. *Advances in Sample Preparation*, 3, 100035.
- Lampi, A. M., Damerau, A., Li, J., Moisio, T., Partanen, R., Forssell, P., & Piironen, V. (2015). Changes in lipids and volatile compounds of oat flours and extrudates during processing and storage. *Journal of Cereal Science*, 62, 102-109.
- Lawless, H. T. dan Heymann, H. (2010). *Sensory Evaluation of Food – Principles and Practices*. Second Edition, Springer New York Dordrecht Heidelberg. London.
- Lee, S. M., Lim, H. J., Chang, J. W., Hurh, B. S., & Kim, Y. S. (2018). Investigation on the formations of volatile compounds, fatty acids, and γ -lactones in white and brown rice during fermentation. *Food chemistry*, 269, 347-354.
- Liang, D., Dirndorfer, S., Somoza, V., Krautwurst, D., Lang, R., & Hofmann, T. (2022). Metabolites of key flavor compound 2, 3, 5-Trimethylpyrazine in human urine. *Journal of Agricultural and Food Chemistry*, 70(48), 15134-15142.
- Lima, E. M. F., Carneiro, K. O., Alves, M. V., Silva, G. S., Fagundes, V. L., Wojcik, T. M., ... & Todorov, S. D. (2026). Not Just an Aroma Compound: Expanding Perspectives on Diacetyl in Food Systems and Human Health. *Molecules*, 31(4), 663.
- Liu, K. (2012). *Soybeans: chemistry, technology, and utilization*. Springer.
- Liu, S., Sun, H., Ma, G., Zhang, T., Wang, L., Pei, H., ... & Gao, L. (2022). Insights into flavor and key influencing factors of Maillard reaction products: A recent update. *Frontiers in Nutrition*, 9, 973677.
- Liu, Y., Li, W., Tan, Q., Li, Z., Wang, H., & Suo, H. (2024). Characterization and comparison of key aroma compounds in traditional and rapid Yongchuan douchi by molecular sensory science. *Lwt*, 191, 115607.
- Liu, S., Cai, Y., Cao, M., Xu, Y., Zhang, L., Li, S., ... & Gu, Q. (2025). Comparison of Different Species of Lactic Acid Bacteria on the Aroma Profile of Whole Mandarin (*Citrus Reticulata* Blanco Cv. Unshiu) Juice. *Journal of Future Foods*.
- Lokuruka, M. N. I. (2010). Soybean nutritional properties: The good and the bad about soy foods consumption-A review. *African Journal of Food, Agriculture, Nutrition and Development*, 10(4).
- Luo, Y., Liao, H., Luo, Y., Gao, L., & Xia, X. (2025). Temperature-driven microbial assembly and flavor compound dynamics in high-temperature Daqu: Adaptive co-evolution for efficient Tetramethylpyrazine production. *International Journal of Food Microbiology*, 111325.
- Lynd, J. Q., & Ansman, T. R. (1989). Soil fertility effects on growth, nodulation, nitrogenase and seed lectin components of jack bean (*Canavalia ensiformis* (L.) DC). *Journal of plant nutrition*, 12(5), 563-579.

- Ma, Y. J., Wu, J. H., Li, X., Xu, X. B., Wang, Z. Y., Wu, C., ... & Song, L. (2019). Effect of alkyl distribution in pyrazine on pyrazine flavor release in bovine serum albumin solution. *RSC advances*, 9(63), 36951-36959.
- Marcinkowska, M. A., & Jeleń, H. H. (2022). Role of sulfur compounds in vegetable and mushroom aroma. *Molecules*, 27(18), 6116.
- Mardhiyyah, Y. S. *Aktivitas Antioksidan Serta Inhibisi Lipase Dan A-Amilase Pada Tempe Dengan Pengasaman Spontan Dan Pengasaman Dengan Penambahan Asidulan* (Doctoral dissertation, Bogor Agricultural University (IPB)).
- McGorin, R. J. (2011). The significance of volatile sulfur compounds in food flavors: An overview. *Volatile sulfur compounds in food*, 3-31.
- Meilgaard M., Civille GV., Carr BT. 2007. *Sensory Evaluation Techniques*. 4th ed. CRC Press. Boca Raton, FL.
- Moon, S. Y., Cliff, M. A., & Li-Chan, E. C. (2006). Odour-active components of simulated beef flavour analysed by solid phase microextraction and gas chromatography–mass spectrometry and–olfactometry. *Food Research International*, 39(3), 294-308.
- Naisali, H., & Wulan, S. N. (2020). Karakteristik sensori tempe kacang tunggak hitam dan tempe kedelai. *Jurnal Pangan dan Agroindustri*, 8(1), 29-35.
- Nikmah, I. A., Mustaqim, W. A., Ardi, W. H., & Satrio, R. D. (2025). Comparative analysis of the complete chloroplast genome of jack bean (*Canavalia ensiformis*, Fabaceae) revealed mutational hotspots and phylogenetic relationships.
- Nogueira, J. P., da Silva Souza, I. H., Andrade, J. K. S., & Narain, N. (2022). Status of research on lactones used as aroma: A bibliometric review. *Food Bioscience*, 50, 102004.
- Nout, M. J. R., Beernink, G., & Bonants-van Laarhoven, T. M. G. (1987). Growth of *Bacillus cereus* in soyabean tempeh. *International Journal of Food Microbiology*, 4(4), 293-301.
- Nout, R. (2005). Food fermentation: an introduction. *Food fermentation*, 13-21.
- Nout, M. R., & Kiers, J. L. (2005). Tempe fermentation, innovation and functionality: update into the third millenium. *Journal of applied microbiology*, 98(4), 789-805.
- Nurhayati, I., Maulidhani, N. D., Sutrisno, J., & Al Kholif, M. (2024). Sustainable pre-treatment of tempeh industry wastewater: Efficiency of vermifiltration in pollutant mitigation and compost production. *Desalination and Water Treatment*, 320, 100820.
- Ojha, P. K., & Roy, K. (2018). Chemometric modeling of odor threshold property of diverse aroma components of wine. *RSC advances*, 8(9), 4750-4760.
- Palange, N. J., Obua, T., Sserumaga, J. P., Wembabazi, E., Ochwo-Ssemakula, M., Nuwamanya, E., ... & Tukamuhabwa, P. (2025). Artificial intelligence-driven near-infrared spectrophotometry model for rapid quantification of anti-nutritional factors in soybean (*Glycine max.*). *Discover Applied Sciences*, 7(6), 647.
- Paravisini, L., & Guichard, E. (2016). Interactions between aroma compounds and food matrix. *Flavour: From food to perception*, 208-234.

- Paza, G. P (2026). Evaluasi Kimia dan Karakteristik Sensoris Tempe Koro Pedang Putih (*Canavalia ensiformis* (L.) DC) dengan Berbagai Metode Pengasaman. Manuskrip yang belum dipublikasikan.
- Purwandari, F. A., Annisa, E. D. N., Rachmawati, A. T., Puspitasari, D., & Wikandari, R. (2021). Effect of different cooking methods on chemical composition, nutritional values, and sensory properties of Jack bean (*Canavalia ensiformis*) tempeh. *Food Research*, 5(3), 327-333.
- Purwandari, F. A., Fogliano, V., de Ruijter, N. C., & Capuano, E. (2023). Chemical and microstructural characterization of easy-and hard-to-cook Jack bean (*Canavalia ensiformis* (L.) DC.) collections. *LWT*, 189, 115451.
- Purwandari, F. A., Fogliano, V., & Capuano, E. (2024). Tempeh fermentation improves the nutritional and functional characteristics of Jack beans (*Canavalia ensiformis* (L.) DC). *Food & Function*, 15(7), 3680-3691.
- Purwandari, F. A. (2024). *Old and new technological strategies to improve jack beans quality and promote its utilization* (Doctoral dissertation, Wageningen University and Research).
- Qureshi, S., & Hamid, A. (2020). Effect of overnight soaking and boiling on phytic acid, tannins, saponins and proximate composition in legumes. *Journal of Pure and Applied Agriculture*, 5(3), 17–25. <https://ojs.aiou.edu.pk/index.php/jpaa/article/view/1117>
- Rajendran, S., Silcock, P., & Bremer, P. (2023). Flavour volatiles of fermented vegetable and fruit substrates: A review. *Molecules*, 28(7), 3236.
- Ren, A., Zhang, Y., Bian, Y., Liu, Y. J., Zhang, Y. X., Ren, C. J., ... & Feng, X. S. (2024). Pyrazines in food samples: Recent update on occurrence, formation, sampling, pretreatment and analysis methods. *Food chemistry*, 430, 137086.
- Renaldi, A. (2022). Pengaruh Perendaman, Fermentasi Dan Perkecambahan Terhadap Kandungan Senyawa Anti Gizi Asam Fitat Pada Tepung Kacang Gude (Cajanus Cajan). *Program Studi Ilmu dan Teknologi Pangan Departemen Teknologi Pertanian Fakultas Pertanian*.
- Ridhowati, S., Herpandi, H., & Widiastuti, I. (2025). Profiles of volatile metabolite compounds of lotus tempeh: In-RSM-Boxbehken approach. *International Journal of Secondary Metabolite*, 12(2), 355-367.
- Riley, S., Lale, A., Nguyen, V., Xi, H., Wilkinson, K., Searle, I. R., & Fisk, I. (2022). Volatile profiles of commercial vetch prepared via different processing methods. *Food Chemistry*, 395, 133569.
- Riyanto, R. A., Fukusaki, E., & Putri, S. P. (2024). Metabolite profiling highlights the effect of microbial intervention in the soaking step of tempe. *International Journal of Food Science and Technology*, 59(10), 7414-7425.
- Riyanto, R. A., Fukusaki, E., & Putri, S. P. (2025). Microbial Intervention in the Soaking Step during Tempeh Preparation to Modulate B Vitamin Contents: A Metabolomics Approach. *Preventive Nutrition and Food Science*, 30(4), 370.

- Romulo, A., & Surya, R. (2021). Tempe: A traditional fermented food of Indonesia and its health benefits. *International Journal of Gastronomy and Food Science*, 26, 100413.
- Rousseau, S., Kyomugasho, C., Celus, M., Hendrickx, M. E. G., & Grauwet, T. (2020). Barriers impairing mineral bioaccessibility and bioavailability in plant-based foods and the perspectives for food processing. *Critical Reviews in Food Science and Nutrition*, 60(5), 826–843.
- Sabrinatami, Z., Purwandari, F. A., Utami, T., & Cahyanto, M. N. (2025). Comparison of Acid Fermentation under Vacuum and by Conventional Method in Tempeh Production: Microbial and Chemical Changes. *Journal of food quality and hazards control*, 12(4), 263-270.
- Saidur, R., Elcevvadi, E. T., Mekhilef, S., Safari, A., & Mohammed, H. A. (2011). An overview of different distillation methods for small scale applications. *Renewable and sustainable energy reviews*, 15(9), 4756-4764.
- Sangwongchai, W., Tananu Wong, K., Krusong, K., Natee, S., & Thitisaksakul, M. (2023). Starch chemical composition and molecular structure in relation to physicochemical characteristics and resistant starch content of four Thai commercial rice cultivars differing in pasting properties. *Polymers*, 15(3), 574.
- Shahidi, F., & Hossain, A. (2022). Role of lipids in food flavor generation. *Molecules*, 27(15), 5014.
- Sheng, X., Huang, M., Li, T., Li, X., Cen, S., Li, Q., ... & Tang, W. (2023). Characterization of aroma compounds in *Rosa roxburghii* Tratt using solvent-assisted flavor evaporation headspace-solid phase microextraction coupled with gas chromatography-mass spectrometry and gas chromatography-olfactometry. *Food Chemistry: X*, 18, 100632.
- Shimadzu Corporation. (2020). *Gas chromatography mass spectrometry (GCMS): Fundamental guide to GCMS* (C10G-E080A). Shimadzu Corporation.
- Sridhar, K. R., & Seena, S. (2006). Nutritional and antinutritional significance of four unconventional legumes of the genus *Canavalia*—A comparative study. *Food chemistry*, 99(2), 267-288.
- Stone, H., & Sidel, J. L. (1985). *Sensory evaluation practices* (2nd ed.). Academic press
- Stevenson, D. G., Jane, J. L., & Inglett, G. E. (2007). Structures and physicochemical properties of starch from immature seeds of soybean varieties (*Glycine max* (L.) Merr.) exhibiting normal, low-linolenic or low-saturated fatty acid oil profiles at maturity. *Carbohydrate Polymers*, 70(2), 149-159.
- Sukardi, S., Wignyanto, W., & Purwaningsih, I. (2008). Tempeh Inoculum Application Test of *Rhizopus oryzae* with Rice and Cassava Flour as Substrate at Sanan Tempeh Industries “Kodya Malang. *Jurnal Teknologi Pertanian*, 9(3).
- Suvarna, G., & Sharma, B. B. (2018). Concanavalin-A potential glycoprotein. *J Proteins Proteom*, 9(2), 77-90.
- Syamsiana, A., Rizal, S., Erna, M., & Astuti, S. (2024). Formulasi kacang koro pedang (*Canavalia ensiformis*) dan kacang kedelai (*Glycine max* L.)

- terhadap total kapang, total khamir, dan sifat sensori tempe mosaccha. *Jurnal Agroindustri Berkelanjutan*, 3(2), 325-342.
- Syukri, D., Sylvi, D., & Ramadani, S. F. (2022). A Effect of Various Cooking Methods on Quality and Sensory Characteristics of Tempeh Made from Soybeans and Corn. *Andalasian International Journal of Agriculture and Natural Sciences (AIJANS)*, 3(02), 163-189.
- Szczesniak, A. S. (2002). Texture Is A Sensory Property. *Food Quality and Preference*, 215-225. doi:[https://doi.org/10.1016/S0950-3293\(01\)00039-8](https://doi.org/10.1016/S0950-3293(01)00039-8)
- Tamam, B. (2022). Tempe: Pangan Lokal Unggul (Superfood) Khasanah Budaya Bangsa. *Indonesian Red Crescent Humanitarian Journal*, 1(1), 41-48.
- Teodorowicz, M., et al. (2021). Gas chromatography-mass spectrometry-based metabolite profiling and sensory profile of Indonesian fermented food (tempe) from various legumes. *Journal of Food Composition and Analysis*, 102: 104051.
- Teoh, S. Q., Chin, N. L., Chong, C. W., Ripen, A. M., How, S., & Lim, J. J. L. (2024). A review on health benefits and processing of tempeh with outlines on its functional microbes. *Future Foods*, 9, 100330.
- The Good Scents Company. 2020. The Good Scents Company Information System. <http://www.thegoodscentscompany.com/>. Diakses pada 12 Januari 2026.
- Tsalissavrina, I., Murdiati, A., Raharjo, S., & Lestari, L. A. (2023). The Effects of Duration of Fermentation on Total Phenolic Content, Antioxidant Activity, and Isoflavones of The Germinated Jack Bean Tempeh (*Canavalia ensiformis*). *Indonesian Journal of Pharmacy/Majalah Farmasi Indonesia*, 34(3).
- Tuccillo, F., Kantanen, K., Wang, Y., Diaz, J. M. R., Pulkkinen, M., Edelmann, M., ... & Katina, K. (2022). The flavor of faba bean ingredients and extrudates: Chemical and sensory properties. *Food Research International*, 162, 112036.
- Tuccillo, F., Wang, Y., Edelmann, M., Lampi, A. M., Coda, R., & Katina, K. (2022). Fermentation conditions affect the synthesis of volatile compounds, dextran, and organic acids by *Weissella confusa* A16 in faba bean protein concentrate. *Foods*, 11(22), 3579.
- Tünçel, G., Nout, M. J. R., & Rombouts, F. M. (1989). Effect of acidification on the microbiological composition and performance of tempe starter. *Food Microbiology*, 6(1), 37-43.
- Utama, Q. D. (2014). Implementasi dan Analisis Keuntungan Teknologi Back-slopping pada pembuatan “Quick Tempeh” Skala Industri Rumah Tangga. *Skripsi. Fakultas Teknologi Pertanian. Institut Pertanian Bogor. Bogor*.
- Utami, S. (2022). Pemberian Kacang Koro Pedang (*Canavalia ensiformis* L) Hasil Fermentasi dengan Ragi Tempe (*Rhizopus oligosporus*) terhadap Performa Produksi Ayam Kampung. *Jurnal Cakrawala Ilmiah*, 1(12), 3635-3640.
- Utami, N. P., Fitriani, A., Rahma, N. F., Nabila, O. P., & Nugroho, W. (2022). Efek perebusan basa dan asam terhadap kandungan gizi dan zat anti gizi pada pembuatan tempe biji kecipir. *Jurnal Dunia Gizi*, 5(2), 69-75.

- Vagadia, B. H., Vanga, S. K., & Raghavan, V. (2017). Inactivation methods of soybean trypsin inhibitor—A review. *Trends in Food Science & Technology*, 64, 115-125.
- Vong, W. C., & Liu, S. Q. (2017). Changes in volatile profile of soybean residue (okara) upon solid-state fermentation by yeasts. *Journal of the Science of Food and Agriculture*, 97(1), 135-143.
- Wahjuningsih, S.B. dan Wyati.S. 2013. Pemanfaatan Koro Pedang pada Aplikasi Produk Pangan dan Analisis Ekonominya. *Riptek* 7(2): 1-10
- Wahyuningsih, S., Amara, V.D., Rinawati., Sehusman., Sabarella., & Komalasari, W.B. (2024). *Buletin Konsumsi Pangan 2024*. Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal Kementerian Pertanian. https://satudata.pertanian.go.id/assets/docs/publikasi/Buku_Statsitik_Konsumsi_Pangan_2023.pdf
- Wang, J., Wang, J., Gao, Y., Zhang, N., Sun, B., Zheng, F., & Chen, H. (2025). Decoding Qingke's aroma compounds: Flavor contributions, interactions and barley contrast. *Food Chemistry*, 146612.
- Wanjekeche, E., Wakasa, V., & Mureithi, J. G. (2003). Effect of germination, alkaline and acid soaking and boiling on the nutritional value of mature and immature *Mucuna* (*Mucuna pruriens*) beans. *Tropical and Subtropical Agroecosystems*, 1(2-3), 183-192.
- Widanti, Y. A. (2018). *Evaluasi Gizi dalam Pengolahan Pangan*. Gapura Publishing.
- Witono, Y., Widjanarko, S. B., Mujiyanto, M., & Rachmawati, D. T. (2015). Amino acids identification of over fermented tempeh, the hydrolysate and the seasoning product hydrolysed by calotropin from crown flower (*Calotropis gigantea*). *International Journal on Advanced Science, Engineering and Information Technology*, 5(2), 103.
- Wu, G. (2013). Functional amino acids in nutrition and health. *Amino acids*, 45(3), 407-411.
- Yarlina, V. P., Djali, M., Andoyo, R., Lani, M. N., & Rifqi, M. (2023). Effect of soaking and proteolytic microorganisms growth on the protein and amino acid content of Jack bean tempeh (*Canavalia ensiformis*). *Processes*, 11(4), 1161.
- Yolanda, A. M., Adnan, A., Efendi, R., Sirait, H., Irfansyah, I., Syuhada, O. B., ... & Febrian, R. (2022). Analisis Komponen Utama dan Biplot untuk Mereduksi Faktor Inflasi Berdasarkan Indeks Harga Konsumen. *AL-Muqayyad*, 5(2), 69-79.
- Yoon, J. H., Oh, M. S., & Lee, S. Y. (2024). Effectiveness of organic acids for inactivating pathogenic bacteria inoculated in laboratory media and foods: an updated minireview. *Food Science and Biotechnology*, 33(12), 2715-2728.
- Zhang, K., Zhang, T. T., Guo, R. R., Ye, Q., Zhao, H. L., & Huang, X. H. (2023). The regulation of key flavor of traditional fermented food by microbial metabolism: A review. *Food Chemistry: X*, 19, 100871.

Zhao, S., Yue, J., Wang, Y., Shao, J., Li, Z., & Li, M. (2024). The regulation of volatile flavor compounds in fermented meat products mediated by microorganisms: A review. *Food Bioscience*, 62, 105180.