

DAFTAR PUSTAKA

- Afif, F., & Fithriya, D. N. L. (2024). Trends in Manual Brew Coffee Consumption in Indonesia: Preferences, Perceptions, and Consumer Health. *Gastronomy*, 3(2), 95–106. <https://doi.org/10.36276/gastronomyandculinaryart.v3i2.733>
- Alstadhaug, K. B., Tzoulis, C., & Simonsen, A. M. (2023). Beverages, caffeine, and Parkinson's disease. In *Diet and Nutrition in Neurological Disorders* (pp. 699–715). Elsevier. <https://doi.org/10.1016/B978-0-323-89834-8.00011-8>
- Aluyor, E. O., & Oboh, I. O. (2014). PRESERVATIVES | Traditional Preservatives – Vegetable Oils. In *Encyclopedia of Food Microbiology* (pp. 137–140). Elsevier. <https://doi.org/10.1016/B978-0-12-384730-0.00263-9>
- Amrihani, H. A., & Ritonga, R. (2021). Nikmat Kopi dan Budaya Konsumerisme dalam Status Sosial Masyarakat Kota. *Warta ISKI*, 4(2), 89–98. <https://doi.org/10.25008/wartaiski.v4i2.133>
- Angeloni, G., Guerrini, L., Masella, P., Bellumori, M., Daluiso, S., Parenti, A., & Innocenti, M. (2019). What kind of coffee do you drink? An investigation on effects of eight different extraction methods. *Food Research International*, 116, 1327–1335. <https://doi.org/10.1016/j.foodres.2018.10.022>
- Anh-Dao, L.-T., Chi-Thien, T., Nhut-Truong, N., Tu-Chi, T., Minh-Huy, D., Thanh-Nho, N., & Cong-Hau, M. (2024). Changes in the total phenolic contents, chlorogenic acid, and caffeine of coffeecups regarding different brewing methods. *Food Research*, 8(6), 71–79. [https://doi.org/10.26656/fr.2017.8\(6\).279](https://doi.org/10.26656/fr.2017.8(6).279)
- Apak, R., Özyürek, M., Güçlü, K., & Çapanoğlu, E. (2016). Antioxidant Activity/Capacity Measurement. 1. Classification, Physicochemical Principles, Mechanisms, and Electron Transfer (ET)-Based Assays. *Journal of Agricultural and Food Chemistry*, 64(5), 997–1027. <https://doi.org/10.1021/acs.jafc.5b04739>
- Arauz, J., Ramos-Tovar, E., & Muriel, P. (2017). Coffee and the Liver. In *Liver Pathophysiology* (pp. 675–685). Elsevier. <https://doi.org/10.1016/B978-0-12-804274-8.00048-5>
- ARISE. (2019). *ASEAN Geographical Indications Booklet*. European Union International Intellectual Property Cooperation. https://internationalipcooperation.eu/sites/default/files/arise-docs/2019/ASEAN_GI-Booklet.pdf
- Baikété, J., Malloum, A., & Conradie, J. (2025). Machine learning prediction of pKa of organic acids. *Artificial Intelligence Chemistry*, 3(2), 100092. <https://doi.org/10.1016/j.aichem.2025.100092>
- Bandara, N., & Chalamaiah, M. (2019). Bioactives From Agricultural Processing By-products. In *Encyclopedia of Food Chemistry* (pp. 472–480). Elsevier. <https://doi.org/10.1016/B978-0-08-100596-5.22408-6>
- Batali, M. E., Lim, L. X., Liang, J., Yeager, S. E., Thompson, A. N., Han, J., Ristenpart, W. D., & Guinard, J.-X. (2022). Sensory Analysis of Full Immersion Coffee: Cold Brew Is More Floral, and Less Bitter, Sour, and Rubbery Than Hot Brew. *Foods*, 11(16), 2440.

- Batali, M. E., Ristenpart, W. D., & Guinard, J.-X. (2020). Brew temperature, at fixed brew strength and extraction, has little impact on the sensory profile of drip brew coffee. *Scientific Reports*, 10(1), 16450. <https://doi.org/10.1038/s41598-020-73341-4>
- Belasco, R., Edwards, T., Munoz, A. J., Rayo, V., & Buono, M. J. (2020). The Effect of Hydration on Urine Color Objectively Evaluated in CIE L*a*b* Color Space. *Frontiers in Nutrition*, 7, 576974. <https://doi.org/10.3389/fnut.2020.576974>
- Benzie, I. F. F., & Strain, J. J. (1999). [2] Ferric reducing/antioxidant power assay: Direct measure of total antioxidant activity of biological fluids and modified version for simultaneous measurement of total antioxidant power and ascorbic acid concentration. In *Methods in Enzymology* (Vol. 299, pp. 15–27). Elsevier. [https://doi.org/10.1016/S0076-6879\(99\)99005-5](https://doi.org/10.1016/S0076-6879(99)99005-5)
- Bilge, G. (2020). Investigating the effects of geographical origin, roasting degree, particle size and brewing method on the physicochemical and spectral properties of Arabica coffee by PCA analysis. *Journal of Food Science and Technology*, 57(9), 3345–3354. <https://doi.org/10.1007/s13197-020-04367-9>
- Boruckzowska, H., Boruckzowski, T., Bronkowska, M., Prajzner, M., & Rytel, E. (2025). Comparison of Colour Measurement Methods in the Food Industry. *Processes*, 13(5), 1268. <https://doi.org/10.3390/pr13051268>
- BPS NTT. (2023). *Produksi Tanaman Perkebunan Menurut Kabupaten/Kota (Ton)*, 2023. <https://ntt.bps.go.id/id/statistics-table/2/NTcjMg==/produksi-tanaman-perkebunan-menurut-kabupaten-kota.html>
- BPS NTT. (2024a). *Luas Areal Tanaman Perkebunan Menurut Kabupaten/Kota (Hektar)*, 2024. <https://ntt.bps.go.id/id/statistics-table/2/NTgjMg==/luas-areal-tanaman-perkebunan-menurut-kabupaten-kota.html>
- BPS NTT. (2024b). *Produksi Tanaman Perkebunan Menurut Kabupaten/Kota (Ton)*, 2024. <https://ntt.bps.go.id/id/statistics-table/2/NTcjMg==/produksi-tanaman-perkebunan-menurut-kabupaten-kota.html>
- Caballero, B., Finglas, P. M., & Toldrá, F. (Eds.). (2015). *Encyclopedia of food and health* (3rd ed). Elsevier Science.
- Cameron, M. I., Morisco, D., Hofstetter, D., Uman, E., Wilkinson, J., Kennedy, Z. C., Fontenot, S. A., Lee, W. T., Hendon, C. H., & Foster, J. M. (2020). Systematically Improving Espresso: Insights from Mathematical Modeling and Experiment. *Matter*, 2(3), 631–648. <https://doi.org/10.1016/j.matt.2019.12.019>
- Centre international de recherche sur le cancer (Ed.). (1993). *Some naturally occurring substances: Food items and constituents, heterocyclic aromatic amines and mycotoxins*. IARC.
- Coelho, C., Ribeiro, M., Cruz, A. C. S., Domingues, M. R. M., Coimbra, M. A., Bunzel, M., & Nunes, F. M. (2014). Nature of Phenolic Compounds in Coffee Melanoidins. *Journal of Agricultural and Food Chemistry*, 62(31), 7843–7853. <https://doi.org/10.1021/jf501510d>
- Comparato, C. N., De Araujo, M. N., Sakamoto, I. K., Fuess, L. T., Damianovic, M. H. R. Z., & Da Silva, A. J. (2024). Melanoidin Content Determines the

- Primary Pathways in Glucose Dark Fermentation: A Preliminary Assessment of Kinetic and Microbial Aspects. *Fermentation*, 10(6), 272. <https://doi.org/10.3390/fermentation10060272>
- Cordoba, N., Fernandez-Alduenda, M., Moreno, F. L., & Ruiz, Yolanda. (2020). Coffee extraction: A review of parameters and their influence on the physicochemical characteristics and flavour of coffee brews. *Trends in Food Science & Technology*, 96, 45–60. <https://doi.org/10.1016/j.tifs.2019.12.004>
- Córdoba, N., Moreno, F. L., Osorio, C., Velásquez, S., & Ruiz, Y. (2021). Chemical and sensory evaluation of cold brew coffees using different roasting profiles and brewing methods. *Food Research International*, 141, 110141. <https://doi.org/10.1016/j.foodres.2021.110141>
- Cordoba, N., Pataquiva, L., Osorio, C., Moreno, F. L. M., & Ruiz, R. Y. (2019). Effect of grinding, extraction time and type of coffee on the physicochemical and flavour characteristics of cold brew coffee. *Scientific Reports*, 9(1), 8440. <https://doi.org/10.1038/s41598-019-44886-w>
- Cortés-Macías, E. T., López, C. F., Gentile, P., Girón-Hernández, J., & López, A. F. (2022). Impact of post-harvest treatments on physicochemical and sensory characteristics of coffee beans in Huila, Colombia. *Postharvest Biology and Technology*, 187, 111852. <https://doi.org/10.1016/j.postharvbio.2022.111852>
- Dable-Tupas, G., Tulika, V., Jain, V., Maheshwari, K., Brakad, D. D., Naresh, P. N., & Suruthimeenakshi, S. (2023). Bioactive compounds of nutrigenomic importance. In *Role of Nutrigenomics in Modern-day Healthcare and Drug Discovery* (pp. 301–342). Elsevier. <https://doi.org/10.1016/B978-0-12-824412-8.00003-5>
- DaMatta, F. M., Martins, S. C. V., & Ramalho, J. D. C. (2025). Ecophysiology of coffee growth and production in a context of climate changes. In *Advances in Botanical Research* (Vol. 114, pp. 97–139). Elsevier. <https://doi.org/10.1016/bs.abr.2024.07.004>
- El-Basha Hassan, O., Chenavier, Y., Maurel, V., Pérard, J., Bouzina, A., Dubois, L., & Duclairoir, F. (2025). Vitamin C: Friend or foe! A synopsis of ascorbic acid's reduction and oxidation of graphene oxide. *Materials Advances*, 6(1), 143–147. <https://doi.org/10.1039/D4MA00798K>
- Eltri, A. P., Simanjuntak, E. A., Saputra, M. G., Haviz, M., Akbar, M. R., Nandini, N. P. A., & Darni, Y. (2022). Pengaruh Waktu Blooming Dan Massa Air Terhadap pH, TDS, Dan EC Pada Kopi Robusta Liwa Lampung dengan Metode Aeropress. *Jurnal Teknologi Dan Inovasi Industri (JTII)*, 3(1). <https://doi.org/10.23960/jtii.v3i1.39>
- Erskine, E., Gültekin Subaşı, B., Vahapoglu, B., & Capanoglu, E. (2022). Coffee Phenolics and Their Interaction with Other Food Phenolics: Antagonistic and Synergistic Effects. *ACS Omega*, 7(2), 1595–1601. <https://doi.org/10.1021/acsomega.1c06085>
- Fakioğlu, M., & Kalpaklı, Y. (2022). Mechanism and behavior of caffeine sorption: Affecting factors. *RSC Advances*, 12(41), 26504–26513. <https://doi.org/10.1039/D2RA04501J>

- Fellows, P. (2017). *Food processing technology: Principles and practice* (4th ed). Woodhead publ.
- Fernandes, R. D. P. P., Trindade, M. A., & De Melo, M. P. (2018). Natural Antioxidants and Food Applications: Healthy Perspectives. In *Alternative and Replacement Foods* (pp. 31–64). Elsevier. <https://doi.org/10.1016/B978-0-12-811446-9.00002-2>
- Fitri, N., Nurhaliza, N., Anggraeni, E. S., Herawati, D., Hunaefi, D., Yulianti, & Noviasari, S. (2025). Chemical composition, antioxidant activity, and sensory profile of espresso-based Arabica coffee from different bean origins. *Beverage Plant Research*, 5(1), 0–0. <https://doi.org/10.48130/bpr-0024-0040>
- Fitriyah, S. K., Witasari, L. D., & Nugrahini, A. (2025). *Optimalisasi Proses Sangrai untuk Meningkatkan Kualitas Sensoris dan Sifat Fisikokimia Kopi Bajawa*. Universitas Gadjah Mada.
- Freitas, V. V., Borges, L. L. R., Vidigal, M. C. T. R., Dos Santos, M. H., & Stringheta, P. C. (2024). Coffee: A comprehensive overview of origin, market, and the quality process. *Trends in Food Science & Technology*, 146, 104411. <https://doi.org/10.1016/j.tifs.2024.104411>
- Frost, S. C., Ristenpart, W. D., & Guinard, J. (2020). Effects of brew strength, brew yield, and roast on the sensory quality of drip brewed coffee. *Journal of Food Science*, 85(8), 2530–2543. <https://doi.org/10.1111/1750-3841.15326>
- Galanakis, C. M. (2017). *Handbook of coffee processing by-products: Sustainable applications*. Academic press Elsevier.
- Gan, R.-Y., Chan, C.-L., Yang, Q.-Q., Li, H.-B., Zhang, D., Ge, Y.-Y., Gunaratne, A., Ge, J., & Corke, H. (2019). Bioactive compounds and beneficial functions of sprouted grains. In *Sprouted Grains* (pp. 191–246). Elsevier. <https://doi.org/10.1016/B978-0-12-811525-1.00009-9>
- Genovese, A., Caporaso, N., & Baiano, A. (2025). The Impact of Brewing Methods on the Quality of a Cup of Coffee. *Beverages*, 11(5), 125. <https://doi.org/10.3390/beverages11050125>
- Gloess, A. N., Schönbächler, B., Klopprogge, B., D'Ambrosio, L., Chatelain, K., Bongartz, A., Strittmatter, A., Rast, M., & Yeretizian, C. (2013). Comparison of nine common coffee extraction methods: Instrumental and sensory analysis. *European Food Research and Technology*, 236(4), 607–627. <https://doi.org/10.1007/s00217-013-1917-x>
- Górecki, M., & Hallmann, E. (2020). The Antioxidant Content of Coffee and Its In Vitro Activity as an Effect of Its Production Method and Roasting and Brewing Time. *Antioxidants*, 9(4), 308. <https://doi.org/10.3390/antiox9040308>
- Gottstein, V., Krumbügel, K., Kuballa, T., Schwarz, S., Walch, E., Walch, P., & Lachenmeier, D. W. (2023). Monitoring of Chemical Changes in Coffee Beans during the Roasting Process Using Different Roasting Technologies with Nuclear Magnetic Resonance Spectroscopy. *Beverages*, 9(4), 87. <https://doi.org/10.3390/beverages9040087>
- Haile, M., Bae, H. M., & Kang, W. H. (2020). Comparison of the Antioxidant Activities and Volatile Compounds of Coffee Beans Obtained Using

- Digestive Bio-Processing (Elephant Dung Coffee) and Commonly Known Processing Methods. *Antioxidants*, 9(5), 408. <https://doi.org/10.3390/antiox9050408>
- Happyana, N., Hermawati, E., Syah, Y. M., & Hakim, E. H. H. (2020). Discrimination of the Indonesian Roasted Arabica Coffees using ¹H NMR-based Metabolomics. *Current Research in Nutrition and Food Science Journal*, 479–488. <https://doi.org/10.12944/CRNFSJ.8.2.13>
- Hasni, D., Hidayanti, N. A., Rahmany, M., Widayat, H. P., Muzaifa, M., & Rahmad, D. (2025). Quality and consumer preferences on Gayo Arabica coffee brew based on the blending formulation and brewing method [Mutu dan konsumen terhadap seduhan kopi Arabika Gayo berdasarkan formulasi pencampuran bubuk kopi dan metode penyeduhan. *Jurnal Teknologi & Industri Hasil Pertanian*, 30(1).
- Herawati, D., Armawan, M. S., Nurhaliza, N., Mu'arij, F. A., Yulianti, Hunaefi, D., & Noviasari, S. (2024). Impact of bean origin and brewing methods on bioactive compounds, bioactivities, nutrition, and sensory perception in coffee brews: An Indonesian coffee gastronomy study. *International Journal of Gastronomy and Food Science*, 35, 100892. <https://doi.org/10.1016/j.ijgfs.2024.100892>
- Hoffmann, J. (2025). *How to make the best coffee at home*. Mitchell Bleazey. <https://www.octopusbooks.co.uk/titles/james-hoffmann/how-to-make-the-best-coffee-at-home/9781784727246/>
- Hughes, R. N. (2016). *Neuropathology of Drug Addictions and Substance Misuse*. Elsevier. <https://doi.org/10.1016/C2013-0-18618-7>
- Illy, A., & Viani, R. (2005). *Espresso coffee: The science of quality* (2nd ed). Elsevier Academic Press.
- Iriondo-DeHond, A., Rodríguez Casas, A., & Del Castillo, M. D. (2021). Interest of Coffee Melanoidins as Sustainable Healthier Food Ingredients. *Frontiers in Nutrition*, 8, 730343. <https://doi.org/10.3389/fnut.2021.730343>
- Izawa, K., Amino, Y., Kohmura, M., Ueda, Y., & Kuroda, M. (2010). Human–Environment Interactions – Taste. In *Comprehensive Natural Products II* (pp. 631–671). Elsevier. <https://doi.org/10.1016/B978-008045382-8.00108-8>
- Janda, K., Jakubczyk, K., Baranowska-Bosiacka, I., Kapczuk, P., Kochman, J., Rębacz-Marón, E., & Gutowska, I. (2020). Mineral Composition and Antioxidant Potential of Coffee Beverages Depending on the Brewing Method. *Foods*, 9(2), 121. <https://doi.org/10.3390/foods9020121>
- Juwita, A. I., Faridah, D. N., Herawati, D., Andarwulan, N., Kazimierzak, R., & Średnicka-Tober, D. (2025). The Changes of Kahweol and Cafestol of Arabica Coffee from Bean to Consumption: A Systematic Literature Review. *Beverages*, 11(4), 105. <https://doi.org/10.3390/beverages11040105>
- Koehuan, V. A., Boimau, K., Dwinanto, M. M., & G H Adoe, D. (2021). Penerapan Teknologi Pembuatan Kompos Bagi Kelombok Petani Kopi Arabika di Kelurahan Kisanata. *Jurnal Pengabdian UntukMu NegeRI*, 5(1), 35–43. <https://doi.org/10.37859/jpumri.v5i1.2172>

- Komes, D., & Bušić, A. (2014). Antioxidants in Coffee. In *Processing and Impact on Antioxidants in Beverages* (pp. 25–32). Elsevier. <https://doi.org/10.1016/B978-0-12-404738-9.00003-9>
- Kreisz, S., Arendt, E. K., Hübner, F., & Zarnkov, M. (2008). Cereal-based gluten-free functional drinks. In *Gluten-Free Cereal Products and Beverages* (pp. 373–392). Elsevier. <https://doi.org/10.1016/B978-012373739-7.50018-6>
- Laksanti, A., & Titis, I. D. K. (2021). VARIASI NAMA-NAMA KOPI DI INDONESIA. *Kelasa*, 16(1), 62–85. <https://doi.org/10.26499/kelasa.v16i1.163>
- Launay, A., Nebie, O., Vijaya Shankara, J., Lebouvier, T., Buée, L., Faivre, E., & Blum, D. (2023). The role of adenosine A2A receptors in Alzheimer's disease and tauopathies. *Neuropharmacology*, 226, 109379. <https://doi.org/10.1016/j.neuropharm.2022.109379>
- Leliana, L., Setyaningsih, W., Palma, M., Supriyadi, & Santoso, U. (2022). Antioxidant Activity of Aqueous and Ethanolic Extracts of Coconut (Cocos nucifera) Fruit By-Products. *Agronomy*, 12(5), 1102. <https://doi.org/10.3390/agronomy12051102>
- Li, H., Zhang, Y., Zhang, Z.-H., Wang, F., Xu, B., Zhang, Z., Ma, H., & Gao, X. (2025). The Contribution of Melanoidins to Soy Sauce Antioxidant Activities and Their Structure Characteristics. *Foods*, 14(16), 2787. <https://doi.org/10.3390/foods14162787>
- Lingle, T. R. (2011). *The Coffee Brewing Handbook: A Systematic Guide to Coffee Preparation*. Specialty Coffee Association of America.
- Lockhart, E. E. (1957). *The soluble solids in beverage coffee as an index to cup quality*. Coffee Brewing Institute.
- Lomolino, G., Dal Zotto, V., Zannoni, S., & De Iseppi, A. (2022). Foam Characteristics and Sensory Analysis of Arabica Coffee, Extracted by Espresso Capsule and Moka Methods. *Beverages*, 8(2), 28. <https://doi.org/10.3390/beverages8020028>
- López, J. A. B., & Carrión, M. H. (2025). Functional properties and sensory profile of coffee prepared by different brewing methods. *Food Science and Technology International*, 31(3), 248–260. <https://doi.org/10.1177/10820132231205625>
- Maksimowski, D., Pachura, N., Oziembłowski, M., Nawirska-Olszańska, A., & Szumny, A. (2022). Coffee Roasting and Extraction as a Factor in Cold Brew Coffee Quality. *Applied Sciences*, 12(5), 2582. <https://doi.org/10.3390/app12052582>
- Marzag, H., Warnault, P., Bougrin, K., Martinet, N., & Benhida, R. (2014). Natural Polyphenols as Potent Inhibitors of DNA Methyltransferases. In *Studies in Natural Products Chemistry* (Vol. 41, pp. 195–223). Elsevier. <https://doi.org/10.1016/B978-0-444-63294-4.00007-3>
- Maspul, K. A., & Sidiq, A. R. (2024). Factors Influencing Consumer Preferences for Espresso and Omni Roasted Coffee: A Comprehensive Analysis. *Journal of Economics and Economic Education*, 1(1), 1–11. <https://doi.org/10.59066/jee.v1i1.678>

- McCain-Keefer, H. R., Meals, S., & Drake, M. (2020). The sensory properties and consumer acceptance of cold brew coffee. *Journal of Sensory Studies*, 35(6), e12604. <https://doi.org/10.1111/joss.12604>
- Milek, M., Klok, M., & Dzuga, M. (2023). The Content of Polyphenols and Caffeine in Spent Coffee Grounds Obtained from Various Home Brewing Methods. *Zywnosc Nauka Technologia*, 1(134), 40–52. <https://doi.org/10.15193/zntj/2023/133/436>
- Muflihah, Y. M., Gollavelli, G., & Ling, Y.-C. (2021). Correlation Study of Antioxidant Activity with Phenolic and Flavonoid Compounds in 12 Indonesian Indigenous Herbs. *Antioxidants*, 10(10), 1530. <https://doi.org/10.3390/antiox10101530>
- Muzykiewicz-Szymańska, A., Nowak, A., Wira, D., & Klimowicz, A. (2021). The Effect of Brewing Process Parameters on Antioxidant Activity and Caffeine Content in Infusions of Roasted and Unroasted Arabica Coffee Beans Originated from Different Countries. *Molecules*, 26(12), 3681. <https://doi.org/10.3390/molecules26123681>
- Nam, J. B., Oh, G. H., Yang, S. M., Lee, S.-E., & Kang, S.-G. (2018). Evaluation of Antioxidant Activities of Water Extract from Microwave Torrefied Oak Wood. *Journal of the Korean Wood Science and Technology*, 46(2), 178–188. <https://doi.org/10.5658/WOOD.2018.46.2.178>
- Nemzer, B., Kalita, D., & Abshiru, N. (2021). Quantification of Major Bioactive Constituents, Antioxidant Activity, and Enzyme Inhibitory Effects of Whole Coffee Cherries (*Coffea arabica*) and Their Extracts. *Molecules*, 26(14), 4306. <https://doi.org/10.3390/molecules26144306>
- Oestreich-Janzen, S. H. (2019). Chemistry of Coffee. In *Reference Module in Chemistry, Molecular Sciences and Chemical Engineering* (p. B9780124095472027864). Elsevier. <https://doi.org/10.1016/B978-0-12-409547-2.02786-4>
- Oktaviani, N., Suriadikusumah, A., & Arifin, M. (2024). Perubahan Iklim Mikro dan Produksi Kopi Arabika (*Coffea arabica* L.) pada Daerah Aktivitas Geothermal PLTP Kamojang di Kabupaten Bandung. *Jurnal Agrikultura*, 35(3), 400–412.
- Olechno, E., Puścion-Jakubik, A., Markiewicz-Żukowska, R., & Socha, K. (2020). Impact of Brewing Methods on Total Phenolic Content (TPC) in Various Types of Coffee. *Molecules*, 25(22), 5274. <https://doi.org/10.3390/molecules25225274>
- Olechno, E., Puścion-Jakubik, A., Zujko, M. E., & Socha, K. (2021). Influence of Various Factors on Caffeine Content in Coffee Brews. *Foods*, 10(6), 1208. <https://doi.org/10.3390/foods10061208>
- Omar, S. H. (2018). Biophenols. In *Discovery and Development of Neuroprotective Agents from Natural Products* (pp. 103–148). Elsevier. <https://doi.org/10.1016/B978-0-12-809593-5.00004-5>
- Orselan, P. S. (2023). Pengaruh Lama Penyeduhan Kopi Robusta Asal Manggarai NTT dengan Metode French Press terhadap Sifat Fisikokimia dan Organoleptik Seduhannya.

- Pan, L., Xiao, Y., Jiang, F., Jiang, T., Zhu, J., Tang, W., Liu, X., Zhou, Y., & Yu, L. (2023). Comparison of Characterization of Cold Brew and Hot Brew Coffee Prepared at Various Roasting Degrees. *Journal of Food Processing and Preservation*, 2023, 1–15. <https://doi.org/10.1155/2023/3175570>
- Petracco, M. (2001). Technology IV: Beverage Preparation: Brewing Trends for the New Millennium. In R. J. Clarke & O. G. Vitzthum (Eds.), *Coffee* (1st ed., pp. 140–164). Wiley. <https://doi.org/10.1002/9780470690499.ch7>
- Petracco, M. (2005). *Espresso coffee: The science of quality* (2nd ed). Elsevier Academic Press.
- Portela, C. D. S., Almeida, I. F. D., Mori, A. L. B., Yamashita, F., & Benassi, M. D. T. (2021). Brewing conditions impact on the composition and characteristics of cold brew Arabica and Robusta coffee beverages. *LWT*, 143, 111090. <https://doi.org/10.1016/j.lwt.2021.111090>
- Portillo, O. R., & Arévalo, A. C. (2022). Caffeine. A critical review of contemporary scientific literature. *Bionatura*, 7(3), 1–15. <https://doi.org/10.21931/RB/2022.07.03.16>
- Putra, D. Z. A., & Rifai, A. P. (2024). Convolutional Neural Network untuk Klasifikasi Ukuran Partikel Serbuk Kopi Giling. *Jurnal Mutu Pangan*, 11(1), 36–51.
- Putri, Y. H., Kapa, M. M. J., & Bano, M. (2023). Penentuan Harga Jual Kopi Bubuk Arabika Flores Bajawa di Koperasi Serba Usaha Fa Masa Desa Beiwali, Kecamatan Bajawa, Kabupaten Ngada. *Buletin Ilmiah IMPAS*, 24(3), 235–243.
- Rahmawati, I., & Asrori, S. H. (2024). Comparative Analysis of Caffeine Content in Cold and Hot Brewed Robusta Coffee Using High-Performance Liquid Chromatography (HPLC). *JKPK (Jurnal Kimia Dan Pendidikan Kimia)*, 9(1), 15. <https://doi.org/10.20961/jkpk.v9i1.84991>
- Rao, N. Z., Fuller, M., & Grim, M. D. (2020). Physiochemical Characteristics of Hot and Cold Brew Coffee Chemistry: The Effects of Roast Level and Brewing Temperature on Compound Extraction. *Foods*, 9(7), 902. <https://doi.org/10.3390/foods9070902>
- Re, R., Pellegrini, N., Proteggente, A., Pannala, A., Yang, M., & Rice-Evans, C. (1999). Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radical Biology and Medicine*, 26(9–10), 1231–1237. [https://doi.org/10.1016/S0891-5849\(98\)00315-3](https://doi.org/10.1016/S0891-5849(98)00315-3)
- Reddy, V. S., Shiva, S., Manikantan, S., & Ramakrishna, S. (2024). Pharmacology of caffeine and its effects on the human body. *European Journal of Medicinal Chemistry Reports*, 10, 100138. <https://doi.org/10.1016/j.ejmcr.2024.100138>
- Ren, D., & Hu, A. (2023). Reduced viscosity steadily weakens oceanic currents. *Frontiers in Marine Science*, 10, 1072234. <https://doi.org/10.3389/fmars.2023.1072234>
- Rzyska-Szczupak, K., Przybylska-Balcerek, A., Buśko, M., Szwajkowska-Michałek, L., Szablewski, T., & Stuper-Szablewska, K. (2025). Roasting Temperature as a Factor Modifying the Caffeine and Phenolic Content of

- Ethiopian Coffee. *Processes*, 13(7), 2037.
<https://doi.org/10.3390/pr13072037>
- Safitri, D., & Anna, N. (2022). The Trend of Drinking Coffee Culture as Indonesian Culture. *Proceeding The 2nd ICHLESS*.
https://www.researchgate.net/profile/Dini-Safitri/publication/365775368_The_Trend_of_Drinking_Coffee_Culture_as_Indonesian_Culture/links/63831495c2cb154d293126d9/The-Trend-of-Drinking-Coffee-Culture-as-Indonesian-Culture.pdf
- Sakai, E., Farhana, F., Yamaguchi, Y., & Takayuki, T. (2022). Potentials of natural antioxidants from plants as antiosteoporotic agents. In *Studies in Natural Products Chemistry* (Vol. 72, pp. 1–28). Elsevier.
<https://doi.org/10.1016/B978-0-12-823944-5.00002-8>
- Santanatoglia, A., Angeloni, S., Bartolucci, D., Fioretti, L., Sagratini, G., Vittori, S., & Caprioli, G. (2023). Effect of Brewing Methods on Acrylamide Content and Antioxidant Activity: Studying Eight Different Filter Coffee Preparations. *Antioxidants*, 12(10), 1888.
<https://doi.org/10.3390/antiox12101888>
- Santanatoglia, A., Angeloni, S., Caprioli, G., Fioretti, L., Ricciutelli, M., Vittori, S., & Alessandroni, L. (2024). Comprehensive investigation of coffee acidity on eight different brewing methods through chemical analyses, sensory evaluation and statistical elaboration. *Food Chemistry*, 454, 139717.
<https://doi.org/10.1016/j.foodchem.2024.139717>
- Santanatoglia, A., Cespi, M., Perinelli, D. R., Fioretti, L., Sagratini, G., Vittori, S., & Caprioli, G. (2023). Impact of the human factor on the reproducibility of different coffee brewing methods. *Journal of Food Composition and Analysis*, 124, 105698. <https://doi.org/10.1016/j.jfca.2023.105698>
- SCA. (2018). *Coffee standards*. <https://sca.coffee/s/Coffee-Standards-compressed.pdf>
- Schmieder, B. K. L., Pannusch, V. B., Vannieuwenhuysse, L., Briesen, H., & Minceva, M. (2023). Influence of Flow Rate, Particle Size, and Temperature on Espresso Extraction Kinetics. *Foods*, 12(15), 2871.
<https://doi.org/10.3390/foods12152871>
- Setiawan, F., Nilda, C., & Muzaifa, M. (2023). Profil Sensori Kopi Arabika Gayo Menggunakan Metode V60, Aeropress Dan Espresso. *SNHRP*, 5, 1210–122.
- Silva, L. D. O., Rosado, C. P., Ferreira, F. D. S., Melengati, J., Terra, S., & Teodoro, A. J. (2024). The Effect of Brewing Method and Different Roasting Degree on Physicochemical Characteristics, Total Phenolic Content and Antioxidant Activity of Amazonian Robusta Coffee (*Coffea canephora*). *Revista de Gestão Social e Ambiental*, 18(9), e06197.
<https://doi.org/10.24857/rgsa.v18n9-139>
- Stanek, N., Zarębska, M., Biłos, Ł., Barabosz, K., Nowakowska-Bogdan, E., Semeniuk, I., Błaszkiwicz, J., Kulesza, R., Matejuk, R., & Szkutnik, K. (2021). Influence of coffee brewing methods on the chromatographic and spectroscopic profiles, antioxidant and sensory properties. *Scientific Reports*, 11(1), 21377. <https://doi.org/10.1038/s41598-021-01001-2>

- Syarifuddin, K. A., Mulyani, S., & Triani, I. G. A. L. (2022). Pengaruh Olahan Mesin Espresso dan Manual Brew Pour Over V60 Pada Biji Kopi Arabika (*Coffea arabica* L.) Terhadap Aktivitas Antioksidan. *Kesehatan Yamasi Makassar*, 6(1), 65–74.
- Talitha, Z. A., Fatih, A. Z., & Marvie, I. (2025). Pengaruh Jenis Kopi dan Metode Penyeduhan Terhadap Karakteristik pH dan Warna Serta Organoleptik Kopi. *J. Sains Dan Teknologi Pangan*, 10(5), 8920–8939.
- Tarigan, E. B., Wardiana, E., Hilmi, Y. S., & Komarudin, N. A. (2022). The changes in chemical properties of coffee during roasting: A review. *IOP Conference Series: Earth and Environmental Science*, 974(1), 012115. <https://doi.org/10.1088/1755-1315/974/1/012115>
- Tirtana, A. B. (2021). *Karakteristik Fisik dan Profil Sensori Kopi Arabika Flores Bajawa pada Berbagai Suhu Sangrai untuk Usaha Kecil*. Universitas Prasetiya Mulya.
- Trugo, L. C., Macrae, R., & Clarke, R. J. (1985). *Coffee, vol. 1. Chemistry*. Elsevier applied science Publishers.
- Wang, R., Xue, J., Meng, L., Lee, J.-W., Zhao, Z., Sun, P., Cai, L., Huang, T., Wang, Z., Wang, Z.-K., Duan, Y., Yang, J. L., Tan, S., Yuan, Y., Huang, Y., & Yang, Y. (2019). Caffeine Improves the Performance and Thermal Stability of Perovskite Solar Cells. *Joule*, 3(6), 1464–1477. <https://doi.org/10.1016/j.joule.2019.04.005>
- Wang, X., & Lim, L.-T. (2023). Effects of grind size, temperature, and brewing ratio on immersion cold brewed and French press hot brewed coffees. *Applied Food Research*, 3(2), 100334. <https://doi.org/10.1016/j.afres.2023.100334>
- Watson, J. (2003). CAFFEINE. In *Encyclopedia of Food Sciences and Nutrition* (pp. 745–750). Elsevier. <https://doi.org/10.1016/B0-12-227055-X/00144-9>
- Wibowo, N. A., Djufry, F., Syafaruddin, Iflah, T., & Dani. (2022). The Quality of Arabica Coffee Beans Evaluation at Various Processing in Luwu Regency South Sulawesi, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 1038(1), 012068. <https://doi.org/10.1088/1755-1315/1038/1/012068>
- Wołosiak, R., Pakosz, P., Drużyńska, B., & Janowicz, M. (2023). Antioxidant Activity of Coffee Components Influenced by Roast Degree and Preparation Method. *Applied Sciences*, 13(4), 2057. <https://doi.org/10.3390/app13042057>
- Wu, J., Tang, R., & Fan, K. (2024). Recent advances in postharvest technologies for reducing chilling injury symptoms of fruits and vegetables: A review. *Food Chemistry: X*, 21, 101080. <https://doi.org/10.1016/j.fochx.2023.101080>
- Wuli, R. N., Puspita, V. A., & Taus, I. (2023). Analysis of Supply Chain Management Performance in the Community Coffee Production System in Bajawa, Ngada Regency. *Journal of Social Science*, 4(6), 11–18. <https://doi.org/10.46799/jss.v4i6.713>
- Yeager, S. E., Batali, M. E., Guinard, J.-X., & Ristenpart, W. D. (2023). Acids in coffee: A review of sensory measurements and meta-analysis of chemical

- composition. *Critical Reviews in Food Science and Nutrition*, 63(8), 1010–1036. <https://doi.org/10.1080/10408398.2021.1957767>
- Yeager, S. E., Batali, M. E., Lim, L. X., Liang, J., Han, J., Thompson, A. N., Guinard, J., & Ristenpart, W. D. (2022). Roast level and brew temperature significantly affect the color of brewed coffee. *Journal of Food Science*, 87(4), 1837–1850. <https://doi.org/10.1111/1750-3841.16089>
- Yildirim, S., Gok, I., Demir, E., & Tokusoglu, O. (2022). Use of electrochemical techniques for determining the effect of brewing techniques (espresso, Turkish and filter coffee) and roasting levels on total antioxidant capacity of coffee beverage. *Journal of Food Processing and Preservation*, 46(7). <https://doi.org/10.1111/jfpp.16626>
- Yin, X., He, X., Wu, L., Yan, D., & Yan, S. (2022). Chlorogenic Acid, the Main Antioxidant in Coffee, Reduces Radiation-Induced Apoptosis and DNA Damage via NF-E2-Related Factor 2 (Nrf2) Activation in Hepatocellular Carcinoma. *Oxidative Medicine and Cellular Longevity*, 2022(1), 4566949. <https://doi.org/10.1155/2022/4566949>
- Zakaria, N. H., Whanmek, K., Thangsiri, S., Chathiran, W., Srichamnong, W., Suttisansanee, U., & Santivarangkna, C. (2023). Optimization of Cold Brew Coffee Using Central Composite Design and Its Properties Compared with Hot Brew Coffee. *Foods*, 12(12), 2412. <https://doi.org/10.3390/foods12122412>
- Zhai, X., Yang, M., Zhang, J., Zhang, L., Tian, Y., Li, C., Bao, L., Ma, C., & Abd El-Aty, A. M. (2022). Feasibility of Ultrasound-Assisted Extraction for Accelerated Cold Brew Coffee Processing: Characterization and Comparison With Conventional Brewing Methods. *Frontiers in Nutrition*, 9, 849811. <https://doi.org/10.3389/fnut.2022.849811>
- Zhang, L., Wang, X., Manickavasagan, A., & Lim, L.-T. (2022). Extraction and physicochemical characteristics of high pressure-assisted cold brew coffee. *Future Foods*, 5, 100113. <https://doi.org/10.1016/j.fufo.2022.100113>
- Zulfisa, Fika, R., Agusfina, M., Yonrizon, & Muhasanah, A. (2023). Determination of Total Phenolic Content of Ethanol Extract of Broken Bone Twigs (*Euphorbia tirucalli* Linn.) by Folin-Ciocalteu Method Spectrophotometrically. *Jurnal Eduhealth*, 14(3), 1326–1331.