UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

TABLE OF CONTENTS

COVER PAGE i

APPROVAL SHEET ii

DECLARATION OF AUTHENTICITY iii

ACKNOWLEDGMENT iv

TABLE OF CONTENTS viii

LIST OF TABLES xi

LIST OF FIGURES xii

LIST OF APPENDICES xiv

ABSTRACT xv

CHAPTER I INTRODUCTION 1

1.1. Background 1

1.2. Objectives 4

1.3 Scope 4

CHAPTER II LITERATURE REVIEW 5

2.1 Diabetes mellitus and the types of diabetes 5

2.2. Introduction to melinjo (*Gnetum gnemon* L.) 6

2.3. Nutritional composition, phytochemical, and pharmacokinetics profiles of melinjo (*Gnetum gnemon* L.) seeds 8

2.3.1. Nutritional composition 8

2.3.2. Phytochemical profile 9

2.4. Properties and safety profile of resveratrol 12

2.4.1. Properties of resveratrol 12

2.4.2. Safety profile of resveratrol 13

2.5. Potential antidiabetic mechanisms of resveratrol 14

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

2.6. Extraction and optimization of resveratrol from plant sources 15
2.6.1. Ultrasound-assisted extraction 15
2.6.2. Box-Behnken design 18
2.7. Phytochemical screening 19
2.8. Resveratrol quantification 21
2.9. In-vitro antidiabetic assays and mechanisms 23
2.9.1 α-Amylase inhibition assay 23
2.9.2 α-Glucosidase inhibition assay 24
CHAPTER III RESEARCH METHODOLOGY 25
3.1 Time and place of research 25
3.2 Materials and equipment 25
3.2.1 Materials 25
3.2.2 Chemicals and reagents 25
3.2.3 Equipment 26
3.3 Methods 27
3.2.1 Sample preparation 28
3.2.2 Ultrasound-assisted extraction 30
3.2.3 Extraction procedure for part 1 30
3.2.4 Ultrasound-assisted extraction optimization 31
3.2.5 Qualitative phytochemical screening 33
3.2.6 Total phenolic content (TPC) 34
3.2.7 Total flavonoids content (TFC) 35
3.2.8 Quantification of resveratrol 35
3.2.9 α-Amylase inhibition assay 36
3.2.10 α-Glucosidase inhibition assay 37

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

3.2.11 Data analysis 38

CHAPTER IV RESULT AND DISCUSSION 40

4.1 Colorimetric analysis of melinjo seeds at different maturity stages..... 40

4.2. Qualitative phytochemical screening 42

4.3 Phytochemical content of melinjo seeds at three different maturity stages 44

4.4. *In-vitro* antidiabetic activity of melinjo seeds at three different maturity stages 48

4. 5 Correlation between phytochemical content and antidiabetic activity..... 50

4.6 Selection of maturity stage for extraction optimization 52

4.7 Experimental design of UAE using Box–Behnken design..... 53

4.8 Model fitting and effect of UAE parameters on responses 52

4.9 Response surface analysis 57

4.10 Predicted optimal extraction conditions 59

CHAPTER V CONCLUSION AND RECOMENDATIONS 63

5.1 Conclusion..... 63

5.2 Recommendations 64

BIBLIOGRAPHY 65

APPENDICES 80

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

LIST OF TABLES

Table 1. Optimum extraction methods, solvents, and conditions reported for resveratrol recovery from plant sources, along with corresponding yields and concentrations. 17
Table 2. Experimental design matrix for Box–Behnken design with three factors32
Table 3. Color parameters (L*, a*, b*, C*, h°, and a*/b* ratio) of samples at different maturity stages..... 40
Table 4. Phytochemical screening of melinjo (*Gnetum gnemon* L.) seed extract at different maturity stages..... 42
Table 5. Total phenolic content, total flavonoids content, and resveratrol content in different maturity stages..... 44
Table 6. IC_{50} values of melinjo seed extracts and positive control against carbohydrate-hydrolyzing enzymes 48
Table 7. Pearson correlation between phytochemical content and antidiabetic activity of melinjo seed extracts..... 50
Table 8. Box-Behnken design with normalized measured responses and prediction error..... 56
Table 9. Model adequacy statistics of the regression models for the studied responses 54
Table 10. Optimization criteria for numerical optimization..... 59
Table 11. Optimal extraction conditions and predicted responses 59

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

LIST OF FIGURES

Figure 1. Proximate analysis, dietary fiber, and mineral composition of G. gnemon seed flour (Bhat & Yahya, 2014). 8
Figure 2. Plasma concentration vs time profiles and corresponding area under the curve (AUC) for resveratrol (A), gnetin C (B), and gnemonoside A (C) following oral administration of MSE powder (1000 mg/kg) in rats (Yamaga et al., 2025). 10
Figure 3. Chemical structures of trans-resveratrol and its derivatives from melinjo seeds (Tatefuji et al., 2014). 12
Figure 4. Regulation of the SIRT1–AMPK pathway by polyphenols (Kemelo & Moseki, 2025) 14
Figure 5. UV–Visible spectra of resveratrol at 5 mg/mL diluted in ethanol obtained by Cary 60 Spectrophotometry (Riccio et al., 2019). 21
Figure 6. Reaction of the α-amylase inhibition assay (Granados-Guzmán et al., 2022). 23
Figure 7. Reaction of the α- glucosidase inhibition assay (Qurratul et al., 2017). 24
Figure 8. Research Framework 27
Figure 9. Visual appearance of melinjo seeds at different maturity stages, showing the gradual color transition from immature green seeds to fully mature brown seeds. 40
Figure 10. Phytochemical content of melinjo (Gnetum gnemon L.) seed extracts at different maturity stages: (a) total phenolic content (TPC), (b) total flavonoid content (TFC), and (c) resveratrol content. Samples were obtained from green, yellow, and red maturity. 45
Figure 11. Inhibitory activity of melinjo (Gnetum gnemon L.) seed extracts at different maturity stages against carbohydrate-hydrolyzing enzymes expressed as IC_{50} values: (a) α-amylase inhibition and (b) α-glucosidase inhibition. Acarbose was used as the positive 49
Figure 12. Pareto chart for the standardized effect of the variables on the UAE of (a) Resveratrol content (b) IC_{50} α-amylase inhibition (c) IC_{50} α-glucosidase inhibition (c) %Yield (d) TPC (e) TFC 53

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Figure 13. 3D response surface graphs and contour plots showing the interaction effect of ultrasound amplitude (%) and extraction time (min) on (a) resveratrol content, (b) α-amylase inhibitory activity, (c) α-glucosidase inhibitory activity, (d) extraction yield, (e) total phenolic content (TPC), and (f) total flavonoid content (TFC) obtained from ultrasound-assisted extraction of melinjo (Gnetum gnemon L.) seeds. 57

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

LIST OF APPENDICES

Appendix 1. Gallic acid standard curve for total phenolic content (TPC) assay . 80
Appendix 2. Quercetin standard curve for total flavonoids content (TFC) assay 80
Appendix 3. Resveratrol standard curve for resveratrol quantification 80
Appendix 4. Statistical analysis results (ANOVA and post-hoc tests) for phytochemical screening (TPC, TFC, and Resveratrol) 81
Apendix 5. Statistical analysis results (ANOVA and post-hoc tests) for in- vitro antidiabetic activity assay 84
Appendix 6. Pearson correlation analysis between phytochemical contents and enzyme inhibition activities 86
Appendix 9. Data and response surface of IC_{50} α-glucosidase inhibition..... 89
Appendix 10. Data and response surface of %yield 90
Appendix 11. Data and response surface of TPC..... 91
Appendix 12. Data and response surface of TFC 92