UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

BIBLIOGRAPHY

Ahmad, I., Andriyani, D., Gunawan, C., Fauziah, N. D., Sutriyo, S., & Munim, A. (2018). Effects of food processing on resveratrol and total phenolic content in Melinjo (*Gnetum gnemon* L.) seeds. *Pharmacognosy Journal*, *10*(6), 1096–1100. https://doi.org/10.5530/pj.2018.6.186

Ali, A., Lim, X. Y., Chong, C. H., Mah, S. H., & Chua, B. L. (2018). Optimization of ultrasound-assisted extraction of natural antioxidants from Piper betle using response surface methodology. LWT, 89, 681–688. https://doi.org/10.1016/j.lwt.2017.11.033

Andlauer, W., Zuchuat, R., Schweiggert, R., & Besrukow, P. (2025). Water-based and alternative extraction techniques for stilbenoids from Grape Cane: A comparative study. *Waste Management Bulletin*, *3*(3), 100219. https://doi.org/10.1016/j.wmb.2025.100219

Andrade, A. C., Borsoi, F. T., Saliba, A. S., de Alencar, S. M., Pastore, G. M., & Arruda, H. S. (2024). Optimization of ultrasonic-assisted extraction of phenolic compounds and antioxidant activity from araticum peel using response surface methodology. *Plants*, *13*(18), 2560. https://doi.org/10.3390/plants13182560

Anisimova, N. Y., Kiselevsky, M. V., Sosnov, A. V., Sadovnikov, S. V., Stankov, I. N., & Gakh, A. A. (2011). Trans-, cis-, and dihydro-resveratrol: A comparative study. *Chemistry Central Journal*, *5*(1). https://doi.org/10.1186/1752-153x-5-88

Anisong, N., Siripongvutikorn, S., Wichienchot, S., & Puttarak, P. (2022). A comprehensive review on nutritional contents and functional properties of *Gnetum gnemon* Linn. *Food Science and Technology*, *42*. https://doi.org/10.1590/fst.100121

Antar, S. A., Ashour, N. A., Sharaky, M., Khattab, M., Ashour, N. A., Zaid, R. T., Roh, E. J., Elkamhawy, A., & Al-Karmalawy, A. A. (2023). Diabetes mellitus: Classification, mediators, and complications; a gate to identify potential targets for the development of new effective treatments.

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Biomedicine & Pharmacotherapy, *168*, 115734. https://doi.org/10.1016/j.biopha.2023.115734

Arnal, M., Gallego, M., Talens, P., & Mora, L. (2024). PEPTIDOMIC profile and α-glucosidase inhibitory activity of cooked and gastrointestinal digested legumes. *LWT*, *201*, 116283. https://doi.org/10.1016/j.lwt.2024.116283

Aryati, W. D., Azka, K. M., & Munim, A. (2020). Ultrasonic-assisted extraction using a betaine-based natural deep eutectic solvent for resveratrol extraction from Melinjo (*Gnetum gnemon*) seeds. *International Journal of Applied Pharmaceutics*, 26–31. https://doi.org/10.22159/ijap.2020.v12s1.ff001

Bancuța, O., Chillian, A., Bancuța, I., Ion, R., Setnescu, R., Setnescu, T., Gheboianu, A., & Lungulescu, M. (2015). FT-IR and UV-Vis characterization of grape extracts used as antioxidants in polymers. *Revue Roumaine de Chimie*, *60*(6), 571–577.

Bennick, A. (2002). Interaction of Plant Polyphenols with salivary Proteins. *Critical Reviews in Oral Biology & Medicine*, *13*(2), 184–196. https://doi.org/10.1177/154411130201300208

Bhat, R., & Yahya, N. binti. (2014). Evaluating Belinjau (*Gnetum gnemon* L.) seed flour quality as a base for development of novel food products and food formulations. *Food Chemistry*, *156*, 42–49. https://doi.org/10.1016/j.foodchem.2014.01.063

Bitwell, C., Indra, S. S., Luke, C., & Kakoma, M. K. (2023). A review of modern and conventional extraction techniques and their applications for extracting phytochemicals from plants. *Scientific African*, *19*. https://doi.org/10.1016/j.sciaf.2023.e01585

Bolton, J. L., & Dunlap, T. (2017). Formation and biological targets of quinones: Cytotoxic versus cytoprotective effects. *Chemical Research in Toxicology*, *30*(1), 13–37. https://doi.org/10.1021/acs.chemrestox.6b00256

Cares, M. G., Vargas, Y., Gaete, L., Sainz, J., & Alarcón, J. (2010). Ultrasonically assisted extraction of bioactive principles from Quillaja Saponaria molina. *Physics Procedia*, *3*(1), 169–178. https://doi.org/10.1016/j.phpro.2010.01.024

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Cheynier, V., Comte, G., Davies, K. M., Lattanzio, V., & Martens, S. (2013). Plant phenolics: Recent advances on their biosynthesis, genetics, and ecophysiology. *Plant Physiology and Biochemistry*, *72*, 1–20. https://doi.org/10.1016/j.plaphy.2013.05.009

Chu, Y., Chang, C., & Hsu, H. (2000). Flavonoid content of several vegetables and their antioxidant activity. *Journal of the Science of Food and Agriculture*, *80*(5), 561–566. https://doi.org/10.1002/(sici)1097-0010(200004)80:5<561::aid-jsfa574>3.0.co;2-#

Chuo, S. C., Nasir, H. M., Mohd-Setapar, S. H., Mohamed, S. F., Ahmad, A., Wani, W. A., Muddassir, Mohd., & Alarifi, A. (2020). A glimpse into the extraction methods of active compounds from plants. *Critical Reviews in Analytical Chemistry*, *52*(4), 667–696. https://doi.org/10.1080/10408347.2020.1820851

Crowell, J. A. (2004). Resveratrol-associated renal toxicity. *Toxicological Sciences*, *82*(2), 614–619. https://doi.org/10.1093/toxsci/kfh263

Demir, Y., Durmaz, L., Taslimi, P., & Gulçin, İ. (2019). Antidiabetic properties of dietary phenolic compounds: Inhibition effects on α-amylase, aldose reductase, and α-glycosidase. *Biotechnology and Applied Biochemistry*, *66*(5), 781–786. https://doi.org/10.1002/bab.1781

Detampel, P., Beck, M., Krähenbühl, S., & Huwyler, J. (2012). Drug interaction potential of resveratrol. *Drug Metabolism Reviews*, *44*(3), 253–265. https://doi.org/10.3109/03602532.2012.700715

Dzah, C. S., Duan, Y., Zhang, H., Wen, C., Zhang, J., Chen, G., & Ma, H. (2020). The effects of ultrasound assisted extraction on yield, antioxidant, anticancer and antimicrobial activity of polyphenol extracts: A Review. *Food Bioscience*, *35*, 100547. https://doi.org/10.1016/j.fbio.2020.100547

Febriyanti, R. M., Indradi, R. B., Maisyarah, I. T., Iskandar, Y., Susanti, R. D., & Lestari, D. (2025). Alpha-amylase and alpha-glucosidase enzymes inhibition and antioxidant potential of selected medicinal plants used as anti-diabetes by Sundanese community in West Java, Indonesia. *BMC*

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Complementary Medicine and Therapies, *25*(1). https://doi.org/10.1186/s12906-025-05144-x

Fern, K. (2014). *Gnetum gnemon* L. In *The Useful Tropical Plants Database.* Retrieved October 23, 2025, from https://tropical.theferns.info/viewtropical.php?id=Gnetum+gnemo

Fernando, I. P. S., Nah, J.-W., & Jeon, Y.-J. (2016). Potential anti-inflammatory natural products from marine algae. *Environmental Toxicology and Pharmacology*, *48*, 22–30. https://doi.org/10.1016/j.etap.2016.09.023

Ferraresi, A., Thongchot, S., & Isidoro, C. (2024). Resveratrol promotes self-digestion to put cancer to sleep. *Journal of Cancer Prevention*, *29*(1), 1–5. https://doi.org/10.15430/jcp.24.001

Firdhauzi, A., Takahashi Yupanqui, C., Setyaningsih, W., & Seechamnanturakit, V. (2024). Optimization of ultrasound-assisted extraction using box-behnken design, method validation, and analysis of phytochemicals from drying treatments in the application of Etlingera elatior inflorescence. *Functional Foods in Health and Disease*, *14*(5), 311–333. https://doi.org/10.31989/ffhd.v14i5.1355

Gadacha, W., Ben-Attia, M., Bonnefont-Rousselot, D., Aouani, E., Ghanem-Boughanmi, N., & Touitou, Y. (2009). Resveratrol opposite effects on rat tissue lipoperoxidation: Pro-oxidant during day-time and antioxidant at night. *Redox Report*, *14*(4), 154–158. https://doi.org/10.1179/135100009x466131

Gimeno-Mallench, L., Mas-Bargues, C., Inglés, M., Olaso, G., Borras, C., Gambini, J., & Vina, J. (2019). Resveratrol shifts energy metabolism to increase lipid oxidation in healthy old mice. *Biomedicine & Pharmacotherapy*, *118*, 109130. https://doi.org/10.1016/j.biopha.2019.109130

González de Peredo, A. V., Vázquez-Espinosa, M., Espada-Bellido, E., Ferreiro-González, M., Amores-Arrocha, A., Palma, M., F. Barbero, G., & Jiménez-Cantizano, A. (2019). Alternative ultrasound-assisted method for the extraction of the bioactive compounds present in myrtle (Myrtus communis L.). *Molecules*, *24*(5), 882. https://doi.org/10.3390/molecules24050882

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Gordish, K. L., & Beierwaltes, W. H. (2014). Resveratrol induces acute endothelium-dependent renal vasodilation mediated through nitric oxide and reactive oxygen species scavenging. *American Journal of Physiology-Renal Physiology*, *306*(5). https://doi.org/10.1152/ajprenal.00437.2013

Granados-Guzmán, G., Alanís-Garza, B., Castro-Ríos, R., Waksman-Minsky, N., & Salazar-Aranda, R. (2022). Assessment of α-amylase inhibition activity by an optimized and validated *in-vitro* microscale method. *Química Nova*. https://doi.org/10.21577/0100-4042.20170919

Granados-Guzmán, G., Castro-Rios, R., de Torres, N. W., & Salazar-Aranda, R. (2018). Optimization and validation of a microscale *in-vitro* method to assess α-glucosidase inhibition activity. *Current Analytical Chemistry*, *14*(5), 458–464. https://doi.org/10.2174/1573411013666170911154755

Harborne, J. B. (1973). *Phytochemical methods: A guide to modern techniques of plant analysis*. Chapman and Hall.

Heim, K. E., Tagliaferro, A. R., & Bobilya, D. J. (2002). Flavonoid antioxidants: Chemistry, metabolism and structure-activity relationships. *The Journal of Nutritional Biochemistry*, *13*(10), 572–584. https://doi.org/10.1016/s0955-2863(02)00208-5

Hosni, S., Gani, S. S., Orsat, V., Hassan, M., & Abdullah, S. (2023). Ultrasound-assisted extraction of antioxidants from Melastoma Malabathricum Linn.: Modeling and optimization using Box–Behnken Design. *Molecules*, *28*(2), 487. https://doi.org/10.3390/molecules28020487

Hullatti, K., & Telagari, M. (2015). In-vitro α-amylase and α-glucosidase inhibitory activity of Adiantum caudatum Linn. and Celosia argentea Linn. extracts and fractions. *Indian Journal of Pharmacology*, *47*(4), 425. https://doi.org/10.4103/0253-7613.161270

Jebli, Z., Riguene, H., Yahyaoui, A., Hassni, S., Dali, S., Ben Salem, R., & Rigane, G. (2024). Ultrasound-assisted extraction, optimisation using response surface methodology and HPLC-dad phenolic compounds quantification from *passiflora edulis* S. Peels cultivated in Tunisia.

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Natural Product Research, *40*(1), 13–21. https://doi.org/10.1080/14786419.2024.2380013

Kapoor, L., Simkin, A. J., George Priya Doss, C., & Siva, R. (2022). Fruit ripening: Dynamics and integrated analysis of carotenoids and anthocyanins. *BMC Plant Biology*, *22*(1). https://doi.org/10.1186/s12870-021-03411-w

Kunarto, B., Sutardi, S., Supriyanto, & Anwar, C. (2019). Antioxidant activity of Melinjo Ketan (*Gnetum gnemon* L., 'ketan') seed extract at various ripening stages and ethanol solvent concentration. *International Journal on Advanced Science, Engineering and Information Technology*, *9*(4), 1344–1351. https://doi.org/10.18517/ijaseit.9.4.9376

Kato, E., Tokunaga, Y., & Sakan, F. (2009). Stilbenoids isolated from the seeds of melinjo (*Gnetum gnemon* L.) and their biological activity. *Journal of Agricultural and Food Chemistry*, *57*(6), 2544–2549. https://doi.org/10.1021/jf803077p

Kato, H., Samizo, M., Kawabata, R., Takano, F., & Ohta, T. (2011). Stilbenoids from the melinjo (*Gnetum gnemon* L.) fruit modulate cytokine production in murine Peyer's patch cells *ex vivo*. *Planta Medica*, *77*(10), 1027–1034. https://doi.org/10.1055/s-0030-1250742

Kumar, S., Lather, V., & Pandita, D. (2016). Stability-indicating simplified HPLC method for simultaneous analysis of resveratrol and quercetin in nanoparticles and human plasma. *Food Chemistry, 197*, 959–964. https://doi.org/10.1016/j.foodchem.2015.11.078

Kumar, R., Kaur, K., Uppal, S., & Mehta, S. K. (2017). Ultrasound processed nanoemulsion: A comparative approach between resveratrol and resveratrol–cyclodextrin inclusion complex to study its binding interactions, antioxidant activity and UV light stability. *Ultrasonics Sonochemistry, 37*, 478–489. https://doi.org/10.1016/j.ultsonch.2017.02.004

Langcake, P., & Pryce, R. J. (1976). The production of resveratrol by Vitis vinifera and other members of the Vitaceae as a response to infection or injury. *Physiological Plant Pathology*, *9*(1), 77–86. https://doi.org/10.1016/0048-4059(76)90077-1

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Lee, Z. J., Xie, C., Duan, X., Ng, K., & Suleria, H. A. (2024). Optimization of ultrasonic extraction parameters for the recovery of phenolic compounds in brown seaweed: Comparison with conventional techniques. *Antioxidants*, *13*(4), 409. https://doi.org/10.3390/antiox13040409

Li, Y., Yao, J., Yang, W., Wei, Z., Luan, P., & Teng, G. (2024). Ripening study based on multi-structural inversion of Cherry Tomato qMRI. *Foods*, *13*(24), 4056. https://doi.org/10.3390/foods13244056

Limmongkon, A., Janhom, P., Amthong, A., Kawpanuk, M., Nopprang, P., Poohadsuan, J., Somboon, T., Saijeen, S., Surangkul, D., Srikummool, M., & Boonsong, T. (2017). Antioxidant activity, total phenolic, and resveratrol content in five cultivars of peanut sprouts. *Asian Pacific Journal of Tropical Biomedicine*, *7*(4), 332–338. https://doi.org/10.1016/j.apjtb.2017.01.002

Liu, Y., Wu, X., Hu, X., Chen, Z., Liu, H., Takeda, S., & Qing, Y. (2017). Multiple repair pathways mediate cellular tolerance to resveratrol-induced DNA damage. *Toxicology in Vitro*, *42*, 130–138. https://doi.org/10.1016/j.tiv.2017.04.017

Ma, D. S., Tan, L. T.-H., Chan, K.-G., Yap, W. H., Pusparajah, P., Chuah, L.-H., Ming, L. C., Khan, T. M., Lee, L.-H., & Goh, B.-H. (2018). Resveratrol—potential antibacterial agent against foodborne pathogens. *Frontiers in Pharmacology*, *9*. https://doi.org/10.3389/fphar.2018.00102

Mahjabeen, W., Khan, D. A., & Mirza, S. A. (2022). Role of resveratrol supplementation in regulation of glucose hemostasis, inflammation and oxidative stress in patients with diabetes mellitus type 2: A randomized, placebo-controlled trial. *Complementary Therapies in Medicine*, *66*, 102819. https://doi.org/10.1016/j.ctim.2022.102819

Mansour, R. B., Falleh, H., Hammami, M., Barros, L., Petropoulos, S. A., Tarchoun, N., & Ksouri, R. (2023). The use of response surface methodology to optimize assisted extraction of bioactive compounds from Cucurbita maxima fruit by-products. *Processes*, *11*(6), 1726. https://doi.org/10.3390/pr11061726

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

María, R., Shirley, M., Xavier, C., Jaime, S., David, V., Rosa, S., & Jodie, D. (2018). Preliminary phytochemical screening, total phenolic content and antibacterial activity of thirteen native species from Guayas province Ecuador. *Journal of King Saud University - Science*, *30*(4), 500–505. https://doi.org/10.1016/j.jksus.2017.03.009

Meng, T., Xiao, D., Muhammed, A., Deng, J., Chen, L., & He, J. (2021). Anti-inflammatory action and mechanisms of resveratrol. *Molecules*, *26*(1), 229. https://doi.org/10.3390/molecules26010229

Minakawa, M., Kawano, A., Miura, Y., & Yagasaki, K. (2011). Hypoglycemic effect of resveratrol in type 2 diabetic model db/DB mice and its actions in cultured L6 myotubes and rin-5f pancreatic β-cells. *Journal of Clinical Biochemistry and Nutrition*, *48*(3), 237–244. https://doi.org/10.3164/jcbn.10-119

Mishima, K., Siregar, Y. D., Kawamura, H., Kawakami, R., Ito, S., Inoue, Y., Hirota, T., Harada, T., Kato, T., Misumi, M., Suetsugu, T., Irie, K., Mishima, K., Mustofa, S., Hasanah, F., Zaharo, H., Putri, L. S., & Salim, A. (2015). Extraction of resveratrol from melinjo (*Gnetum gnemon l.*) seeds using mixtures of liquid carbon dioxide and ethanol. *Solvent Extraction Research and Development, Japan*, *22*(1), 69–77. https://doi.org/10.15261/serdj.22.69

Montgomery, D. C. (2017). *Design and analysis of experiments, 9th edition*. Wiley.

Mora, L., González-Rogel, D., Heres, A., & Toldrá, F. (2020). Iberian dry-cured ham as a potential source of α-glucosidase-inhibitory peptides. *Journal of Functional Foods*, *67*, 103840. https://doi.org/10.1016/j.jff.2020.103840

Mungwari, C. P., King'ondu, C. K., Sigauke, P., & Obadele, B. A. (2025). Conventional and modern techniques for bioactive compounds recovery from plants: Review. *Scientific African*, *27*. https://doi.org/10.1016/j.sciaf.2024.e02509

Młynarska, E., Czarnik, W., Dzieża, N., Jędraszak, W., Majchrowicz, G., Prusinowski, F., Stabrawa, M., Rysz, J., & Franczyk, B. (2025). Type 2 diabetes mellitus: New pathogenetic mechanisms, treatment and the most

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

important complications. *International Journal of Molecular Sciences*, *26*(3), 1094. https://doi.org/10.3390/ijms26031094

Olas, B., & Wachowicz, B. (2005). Resveratrol, a phenolic antioxidant with effects on blood platelet functions. *Platelets*, *16*(5), 251–260. https://doi.org/10.1080/09537100400020591

Olszowy-Tomczyk, M., & Wianowska, D. (2025). Impact of extraction conditions on resveratrol content and antioxidant properties of Japanese knotweed extracts. *Applied Sciences*, *15*(14), 7726. https://doi.org/10.3390/app15147726

Oniki, K., Kawakami, T., Nakashima, A., Miyata, K., Watanabe, T., Fujikawa, H., Nakashima, R., Nasu, A., Eto, Y., Takahashi, N., Nohara, H., Suico, M. A., Kotani, S., Obata, Y., Sakamoto, Y., Seguchi, Y., Saruwatari, J., Imafuku, T., Watanabe, H., … Shuto, T. (2020). Melinjo seed extract increases adiponectin multimerization in physiological and pathological conditions. *Scientific Reports*, *10*(1). https://doi.org/10.1038/s41598-020-61148-2

Parra-Palma, C., Ramos, P., & Morales-Quintana, L. (2025). Optimization of ultrasound-assisted extraction (UAE) of phenolics from blueberries by response surface methodology (RSM). *Analytical Letters*, *58*(18), 3066–3084. https://doi.org/10.1080/00032719.2025.2453592

Paulo, F., Tavares, L., & Santos, L. (2022). Response surface modeling and optimization of the extraction of phenolic antioxidants from Olive Mill Pomace. *Molecules*, *27*(23), 8620. https://doi.org/10.3390/molecules27238620

Pérez, M., Dominguez-López, I., & Lamuela-Raventós, R. M. (2023). The chemistry behind the Folin–CIOCALTEU method for the estimation of (poly)phenol content in food: Total phenolic intake in a Mediterranean dietary pattern. *Journal of Agricultural and Food Chemistry*, *71*(46), 17543–17553. https://doi.org/10.1021/acs.jafc.3c04022

Popat, R., Plesner, T., Davies, F., Cook, G., Cook, M., Elliott, P., Jacobson, E., Gumbleton, T., Oakervee, H., & Cavenagh, J. (2012). A phase 2 study of srt501 (resveratrol) with bortezomib for patients with relapsed and or

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

refractory multiple myeloma. *British Journal of Haematology*, *160*(5), 714–717. https://doi.org/10.1111/bjh.12154

Porcu, O. M. (2018). The importance of UV-VIS spectroscopy: Application in food products characterization. *Scholarly Journal of Food and Nutrition*, *1*(3). https://doi.org/10.32474/sjfn.2018.01.000111

Qurratul, A., Ashiq, U., Jamal, R. A., Saleem, M., & Mahroof-Tahir, M. (2017). Alpha-glucosidase and carbonic anhydrase inhibition studies of Pd(II)-hydrazide complexes. *Arabian Journal of Chemistry*, *10*(4), 488–499. https://doi.org/10.1016/j.arabjc.2015.02.024

Rahayu, M. D., Arimukti, S. D., & Susiarti, S. (2019). Traditional knowledge on plants utilization in postpartum care: an ethnobotanical study in local community of Cimande, Bogor, West Java, Indonesia. *Journal of Tropical Biology & Conservation (JTBC)*. https://doi.org/10.51200/jtbc.v16i0.2045

Rajendran, V., Yerrapothini, N., Guntamukkala, S., Sugandha, K., & Dasaratha, D. (2015). Method development for quantification of donor-acceptor complexes of Alverine citrate and Tapentadol by visible spectrophotometry. *Journal of Applied Pharmaceutical Science*, 068–072. https://doi.org/10.7324/japs.2015.50811

Ranilla, L. G., Kwon, Y.-I., Apostolidis, E., & Shetty, K. (2010). Phenolic compounds, antioxidant activity and in vitro inhibitory potential against key enzymes relevant for hyperglycemia and hypertension of commonly used medicinal plants, herbs and spices in Latin America. *Bioresource Technology*, *101*(12), 4676–4689. https://doi.org/10.1016/j.biortech.2010.01.093

Rocha, K. K. R., Souza, G. A., Ebaid, G. X., Seiva, F. R. F., Cataneo, A. C., & Novelli, E. L. B. (2009). Resveratrol toxicity: Effects on risk factors for atherosclerosis and hepatic oxidative stress in standard and high-fat diets. *Food and Chemical Toxicology*, *47*(6), 1362–1367. https://doi.org/10.1016/j.fct.2009.03.010

Rodriguez, R., Mazza, G., Zalazar-García, D., Fernandez, A., & Fabani, M. P. (2023). Polyphenol extraction from bio-wastes: optimization and kinetic

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

analysis. In *Studies in Natural Products Chemistry* (Vol. 79, pp. 317–339). Elsevier.

Saad, A., Ibrahim, A. A., & El-Bialee, N. (2016). *Internal quality assessment of tomato fruits using image color analysis*. *Agricultural Engineering International: CIGR Journal, 18*(1), 339–352.

Sachan, N., & Kumar, V. (2022). A critical review on physiological changes during growth maturation and ripening of citrus fruits. *European Journal of Nutrition & Food Safety*, 146–159. https://doi.org/10.9734/ejnfs/2022/v14i111272

Salehi, B., Mishra, A. P., Nigam, M., Sener, B., Kilic, M., Sharifi-Rad, M., Fokou, P. V., Martins, N., & Sharifi-Rad, J. (2018). Resveratrol: A double-edged sword in health benefits. *Biomedicines*, *6*(3), 91. https://doi.org/10.3390/biomedicines6030091

Sari, M., Rahmawati, S. I., Izzati, F. N., Bustanussalam, & Putra, M. Y. (2023). Antioxidant activity of ethanolic extract of peel and seed Melinjo (*Gnetum gnemon*) based on color variations. In *Proceedings of the 1st International Conference for Health Research – BRIN (ICHR 2022)*, (pp.255–265). Atlantis Presss

Shi, J., Arunasalam, K., Yeung, D., Kakuda, Y., Mittal, G., & Jiang, Y. (2004). Saponins from edible legumes: Chemistry, processing, and Health Benefits. *Journal of Medicinal Food*, *7*(1), 67–78. https://doi.org/10.1089/109662004322984734

Shahidi, F., & Ambigaipalan, P. (2015). Phenolics and polyphenolics in foods, beverages and spices: Antioxidant activity and health effects – A Review. *Journal of Functional Foods*, *18*, 820–897. https://doi.org/10.1016/j.jff.2015.06.018

Silalahi, M. (2021). *Gnetum gnemon* L. Gnetaceae. In *Ethnobotany of the Mountain Regions of Southeast Asia* (1st ed., Ser. Ethnobotany of Mountain Regions, pp. 531–537). Springer.

Silva, V. B., & Cardoso, J. (2024). *Response surface methods: Theory, applications and Optimization Techniques*. IntechOpen.

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Siregar, Y. I. D., Kawakami, R., Mishima, K., Ito, S., Inoue, Y., Hirota, T., Sharmin, T., Kato, T., Harada, T., Misumi, M., Orii, H., Suetsugu, T., Irie, K., Mishima, K., Sakai, K., Sakai, K., Kawamura, H., Zahroh, H., Nurelela, … Salim, A. (2016). Extraction of isovitexin from Melinjo (*Gnetum gnemon* L.) leaves using mixtures of liquid carbon dioxide and ethanol. *International Journal of Biomass and Renewables*, *5*(2), 23. https://doi.org/10.61762/ijbrvol5iss2art13919

Sukohar, A., Iqbal, M., Triyandi, R., & Sahidin. (2024). Melinjo Seeds (*Gnetum gnemon* L.) antioxidant activity and cytotoxic effects on MCF-7 breast cancer cells: A study based on tracing of resveratrol compound. *Journal of Pharmacy and Bioallied Sciences*, *16*(1), 16–23. https://doi.org/10.4103/jpbs.jpbs_878_23

Supriyadi, A., Arum, L. S., Nugraha, A. S., Ratnadewi, A. A. I., & Siswoyo, T. A. (2019). Revealing antioxidant and antidiabetic potency of Melinjo (*Gnetum gnemon*) seed protein hydrolysate at different stages of seed maturation. *Current Research in Nutrition and Food Science Journal, 7*(2), 479-487. https://doi.org/10.12944/CRNFSJ.7.2.17

Syahdi, R. R., Nadyana, R., Putri, R. H., Santi, R., & Munim, A. (2020). Application of green extraction methods to resveratrol extraction from peanut (arachis hypogaea L.) skin. *International Journal of Applied Pharmaceutics*, 38–42. https://doi.org/10.22159/ijap.2020.v12s1.ff003

Tamura, Y., Morimoto, C., Kuribayashi-Okuma, E., Uchida, S., Hosoyamada, M., Nakagawa, T., & Shibata, S. (2021). Melinjo seed extract stimulates intestinal ABCG2 expression to reduce serum uric acid levels in hyperuricemic rats. *Journal of Functional Foods*, *87*, 104849. https://doi.org/10.1016/j.jff.2021.104849

Tatefuji, T., Yanagihara, M., Fukushima, S., & Hashimoto, K. (2014). Safety Assessment of melinjo (*Gnetum gnemon* L.) seed extract: Acute and subchronic toxicity studies. *Food and Chemical Toxicology*, *67*, 230–235. https://doi.org/10.1016/j.fct.2014.02.030

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Techarang, T., Kooltheat, N., Mitsuwan, W., Saki, M., & Romyasamit, C. (2026). Pharmacological profiling of *Gnetum gnemon* var. Tenerum extracts exhibits antibacterial, antioxidant, cytotoxic and anti-inflammatory activities. *Scientific Reports*, *16*(1). https://doi.org/10.1038/s41598-026-38348-3

Tiranakwit, T., Puangpun, W., Tamprasit, K., Wichai, N., Siriamornpun, S., Srisongkram, T., & Weerapreeyakul, N. (2023). Phytochemical screening on phenolic, flavonoid contents, and antioxidant activities of six indigenous plants used in traditional Thai medicine. *International Journal of Molecular Sciences*, *24*(17), 13425. https://doi.org/10.3390/ijms241713425

Verma, G., & Mishra, M. (2018). Development and optimization of UV-Vis spectroscopy – A review. *World Journal of Pharmaceutical Research*, *7*(11), 1170–1180. https://doi.org/10.20959/wjpr201811-12333

Visvanathan, R., Le, D. T., Dhital, S., Rali, T., Davis, R. A., & Williamson, G. (2024). Inhibition of human salivary and pancreatic α-amylase by resveratrol oligomers. *Journal of Medicinal Chemistry*, *67*(21), 18753–18763. https://doi.org/10.1021/acs.jmedchem.4c01042

Whitlock, N. C., & Baek, S. J. (2012). The anticancer effects of resveratrol: Modulation of transcription factors. *Nutrition and Cancer*, *64*(4), 493–502. https://doi.org/10.1080/01635581.2012.667862

Wulandari, L., Nuri, Pratoko, D. K., Khairunnisa, P., & Muyasaroh, L. (2021). Determination α-amylase inhibitor activity of methanol extract of coffee leaves using UV-vis spectrophotometric method and validation. *IOP Conference Series: Earth and Environmental Science*, *743*(1), 012094. https://doi.org/10.1088/1755-1315/743/1/012094

Xiao, E., & Luo, L. (2018). Alternative therapies for diabetes: A comparison of western and Traditional Chinese Medicine (TCM) approaches. *Current Diabetes Reviews*, *14*(6), 487–496. https://doi.org/10.2174/1573399813666170519103230

UNIVERSITAS
GADJAH MADA
Phytochemical Screening and In-Vitro Antidiabetic Evaluation of Melinjo (Gnetum Gnemon L.) Seed Extract in Different Maturity Stages
Fairuz Syarifa Danianti Putri, Yunika Mayangsari, S.Si, M.Biotech., Ph.D.; Dr. Worrapanit Chansuwan
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Xu, X., Zhang, D., Liu, X., Zheng, R., & Jiang, T. (2024). Ultrasonic-assisted extraction and antioxidant evaluation of resveratrol from peanut sprouts. *Processes*, *12*(10), 2295. https://doi.org/10.3390/pr12102295

Yamaga, M., Kishimoto, T., Tani, H., Suico, M. A., Shuto, T., & Ikuta, T. (2025). Pharmacokinetic profiles of Melinjo seed extract components in rats. *ACS Food Science & Technology*, *5*(2), 653–658. https://doi.org/10.1021/acsfoodscitech.4c00803

Yang, B., Zhang, M., Weng, H., Xu, Y., & Zeng, L. (2020). Optimization of ultrasound assisted extraction (UAE) of kinsenoside compound from Anoectochilus Roxburghii (wall.) lindl by response surface methodology (RSM). *Molecules*, *25*(1), 193. https://doi.org/10.3390/molecules25010193

Yaraguppi, D. A., Bagewadi, Z. K., Muddapur, U. M., & Mulla, S. I. (2020). Response surface methodology-based optimization of biosurfactant production from isolated bacillus aryabhattai strain ZDY2. *Journal of Petroleum Exploration and Production Technology*, *10*(6), 2483–2498. https://doi.org/10.1007/s13202-020-00866-9

Zhang, A. J., Rimando, A. M., Mizuno, C. S., & Mathews, S. T. (2017). A-glucosidase inhibitory effect of resveratrol and Piceatannol. *The Journal of Nutritional Biochemistry*, *47*, 86–93. https://doi.org/10.1016/j.jnutbio.2017.05.008

Zhang, L., Zhang, F., He, X., Dong, Y., Sun, K., Liu, S., Wang, X., Yang, H., Zhang, W., Lakshmanan, P., Chen, X., & Deng, Y. (2024). Comparative Metabolomics reveals complex metabolic shifts associated with nitrogen-induced color development in mature pepper fruit. *Frontiers in Plant Science*, *15*. https://doi.org/10.3389/fpls.2024.1319680

Zhang, M., Yang, J., Sun, Y., & Kuang, H. (2024). Recent advances in alkaloids from Papaveraceae in China: Structural characteristics and pharmacological effects. *Molecules*, *29*(16), 3778. https://doi.org/10.3390/molecules29163778

Zhang, T., He, Q., Liu, Y., Chen, Z., & Hu, H. (2021). Efficacy and safety of resveratrol supplements on blood lipid and blood glucose control in patients