PENGARUH EVOLUSI GEOLOGI KEPULAUAN ASIA TENGGARA TERHADAP DIVERSIFIKASI KUMBANG RUSA CYCLOMMATUS DI INDONESIA
MICHEL THOURIQAC CAYOTE FANDA, Dr.Eng. Ir. Didit Hadi Barianto, S.T., M.Si., IPM.; Dr.Eng. Ir. Akmaluddin, S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Advokaat, E.L., and van Hinsbergen, D.J.J., 2024, Finding Argoland: Reconstructing a microcontinental archipelago from the SE Asian accretionary orogen: Gondwana Research, v. 128, p. 161–263, doi: 10.1016/j.gr.2023.10.005.

Axelius, B., 1991, Areas of distribution and areas of endemism: Cladistics, v. 7, p. 197–199, doi: 10.1111/j.1096-0031.1991.tb00032.x.

Blackburn, D.C., Bickford, D.P., Diesmos, A.C., Iskandar, D.T., and Brown, R.M., 2010, An ancient origin for the enigmatic flat-headed frogs (Bombinatoridae: Barbourula) from the islands of Southeast Asia: PLoS ONE, v. 5, doi: 10.1371/journal.pone.0012090.

Beetle School, How to breed Cyclommatus stag beetles: Eonet.ne.jp, https://www.eonet.ne.jp/~beetle-s/maniarufiles/Hosoaka.htm (accessed November 2024).

Benesh, B., 1960, Lucanidea. Gravenhage: W. Junk.

Burton-Johnson, A., and Cullen, A.B., 2023, Continental rifting in the South China Sea through extension and high heat flow: An extended history: Gondwana Research, v. 120, p. 235–263, doi: 10.1016/j.gr.2022.07.015.

Chen, Z.-Y., Hsu, Y., and Lin, C.-P., 2020, Allometry and fighting behaviour of a dimorphic stag beetle cyclommatus mniszechi (Coleoptera: Lucanidae): Insects, v. 11, p. 81, doi: 10.3390/insects11020081.

Chornelia, A., and Hughes, A.C., 2022, The evolutionary history and ancestral biogeographic range estimation of old-world rhinolophidae and Hipposideridae (Chiroptera): BMC Ecology and Evolution, v. 22, doi: 10.1186/s12862-022-02066-x.

Didier, R., and Séguy, E., 1953, Catalogue illustré des Lucanides du Globe: Paris, P. Lechevalier.

Didier, R., 1927, Quelques modifications à la classification des lucanides [col.]. A propos du genre cyclommatus Parry: Bulletin de la Société entomologique de France, v. 32, p. 101–103, doi: 10.3406/bsef.1927.27797.

Dowling, A.P.G., 2002, Testing the accuracy of treemap and Brooks parsimony analyses of coevolutionary patterns using artificial associations: Cladistics, v. 18, p. 416–435, doi: 10.1016/s0748-3007(02)00007-5.

Echeverry, A., and Morrone, J.J., 2010, Parsimony analysis of endemicity as a panbiogeographical tool: An analysis of Caribbean plant taxa: Biological Journal of the Linnean Society, v. 101, p. 961–976, doi: 10.1111/j.1095-8312.2010.01535.x.

Fang, G., Zhang, J., Hao, T., Dong, M., Jiang, C., and He, Y., 2022, The causal mechanism of the Sangihe forearc thrust, Molucca Sea, Northeast Indonesia, from Numerical Simulation: Journal of Asian Earth Sciences, v. 237, p. 105350, doi: 10.1016/j.jseaes.2022.105350.

Fernández-Palacios, J.M., Rijsdijk, K.F., Norder, S.J., Otto, R., de Nascimento, L., Fernández-Lugo, S., Tjørve, E., and Whittaker, R.J., 2015, Towards a glacial-sensitive model of island biogeography: Global Ecology and Biogeography, v. 25, p. 817–830, doi: 10.1111/geb.12320.

Fitch, W.M., 1971, Toward defining the course of evolution: Minimum change for a specific tree topology: Systematic Zoology, v. 20, p. 406, doi: 10.2307/2412116.

UNIVERSITAS
GADJAH MADA
PENGARUH EVOLUSI GEOLOGI KEPULAUAN ASIA TENGGARA TERHADAP DIVERSIFIKASI KUMBANG RUSA CYCLOMMATUS DI INDONESIA
MICHEL THOURIQAC CAYOTE FANDA, Dr.Eng. Ir. Didit Hadi Barianto, S.T., M.Si., IPM.; Dr.Eng. Ir. Akmaluddin, S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Fremlin, M., 2010, Observation of female stag beetles on a freshly cut stump: Nature in North-East Essex.

Fujita, H., 2010. The Lucanid Beetles of the World. Tokyo: Mushi-sha.

Gao, Y., Wang, Y., Morley, C.K., Wang, Y., Qian, X., and Wang, Y., 2024, Cenozoic thermal-tectonic evolution of Sundaland: Constraints from low-temperature thermochronology: Earth-Science Reviews, v. 254, p. 104812, doi: 10.1016/j.earscirev.2024.104812.

Gold, D.P., White, L.T., Gunawan, I., and BouDagher-Fadel, M.K., 2017, Relative sea-level change in Western New Guinea recorded by Regional Biostratigraphic Data: Marine and Petroleum Geology, v. 86, p. 1133–1158, doi: 10.1016/j.marpetgeo.2017.07.016.

Gotoh, H., and Lavine, L.C., 2014, Genetic control of color polymorphism in the stag beetle cyclommatus Metallifer Boisduval (Coleoptera: Lucanidae): The Coleopterists Bulletin, v. 68, p. 209, doi: 10.1649/0010-065x-68.2.209.

Gotoh, H., Cornette, R., Koshikawa, S., Okada, Y., Lavine, L.C., Emlen, D.J., and Miura, T., 2011, Juvenile hormone regulates extreme mandible growth in male stag beetles: PLoS ONE, v. 6, doi: 10.1371/journal.pone.0021139.

Hall, R., and Breitfeld, H.T., 2017, Nature and demise of the Proto-South China Sea: Bulletin of the Geological Society of Malaysia, v. 63, p. 61–76, doi: 10.7186/bgsm63201703.

Hall, R., 1996, Reconstructing cenozoic SE Asia: Geological Society, London, Special Publications, v. 106, p. 153–184, doi: 10.1144/gsl.sp.1996.106.01.11.

Hall, R., 2012. Late Jurassic–Cenozoic reconstructions of the Indonesian region and the Indian Ocean. Tectonophysics, v. 570–571, p. 1–41. doi: 10.1016/J.TECTO.2012.04.021

Hansen James, Sato Makiko, Russell Gary and Kharecha Pushker, 2013. Climate sensitivity, sea level and atmospheric carbon dioxidePhil. Trans. R. Soc. A.37120120294 doi: 10.1098/rsta.2012.0294

Harmon, R. S., Leslie, d. L., Lyons, 2020. Formation and paleogeographic evolution of the Palawan continental terrane along the Southeast Asian margin revealed by detrital fingerprints. Geological Society of America Bulletin, v. 132(9-10), p. 1-22. doi: 10.1130/B35479.1

Hennig, W., Davis, D.D., and Zangerl, R., 1999, Phylogenetic systematics: Urbana, University of Illinois Press.

Hennig-Breitfeld, J., Breitfeld, H.T., Hall, R., BouDagher-Fadel, M., and Thirlwall, M., 2019, A new upper paleogene to neogene stratigraphy for Sarawak and Labuan in northwestern Borneo: Paleogeography of the eastern sundaland margin: Earth-Science Reviews, v. 190, p. 1–32, doi: 10.1016/j.earscirev.2018.12.006.

Herbst, L., and Fischer, M., 2018, On the accuracy of ancestral sequence reconstruction for ultrametric trees with parsimony: Bulletin of Mathematical Biology, v. 80, p. 864–879, doi: 10.1007/s11538-018-0407-5.

Huang, H., and Chen, C. C., 2017, Stag beetles of China III. New Taipei City: Formosa Ecological Company.

Huang, Jen-Pan and Knowles, L., 2018. Testing the impact of oceanic barriers on population subdivision, speciation and zoogeographical community

UNIVERSITAS
GADJAH MADA
PENGARUH EVOLUSI GEOLOGI KEPULAUAN ASIA TENGGARA TERHADAP DIVERSIFIKASI KUMBANG RUSA CYCLOMMATUS DI INDONESIA
MICHEL THOURIQAC CAYOTE FANDA, Dr.Eng. Ir. Didit Hadi Barianto, S.T., M.Si., IPM.; Dr.Eng. Ir. Akmaluddin, S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

assembly in Xylotrupes beetles across the Indo-Australian Archipelago. doi: 10.1093/biolinnean/bly103/5061632.

Humphries, C.J., and Parenti, L.R., 1999, Cladistic biogeography: Interpreting patterns of plant and animal distributions: Oxford, Oxford University Press.

Kim, E., An, S.L., Choi, J.B., and Park, J.K., 2020, Taxonomic study on the Montanellus species group of the genus cyclommatus (Coleoptera: Lucanidae) from Borneo Island, Malaysia, and Indonesia: Journal of Asia-Pacific Biodiversity, v. 13, p. 372–379, doi: 10.1016/j.japb.2020.06.004.

Kim, Sang Il; Farrell, Brian D., 2015. Phylogeny of world stag beetles (Coleoptera: Lucanidae) reveals a Gondwanan origin of Darwin's stag beetle" Molecular Phylogenetics and Evolution. v. 86, p. 35–48. doi:10.1016/j.ympev.2015.02.015. PMID 25732069.

Krajčík, M., 2001, Lucanidae of the World. Part 1. Most: Krajčík.

Li, J., Ding, W., Lin, J., Xu, Y., Kong, F., Li, S., Huang, X., and Zhou, Z., 2021, Dynamic processes of the curved subduction system in Southeast Asia: A review and future perspective: Earth-Science Reviews, v. 217, p. 103647, doi: 10.1016/j.earscirev.2021.103647.

Lieberman, B.S., 1997, Early Cambrian paleogeography and tectonic history: A biogeographic approach: Geology, v. 25, p. 1039, doi: 10.1130/0091-7613(1997)025<1039:ecpath>2.3.co;2.

Lieberman, B.S., 2000, Paleobiogeography: New York, Kluwer Academic/Plenum Publisher.

Lieberman, B.S., 2003, Paleobiogeography: The relevance of fossils to biogeography: Annual Review of Ecology, Evolution, and Systematics, v. 34, p. 51–69, doi: 10.1146/annurev.ecolsys.34.121101.153549.

Lieberman, B.S., and Eldredge, N., 1996, Trilobite biogeography in the Middle Devonian: Geological processes and analytical methods: Paleobiology, v. 22, p. 66–79, doi: 10.1017/s009483730001602x.

Lin, C.-P., Huang, J.-P., Lee, Y.-H., and Chen, M.-Y., 2009, Phylogenetic position of a threatened stag beetle, Lucanus datunensis (Coleoptera: Lucanidae) in Taiwan and implications for conservation: Conservation Genetics, v. 12, p. 337–341, doi: 10.1007/s10592-009-9996-8.

Lohman, D.J., de Bruyn, M., Page, T., von Rintelen, K., Hall, R., Ng, P.K.L., Shih, H.-T., Carvalho, G.R., and von Rintelen, T., 2011, Biogeography of the indo-australian archipelago: Annual Review of Ecology, Evolution, and Systematics, v. 42, p. 205–226, doi: 10.1146/annurev-ecolsys-102710-145001.

Luan, X., and Lunt, P., 2022, Controls on early Miocene carbonate and siliciclastic deposition in eastern Java and south makassar straits, Indonesia: Journal of Asian Earth Sciences, v. 227, p. 105091, doi: 10.1016/j.jseaes.2022.105091.

Maddison, W.P. and Maddison, D.R., 2019, Mesquite: A Modular System for Evolutionary Analysis. Version 3.61. http://mesquiteproject.org.

Madon, M., and Jong, J., 2022, The crustal structure and evolution of the Bunguran Trough, offshore Sarawak, Malaysia: Marine and Petroleum Geology, v. 139, p. 105608, doi: 10.1016/j.marpetgeo.2022.105608.

Matthews, K.J., Maloney, K.T., Zahirovic, S., Williams, S.E., Seton, M., and Müller, R.D., 2016, Global Plate Boundary Evolution and kinematics since the late

UNIVERSITAS
GADJAH MADA
PENGARUH EVOLUSI GEOLOGI KEPULAUAN ASIA TENGGARA TERHADAP DIVERSIFIKASI KUMBANG RUSA CYCLOMMATUS DI INDONESIA
MICHEL THOURIQAC CAYOTE FANDA, Dr.Eng. Ir. Didit Hadi Barianto, S.T., M.Si., IPM.; Dr.Eng. Ir. Akmaluddin, S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

paleozoic: Global and Planetary Change, v. 146, p. 226–250, doi: 10.1016/j.gloplacha.2016.10.002.

Merriam-Webster, 2013, Merriam-Webster online dictionary, https://www.merriam-webster.com/ (accessed 2024).

Mizunuma, T., and Nagai, S., 1994, The Lucanid Beetles of the World: Mushi-Sha's Iconographic Series of Insects, Ed. Japan: H. Fujita, v. I, p.

Morita, S., 2001, Chapter 2: Raising Giant Stag Beetle Larvae, in Fujita Hiroshi and Tanizumi Motohiko (eds.), Everything You Need to Know About Raising Giant Stag Beetles, Vol. 5, Mushisha Monthly Mushi Books, p. 135-168. ISBN 978-4943955351 . NCID BA56876120.

Morrone, J.J., 2009, Evolutionary biogeography: An integrative approach with case studies: New York, Columbia University Press.

Morrone, J.J., 2014, On Biotas and their names: Systematics and Biodiversity, v. 12, p. 386–392, doi: 10.1080/14772000.2014.942717.

Morrone, J.J., 2020, The Mexican Transition Zone: A natural biogeographic laboratory to study Biotic Assembly: Cham, Springer International Publishing.

Nagel, P., 1941, Neues über hirschkäfer (col. fam. Lucanidae): Entomologische Zeitung Stettin, v. 97, p. 289–302.

Noerdjito, W.A., 2016, Keanekaragaman Kumbang Stag (Coleoptera: Lucanidae) di Pulau Jawa: Menteng, Jakarta, LIPI Press.

Nugraha, A.M., and Hall, R., 2018, Late Cenozoic palaeogeography of Sulawesi, Indonesia: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 490, p. 191–209, doi: 10.1016/j.palaeo.2017.10.033.

Nugraha, A.M., Adhitama, R., Switzer, A.D., and Hall, R., 2023, Plio-Pleistocene sedimentation and palaeogeographic reconstruction in the Poso Depression, Central Sulawesi, Indonesia: From a sea channel to a land bridge: Journal of Palaeogeography, v. 12, p. 331–357, doi: 10.1016/j.jop.2023.05.003.

Ozawa, T., Okada, Y., and Ota, K., 2016. Mechanism by which the size of weapon in insects such as rhinoceros beetles changes in response to the environment, University of Tokyo.

Padial, J.M., Miralles, A., De la Riva, I., and Vences, M., 2010, The Integrative Future of Taxonomy: Frontiers in Zoology, v. 7, p. 16, doi: 10.1186/1742-9994-7-16.

Parry, F.J., 1863, XXXIV. A few remarks upon mr. James Thomson S catalogue of lucanidæ, published in the "Annales de la Société Entomologique de France, 1862.": Transactions of the Royal Entomological Society of London, v. 11, p. 442–452, doi: 10.1111/j.1365-2311.1863.tb01291.x.

Paulian, R., 1988, Biologie des Coléoptères: París, Editions Lechevalier.

Pownall, J.M., Hall, R., and Armstrong, R.A., 2017, Hot lherzolite exhumation, UHT migmatite formation, and acid volcanism driven by Miocene rollback of the Banda Arc, Eastern Indonesia: Gondwana Research, v. 51, p. 92–117, doi: 10.1016/j.gr.2017.07.003.

Ramos-Fregonezi, A.M., Fregonezi, J.N., Cybis, G.B., Fagundes, N.J., Bonatto, S.L., and Freitas, L.B., 2015, Were sea level changes during the pleistocene in the South Atlantic coastal plain a driver of speciation in Petunia (Solanaceae)? BMC Evolutionary Biology, v. 15, doi: 10.1186/s12862-015-0363-8.

UNIVERSITAS
GADJAH MADA
PENGARUH EVOLUSI GEOLOGI KEPULAUAN ASIA TENGGARA TERHADAP DIVERSIFIKASI KUMBANG RUSA CYCLOMMATUS DI INDONESIA
MICHEL THOURIQAC CAYOTE FANDA, Dr.Eng. Ir. Didit Hadi Barianto, S.T., M.Si., IPM.; Dr.Eng. Ir. Akmaluddin, S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Reig, O., 1981, Teoría del Origen y Desarrollo de la fauna de Mamíferos de América del Sur: Mar del Plata, Argentina, Museo Municipal de Ciencias Naturales Lorenzo Scaglia.

Rodrigues de Vargas, M., Tugend, J., Mohn, G., Kusznir, N., and Liang-Fu, L., 2024, Crustal structure of the northeast South China Sea rifted margin: Tectonics, v. 43, doi: 10.1029/2024tc008399.

Sanmartín, I., and Ronquist, F., 2004, Southern Hemisphere biogeography inferred by event-based models: Plant Versus Animal Patterns: Systematic Biology, v. 53, p. 216–243, doi: 10.1080/10635150490423430.

Shiho, 2021, Breeding Cyclommatus kaupi: Stag Beetles and Rhinoceros Beetles Breeding Information: Tsukiyono Kinoko-en, https://www.tsukiyono.co.jp/stag2/2021/03/08/%E3%82%AB%E3%82%A6%E3%83%94%E3%83%9B%E3%82%BD%E3%82%A2%E3%82%AB%E3%82%AF%E3%83%AF%E3%82%AC%E3%82%BF%E3%81%AE%E9%A3%BC%E8%82%B2%E3%80%90%E5%B9%BC%E8%99%AB%E9%A3%BC%E8%82%B2%EF%BC%86%E7%94%A3%E5%8D%B5/ (accessed November 2024).

Simpson, M.G., 2010, Plant Systematics: Burlington, MA, Academic Press.

Šlechtová, V., Musilova, Z., Tan, H.H., Kottelat, M., and Bohlen, J., 2021, One northward, one southward: Contrasting biogeographical history in two benthic freshwater fish genera across Southeast Asia (Teleostei: Cobitoidea: Nemacheilus, Pangio): Molecular Phylogenetics and Evolution, v. 161, p. 107139, doi: 10.1016/j.ympev.2021.107139.

Thomaes, A., 2009, A protection strategy for the stag beetle (Lucanus cervus, (L., 1758), Lucanidae) based on habitat requirements: Proceedings of the 5th Symposium and Workshop on the Conservation of Saproxylic Beetles, p. 149–160.

Tsai, C.-L., and Yeh, W.-B., 2016, Subspecific differentiation events of montane stag beetles (Coleoptera, Lucanidae) endemic to Formosa Island: PLOS ONE, v. 11, doi: 10.1371/journal.pone.0156600.

Tsukiyono Kinoko-en, 2023, Cyclommatus metallifer: Stag Beetles and Rhinoceros Beetles Breeding Information: Tsukiyono Kinoko-en, https://www.tsukiyono.co.jp/stag2/manual/kuwagata/kuwagata-type/cyclommatus-tarandus/ (accessed November 2024).

Turner, H., Hovenkamp, P., and van Welzen, P.C., 2001, Biogeography of southeast asia and the West Pacific: Journal of Biogeography, v. 28, p. 217–230, doi: 10.1046/j.1365-2699.2001.00526.x.

Ung, V., Zaragueta-Bagils, R., and Williams, D.M., 2015, Comparative biogeography of Southeast Asia and the West Pacific Region: Biological Journal of the Linnean Society, v. 117, p. 372–385, doi: 10.1111/bij.12670.

van Bemmelen, R. W., 1949, The Geology of Indonesia: Geological Society of America, v. 60

van de Lagemaat, S.H.A., and van Hinsbergen, D.J.J., 2024, Plate tectonic cross-roads: Reconstructing the Panthalassa-Neotethys Junction region from Philippine Sea Plate and Australasian Oceans and Orogens: Gondwana Research, v. 126, p. 129–201, doi: 10.1016/j.gr.2023.09.013.

Webb, M., Gough, A., and Endinanda, F., 2024, Depositional environments and sedimentary provenance of the Cenozoic deposits of Natuna Island,

UNIVERSITAS
GADJAH MADA
PENGARUH EVOLUSI GEOLOGI KEPULAUAN ASIA TENGGARA TERHADAP DIVERSIFIKASI KUMBANG RUSA CYCLOMMATUS DI INDONESIA
MICHEL THOURIQAC CAYOTE FANDA, Dr.Eng. Ir. Didit Hadi Barianto, S.T., M.Si., IPM.; Dr.Eng. Ir. Akmaluddin, S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Indonesia: Implications for basin evolution in central sundaland: Gondwana Research, v. 134, p. 298–325, doi: 10.1016/j.gr.2024.06.022.

Wiley, E.O., 1987, Methods in vicariance biogeography: Systematics and evolution: a matter of diversity: Urecht, Institute of Systematic Botany, Utrecht University.

Wiley, E.O., 1988a, Parsimony analysis and vicariance biogeography: Systematic Zoology, v. 37, p. 271, doi: 10.2307/2992373.

Wiley, E., 1988b, Vicariance biogeography: Annual Review of Ecology and Systematics, v. 19, p. 513–542, doi: 10.1146/annurev.ecolsys.19.1.513.

Yuan, J.J., Chen, D., and Wan, X., 2021, A multilocus assessment reveals two new synonymies for East Asian cyclommatus stag beetles (Coleoptera, Lucanidae): ZooKeys, v. 1021, p. 65–79, doi: 10.3897/zookeys.1021.58832.

Yuan, T., Wang, Z., Zhao, D., Gao, R., and Chen, X., 2024, Seismic evidence for break-off of the Molucca Sea Slab: Tectonophysics, p. 230218, doi: 10.1016/j.tecto.2024.230218.

Zahirovic, S., Matthews, K.J., Flament, N., Müller, R.D., Hill, K.C., Seton, M., and Gurnis, M., 2016, Tectonic evolution and deep mantle structure of the Eastern Tethys since the latest jurassic: Earth-Science Reviews, v. 162, p. 293–337, doi: 10.1016/j.earscirev.2016.09.005.

Zhu, X.L., Yuan, J.J., Zhou, L.Y., Bartolozzi, L., and Wan, X., 2023, Molecular phylogeny and historical biogeography of cyclommatus stag beetles (Coleoptera: Lucanidae): Insights into their evolution and diversification in tropical and subtropical Asia: Frontiers in Ecology and Evolution, v. 11, doi: 10.3389/fevo.2023.974315.