

DAFTAR PUSTAKA

- Almalki, S., Abubaker, A., Alsabaani, N. A., & Edward, D. P. (2015). Causes of elevated intraocular pressure following implantation of phakic intraocular lenses for myopia. *International Ophthalmology*.
<https://doi.org/10.1007/s10792-015-0112-4>
- Al Sabaani, N., Al Assiri, A., Al Torbak, A., & Al Motawa, S. (2013). Outcome of posterior chamber phakic intraocular lens procedure to correct myopia. *Saudi Journal of Ophthalmology*, 27(4), 259–266.
<https://doi.org/10.1016/j.sjopt.2013.06.009>
- AlSamman, A.H., Moahammed, A.M., Mohammed, U.A. (2016). Anterior Chamber Foldable Phakic Intraocular Lens Safety and Efficacy. *Journal of Clinical Research and Ophtalmology*, 3(1), 034-040.
- Andriani, R. (2016). Correlation between Axial Length with Central Corneal Thickness and Degree of Myopia, 42(3), 296–300.
- Badan Penelitian dan Pengembangan Kesehatan. (2013). Riset Kesehatan Dasar (RISKESDAS) 2013. *Laporan Nasional 2013*, 1–384. <https://doi.org/10.1016/j.sjopt.2013.06.009>
Desember 2013
- Bamahfouz, A. Y., Al-ghamdi, A. A., Subhan, I. A., & Hawsawi, R. A. (2015). Prediction of Post Phacoemulsification Visual Acuity in Patients with Different Degree of Lens Opacity using Heine Retinometer, 3(3), 105–109.
<https://doi.org/10.17354/ijss/2015/280>
- Bamashmus, M. A., Saleh, M. F., & Awadalla, M. A. (2010). Reasons For Not Performing Keratorefractive Surgery in Patients Seeking Refractive Surgery in a Hospital-Based Cohort in “Yemen.” *Middle East African Journal of Ophthalmology*, 17(4), 349–353. <http://doi.org/10.4103/0974-9233.71605>
- Chen, M. J., Liu, Y. T., Tsai, C. C., Chen, Y. C., Chou, C. K., & Lee, S. M. (2009). Relationship between central corneal thickness, refractive error, corneal curvature, anterior chamber depth and axial length. *Journal of the Chinese Medical Association*, 72(3), 133–137.
[https://doi.org/10.1016/S1726-4901\(09\)70038-3](https://doi.org/10.1016/S1726-4901(09)70038-3)
- Chen, X., Miao, H., Naidu, R. K., Wang, X., & Zhou, X. (2016). Comparison of early changes in and factors affecting vault following posterior chamber phakic Implantable Collamer Lens implantation without and with a central

hole (ICL V4 and ICL V4c). *BMC Ophthalmology*, 16(1), 1–9.
<https://doi.org/10.1186/s12886-016-0336-8>

Chen, Y. C., Kasuga, T., Lee, H. J., Lee, S. H., & Lin, S. Y. (2014). Correlation between central corneal thickness and myopia in Taiwan. *Kaohsiung Journal of Medical Sciences*, 30(1), 20–24.
<https://doi.org/10.1016/j.kjms.2013.08.008>

Collins, N., Lum, F. C., & Garratt, S. (2012). Refractive Errors & Refractive Surgery. *American Academy of Ophthalmology - Preferred Practice Pattern*, 9–11.

Dhaliwal, D. (2017, Februari). Overview of Refractive Error. Diambil dari <http://www.merckmanuals.com/professional/eye-disorders/refractive-error/overview-of-refractive-error>.

Doors, M., Cruysberg, L. P. J., Berendschot, T. T. J. M., de Brabander, J., Verbakel, F., Webers, C. a B., & Nuijts, R. M. M. a. (2009). Comparison of central corneal thickness and anterior chamber depth measurements using three imaging technologies in normal eyes and after phakic intraocular lens implantation. *Graefe's Archive for Clinical and Experimental Ophthalmology = Albrecht von Graefes Archiv Für Klinische Und Experimentelle Ophthalmologie*, 247(8), 1139–46.
<https://doi.org/10.1007/s00417-009-1086-6>

Departemen Kesehatan Republik Indonesia. (2006). Pedoman Manajemen Kesehatan Indera Penglihatan dan Pendengaran.

Faghihi, H., Hajizadeh, F., & Riazi-Esfahani, M. (2010). Optical Coherence Tomographic Findings in Highly Myopic Eyes. *JOURNAL OF OPHTHALMIC AND VISION RESEARCH J Ophthalmic Vis Res*, 5(52), 110–121.

Feizi, S., Jafarinasab, M. R., Karimian, F., & Hasanpour, H. (2014). Original Article Central and Peripheral Corneal Thickness Measurement in Normal and Keratoconic Eyes Using Three Corneal Pachymeters, 9(3).
<https://doi.org/10.4103/2008-322X.143356>

Fry, A., Gouras, P., Selenow, A., Guffreda, K. J., & Rumpf, D. (2018). digital filtering Prognostic Value of Loser Interferometric Visual Acuity in Amblyopia Therapy. *Investigative Ophthalmology*, (2), 273–277.

Giuffrè, G., Di Rosa, L., Fiorino, F., Bubella, D. M., & Lodato, G. (2007). Variations in central corneal thickness during the menstrual cycle in women. *Cornea*, 26(2), 144–146.
<https://doi.org/10.1097/01.icc.0000244873.08127.3c>

Gupta PD, Johar Sr K, Nagpal K, Vasavada AR. (2005) Sex Hormone Receptors in the Human Eye. *Surv Ophthalmol*, 50(3):274–84.

Hashemi, H., Taherzadeh, M., & Khabazkhoob, M. (2013). Correction of High Myopia with Foldable Artiflex Phakic Intraocular Lenses : 1 Year Follow-up Results, (96).

Hertanto, W., & Inakawati, S. (2010). Kelainan Refraksi Tak Terkoreksi Penuh di RSUP Dr Kariadi Semarang Periode 1 Januari 2002-31 Desember 2003. *Media Medika Muda*, No.4.

Holden, B. A., Fricke, T. R., Wilson, D. A., Jong, M., Naidoo, K. S., Sankaridurg, P., ... Resnikoff, S. (2016). Global Prevalence of Myopia and High Myopia and Temporal Trends from 2000 through 2050. *Ophthalmology*, 123(5), 1036–1042. <https://doi.org/10.1016/j.ophtha.2016.01.006>

Huang, D., Schallhorn, S. C., Sugar, A., Farjo, A. A., Majmudar, P. A., Trattler, W. B., & Tanzer, D. J. (2009). Phakic Intraocular Lens Implantation for the Correction of Myopia. A Report by the American Academy of Ophthalmology. *Ophthalmology*, 116(11), 2244–2258. <https://doi.org/10.1016/j.ophtha.2009.08.018>

Ihsanti, D., Tanuwidjaja, S., & Respati, T. (2015). Hubungan Usia Dan Jenis Kelamin Dengan Derajat Kelainan Refraksi Pada Anak Di Rs Mata Cicendo Bandung. *Prosiding Pendidikan Dokter*, 0(0), 672–679. Retrieved from <http://karyailmiah.unisba.ac.id/index.php/dokter/article/view/1448>

Ilyas, S., & Yulianti, S.R. 2015. Ilmu Penyakit Mata Edisi Kelima. Jakarta : Badan Penerbit Fakultas Kedokteran Universitas Indonesia.

Joseph, D. S., Thampi, B., Joosadima, A., & Mohan, A. (2016). A study on association between intraocular pressure and myopia. *International Journal of Research in Medical Sciences*, 4(6), 2202–2205.

Ju, Y., Gao, X.-W., & Ren, B. (2013). Posterior chamber phakic intraocular lens implantation for high myopia. *Int J Ophthalmol*, 6(6), 831–5. <https://doi.org/10.3980/j.issn.2222-3959.2013.06.16>

Kohnen, T., Kook, D., Morral M., Guell, J. (2010). Phakic Intraocular Lenses Part 2 : Results and Complication. *Journal of Cataract & Refractive Surgery*, 36(12), 2168 – 2194.

Kohnen, T., & Kasper, T. (n.d.). Lenses for the Correction of Refractive Errors.

Kunert KS, Bhartiya P, Tandon R, Dada T, Christian H, Vajpayee RB. Central corneal thickness in Indian patients undergoing LASIK for myopia. *J Refract Surg.* 2003;19:0378–9.

Launardo, A. V., Afifudin, A., Syamsu, N., & Taufik, R. (2011). Kelainan Refraksi Pada Anak Usia 3 – 6 Tahun di Kecamatan Tallo Kota Makassar. *Program Pasca Sarjana Universitas Hasanudin.*

Li, X., Cao, X., Hou, X., & Bao, Y. (2016). The Correlation of Age and Postoperative Visual Acuity for Age-Related Cataract. *BioMed Research International, 2016.* <https://doi.org/10.1155/2016/7147543>

Miyake H, Kawano Y, Tanaka H, Iwata A, Imanaka T, Nakamura M. (2016). Tear volume estimation using a modified Schirmer test: a randomized, multicenter, double-blind trial comparing 3% diquafosol ophthalmic solution and artificial tears in dry eye patients. *Clinical Ophthalmology 10:879-886.* doi:10.2147/OPHTH.S105275

Pallikaris, I. G., Kalyvianaki, M. I., Kymionis, G. D., & Panagopoulou, S. I. (2004). Phakic refractive lens implantation in high myopic patients: One-year results. *Journal of Cataract and Refractive Surgery, 30(6), 1190–1197.* <https://doi.org/10.1016/j.jcrs.2003.10.039>

Park, Y. M., Choi, B. J., & Lee, J. S. (2016). Effect of incision types for Artisan phakic intraocular lens implantation on ocular higher order aberrations. *International Journal of Ophthalmology, 9(12), 1785–1789.* <https://doi.org/10.18240/ijo.2016.12.14>

Pan, C. W., Saw, S. M., & Wong, T. Y. (2014). Epidemiology of myopia. *Pathologic Myopia, 28(2), 25–38.* https://doi.org/10.1007/978-1-4614-8338-0_3

Pedersen L, Hjortdal J, Ehlers N. Central corneal thickness in high myopia. *Acta Ophthalmol Scand.* 2005;83(5):539–42.

Pineda, R., & Chauhan, T. (2016). Phakic intraocular lenses and their special indications. *Journal of Ophthalmic and Vision Research, 11(4), 422–428.* <https://doi.org/10.4103/2008-322X.194140>

Pjano, M. A., Alikadić-Husović, A., Grišević, S., Pašalić, A., Pidro, A., Ratković, M., ... Gojak, R. (2016). Efficacy and safety of iris-supported phakic lenses (Verisyse) for treating moderately high myopia. *Medicinski Glasnik, 13(1), 25–30.* <https://doi.org/10.17392/826-16>

Schulze, S., & Hoerle, S. (2007). Comparison of visual acuity measurements and Purkinje's vessel shadow perception for prediction of postoperative visual

acuity in different ophthalmological diseases. *Acta Ophthalmologica Scandinavica*, 85(2), 171–177. <https://doi.org/10.1111/j.1600-0420.2006.00786.x>

Senthil, S., Choudhari, N. S., Vaddavalli, P. K., Murthy, S., Reddy, J., & Garudadri, C. S. (2016). Etiology and management of raised intraocular pressure following posterior chamber phakic intraocular lens implantation in myopic eyes. *PLoS ONE*, 11(11), 172929. <https://doi.org/10.1371/journal.pone.0165469>

Solu, T., Baravaliya, P., Patel, I., Kamble, S., Savaliya, C., & Golakiya, B. (2016). Correlation of Central Corneal Thickness and Axial Length in Myopes , Emmetropes , and Hypermetropes, 3(12), 206–209. <https://doi.org/10.17354/ijss/2016/150>

SU, Suhardjo & Hartono. 2007. Ilmu Kesehatan Mata. Yogyakarta : Bagian Ilmu Penyakit Mata Fakultas Kedokteran Universitas Gadjah Mada.

Resnikoff, S., Pascolini, D., Mariotti, S. P., & Pokharel, G. P. (2008). Global magnitude of visual impairment caused by uncorrected refractive errors in 2004. *Bulletin of the World Health Organization*, 86(1), 63–70. <https://doi.org/10.2471/BLT.07.041210>

Tehrani, M., Dick, H.B. (2005). Short-term follow-up after implantation of a foldable iris-fixated intraocular lens in phakic eyes. *Ophthalmology*, 112(12), 2189-2195. <http://dx.doi.org/10.1016/j.ophtha.2005.06.036>

Wang, X., Dong, J., & Wu, Q. (2015). Corneal thickness, epithelial thickness and axial length differences in normal and high myopia. *BMC Ophthalmology*, 15(1), 1–5. <https://doi.org/10.1186/s12886-015-0039-6>

Wu, J. F., Bi, H. S., Wang, S. M., Hu, Y. Y., Wu, H., Sun, W., ... Jonas, J. B. (2013). Refractive error, visual acuity and causes of vision loss in children in Shandong, China. The Shandong children eye study. *PLoS ONE*, 8(12). <https://doi.org/10.1371/journal.pone.0082763>

Wu, P. C., Huang, H. M., Yu, H. J., Fang, P. C., & Chen, C. T. (2016). Epidemiology of myopia. *Asia-Pacific Journal of Ophthalmology*, 5(6), 386–393. <https://doi.org/10.1097/APO.0000000000000236>