

DAFTAR PUSTAKA

- AIDSinfo, 2016. Guidelines for the use of antiretroviral agents in pediatric HIV infection. AIDSinfo.unaids.org. Available at: <https://aidsinfo.nih.gov>. Cited 01 November 2016.
- Alimonti, J.B., Ball, T.B., Fowke, K.R., 2003. Mechanisms of CD4+ T lymphocyte cell death in human immunodeficiency virus infection and AIDS. *J. Gen. Virol.*, 84:1649-1661.
- Allison, S.M., Koenig, L.J., Marhefka, S.L., Carter, R.J., Abrams, E.J., Bulterys, M., *et al.*, 2010. Assessing medication adherence of perinatally HIV-infected children using caregiver interviews. *J. Assoc. Nurses AIDS care*, 21:478-488.
- Bacha, T., Tilahun, B., Worku, A., 2012. Predictors of treatment failure and time to detection and switching in HIV-infected Ethiopian children receiving first line anti-retroviral therapy. *BMC Infect. Dis.*, 12 (197):1-8.
- Bhattacharya, M., Dubey, A.P., 2011. Adherence to antiretroviral therapy and its correlates among HIV-infected children at an HIV clinic in New Delhi. *Ann. Trop. Paediatr. Int. Child Heal.*, 31:331-337.
- Committee on infectious disease, 2012. Redbook: Report of the committee on infectious disease. American Academy of Pediatrics. pp. 1-1096.
- Costenaro, P., Penazzato, M., Lundin, R., Rossi, G., Massavon, W., Patel, D., *et al.*, 2015. Predictors of treatment failure in HIV-positive children receiving combination antiretroviral therapy: cohort data from Mozambique and Uganda. *J. Pediatric Infect. Dis. Soc.*, 4:39-48.
- Cummins, N. W., Badley, A. D., 2010. Mechanisms of HIV-associated lymphocyte apoptosis. *Cell Death Dis.*, 1:e99.
- Dachew, B.A., Tesfahunegn, T.B., Birhanu, A.M., 2014. Adherence to highly active antiretroviral therapy and associated factors among children at the University of Gondar Hospital and Gondar poly clinic, Northwest Ethiopia: a cross-sectional institutional based study. *BMC Public Health*, 14(875):1-6.
- Davies, M.A., Boule, A., Eley, B., Moultrie, H., Technau, K., Rabie, H., *et al.*, 2011. Accuracy of immunological criteria for identifying virological failure in children on antiretroviral therapy- The IeDEA Southern Africa Collaboration. *Trop. Med. Int. Heal.*, 16:1367-1371.
- Davies, M.A., Moultrie, H., Eley, B., Rabie, H., Van Cutsem, G., Giddy, J., *et al.*, 2008. Adherence to antiretroviral therapy in young children in Cape Town, South Africa, measured by medication return and caregiver self-report: a prospective cohort study. *BMC Pediatr.*, 8:34.
- Davies, M.A., Moultrie, H., Eley, B., Rabie, H., Van Cutsem, G., Giddy, J., *et al.*, 2012. Virologic failure and second-line antiretroviral therapy in children in South Africa-The IeDEA Southern Africa Collaboration. *J. Acquir Immune Defic Syndr.*, 56(3):270-278.
- Diniz, L.M.O., Maia, M.M.M., Camargos, L.S., Amaral, L.C., Goulart, E.M.A., Pinto, J.A., 2011. Evaluation of long-term immunological and virological response to highly active antiretroviral therapy in a cohort of HIV infected children. *HIV and AIDS Review*, 10:70-75.
- Diniz, L.M.O., Maia, M.M.M., Camargos, L.S., Amaral, L.C., Goulart, E.M.A.,

- Pinto, J.A., *et al.*, 2011. Impact of HAART on growth and hospitalization rates among HIV-infected children. *J. Pediatr.*, 87:131-137.
- Ditjen PP & PL Kemenkes RI., 2014. Pedoman tatalaksana infeksi HIV dan terapi antiretroviral pada anak di Indonesia. Kementerian Kesehatan Republik Indonesia.
- Ditjen PP & PL Kemenkes RI, Kementrian Kesehatan RI.,2014. Infodatin: situasi dan analisis HIV AIDS, Kemenkes RI. Kementerian Kesehatan Republik Indonesia.
- Donoghue, H.E., 2015. 2030 Sustainable Development Agenda. World Health Organization.
- Douek, D.C., Koup, R.A., McFarland, R.D., Sullivan, J.L., Luzuriaga, K., 2000. Effect of HIV on thymic function before and after antiretroviral therapy in children. *J. Infect. Dis.*, 181:1479-82.
- Ebonyi, A.O., Oguche, S., Ejeliogu, E.U., Okpe, S.E., Agbaji, O.O., Sagay, S.A., 2014. Risk factors for first-line antiretroviral treatment failure in HIV-1 infected children attending Jos University Teaching Hospital, Jos, North Central Nigeria. *Br. J. Med. Med. Res.*, 4:2983-2994.
- Emmett, S.D., Cunningham, C.K., Mmbaga, B.T., Kinabo, G.D., Schimana, W., Swai, M.E., 2010. Predicting virologic failure among HIV-1 infected children receiving antiretroviral therapy in Tanzania: a cross-sectional study. *J. Acquir. Immune Defic. Syndr.*, 54:368-75.
- Essajee, S.M., Kim, M., Gonzalez, C., Rigaud, M., Kaul, A., Chandwani, S., *et al.*, 1999. Immunologic and virologic responses to HAART in severely immunocompromised HIV-1 infected children. *AIDS*, 13:2523-2532.
- Farley, J.J., Montepiedra, G., Storm, D., Sirois, P.A., Malee, K., Garvie, P., *et al.*,2008. Assessment of adherence to antiretroviral therapy in perinatally HIV-infected children and youth using self-report measures and pill count. *J. Dev. Behav. Pediatr.*, 29:377-84.
- Food and drug administration, 2016. HIV/AIDS treatment-approved antiretroviral drugs for pediatric treatment of HIV infection.
- Furtado, M.R., Kingsley, L.A., Wolinsky, S.M., 1995. Changes in the viral mRNA expression pattern correlate with a rapid rate of CD4⁺ T-cell number decline in human immunodeficiency virus type-1 infected individuals. *J. Virol.*, 69:2092-2100.
- Germanaud, D., Derache, A., Traore, M., Madec, Y., Toure, S., Dicko, F., *et al.*,2009. Level of viral load and antiretroviral resistance after 6 months of non-nucleoside reverse transcriptase inhibitor first-line treatment in HIV-1 infected children in Mali. *J. Antimicrob. Chemother.*, 65:118-124.
- Ghaffari, G., Passalacqua, D.J., Caicedo, J.L., Goodenow, M.M., Sleasman, J.W.,2004. Two-year clinical and immune outcomes in Human Immunodeficiency Virus-infected children who reconstitute CD4⁺ T cells without control of viral replication after combination antiretroviral therapy. *Pediatrics*, 114:604-611.
- Haberer, J., Mellins, C., 2009. Pediatric adherence to HIV antiretroviral therapy. *Curr. HIV/AIDS Rep.*, 6:194-200.
- Hellerstein, M., Hanley, M.B., Cesar, D., Siler, S., Papageorgopoulos, C., Wieder,

- E., Schmidt, D., *et al.*, 1999. Directly measured kinetics of circulating T lymphocytes in normal and HIV-1 infected humans. *Nat. Med.*, 5:83-9.
- Jittamala, P., Puthanakit, T., Chaiinseard, S., Sirisanthana, V., 2009. Predictors of virologic failure and genotypic resistance mutation patterns in Thai children receiving non-nucleoside reverse transcriptase inhibitor-based antiretroviral therapy. *Pediatr. Infect. Dis. J.*, 28:826-830.
- Jones, B.E., Young, S.M.M., Antoniskis, D., Davidson, P.T., Barnes, P.F., 1993. Relationship of the manifestations of tuberculosis to CD4 cell counts in patients with Human Immunodeficiency Virus infection. *Am Rev Respir Dis.*, 148: 1292-1297.
- Kabue, M.M., Buck, W.C., Wanless, S.R., Cox, C.M., McCollum, E.D., Caviness, A.C., *et al.*, 2012. Mortality and clinical outcomes in HIV-infected children on antiretroviral therapy in Malawi, Lesotho, and Swaziland. *Pediatrics*, 130:e591-9.
- Kukoyi, O., Renner, L., Powell, J., Barry, O., Prin, M., Kusah, J., *et al.*, 2016. Viral load monitoring and antiretroviral treatment outcomes in a pediatric HIV cohort in Ghana. *BMC Infect Dis.*, 16(58):1-9.
- Lemeshow, S., Hosmer, D.W.Jr., Klar, J., Lwanga, S.K., 1990. Adequacy of sample size in health studies. John Wiley and Sons Ltd., England, 1-247.
- Lewis, J., Walker, A.S., Castro, H., De Rossi, A., Gibb, D.M., Giaquinto, C., *et al.*, 2012. Age and CD4 count at initiation of antiretroviral therapy in HIV-infected children: effects on long-term T-cell reconstitution. *J. Infect. Dis.*, 205:548-556.
- Lewis, J., Walker, A.S., Castro, H., De Rossi, A., Gibb, D.M., Giaquinto, C., *et al.* 2003. Mechanism of CD4+ T lymphocyte cell death in human immunodeficiency virus infection and AIDS. *J Gen Virol.*, 84(4):548-556.
- Lowenthal, E.D., Ellenberg, J.H., Machine, E., Boiditswe, S., Steenhoff, A.P., Rutstein, R., *et al.*, 2013. Association between efavirenz-based compared with nevirapine-based antiretroviral regimens and virological failure in HIV-infected children. *JAMA*, 309(17): 1803-1809.
- Makadzange, A.T., Higgins-Biddle, M., Chimukangara, B., Birri, R., Gordon, M., Mahlanza, T., *et al.*, 2015. Clinical, virologic, immunologic outcomes and emerging HIV drug resistance patterns in children and adolescents in public ART care in Zimbabwe. *PLoS One*, 10(12):1-18.
- Margolick, J.B., Munoz, A., Donnenberg, A.D., Park, L.P., Galai, N., Giorgi, J.V., *et al.*, 1995. Failure of T-cell homeostasis preceding AIDS in HIV-1 infection. *Nat. Med.*, 1:674-680.
- Morshmeimer, M.M., Dramowski, A., Rabie, H., Cotton, M.F., 2014. Paediatric ART outcomes in a decentralized model of care in Cape Town, South Africa. *S Afr J HIV Med*, 15(4):148-153.
- Muktiarti, D., Akib, A.A.P., Munasir, Z., Kurniati, N., 2012. Terapi antiretroviral lini kedua pada HIV anak di RS. Cipto Mangunkusumo. *Sari Pediatr.*, 14:130-136.
- Murphy, R.A., Sunpath, H., Lu, Z., Chelin, N., Losina, E., Gordon, M., *et al.*, 2010. Outcomes after virologic failure of first-line ART in South Africa. *AIDS*, 24:1007-12.

- Murphy, D.A, Belzer, M., Durako, S.J., Sarr, M., Wilson, C.M., Muenz, L.R., *et al.*, 2005. Longitudinal antiretroviral adherence among adolescents infected with human immunodeficiency virus. *Arch Pediatr Adolesc Med.*, 159:764-770.
- Nlend, A.E.N., Lyeb, S., Moyo, S.T.N., Motaze, A.N. Viral monitoring and prevalence of viral failure in HIV-1 infected children under first line antiretroviral therapy during the first 60 months of treatment in Youndé, Cameroon: a serial cross sectional analysis. *OJPed*, 6:69-74.
- Okechukwu, A.O., Amajuoyi, F.I., 2015. First and second line highly active antiretroviral therapy failure in HIV infected Nigerian children at University of Abuja teaching hospital Gwagwalada, Nigerian. *J HIV Clin Scientific Res.*,2(2):49-54.
- Osterberg, L., Blaschke, T., 2005. Adherence to medication. *N Engl J Med.*, 353:487-497.
- Patel, K., Hernán, M.A., Williams, P.L., Seeger, J.D., McIntosh, K., Van Dyke, R.B., *et al.*, 2008. Long-term effects of highly active antiretroviral therapy on CD4+ cell evolution among children and adolescents infected with HIV: 5 years and counting. *Clin Infect Dis.*, 46:1751-60.
- Piatak, M., Saag, M.S., Yang, L.C., Clark, S.J., Kappes, J.C., Luk, K.C., *et al.*, 1993. High levels of HIV-1 in plasma during all stages of infection determined by competitive PCR. *Science*, 259(5102):1749-1754.
- Prendergast, A., Mphatswe, W., Tudor-williams, G., Rakgotho, M., Pillay, V., Thobakgale, C., *et al.*, 2008. Eraly virological suppression with three-class antiretroviral therapy in HIV-infected African infants. *AIDS*, 22:1333-43.
- Phutanakit, T., Jourdain, G., Hongsiriwon, S., Suntarattiwong, P., Chokeyphaibulkit, K., Sirisanthana, V., *et al.* 2010. HIV-drug resistance mutation in children after failure of first-line of nonnucleoside reverse transcriptase inhibitor-based antiretroviral therapy. *HIV Medicine*, 11:565-572.
- Phutanakit, T., Kerr, S.J., Ananworanich, J., Bunupuradah, T., Boonrak, P., Sirisanthana, V., 2009. Pattern and predictors of immunologic recovery in human immunodeficiency virus-infected children receiving non-nucleoside reverse transcriptase inhibitor-based highly active antiretroviral therapy. *Pediatr Infect Dis J*, 28:488-492.
- Rawizza, H.E., Chaplin, B., Meloni, S.T., Eisen, G., Rao, T., Sankalé, J.L., 2011. Immunologic criteria are poor predictors of virologic outcome: implication for HIV treatment monitoring in resource-limited setting. *Clin Infect Dis*, 53:1283-1290.

- Renner, L., Prin, M., Li, F.Y., Goka, B., Northrup, V., Paintsil, E., 2011. Time to and predictors of CD4+ T-lymphocytes recovery in HIV-infected children initiating highly active antiretroviral therapy in Ghana. *AIDS Research and Treatment* :1-9.
- Resino, S., Resino, R., Micheloud, D., Gutiérrez, D.G., León, J.A., Ramos, J.T., *et al.*, 2006. Long-term, effects of highly active antiretroviral therapy in pretreated, vertically HIV type-1 infected children: 6 years of follow up. *Clin Infect Dis*, 42:862-869.
- Ruel, T., Kanya, M., Li, P., 2011. Early virological failure and the development of antiretroviral drug resistance mutation in HIV-infected Ugandan children. *J Acquir Immune Defic Syndr.*,56(1):44-50.
- Rutherford, G.W., Anglemeyer, A., Easterbrook, P.J., Horvath, T., Vitoria, M., Penazzato, M., *et al.*, 2014. Predicting treatment failure in adults and children on antiretroviral therapy: a systematic review of the performance characteristic of the 2010 WHO immunologic and clinical criteria for virologic failure. *AIDS*, 28(2):161-9.
- Sabaté, E., 2003. Adherence to long-term therapies: Evidence for action. World Health Organization, Geneva, Switzerland: 95-106.
- Schneider, K., Phutanakit, T., Kerr, S., Law, M.G., Cooper, D.A., Donovan, B., *et al.*, 2011. Economic evaluation of monitoring virologic responses to antiretroviral therapy in HIV-infected children in resource-limited setting. *AIDS*, 25:1143-1151.
- Shearer, W.T., Quinn, T.C., LaRussa, P., Lew, J.F., Mofenson, L., Almy, S., *et al.*, 1997. Viral load and disease progression in infants infected with human immunodeficiency type-1. *N Engl J Med.*,336:1337-1342.
- Simoni, J.M., Montgomery, A., Martin, E., New, M., Demas, P.A., Rana, S., 2007. Adherence to antiretroviral therapy for pediatric HIV infection: a qualitative systematic review with recommendations for research and clinical management. *Pediatrics*, 119: 1371-1383.
- UNAIDS, 2016a. Global AIDS up date 2016. Available in <https://unaid.org>. Cited 25 October 2016.
- UNAIDS, 2016b. HIV/AIDS fact sheet 2016. Available in <https://unaid.org>. Cited 11 November 2016.
- Usitalo, A., Leister, E., Tassiopoulos, K., Allison, S., Malee, K., Paul, M.E., *et al.*, 2014. Relationship between viral load and self-report measures of medication adherence among youth with perinatal HIV infection. *AIDS Care*, 26:107-115.
- Van Dijk, J.H., Sutcliffe, C.G., Munsanje, B., Sinywimaanzi, P., Hamangaba, F., Van Dyke, R.B., *et al.*, 2011. HIV-infected children in rural Zambia achieve good immunologic and virologic outcomes two years after initiating antiretroviral therapy. *PLoS One*, 6:1-8.
- Van Geertruyden, J.P., Mulenga, M., Kosongo, W., Polman, K., Colebunders, R., Kestens, L.D., *et al.*, 2006. CD4 T-cell count and HIV-1 infection in adults with uncomplicated malaria. *J Acquir Immune Defic Syndr*, 43:363-367.
- Van Oosterhout, J.J.G., Brown, L., Weigel, R., Kumwenda, J.J., Mzinganjira, D., Saukila, N., *et al.*, 2009. Diagnosis of antiretroviral therapy failure in Malawi: poor performance of clinical and immunological WHO criteria. *Trop Med Int*

Heal., 14:856-861.

- Wamalwa, D., Lehman, D.A., Benki-Nugent, S., Gasper, M., Gichohi, R., Maleche-Obimbo, E., *et al.*, 2013. Long term virologic response and genotypic resistance mutations on HIV-1 infected Kenyan children on combination antiretroviral therapy. *J Acquir Immune Defic Syndr.*, 62:267-274.
- Westley, B.P., Delong, A.K., Tray, C.S., Sophearin, D., Dufort, E.M., Nerrienet, E., *et al.*, 2012. Prediction of treatment failure using 2010 World Health Organization guidelines is associated with high misclassification rates and drug resistance among HIV-infected Cambodian children. *Clin Infect Dis.*, 55:432-440.
- World Health Organization, 2016. Treatment of children living with HIV. Available in <https://www.who.int/hiv/topics/paediatrics/en/>. Cited 11 November 2016.
- World Health Organization, 2013. Consolidated guidelines on the use of antiretroviral drugs for treating and preventing HIV infection: recommendations for public health approach. World Health Organization Press, Geneva, Switzerland: 1-272.
- World Health Organization, 2006. Antiretroviral therapy of HIV infection in infants and children: towards universal access. Recommendations for a public health approach. World Health Organization Press, Geneva, Switzerland: 1-206.
- World Health Organization, 2010. Antiretroviral therapy for HIV infection in infants and children: toward universal access. Recommendation for a public health approach. World Health Organization Press, Geneva, Switzerland:1-206.
- Yogev, R., Chadwick, E.G., 2016. Acquired immunodeficiency syndrome: Human immunodeficiency virus. In Nelson Textbook of Pediatrics, Elsevier, Philadelphia, pp.1645-1665.
- Zelege, A., 2016. Prevalence of antiretroviral treatment failure and associated factors in HIV infected children on antiretroviral therapy at Gondar University Hospital, retrospective cohort study. *Int J Med Med Sci.*, 8:125-132.