

DAFTAR PUSTAKA

- Abdul Ghaffar, A.G., M.R. Attique, M.R. Naveed, and M.T. Jan. 2002. Host range and population dynamics of beet armyworm, *Spodoptera exigua* (Hubner)(Noctuidae: Lepidoptera) in cotton agroecosystem of Punjab. 34(3): 209-213
- Afroz, M., M. Rahman, and R. Amin. 2021. Insect plant interaction with reference to secondary metabolites: a review. *Agricultural Reviews*. 42(4): 427-433.
- Aminah, S.N., T. Abdullah, and N. Fajriani. 2024. Management technique against *Spodoptera exigua* (Hübner) in the different elevation of shallot. In *BIO Web of Conferences* 96: 06001.
- Azidah, A.A. and M.S. Azirun. 2006. Some aspects on oviposition behaviour of *Spodoptera exigua* (Hübner) (Lepidoptera: Noctuidae). *Journal of Entomology*. 3(3): 241-247.
- Azmi, C., I.R. Saadah, J. Pinilih, N. Faoji, N.R. Ahmadi, S. Surono, A.K. Karjadi, and P. Soedomo. 2024. Vegetative performance of a crossed-shallot (*Allium fistulosum* L. x *Allium cepa* L. var. *aggregatum*) applied with dark septate endophyte. *Buitenzorg: Journal of Tropical Science*. 1(1): 1-9.
- Breeschoten, T., V.I. Ros, M.E. Schranz, and S. Simon. 2019. An influential meal: host plant dependent transcriptional variation in the beet armyworm, *Spodoptera exigua* (Lepidoptera: Noctuidae). *BMC genomics*. 20(1): 845.
- Chowdary, L. R., G. V. S. Kumar, S. Bharathi, O. Sarada, Y. Nagaraju, K. M. Chandrashekara, and G. N. Harish. 2024. Off-season survival and life history of beet armyworm, *Spodoptera exigua* (Hubner) on various host plants. *Scientific Reports*. 14(1): 13721.
- Facon, B., M. Chauve, V. Ravigné, B. Serrate, M. Robejean, A. Fraimout, and J. Foucaud. 2025. Context-dependent oviposition reveals strong association between acceptance and preference in the Mediterranean fruit fly. *bioRxiv*, 2025-06.
- Fitriana, N. dan R. Susandarini. 2019. Morphology and taxonomic relationships of shallot (*Allium cepa* L. group *aggregatum*) cultivars from Indonesia. *Biodiversitas Journal of Biological Diversity*. 20(10): 2809-2814.
- Ghosh, P., P. Das, C. Das, S. Mahapatra, and S. Chatterjee. 2018. Morphological characteristics and Phyto-pharmacological detailing of Hatishur (*Heliotropium indicum* Linn.): A concise review. *Journal of Pharmacognosy and Phytochemistry*. 7(5): 1900-1907.
- Gill, A.K., R. Arora, and V. Jindal. 2015. Beet armyworm *Spodoptera exigua* (Hubner): A newly emerging pest of Egyptian clover in Punjab. *Range Management and Agroforestry*. 36(2): 170-174.

- Ginting, T.Y., K. Warsito, dan W.S.B. Siregar. 2024. Evaluasi efektivitas bioinsektisida nabati dari ekstrak daun mahoni dan sirsak terhadap mortalitas ulat grayak (*Spodoptera exigua*). In Agropross: National Conference Proceedings of Agriculture: 431-438.
- Greenberg, S. M., T. W. Sappington, B. C. Legaspi, T. X. Liu, and M. Setamou. 2001. Feeding and life history of *Spodoptera exigua* (Lepidoptera: Noctuidae) on different host plants. *Annals of the Entomological Society of America*. 94(4): 566-575.
- Greenberg, S.M., T.W. Sappington, B.C. Legaspi, T.X. Liu, and M. Setamou. 2001. Feeding and life history of *Spodoptera exigua* (Lepidoptera: Noctuidae) on different host plants. *Annals of the Entomological Society of America*. 94(4): 566-575.
- Hidrayani, H., N. Nurbailis, F. Yeni, and Z. Ikhsan. 2024. Interactive effects of Rhizobacteria for managing *Spodoptera exigua* on shallot plants (*Allium cepa* Linnaeus) under field conditions. *Jurnal Proteksi Tanaman (Journal of Plant Protection)*. 8(1): 12-20.
- Hilliou, F., T. Chertemps, M. Maïbèche, and G. Le-Goff. 2021. Resistance in the genus *Spodoptera*: Key insect detoxification genes. *Insects*. 12(6): 544.
- Jose, A. R. and J. M. Adesina. 2014. Oviposition, infestation deterrent activity and phytochemical screening of *Heliotropium indicum* and *Lawsonia inermis* against *Callosobruchus maculatus* Fabricius (Coleoptera: Chrysomelidae) on cowpea seeds. *International Journal of Molecular Zoology*. 4(1): 1-8.
- Kimura, K. I., C. Sato, M. Koganezawa, and D. Yamamoto. 2015. *Drosophila* ovipositor extension in mating behavior and egg deposition involves distinct sets of brain interneurons. *PloS one*. 10(5): e0126445.
- Kumar, A. and B. Kumar. 2016. Biosystematic Studies in *Heliotropium indicum*, *Trichodesma indicum* and *T. zeylanicum* of Boraginaceae. *International Journal of Current Microbiology and Applied Sciences*. 5(4): 720-729.
- Kumar, A., S.S. Sharma, and B. Kumar. 2020. Palynological studies on some plants of Boraginaceae. *Journal of Biotechnology and Biochemistry*. 6(5): 4-12.
- Kumar, S., M. K. Bhowmick, and P. Ray. 2021. Weeds as alternate and alternative hosts of crop pests. *Indian Journal of Weed Science*. 53(1): 14-29.
- Ladja, F. 2013. Gulma inang virus tungro dan kemampuan penularannya ke tanaman padi. *Jurnal Penelitian Pertanian Tanaman Pangan*. 32(3): 139296.
- Luo, M., B. Li, G. Jander, and S. Zhou. 2023. Non-volatile metabolites mediate plant interactions with insect herbivores. *The Plant Journal*. 114(5): 1164-1177.
- Ma, H., B. Zhang, J. Li, F. Qiao, Q. Ma, X. Wan, Z. Jiang, and C. Li. 2022. Development of *Spodoptera exigua* population: does the nutritional status matter?. *Insects*. 14(1): 13.

- Marsadi, D., I.W. Supartha, dan A.S. Sunari. 2017. Invasi dan tingkat serangan ulat bawang (*Spodoptera exigua* hubner) pada dua kultivar tanaman bawang merah di Desa Songan, Kecamatan Kintamani, Kabupaten Bangli. Jurnal Agroekoteknologi Tropika (Journal of Tropical Agroecotechnology). 28(2): 360-369.
- Moekasan, R.S. Basuki, dan L. Prabaningrum. 2012. Penerapan ambang pengendalian organisme pengganggu tumbuhan pada budidaya bawang merah dalam upaya mengurangi penggunaan pestisida. J. Hort. 22(1): 47-56.
- Navasero, M.M., M.V. Navasero, R.N. Candano, and W.N. De Panis. 2019. Comparative life history, fecundity, and survival of *Spodoptera exigua* (Hübner)(Lepidoptera: Noctuidae) on *Allium cepa* L. and other host plants in the Philippines. Philipp Entomol. 33(1): 75-86.
- Negara, A. 2003. Penggunaan analisis probit untuk pendugaan tingkat populasi *Spodoptera exigua* terhadap deltametrin di Daerah Istimewa Yogyakarta. Jurnal Informatika Pertanian. 1(2): 1-9.
- Paparang, M., V.V. Memah, dan J.B. Kaligis. 2016. Populasi dan persentase serangan larva *Spodoptera exigua* Hubner pada tanaman bawang daun dan bawang merah di Desa Ampreng Kecamatan Langowan Barat. In Cocos. 7(7): 1-10.
- Pathan, N.P., P.K. Borad, T.M. Bharpoda, and R.K. Thumar. 2018. First ever report of beet armyworm, *Spodoptera exigua* Hubner (Noctuidae: Lepidoptera) on okra (*Abelmoschus esculentus* L. Moench) from Gujarat, India. J Entomol Zool Stud. 6(4): 1919-1921.
- Perković, J., N. Major, D. Ban, D. Cvitan, and S.G. Ban. 2020. Shallot species and subtypes discrimination based on morphology descriptors. Plants. 10(1): 60.
- Prabaningrum, L. dan T.K. Moekasan. 2022. Ulat Grayak, *Spodoptera* spp.: Hama Polifag, Bioekologi dan Pengendaliannya. IAARD PRESS, Jakarta.
- Purwatiningsih, P., R. F. Kosaya, dan K. Muzakhar. 2025. Preferensi oviposisi *Hypothenemus hampei* Ferr. (Coleoptera: Scolitidae) terhadap beberapa jenis biji kopi. Biosfer: Jurnal Biologi dan Pendidikan Biologi. 10(1): 15-21.
- Saptana, E. Gunawan, A.D. Perwita, S.G. Sukmaya, V. Darwis, E. Ariningsih, and Ashari. 2021. The competitiveness analysis of shallot in Indonesia: A Policy Analysis Matrix. Plos one 16(9): e0256832.
- Sarkar, C., M. Mondal, B. Khanom, M.M. Hossain, M.S. Hossain, M.S., A. Sureda, M.T. Islam, M. Martorell, M. Kumar, J. Sharifi-Rad, A. Al-Harrasi, and A. Al-Rawahi. 2021. *Heliotropium indicum* L.: from farm to a source of bioactive compounds with therapeutic activity. Evidence-Based Complementary and Alternative Medicine. 2021(1): 9965481.
- Simon, S., T. Breeschoten, H.J. Jansen, R.P. Dirks, M.E. Schranz, and V.I. Ros. 2021. Genome and transcriptome analysis of the beet armyworm *Spodoptera exigua* reveals targets for pest control. G3. 11(11): jkab311.

- Sufyati, Y. 2006. Pengaruh ukuran fisik dan jumlah umbi per lubang terhadap pertumbuhan dan hasil bawang merah (*Allium ascalonicum* L.). Jurnal Floratek. 2(1): 43-54.
- Sumarni N. dan A. Hidayat. 2005. Budidaya Bawang Merah. Balai Penelitian Tanaman Sayuran, Lembang.
- Tabor, G., F.G. Mengistu, and G. Atinafu. 2024. Morphological characterization of shallot (*Allium cepa* L. var. *aggregatum*) segregating populations obtained from natural-outcrossing in Ethiopial-outcrossing in Ethiopia. International Journal of Horticultural Science 30: 74-83.
- Triwidodo, H dan N. Fauziah. 2020. Pengaruh sinar bulan terhadap telur *Spodoptera exigua* (Hübner) (Lepidoptera: Noctuidae) pada lahan bawang merah. Indonesian Journal of Entomology. 17(1): 456224.
- Ulmer, B., C. Gillott, and M. Erlandson. 2003. Conspecific eggs and bertha armyworm, *Mamestra configurata* (Lepidoptera: Noctuidae), oviposition site selection. Environmental Entomology. 32(3): 529-534.
- Zafar, J., R.F. Shoukat, Z. Zhu, D. Fu, X. Xu, and F. Jin. 2024. Two-sex life table analysis for optimizing *Beauveria bassiana* application against *Spodoptera exigua* (Hübner)(Lepidoptera: Noctuidae). Journal of Fungi. 10(7): 469.
- Zhang, B., Z. Li, B. Liu, F. Qiao, H. Ma, G. Zheng, J. Li, Q. Yu, W. Qian, F. Wan, and C. Li. 2025. Host adaptation plasticity in *Spodoptera exigua* larvae: mechanistic insights from nutritional preferences and developmental shifts in carbohydrate metabolism. Entomologia Generalis. 45(6): 1651-1659.
- Zhang, X. and G. Wang. 2025. Sources, identification, and behavioral significance of oviposition-detering pheromones in insects. Pest Management Science. 81(11): 7268-7275.
- Zhao, Q., C. Liu, S. Xie, G. Chen, X. Yang, Y. Xu, F. Yang, and Y. Li. 2025. Host selection behavior of *Spodoptera exigua* (Lepidoptera: Noctuidae, Hübner, 1808) in response to *Rosmarinus officinalis* (Lamiales: Lamiaceae, Linnaeus, 1753) volatiles. Arthropod-Plant Interactions. 19(1): 18.