

DAFTAR PUSTAKA

- Anggrita, A., Nasihin, I., & Hendrayana, Y. (2017). Keanekaragaman Jenis dan Karakteristik Habitat Mamalia Besar di Kawasan Hutan Bukit Bahohor Desa Citapen, Kecamatan Hantara, Kabupaten Kuningan. *Wana Raksa*, 11(01).
- Anselin, L. (1995). Local Indicator of Spatial Association-LISA. *Geographical Analysis*, 27(2), 93-115.
- Ardiansyah, I. R., Hernowo, J. B., & Gunawan, H. (2020). Analisis Kesesuaian Koridor Halimun Salak Sebagai Perluasan Habitat Macan Tutul Jawa (*Panthera Pardus Melas*) Di Taman Nasional Gunung Halimun Salak. *Jurnal Penelitian Hutan Dan Konservasi Alam*, 17(2), 127-142.
- Ario, A. (2009). *Protection and monitoring of the endangered species of Javan leopard (Panthera pardus melas) in Mt. Gede Pangrango National Park, West Java, Indonesia*. Conservation International Indonesia, Jakarta.
- Ario, A., Sunarto, S., & Sanderson, J. (2017). *The Javan Leopard Panthera pardus melas: Conservation Status and Future Challenges*. Jakarta: Yayasan Conservation International Indonesia.
- As'ary, M., Prasetyo, L. B., & Kartono, A. P. (2023). Analysis of changes in habitat suitability of the Javan leopard (*panthera pardus melas*) from 2000 to 2020. *Biodiversity*, 24(3), 1-12.
- Athreya, V., Odden, M., Linell, J. D. C., Krishnaswamy, J., & Karanth, K. U. (2013). Big cats in our backyards: Persistence of large carnivores in human dominated landscapes in India. *Plos One*, 8(3).

- Austin, M. (2007). Species distribution models and ecological theory: A critical assessment and some possible new approaches. *Ecological modelling*, 200(1-2), 1-19.
- Balme, G., Hunter, L., & Slotow, R. (2007). Feeding habitat selection by hunting leopards (*Panthera pardus*) in a woodland savanna: Prey catchability versus abundance. *Animal Behaviour*, 74(3), 589–598.
<https://doi.org/10.1016/j.anbehav.2006.12.014>.
- Basille, M., Calenge, C., Marboutin, E., Andersen, R., & Gaillard, J.-M. (2008). Assessing habitat selection using multivariate statistics: Some refinements of the ecological niche factor analysis. *Ecological Modelling*, 211(1–2), 233–240.
<https://doi.org/10.1016/j.ecolmodel.2007.09.019>.
- Begon, M., Townsend, C. R., & Harper, J. L. (2006). *Ecology: From individuals to ecosystems* (4th ed.). Blackwell Publishing.
- Boitani, L., Maiorano, L., Baisero, D., Falcucci, A., Visconti, P., & Rondinini, C. (2011). What spatial data do we need to develop global mammal conservation strategies? Philosophical Transaction of the Royal Society. *Biological science*, 366 (1578).
- Brotons, L. W. Thuiller, M.B. Araujo, & A.H. Hirzel. (2004). Presence-absence versus presenceonly modeling methods for predicting bird habitat suitability. *Ecography*. 27: 437-448.
- Chundawat, R.S. (1990). *Habitat selection by a snow leopard in Hemis National Park, India*. Int. Ped. Book of Snow leopards 6,85-92. Diakses dari : [8TUhttp://www.snowleopardnetwork.org/pdfU8T](http://www.snowleopardnetwork.org/pdfU8T).

- CITES. (2020). Appendices I, II, and III, valid from 28 August 2020. *Convention on International Trade in Endangered Species of Wild Fauna and Flora*. Diakses dari: <https://cites.org/eng/app/appendices.Php>.
- Crooks, K. R. (2002). Relative sensitivities of mammalian carnivores to habitat fragmentation. *Conservation Biology*, 16(2), 488-502.
- Direktur Jenderal Planologi Kehutanan. (2014). Petunjuk Teknis Penggambaran dan Penyajian Peta. Kementerian Kehutanan Republik Indonesia.
- Dormann, C. F., Elith, J., Bacher, S., Buchman, C., Carl, G., & Lautenbach, S. (2018). Model averaging in ecology: A review of Bayesian, information theoretic, and tactical approaches for predictive inference. *Ecological Monographs*, 88(4).
- Elith, J., & Leathwick, J. R. (2009). Species distribution models: Ecological explanation and prediction across space and time. *Annual Review of Ecology, Evolution, and Systematics*, 40, 677-697.
- Elith, J., Phillips, S. J., Hastie, T., Dudik, M., Chee, Y. E., & Yates, C. J. (2011). A statistical explanation of MaxEnt for ecologists. *Diversity and Distributions*, 17(1), 43-57.
- Fariza, A., Basofi, A., & Hamida, S. N. (2022). Spatial Mapping of Landslide Susceptibility Level in Pacitan District Using Analytical Hierarchy Process and Natural Break. Digital Zone: *Jurnal Teknologi Informasi dan Komunikasi*, 13(1), 55-66.
- Faturrahman, M. I. (2023). Okupansi Macan Tutul Jawa (*Panthera pardus melas*) dan Keberadaan Satwa Mangsa Potensialnya di Pulau Nusakambangan. *Skripsi*. Universitas Gadjah Mada.

- Fielding, A. H., & Bell, J. F. (1997). A review of methods for the assessment of prediction errors in conservation presence/absence models. *Environmental Conservation*, 24(1), 38–49.
- Franklin, J. (2010). *Mapping species distributions: Spatial inference and prediction*. Cambridge University Press.
- Gaston, K. J. (2003). *The Structure and Dynamics of Geographical Ranges*. Oxford University Press.
- Guisan, A., & Thuiller, W. (2005). Predicting species distribution: offering more than simple habitat models. *Ecology Letters*, 8(9), 993-1009.
- Gunawan H. (2010). *Habitat dan Penyebaran Macan Tutul Jawa (Panthera pardus melas Cuvier, 1809) di Lanskap Terfragmentasi di Jawa Tengah [Disertasi]*. Sekolah Pascasarjana Institut Pertanian Bogor. Bogor.
- Gunawan, H., Prasetyo, L. B., Mardiasuti, A., & Kartono, A. P. (2009). Habitat macan tutul jawa (*Panthera pardus melas Cuvier* 1809) di lanskap hutan produksi yang terfragmentasi. *Jurnal Penelitian Sosial dan Ekonomi Kehutanan*, 6(2), 95-114.
- Gunawan H. (2012). Teknik Konserasi Satwa Karnivora Puncak Macan Tutul Jawa (*Panthera pardus melas Cuvier* 1809). Bogor: Pusat Litbang Konservasi dan Rehabilitasi.
- Gunawan, H., Prasetyo, L. B., Mardiasuti, A., & Kartono, A. P. (2012). Habitat Macan Tutul Jawa (*Panthera pardus melas Cuvier* 1809) di lanskap hutan tanaman pinus. *Jurnal Penelitian Sosial dan Ekonomi Kehutanan*, 9(1), 49-67.

- Gunawan, H., & Sihombing, V. S. (2017). Preferensi habitat macan tutul jawa (*Panthera pardus melas* Cuvier 1809) di Jawa bagian barat. *Jurnal Penelitian Hutan dan Konservasi Alam*, 1, 35–43. [https://doi:10.20886/jphka.2017.14.1.35-44](https://doi.org/10.20886/jphka.2017.14.1.35-44).
- Hadikusuma, H. B., Latifah, S., & Erianto, E. (2023). Pemodelan Spasial Kesesuaian Habitat Burung Enggang Gading (*Rhinoplax Vigil*) di Kawasan Cagar Alam Gunung Nyiut Kabupaten Bengkayang. *Tengkawang: Jurnal Ilmu Kehutanan*, 13(1), 69-81.
- Hayward, M. W., Henschel, P., O'Brien, J., Hofmyer, M., Balme, G., & Kerley, G. I. H. (2007). Prey preferences of the leopard (*Panthera pardus*). *Journal of Zoology*, 270(2), 298-313.
- Hijmans, R. J., Bivand, R., Dyba, K., Pebesma, E., & Sumner, M. D. (2023). *Terra [R Package]*. November.
- Hirzel, A. H., Hausser, J., Chessel, D., & Perrin, N. (2002). Ecological-niche factor analysis: how to compute habitat-suitability maps without absence data? *Ecology*, 83(7).
- Hirzel, A. H., Helfer, V., & Metral, F. (2006). Assessing habitat suitability models with a virtual species. *Ecological modelling*, 145(2-3), 111-121.
- Hoogerwerf. (1970). *Ujung Kulon, The Land of the Last Javan Rhinoceros*. EJ Brill.
- Horne, J. S., Garton, E. O., & Rachlow, J. L. (2008). A synoptic model of animal space use: simultaneous estimation of home range, habitat selection, and inter/intra-specific relationship. *Ecological Modelling*, 214(2-4), 338-348.

- Jafari, A., Ahmadmahmoodi, R. Z., & Mirzaei, R. (2018). Persian leopard and wild sheep distribution modelling using the MaxEnt model in the Tange-Sayad protected area, Iran. *Mammalia*, 83(1), 84-96. <https://doi.org/10.1515/mammalia-2016-0155>.
- Karanth, K. U., Nichols, J. D., Kumar, N. S., Link, W. A., & Hines, J. E. (2004). Tigers and their prey: Predicting carnivore densities from prey abundance. *Proceedings of The National Academy of Sciences*, 101(14), 4854-4858.
- Krebs, C. J. (2009). *Ecology: The experimental analysis of distribution and abundance* (6th ed.). Thomson Brooks/Cole.
- Ludwig, J. A., Reynold, J. F. (1988). *Statistical Ecology. A Primary on Methods and Computing*. John Wiley & Sons, Inc. Canada.
- Maskoen, T. T., & Purnama, D. (2018). Area under the curve dan akurasi Cystatin C untuk diagnosis acute kidney injury pada pasien politrauma. *Maj Kedokt. Bandung*, 50(4), 259-264.
- Maulidiyah, R., Cahyono, B. E., & Nugroho, A. T. (2019). Analisis kesehatan mangrove di Probolinggo menggunakan data sentinel-2A.
- McGarigal, K., Wan, H. Y., Zeller, K. A., Timm, B. C., & Cushman, S. A. (2016). Multi-scale habitat selection modeling: A review and outlook. *Landscape Ecology*, 31(6), 1161–1175. <https://doi.org/10.1007/s10980-016-0374-x>.
- Morrison, M. L., Marcot, B. G., & Mannan, R. W. (2006). *Wildlife-Habitat Relationships: Concepts and Applications*. Island Press.
- Morrison, M.L. (2013). *Wildlife restoration: technique for habitat analysis and animal monitoring*. Island Press. Washington.

- Noer, I. S., Gunawan, H., & Rahman, D. A. (2021). Penggunaan Habitat dan Pemodelan Distribusi Spasial Macan Tutul Jawa di Kawasan Gunung Sawal, Jawa Barat. *Jurnal Penelitian Hutan dan Konservasi Alam*, 18(1), 53-66.
- Nowell, K., & Jackson, P. (1996). Wild cats: Status survey and conservation action plan. *IUCN/SSC Cat Specialist Group*, Gland, Switzerland.
- Peterson, A. T., Soberon, J., Pearson, R. G., Anderson, R. P., Martinez, E., Nakamura, M., & Araujo, M. B. (2011). *Ecological niches and geographic distributions*. Princeton University Press.
- Pettorelli, N., Ryan, S., Mueller, T., Bunnefeld, N., Jedrzejewska, B., Lima, M., & Kausrud, K. (2011). The normalized difference vegetation index (NDVI): Unforeseen successes in animal ecology. *Climate Research*, 46, 15-27.
- Pettorelli, N., Vik, J. O., Mysterud, A., Gaillard, J. M., Tucker, C. J., & Stenseth, N. C. (2005). Using the satellite-derived NDVI to assess ecological responses to environmental change. *Trends in Ecology & Evolution*, 20(9), 503-510.
- Philips, S. J., Anderson, R. P., & Schapire, R. E. (2006). Maximum entropy modelling of species geographic distributions. *Ecological modelling*, 190(3-4), 231-259.
- Powell, R. A. (2000). Animal home ranges and territories and home range estimators. *In Research Techniques in Animal Ecology* (pp. 65-110). Springer.
- Prasetya, Suryandi, I., Hadi, I., & Sari, D. (2023) "Sebaran Spasial dan Referensi Pohon Sarang Lebah Madu (*Apis dorsata Fabr.*) di Kawasan KTH Barang Tampu." *Jurnal Hutan Tropika*.

- Priyambada, D. (2023). Peran Primata dalam Diet Macan Tutul Jawa (*Panthera pardus melas*) di Pulau Nusakambangan, Kabupaten Cilacap, Jawa Tengah. *Skripsi*. Universitas Gadjah Mada.
- Pudyatmoko, S. (2017). *Ekologi Satwa Liar dan Penerapannya dalam Pengelolaan Kawasan Konservasi*. Yogyakarta: Gadjah Mada University Press.
- Purwanto, Y., Santoso, N., & Kartono, A. P. (2014). Pemodelan kesesuaian habitat satwa liar berbasis SIG untuk mendukung perencanaan konservasi. *Jurnal Penelitian Hutan dan Konservasi Alam*, 11(2), 123–134.
- Purwanto, A. (2015). Pemanfaatan citra Landsat 8 untuk identifikasi *Normalized Difference Vegetation Index* (NDVI) di kecamatan silat hilir kabupaten Kapuas Hulu. *Edukasi: Jurnal Pendidikan*, 13(1), 27-36.
- Santiapillai C dan WS Ramono. (1992). *Status of The Leopard (Panthera pardus) in Java, Indonesia*. Tigerpaper. Edisi April-Juli: 1-5
- Santoso, B., & Restanto, W. (2021). Monitoring Macan Tutul Jawa (*Panthera pardus melas* Cuvier, 1809) dengan Kamera Trap di Cagar Alam Nusakambangan Timur Kabupaten Cilacap, Provinsi Jawa Tengah. *Al-Hayat: Journal of Biology and Applied Biology*, 4(1), 1-10.
- Saputra, M. H., & Lee, H. S. (2021). Evaluation of Climate Change Impacts on The Potential Distribution of *SYtrax sumatrana* in North Sumatra, Indonesia. *Sustainability*, 13(2).
- Setyowati, F. M. (2005). Keanekaragaman dan Pemanfaatan Tumbuhan di Pulau Nusakambangan-Cilacap, Jawa Tengah. *Jurnal Teknologi Lingkungan*, 6(1).

- Shafira, A., Kristiani, F., & Yong, B. (2023). Penerapan metode klasifikasi perangkat lunak ArcMAP pada pemetaan penyebaran penyakit Dengue di Bandung. *Limits: Journal of Mathematics and Its Applications*, 20(1), 39-52.
- Soberon, J. (2007). Grinnellian and Eltonian niches and geographic distributions of species. *Ecology Letters*, 10(12).
- Soberon, J., & Nakamura, M. (2009). Niches and distributional areas: Concepts, methods, and assumptions. *Proceedings of the National Academy of Sciences*, 106 (Suppl. 2), 19644-19650.
- Sodik, M., Pudiyatmoko, S., Semedi, P., Tafrichan, M., Imron, M. A. (2020). Better Providers of Habitat for Javan slow loris (*Nycticebus javanicus*): A Species distribution modelling approach in Central Java, Indonesia. *Biodiversitas*, 21(5).
- Stein, A. B., & Hayssen, V. (2013). *Panthera pardus* (Carnivora: *felidae*). *Mammalian species*, 45(900), 30-48.
- Steinmetz, R., Chutipong, W., & Seuaturien, N. (2013). Foraging ecology of leopards (*Panthera pardus*) in a protected area in Thailand. *Journal of Zoology*, 289(4), 261-270.
- Sumarto, S., & Koneri, R. (2016). *Ekologi Hewan*. Yogyakarta.
- Sunarto, SK., Kelly, M. J., Prakkasi, K., & Hutajulu, M. B (2015). Cat occupancy and habitat use in tropical forest landscapes of Sumatera. *Biodiversitas*, 16(2).
- Sunquist, M., & Sunquist, F. (2002). *Wild Cats of the World*. University of Chicago Press.

Suyanto, A., & Semiadi, G. (2015). *Mamalia di Indonesia dan strategi konservasinya*.

Jakarta: LIPI Press.

U.S. Fish and Wildlife Service. (1981). Standards for the Development of Habitat Suitability Index Models. *U.S. Department of the Interior*.

Van Proosdij, A. S. J., Sosef, M. S. M., Wieringa, J. J., & Raes, N. (2016). Minimum required number of specimen records to develop accurate species distribution models. *Ecography*, 39(6), 542-552.

Wibisono, T.W., Wahyudi, H.A, Pinondang, I.M.R., Primajati, M., Liswanto, D., & Linkie, M. (2018). Identify priority conservation landscapes and actions for the critically endangered javan leopard in Indonesia: Conserving the last large carnivore in Java Island. *Polos One*. <https://doi.org/10.1371/>.

Wisz, M. S., Hijmans, R. J., Li, J., Peterson, A. T., Graham, C. H., & Guisan, A. (2008). Effects of sample size on the performance of species distribution models. *Diversity and Distributions*, 14(5), 763-773.

Xuezhi, W., Weihua, X., Zhiyun, O., Jianguo, L., Yi, X., Youping, C., & Junzhong, H. (2008). Application of ecological-niche factor analysis in habitat assessment of giant pandas. *Acta Ecologica Sinica*, 28(2), 821-828.

Yates, K. L., Bouchet, P. J., Caley, M. J., Mengersen, K., Randin, C. F., Parnell, S., Dorman, C. F. (2018). Outstanding challenge in the transferability of ecological models. *Trends in Ecology & Evolution*, 33(10), 790-802.

- Yudaputra, A., Pujiastuti, I., & Cropper, W. P. (2020). Modelling Potential Current Distribution and Future Dispersal of Invasive *Calliandra calothyrsus* in Bali Island, Indonesia using Random Forest and MaxEnt models. *Biodiversitas*, 21(10).
- Yusuf, D., Karim, M., Tahir, T., Saelan, E., & Pratama, M. I. L. (2025). Pendekatan Machine Learning dalam Memetakan Kesesuaian Habitat Mal. *Geosfera: Jurnal Penelitian Geografi*, 4(2), 534-551.
- Zhao, W., Liu, L., Shen, Q., Lin, J., Yang, J., & Wu, J. (2024). Near infrared radiance of vegetation is more sensitive than vegetation indices for monitoring NPP of winter wheat under water stress. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 17, 10648-10659.