DAFTAR PUSTAKA

Afiati, F., Kaiin, E.M., Gunawan, M., Said, S., Tappa, B. 2004. Perbaikan Teknik Pembekuan Sperma: Pengaruh Suhu Gliserolisasi dan Penggunaan Kaset Straw.dalam:Seminar Nasional Teknologi Peternakan dan Veteriner. Bogor. (hal. 67-71)

Aires, Viviana. A, Hinsch, Klaus. D, Schloesser, F.M., Bogner, K., Schloesser, S.M., Hinsch, E. 2010. In vitro and in vivo comparison of egg yolk-based and soybean lecithin-based extenders for cryopreservation of bovine semen. Theriogenology. 73: 480–487.

Akçay, E., Kulaksiz, R., Daşkin, A., Çebi, Ç., Tekin, K. 2012. The effect of different dilution rates on post-thaw quality of ram semen frozen in two different egg yolk free extenders. Slovenian Veterinary Research. 49: 97–102.

Aku, A.S., Purwantara, B., Toelihere, M.R. 2007. Preservasi semen domba garut (Ovis Aries) dalam berbagai konsentrasi bahan pengencer berbasis lestin nabati. Agriplus. 17: 1–35.

Aku, A.S., Sandiah, N., Sadsoeitoeboen, P.D., Amin, M.R., Herdis. 2007. Manfaat lesitin nabati pada preservasi dan kriopreservasi semen:suatu kajian pustaka. Animal Production. 9: 49–52.

Alawiyah, D., dan Hartono, M. 2006. Pengaruh penambahan vitamin E dalam bahan pengencer sitrat kuning telur terhadap kualitas semen beku kambing boer. Journal Indoneisan Tropical Animal Agriculture. 31: 8–14.

Alvionita, C., Rasad, S.D., Solihati, N. 2015. Kualitas semen domba lokal pada berbagai kelompok umur. Students e-Journal. 4: 1-9.

Anonimus. 2013. Data Statistik Dinas Peternakan Jawa Timur. Direktorat Jenderal Peternakan dan Kesehatan Hewan. Departemen Pertanian, Republik Indonesia.

Anonimus. 2013. Dinas Peternakan Kabupaten Sumenep. Direktorat Jenderal Peternakan dan Kesehatan Hewan. Departemen Pertanian, Republik Indonesia.

Apriyanti, C. 2012. Pengaruh Waktu Ekuilibrasi Terhadap Kualitas Semen Beku Sapi Pesisir Pre dan Post Thawing. Tesis, Universitas Andalas. Padang.

Arifiantini, R. I., Wresdiyati, T., Retnani, E. F. 2006. Pengujian morfologi spermatozoa sapi bali (Bos Sondaicus) menggunakan pewarnaan “Williams” (Sperm morphology assesment of bali bull cattle using “ Williams ” stain). Journal Indonesian Tropical Animal Agriculture. 31: 105–110.

Asadpour, R., Jafari, R., Nasrabadi, H.T. 2011. Influence of added vitamin C and vitamin E on frozen-thawed bovine sperm cryopreserved in citrate and tris-based extenders.J. Vet. Res. 2:37–44.

Aslam, H.A., Dasrul, Rosmaidar. 2014. Pengaruh penambahan vitamin C dalam pengencer andromed terhadap persentase motilitas dan membran plasma utuh spermatozoa sapi aceh setelah pembekuan. Jurnal Medika Veterina. 8: 20–26.

Azawi, O. I., Hussein, E. K. 2013. Effect of vitamins C or E supplementation to tris diluent on the semen quality of awassi rams preserved at 5°C. Vet Res Forum. 4: 157–160.

Bearden, J.H., Fuquay, J.W., and Willard, S.T. 2004. Applied Animal Reproduction. 6th Ed. Pearson Education, Upper Saddle River, New Jersey.

Benhenia, K., Lamara, A., Fatmi, S., Iguer-Ouada, M. 2016. Effect of cyclodextrins, cholesterol and vitamin E and their complexation on cryopreserved epididymal ram semen. Small Rum Res. 141: 29–35.

BPTUKDI. 2014. Domba Ekor Gemuk/Domba Sapodi. 28 Januari. http://web.bptukdi.info/2014/01/domba-ekor-gemuk-domba-sapodi.html. (diakses tanggal 20 juni 2016).

Breininger, E., Beorlegui, N. B., O'Flaherty, C. M., & Beconi, M. T. 2005. Alpha-tocopherol improves biochemical and dynamic parameters in cryopreserved boar semen. Theriogenology. 63: 2126–2135.

Çoyan, K., Başpinar, N., Bucak, M. N., Akalin, P. P., Ataman, M. B., Ömür, A. D., Sariözkan, S. 2010. Influence of methionine and dithioerythritol on sperm motility, lipid peroxidation and antioxidant capacities during liquid storage of ram semen. Res Vet Sci. 89: 426–431.

Da Silva, M., M., Bicudo, S. D., Azevedo, H. C., Sicherle, C. C., De Sousa, D. B., Rodello, L. 2009. Motility and viability of ram sperm cryopreserved in a Tris-egg yolk extender supplemented with anti-oxidants. Small Rum Res. 85: 85–90.

De VasconceloS, F.J. S., Faheem, M., Chaveiro, A., Moreira da Silva, F. 2016. Effects of α-tocopherol and freezing rates on the quality and heterologous invitro fertilization capacity of stallion sperm after cryopreservation. Theriogenology. 86: 957–962.

Dethan, A. A., Kustono, & Hartadi, H. 2010. Kualitas dan kuantitas sperma kambing bligon jantan yang diberi pakan rumput gajah dengan suplementasi tepung darah. Bulletin Peternakan. 34: 145–153.

Dewi, A.S., Ondho, Y.S., Kurnianto, E. 2012. Kualitas semen berdasarkan umur pada sapi jantan jawa. Animal Agriculture Journal. 1: 126–133.

Dietrich, G.J., Zabowska, M., Wojtczak, M., Slowinska, M., Kucharczyk, D., and Ciereszko, A. 2007. Effect of different surfactants on motility and DNA integrity of brown trout (*Salmo trutta fario*) and common carp (*Cyprinus carpio*) spermatozoa. Reproductive Biology. 7:127-142.

Donoghue, A. M., & Wishart, G. J. 2000. Storage of poultry semen. Anim Reprod Sci. 62: 213–232.

Eslami, M., Ghasemiyan, H., and Hashem, E.Z. 2016. Semen supplementation with palmitoleic acid promotes kinematics, microscopic and antioxidative parameters of ram spermatozoa during liquid storage. Reprod. Dom. Anim. 10;1-11.

Evans and Maxwell. 1987. Salamon`s artificial insemination of sheeps and goat`s. Butterworth. Sydney.

Fair, S., Doyle, D. N., Diskin, M. G., Hennessy, A. A., & Kenny, D. A. 2014. The effect of dietary n-3 polyunsaturated fatty acids supplementation of rams on semen quality and subsequent quality of liquid stored semen. Theriogenology. 81: 210–219.

Feradis. 2007. Karakteristik sifat fisik semen domba *st.croix*. Jumal Petemakan. 4: 1–5.

Feradis. 2010. Bioteknologi reproduksi pada ternak. Alfabeta. Bandung. 18-85.

Flanagan, J., and Singh, H. 2006. Microemulsions; a potential delivery system for bioactives in food. Food Science and Nutrition. 46: 221-237.

Forouzanfar, M., Sharafi, M., Hosseini, S. M., Ostadhosseini, S., Hajian, M., Hosseini, L., Nasr-Esfahani, M. H. 2010. Invitro comparison of egg yolk-based and soybean lecithin-based extenders for cryopreservation of ram semen. Theriogenology. 73: 480–487.

Gangwar, C., Kharche, S. D., Ranjan, R., Kumar, S., Goel, A. K., Jindal, S. K., & Agarwal, S. K. 2015. Effect of vitamin C supplementation on freezability of Barbari buck semen. Small Rum Res. 129: 104–107.

Garner, D.L., and E.S.E. Hafez. 2000. Spermatozoa and seminal plasma in reproduction in farm animal. 7th Ed. B. Hafez and E.S.E. Hafez (Ed) 2000. Lea and Febigar. Philadelphia.

Gatti, J. L., Chevrier, C., Paquignon, M., & Dacheux, J. L. 1993. External ionic conditions, internal pH and motility of ram and boar spermatozoa. J reprod fertil. 98: 439–449.

Hafez ESE., Hafez B. 2000. Reproduction in Farm Animal (7th ed). Lippincott Williams & WikinsUSA. Philadelphia.

Hafez, E.S.E. 2004. X- and Y-Chromosome-Bearing Spermatozoa. In Reproduction in Farm Animal. 8th ed. Lea & Febiger USA. Philadelphia.

Hartono, M. 2008. Optimalisasi penambahan vitamin E dalam pengencer sitrat kuning telur untuk mempertahankan kualitas semen kambing boer. Journal Indonesian Tropical Animal Agriculture. 33: 11–19.

Hashem, E.Z., Haddad, R., and Eslami, M. 2017. Evaluation of ram semen enrichment with oleic acid on different spermatozoa parameters during low temperature liquid storage. Small. Rum. Res. 150; 30-39.

Herdiawan, I. 2004. Pengaruh Laju Penurunan Suhu dan Jenis Pengencer terhadap Kualitas Semen Beku Domba Priangan. Jurnal Ilmu Ternak dan Veteriner. 9: 98–107.

Herdis, Kusuma, I., Surachman, M., Riza, M., Sutama, I.K., Inounu, I., Arifiantini, I. 2002. Peningkatan Kualitas semen beku domba garut melalui penambahan α -Tokoferol ke dalam pengencer susu-skim kuning telur. Jurnal Ilmu Ternak dan Veteriner. 7: 12–17.

Herdis, Toelihere, M. R., Supriatna, I., Purwantara, B., & Adikara, R. 2005. Optimalisasi kualitas semen cair domba garut (ovis aries) melalui penambahan maltosa ke dalam pengencer semen tris kuning telur. Media Kedokteran Hewan. 21: 88–93.

Herman, R. 1993. Perbandingan Pertumbuhan Komposisi Tubuh dan Karkas antara Domba Priangan dan Ekor Gemuk. Tesis, Bogor. Institut Pertanian Bogor.

Herold, F. C., de Haas, K., Colenbrander, B., Gerber, D. 2006. Comparison of equilibration times when freezing epididymal sperm from African buffalo (Syncerus caffer) using Triladyl or AndroMed. Theriogenology. 66: 1123–1130.

Ihsan, M. N. 2013. Pembekuan vitrifikasi semen kambing boer dengan tingkat gliserol berbeda. Jurnal Ternak Tropika. 14: 38–45.

Jusnita, N. 2014. Produksi Nanoemulsi Ekstrak Temulawak Dengan Metode Homogenisasi. Tesis, Bogor. Institut Pertanian Bogor.

Kaur, K., Kaur, J., Kumar, R., Mehta, S.K. 2016. Formulation and physiochemical study of a-tocopherol based oil in water nanoemulsion stabilized with non toxic, biodegradable surfactant: sodium stearoyl lactate. Ultrasonics Sonochemistry. 38; 570-578.

Kaya, A., Aksoy, M., Tekeli, T. 2002. Influence of ejaculation frequency on sperm characteristics, ionic composition and enzymatic activity of seminal plasma in rams. Small Rum Res. 44: 153–158.

Martínez-Pastor, F., Martínez, F., García-Macías, V., Esteso, M. C., Anel, E., Fernández-Santos, M. R., Anel, L. 2006. A pilot study on post-thawing quality of Iberian red deer spermatozoa (epididymal and electroejaculated) depending on glycerol concentration and extender osmolality. Theriogenology. 66: 1165–1172.

Mattner, P. E., & Voglmayr, J. K. 1962. A comparison of ram semen collected by the artificial vagina and by electro-ejaculation. Australian Journal of Experimental Agriculture. 2: 78–81.

Memon, A. A., Wahid, H., Rosnina, Y., Goh, Y. M., Ebrahimi, M., Nadia, F. M. 2012. Effect of antioxidants on post thaw microscopic, oxidative stress parameter and fertility of Boer goat spermatozoa in Tris egg yolk glycerol extender. Anim Reprod Sci. 136: 55–60.

Minitub. 2001. Certificate Andromed. Minitub Abfullund Labortechnik GmbH and Co KG. Germany.

Mocé, E., Purdy, P. H., Graham, J. K. 2010. Treating ram sperm with cholesterol-loaded cyclodextrins improves cryosurvival. Anim Reprod Sci. 118: 236–247.

Moretti, E., Castellini, C., Mourvaki, E., Capitani, S., Geminiani, M., Renieri, T., Collodel, G. 2011. Distribution of α- and δ-tocopherols in seminal plasma and sperm fractions of men with normal and abnormal semen parameters. J Androl. 32: 232–9.

Paulenz, H., Söderquist, L., Pérez-Pé, R., Andersen Berg, K. 2002. Effect of different extenders and storage temperatures on sperm viability of liquid ram semen. Theriogenology. 57: 823–836.

Praditasari, A. 2017. Review: Metode Uji Aktivitas Antioksidan Secara in Vitro Pada Ekstrak Tanaman. Farmaka. 14: 1-12.

Purdy, P. H. 2006. A review on goat sperm cryopreservation. Small Rum Res. 63: 215–225.

Qisthon, A., & Suharyanti, S. 2007. Pengaruh penggunaan naungan terhadap kualitas semen kambing peranakan ettawa. Animal Production. 9: 73–78.

Raijmakers, M. T. M., Roelofs, H. M. J., Steegers, E. A. P., Steegers-Theunissen, R. P. M., Mulder, T. P. J., Knapen, M. F. C. M., Peters, W. H. M. 2003. Glutathione and glutathione S-transferases A1-1 and P1-1 in seminal plasma may play a role in protecting against oxidative damage to spermatozoa. Fertil Steril. 79: 169–172.

Rather, H. A., Islam, R., Malik, A. A., Lone, F. A. 2016. Addition of antioxidants improves quality of ram spermatozoa during preservation at 4 °C. Small Rum Res. 141: 24–28.

Rizal, M., & Herdis. 2005. Daya hidup spermatozoa epididimis domba garut yang dikriopreservasi menggunakan modifikasi pengencer tris viability of frozen-thawed epididymal sperm of garut ram cryopreserved with modified tris extender. Hayati. 12: 61–66.

Rosety, M., Ordonez, F.J., Rosety-Rodriguez, M., Rosety, J.M., and Rosety, I. 2003. In vitro acute toxicity of anionic surfactant linear alkylbenzene sulphonate (LAS) on the motility of gilthead (*Sparus aurata L.)* sperm. Histology and Histopathology. 18:475-478.

Rowe, R.C., Sheskey, P.J., and Quinn, M.E. 2006. Handbook of Pharmaceutical Excipients. 5th ed. Pharmaceutical Press, UK. 145-208.

Saberi, A. H., Fang, Y., Mcclements, D.J. 2013. Fabrication of vitamin E-enriched nanoemulsions by spontaneous emulsification: effect of propylene glycol and ethanol on formation, stability, and properties. Food Research International. 54; 812-820.

Safa, S., Moghaddam, G., Jozani, R. J., Daghigh Kia, H., Janmohammadi, H. 2016. Effect of vitamin E and selenium nanoparticles on post-thaw variables and oxidative status of rooster semen. Anim Reprod Sci. 174: 100–106.

Saraswat, S., Priyadharsini, R., Jindal, S.K., Yadav, S., Ramachandran, N., Kharche, S.D., Goel, A.K. 2012. Effect of antioxidants supplementation at refrigeration temperature on sperm motion characteristics and membrane integrity of sirohi buck semen. Journal of Physiology and Pharmacology Advances. 2: 77–86.

Sarlos, P., Molnar, A., Kokai, M., Gabor, G., Ratky, J. 2002. Comparative evaluation of the effect of antioxidants in the conservation of ram semen. Acta Vet Hung. 50: 235–245.

Setiawan, A. B., Rachmawan, O., Sutardjo, D. S. 2015. Pengaruh penggunaan berbagai jenis kuning telur terhadap kestabilan emulsi, viskositas, dan pH mayonnaise. Students e-Journal. 4: 1-7.

Setya, S., Talegaonkar, S., Razdan, B. K. 2014. Nanoemulsions:Formulation methods and stability aspects. World Journal of Pharmacy and Pharmaceutical Sciences. 3: 2214–2228.

Siswanto. 2006. Kualitas Semen didalam Pengencer Tris dan Natrium Sitrat dengan Berbagai Sumber Karbohidrat dan Level Gliserol pada Proses Kriopreservasi Semen Rusa Timor (Cervus timorensis). Tesis, Bogor. Institut Pertanian Bogor.

Slaweta, R., Waşowicz, W., Laskowska, T. 1988. Selenium content, glutathione peroxidase activity, and lipid peroxide level in fresh bull semen and its relationship to motility of spermatozoa after freezing thawing. J Vet Med. 35: 455–460.

Solihati, N. 2008. Studi Terhadap Kualitas dan Daya Tahan Hidup Spermatozoa Cauda Epididimis Domba Garut Menggunakan Berbagai Jenis Pengencer. Dalam Seminar Nasional Teknologi Peternakan dan Veteriner (hal. 401–408). Bogor.

Sugiarti, T., Situmorang, P., Triwulaningsih, E., Kusumaningrum, D.A., Lubis, A. 2001. Pengaruh Pemberian Antioksidan dan Prolin Terhadap Kualitas Spermatozoa Sapi Setelah Pembekuan. Dalam Seminar Nasional Teknologi Peternakan dan Veteriner (hal. 1–8). Bogor.

Sujoko, H., Setiadi, M. A., Boediono, A. 2009. Seleksi spermatozoa domba garut dengan metode sentrifugasi gradien densitas percoll. Jurnal Veteriner. 10: 125–132.

Sukmawati, E., Arifiantini, R.I., Purwantara, B. 2014. Daya Tahan Spermatozoa Terhadap Proses Pembekuan pada Berbagai Jenis Sapi Pejantan Unggul. Tesis, Institut Pertanian Bogor, Bogor.

Surachman, M., Setiadi, M. A., Rizal, M. 2006. Cryopreservation of ram epididymal spermatozoa using lecithin-based extender. Journal of The Indonesian Tropical Animal Agriculture. 31: 83–89.

Sutiyono, Riyadi, S., Kismiati, S. 2006. Fertilitas dan daya tetas telur dari ayam petelur hasil inseminasi buatan menggunakan semen ayam kampung yang diencerkan dengan bahan berbeda. Journal Indonesian Tropical Animal Agriculture. 31: 36–40.

Tambing, S. N., Toelihere, M. R., Yusuf, T. L., Sutama, I. K. 2000. Pengaruh gliserol dalam pengencer tris terhadap kualitas semen beku kambing peranakan etawah. Jurnal Ilmu Ternak dan Veteriner. 5: 1–8.

Tiesnamurti, B., & Asmarasari, S. A. 2006. Pengelolaan dan Pemanfaatan Sumber Daya Genetik Domba Ekor Gemuk. Dalam Lokakarya Nasional Pengelolaan dan Perlindungan Sumber Daya Genetik di Indonesia (hal. 221–228). Bogor.

Toelihere, M.R. 1993. Inseminasi Buatan Pada Ternak. Angkasa, Bandung.

Wahjuningsih, S., dan Rachmawati, A. 2012. The effect of α -tocopherol on plasma membrane integrity of goat. Journal of Basic and Applied Scientific Research. 2: 8857–8860.

White, I. G., & Lincoln, G. J. 1960. The yellow pigmentation of bull semen and its content of riboflavin, niacin, thiamine and related compounds. The Biochemical Journal. 76: 301–306.

Widjaya, N. 2011. Pengaruh pemberian susu skim dengan pengencer tris kuning telur terhadap daya tahan hidup spermatozoa sapi pada suhu penyimpanan 5°C. Sains Peternakan. 9: 72–76.

Wittayarat, M., Kimura, T., Kodama, R., Namula, Z., Chatdarong, K., Techakumphu, M., Oto, T. 2012. Long-term preservation of chilled canine semen using vitamin C in combination with green tea polyphenol. Cryo-Letters. 33: 318–326.

Yang, Y., Julian, D., Clements, M. 2013. Encapsulation of vitamin E in edible emulsions fabricated using a natural surfactant. Food Hydrocolloids. 30: 712–720.