UNIVERSITAS GADJAH MADA
FOOD LOSS ESTIMATION ON THE CORIANDER (Coriandrum sativum L.) LEAVES VALUE CHAIN: A CASE STUDY ON EXPORT GRADE PRODUCT IN TRADING COMPANY
Achmad Nurrizal, Dr. Anggoro Cahyo Sukartiko, M.P. ; Dr. Kanya Auckaraaree ; Dr. Kasidate Chantakun
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

REFERENCES

Babarinsa, F. A., Ogundele, R. B., Babarinsa, O. A., & Omodara, M. A. (2018). Evaluation of plastic crate as replacement for raffia basket to prevent in-transit damage of packaged tomatoes. *Journal of Postharvest Technology*, *6*(3), 70–79.

Bartz, J. A., & Brecht, J. K. (2002). *Postharvest physiology and pathology of vegetables* (Vol. 123). CRC Press.

Bhat, S., Kaushal, P., Kaur, M., & Sharma, H. K. (2014). Coriander (*Coriandrum sativum* L.): Processing, nutritional and functional aspects. *African Journal of Plant Science*, *8*(1), 25–33. https://doi.org/10.5897/AJPS2013.1118

Bhuvaneswari, S., Kumaran, G. S., Raghupathi, H. B., & Oberoi, H. S. (2017). Enhancement of shelf-life of coriander leaves through storage in a novel high humidity storage box. *Indian Journal of Horticulture*, *74*(3), 475. https://doi.org/10.5958/0974-0112.2017.00093.7

Business Market Insights. (2024). *Southeast Asia Spices and Herbs Market Share by Size and Growth 2031*. Business Market Insights. https://www.businessmarketinsights.com/reports/southeast-asia-spices-and-herbs-market

Cantwell, M. I., & Reid, M. S. (1993). Postharvest physiology and handling of fresh culinary herbs. *Journal of Herbs, Spices & Medicinal Plants*, *1*(3), 93–127. https://doi.org/10.1300/J044v01n03_09

Chaomuang, N., Singphithak, P., Laguerre, O., & Suwapanich, R. (2022). Temperature control in a horticultural produce supply chain in Thailand and its influence on product quality. *Food Control*, *133*, 108585. https://doi.org/10.1016/j.foodcont.2021.108585

Chen, H., Jin, L., Fang, C., Liu, L., Kačániová, M., Wang, J., Lu, J., & Ban, Z. (2024). Integration of puncture loading and finite element simulations to predict the mechanical responses for kiwifruit. *Postharvest Biology and Technology*, *217*, 113102. https://doi.org/10.1016/j.postharvbio.2024.113102

Cheng, C., & Zhou, E. (2011). Based on fishbone diagram analysis of management 80s employees performance in enterprise. In M. Zhou (Ed.), *Education and Management* (Vol. 210, pp. 232–238). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-23065-3_35

Domanda, C., Nuzzo, V., Montanaro, G., Failla, O., & Rustioni, L. (2023). Trichomes affect grapevine leaf optical properties and thermoregulation. *Theoretical and Experimental Plant Physiology*, *35*(3), 299–308.

Dorji, K., Wangmo, K., & Wangdi, T. (2023). Benefits of using Plastic Crate compared to Poly Sack during Transportation of Vegetables. *Bhutanese Journal of Agriculture*, *6*(1), 34–45. https://doi.org/10.55925/btagr.23.6103

UNIVERSITAS GADJAH MADA
FOOD LOSS ESTIMATION ON THE CORIANDER (Coriandrum sativum L.) LEAVES VALUE CHAIN: A CASE STUDY ON EXPORT GRADE PRODUCT IN TRADING COMPANY
Achmad Nurrizal, Dr. Anggoro Cahyo Sukartiko, M.P. ; Dr. Kanya Auckaraaree ; Dr. Kasidate Chantakun
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Douglas, M., Heyes, J., & Smallfield, B. (2005). *Herbs, spices and essential oils Post-harvest operations in developing countries*. Food And Agriculture Organization (FAO).

Dubey, S., Singh, R., Singh, S. P., Mishra, A. H., & Singh, N. V. (2020). A Brief Study Of Value Chain And Supply Chain. *Agriculture Development and Economic Transformation in Global Scenario*, (4), 177–183.

Dujmović, M., Kurek, M., Mlinar, Z., Radman, S., Opačić, N., Pišonić, P., Voća, S., & Šic Žlabur, J. (2024). Packaging matters: Preservation of antioxidant compounds of fresh stinging nettle leaves (*urtica dioica* l.). *Applied Sciences*, *14*(15), 6563. https://doi.org/10.3390/app14156563

Dwivedi, A. (Ed.). (2016). *Innovative Solutions for Implementing Global Supply Chains in Emerging Markets:* IGI Global. https://doi.org/10.4018/978-1-4666-9795-9

FAO. (2011). *Global food losses and food waste – Extent, causes and prevention*.

FAO. (2015). *Global initiative on food loss and waste reduction*. Rome.

FAO. (2019). *The state of food and agriculture 2019: Moving forward on food loss and waste reduction*.

Fukushima, S., Cohen, S. M., Eisenbrand, G., Gooderham, N. J., Guengerich, F. P., Hecht, S. S., Rietjens, I. M. C. M., Rosol, T. J., Davidsen, J. M., Harman, C. L., Lu, V., & Taylor, S. V. (2020). FEMA GRAS assessment of natural flavor complexes: Lavender, Guaiac Coriander-derived and related flavoring ingredients. *Food and Chemical Toxicology*, *145*, 111584. https://doi.org/10.1016/j.fct.2020.111584

Gardjito, M., & Saifudin, U. (2011). *Penanganan pascapanen buah-buahan tropis [Tropical fruits post-harvest treatment]*. Kanisius.

Gardner, D. L. (with APICS--The Educational Society for Resource Management). (2004). *Supply chain vector: Methods for linking the execution of global business models with financial performance*. Ross.

Hanson, C., Lipinski, B., Robertson, K., Dias, D., Gavilan, I., Gréverath, P., Ritter, S., Fonseca, J., van Otterdijk, R., Timmermans, T., Lomax, J., O'Connor, C., Dawe, A., Swannell, R., Berger, V., Reddy, M., Somogyi, D., Tran, B., Leach, B., & Quested, T. (2016). *Food Loss and Waste Accounting and Reporting Standard* (p. 160). World Resources Institute.

Hoffmann, T. G., De Souza, C. K., Sonawane, A. D., Praeger, U., Büchele, F., Neuwald, D. A., Jedermann, R., Linke, M., Sturm, B., & Mahajan, P. V. (2025). Challenges and future perspectives in postharvest cold storage: Technological review on sustainable and efficient cold storage of fresh produce. *Food Research International*, *221*, 117406. https://doi.org/10.1016/j.foodres.2025.117406

International Agricultural Economics Division. (2015). *Project To Study Approaches to Reduce Food Waste in the Agricultural Production Sector of Thailand: A Case Study of Fresh Vegetables*. https://oaezone.oae.go.th/assets/portals/3/fileups/biae/files/Journal/Paper_FWFL.pdf

UNIVERSITAS GADJAH MADA
FOOD LOSS ESTIMATION ON THE CORIANDER (Coriandrum sativum L.) LEAVES VALUE CHAIN: A CASE STUDY ON EXPORT GRADE PRODUCT IN TRADING COMPANY
Achmad Nurrizal, Dr. Anggoro Cahyo Sukartiko, M.P. ; Dr. Kanya Auckaraaree ; Dr. Kasidate Chantakun
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kasajima, I. (2019). Measuring plant colors. *Plant Biotechnology*, *36*(2), 63–75. https://doi.org/10.5511/plantbiotechnology.19.0322a

Koraddi, V. V., & Devendrappa, S. (2011). Analysis of physiological loss of weight of vegetables under refrigerated conditions. *Journal of Farm Sciences*, *1*, 61–68.

Kunwar, A., Bist, D. R., Khatri, L., Dhami, R., & Joshi, G. R. (2024). Optimizing Post-Harvest Handling Practices To Reduce Losses And Enhance Quality Of Fruits And Vegetables. *Food and Agri Economics Review*, *4*(2), 78–82. https://doi.org/10.26480/faer.02.2024.78.82

Lavudya, S., & Prabhakar, B. (2024). Effect of climate change on agriculture and its management. *Environment Conservation Journal*, *25*(2), 619–627. https://doi.org/10.36953/ECJ.24502659

Liu, F., Hai, M., Mei, B., Yi, L., & Xie, S. (2025). How does mechanical damage affect the preservability of postharvest fruits and vegetables? *LWT*, *237*, 118781. https://doi.org/10.1016/j.lwt.2025.118781

Loaiza, J., & Cantwell, M. (1997). Postharvest physiology and quality of cilantro (*Coriandrum sativum* L.). *HortScience*, *32*(1), 104–107. https://doi.org/10.21273/HORTSCI.32.1.104

Luo, Y., McEvoy, J. L., Wachtel, M. R., Kim, J. G., & Huang, Y. (2004). Package atmosphere affects postharvest biology and quality of fresh-cut cilantro leaves. *HortScience*, *39*(3), 567–570. https://doi.org/10.21273/HORTSCI.39.3.567

Maknun, S. L., & Aidil, J. (2024). Implementation of lean manufacturing approach using value stream mapping to optimize cycle time and reduce process waste (Case Study: CV. Teguh Jaya Mandiri). *IJIEM - Indonesian Journal of Industrial Engineering and Management*, *5*(2), 589. https://doi.org/10.22441/ijiem.v5i2.22440

Marchi, B., & Zanoni, S. (2022). Cold chain energy analysis for sustainable food and beverage supply. *Sustainability*, *14*(18), 11137. https://doi.org/10.3390/su141811137

McKenzie, T. J., Singh-Peterson, L., & Underhill, S. J. R. (2017). Quantifying postharvest loss and the implication of market-based decisions: A case study of two commercial domestic tomato supply chains in queensland, Australia. *Horticulturae*, *3*(3), 44.

Mopera, L. E. (2016). *Food Loss in the Food Value Chain: The Philippine Agriculture Scenario*. *11*, 8–16.

NAS. (1978). *Postharvest food losses in developing countries*. National Academy of Sciences.

Natale, S., Canella, M., Moschin, S., Baldan, B., Alboresi, A., La Rocca, N., & Dal Grande, F. (2024). Microscopy observations reveal a new glandular morphology in four *Pinguicula* L. species. *BMC Research Notes*, *17*(1), 367. https://doi.org/10.1186/s13104-024-07021-1

Ni, C., Sun, X., Dong, H., & Xu, C. (2025). Evaluation of physicochemical quality, specific aromatic characteristic, and volatile organic compound profile of fresh-cut coriander leaves under different super-atmospheric oxygen modified

UNIVERSITAS GADJAH MADA
FOOD LOSS ESTIMATION ON THE CORIANDER (Coriandrum sativum L.) LEAVES VALUE CHAIN: A CASE STUDY ON EXPORT GRADE PRODUCT IN TRADING COMPANY
Achmad Nurrizal, Dr. Anggoro Cahyo Sukartiko, M.P. ; Dr. Kanya Auckaraaree ; Dr. Kasidate Chantakun
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

atmosphere packaging conditions. *Food Packaging and Shelf Life*, *47*, 101438. https://doi.org/10.1016/j.fpsl.2025.101438

Office of Agricultural Economics, & Rice Department. (2018). *Loss Reduction in Paddy Rice Harvesting Process: Case Study of the Rice Harvest in the Promoted Area of Large Scale Farm, Research Project Report*. http://oaezone.oae.go.th/assets/portals/15/news/185/1_aek.pdf

Olatunji, J. R., & East, A. R. (2020). *Advances in cooling technologies to preserve horticultural produce*. Burleigh Dodds Science Publishing.

Panta, R., & Khanal, A. (2018). Effect of modified atmospheric packaging on postharvest storage life of cilantro (*Coriandrum sativum* L.) stored under different conditions. *Journal of Horticulture*, *05*(03). https://doi.org/10.4172/2376-0354.1000243

Parfitt, J., Barthel, M., & Macnaughton, S. (2010). Food waste within food supply chains: Quantification and potential for change to 2050. *Philosophical Transactions of the Royal Society B: Biological Sciences*, *365*(1554), 3065–3081. https://doi.org/10.1098/rstb.2010.0126

Pastolero, A., & Sassi, M. (2022). Food loss and waste accounting: The case of the Philippine food supply chain. *Bio-Based and Applied Economics*, *11*(3), 207–218. https://doi.org/10.36253/bae-11501

Paul, D., Howlader, J., Akon, M. R., & Labib, L. A. (2023). Effect of hydrocooling and storage condition on postharvest quality of coriander leaf. *International Journal of Innovative Research*, *8*(3), 63–71.

Pimenov, M. G., & Leonov, M. V. (1993). *The Genera of the Umbelliferae: A nomenclator*. Royal Botanic Gardens, Kew and Botanical Garden of Moscow University.

Prasetyo, D. E. (2020). Optimasi proses pemesanan spare part dengan menggunakan metode value stream mapping. *Jurnal Optimasi Teknik Industri (JOTI)*, *2*(2), 51. https://doi.org/10.30998/joti.v2i2.4057

Rattanawong, A., & Ongkunaruk, P. (2018). Reduce loss during transportation: A case study of fresh vegetables in Thailand. *KnE Life Sciences*, *4*(2), 253. https://doi.org/10.18502/kls.v4i2.1679

Rico, D., Martín-Diana, A. B., Barat, J. M., & Barry-Ryan, C. (2007). Extending and measuring the quality of fresh-cut fruit and vegetables: A review. *Trends in Food Science & Technology*, *18*(7), 373–386. https://doi.org/10.1016/j.tifs.2007.03.011

Rojas-Flores, S., De La Cruz-Noriega, M., Cabanillas-Chirinos, L., Nazario-Naveda, R., Gallozzo-Cardenas, M., Diaz, F., & Murga-Torres, E. (2023). Potential use of coriander waste as fuel for the generation of electric power. *Sustainability*, *15*(2), 896. https://doi.org/10.3390/su15020896

Sahin, A. (2024). Root Cause Analysis of Quality Issues in Watch Manufacturing Using Ishikawa and Pareto Diagrams. *Archives Of Engineering Knowledge*, *10*(1), 18–23. https://doi.org/10.30657/aek.2024.10.4

UNIVERSITAS GADJAH MADA
FOOD LOSS ESTIMATION ON THE CORIANDER (Coriandrum sativum L.) LEAVES VALUE CHAIN: A CASE STUDY ON EXPORT GRADE PRODUCT IN TRADING COMPANY
Achmad Nurrizal, Dr. Anggoro Cahyo Sukartiko, M.P. ; Dr. Kanya Auckaraaree ; Dr. Kasidate Chantakun
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sahu, P., Sharma, S. P., Singh, J., Paikra, M., Nishad, Dr. D., & Kumar, A. (2024). Effect of different storage condition on storage behavior of primary processed leafy vegetables. *International Journal of Research in Agronomy*, *7*(11S), 314–324. https://doi.org/10.33545/2618060X.2024.v7.i11Se.1990

Salam, S., Afrin, S., & Saha, M. (2020). Fresh-Cut Vegetable at Supermarkets in Bangladesh: Focus on Customer Perception and Factors Influencing Purchasing Decision. *Asian Journal of Economics, Business and Accounting*, 26–34. https://doi.org/10.9734/ajeba/2020/v15i330216

Saran, S., Roy, S. K., & Kitinoja, L. (2012). Appropriate Postharvest Technologies For Small Scale Horticultural Farmers And Marketers In Sub-Saharan Africa And South Asia—Part 2. Field Trial Results And Identification Of Research Needs For Selected Crops. *Acta Horticulturae*, (934), 41–52. https://doi.org/10.17660/ActaHortic.2012.934.2

Sarron, E., Gadonna-Widehem, P., & Aussenac, T. (2021). Ozone treatments for preserving fresh vegetables quality: A critical review. *Foods*, *10*(3), 605. https://doi.org/10.3390/foods10030605

Sawicka, B. (2020). Post-Harvest Losses of Agricultural Produce. In W. Leal Filho, A. M. Azul, L. Brandli, P. G. Özuyar, & T. Wall (Eds.), *Zero Hunger* (pp. 654–669). Springer International Publishing. https://doi.org/10.1007/978-3-319-95675-6_40

Seshadri, N. M., Palanisamy, A. S., Mohanavelu, T., & McDermott, O. (2024). Minimization of losses in postharvest of fresh produce supply chain. *Journal of Agribusiness in Developing and Emerging Economies*, *16*(2), 364–387. https://doi.org/10.1108/JADEE-04-2024-0139

Setiyawan, D. T., Deoranto, P., & Peranginangin, D. (2019). Production process analysis using value stream mapping at East Java sugarcane industry. *IOP Conference Series: Earth and Environmental Science*, *230*, 012057. https://doi.org/10.1088/1755-1315/230/1/012057

Sharma, R., Gautam, S., & Hamid, H. (2021). Effect of MAP on shelf-life of broccoli and cabbage grown under natural farming. *The Indian Journal of Agricultural Sciences*, *91*(9), 1353–1357. https://doi.org/10.56093/ijas.v91i9.116086

Shoko, T., Manhivi, V. E., Mtlhako, M., & Sivakumar, D. (2022). Changes infunctional compounds, volatiles, and antioxidant properties of culinary herb coriander leaves (*Coriandrum sativum*) stored under red and blue led light for different storage times. *Frontiers in Nutrition*, *9*, 856484. https://doi.org/10.3389/fnut.2022.856484

Singh, D., Sharma, R. R., Devappa, V., & Kamil, D. (2021). *Postharvest Handling and Diseases of Horticultural Produce* (1st ed.). CRC Press. https://doi.org/10.1201/9781003045502

Siregar, I., Nasution, A. A., Andayani, U., Anizar, & Syahputri, K. (2018). Design of production process main shaft process with lean manufacturing to improve productivity. *IOP Conference Series: Materials Science and Engineering*, *308*, 012005. https://doi.org/10.1088/1757-899X/308/1/012005

UNIVERSITAS GADJAH MADA
FOOD LOSS ESTIMATION ON THE CORIANDER (Coriandrum sativum L.) LEAVES VALUE CHAIN: A CASE STUDY ON EXPORT GRADE PRODUCT IN TRADING COMPANY
Achmad Nurrizal, Dr. Anggoro Cahyo Sukartiko, M.P. ; Dr. Kanya Auckaraaree ; Dr. Kasidate Chantakun
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sun, D.-W., & Zheng, L. (2006a). Vacuum cooling technology for the agri-food industry: Past, present and future. *Journal of Food Engineering*, *77*(2), 203–214. https://doi.org/10.1016/j.jfoodeng.2005.06.023

Sun, D.-W., & Zheng, L. (2006b). Vacuum cooling technology for the agri-food industry: Past, present and future. *Journal of Food Engineering*, *77*(2), 203–214. https://doi.org/10.1016/j.jfoodeng.2005.06.023

Swetha, P. S., Kavitha, M., Praneetha, S., Amuthaselvi, G., Janaki, P., & Kannan, B. (2023). Enhancing the shelf life of palak and coriander through modified atmosphere packaging under diverse storage environments. *International Journal of Environment and Climate Change*, *13*(10), 2670–2677. https://doi.org/10.9734/ijecc/2023/v13i102932

Tansuchat, R., Pankasemsuk, T., Panmanee, C., Rattanasamakarn, T., & Palason, K. (2023). Analyzing food loss in the fresh longan supply chain: Evidence from field survey measurements. *Agriculture*, *13*(10), 1951. https://doi.org/10.3390/agriculture13101951

Tata, D. T., & Maghah, J. A. (2026). A Critical Evaluation of the Effectiveness of the 6M as a Deviation Investigation Tool in Supply Chain Management. *Journal of Procurement and Supply Chain Management*, *5*(2), 43–49. https://doi.org/10.58425/jpscm.v5i2.510

UNCC. (2024). *Food loss and waste account for 8-10% of annual global greenhouse gas emissions*. https://unfccc.int/news/food-loss-and-waste-account-for-8-10-of-annual-global-greenhouse-gas-emissions-cost-usd-1-trillion

UNEP. (2021). *UNEP Food Waste Index Report 2021*. UNEP.

Watada, A. E., Ko, N. P., & Minott, D. A. (1996). Factors affecting quality of fresh-cut horticultural products. *Postharvest Biology and Technology*, *9*(2), 115–125. https://doi.org/10.1016/S0925-5214(96)00041-5

Willersinn, C., Mack, G., Mouron, P., Keiser, A., & Siegrist, M. (2015). Quantity and quality of food losses along the Swiss potato supply chain: Stepwise investigation and the influence of quality standards on losses. *Waste Management*, *46*, 120–132. https://doi.org/10.1016/j.wasman.2015.08.033

Wiwattanakornwong, K., & Ploybut, S. (2025). *Development of Thailand's Agricultural Logistics Systems Toward ASEAN Regional Hub: Challenges and Policy Implications*.

WMO. (2025). *State of the Global Climate 2024*. World Meteorological Organization.

Wu, W., Beretta, C., Cronje, P., Hellweg, S., & Defraeye, T. (2019). Environmental trade-offs in fresh-fruit cold chains by combining virtual cold chains with life cycle assessment. *Applied Energy*, *254*, 113586. https://doi.org/10.1016/j.apenergy.2019.113586

Xu, D., Shi, M., Jia, B., Yan, Z., Gao, L., Guan, W., Wang, Q., & Zuo, J. (2019). Effect of ozone on the activity of antioxidant and chlorophyll-degrading enzymes during postharvest storage of coriander (*Coriandrum sativum* L.). *Journal of Food Processing and Preservation*, *43*(8). https://doi.org/10.1111/jfpp.14020

UNIVERSITAS
GADJAH MADA
**FOOD LOSS ESTIMATION ON THE CORIANDER (Coriandrum sativum L.) LEAVES VALUE CHAIN: A CASE STUDY ON
EXPORT GRADE PRODUCT IN TRADING COMPANY**
Achmad Nurrizal, Dr. Anggoro Cahyo Sukartiko, M.P. ; Dr. Kanya Auckaraaree ; Dr. Kasidate Chantakun
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Xu, D., Zuo, J., Li, P., Yan, Z., Gao, L., Wang, Q., & Jiang, A. (2020). Effect of methyl jasmonate on the quality of harvested broccoli after simulated transport. *Food Chemistry*, *319*, 126561. https://doi.org/10.1016/j.foodchem.2020.126561

Zhu, Y., Gao, J., Si, Y., Luo, F., & Yan, S. (2018). Temperature abuse timing affects the rate of quality deterioration of postharvest broccoli during different pre-storage stages. *Scientia Horticulturae*, *227*, 207–212. https://doi.org/10.1016/j.scienta.2017.09.034