



<b>TITLE</b>	i
<b>LEGALIZATION</b>	ii
<b>STATEMENT</b>	iii
<b>MANUSCRIPT OF THESIS</b>	iv
<b>MOTTO AND DEDICATION</b>	v
<b>ABSTRACT</b>	vi
<b>PREFACE</b>	vii
<b>CONTENTS</b>	viii
<b>FIGURES LIST</b>	xii
<b>TABLES LIST</b>	xiv
<b>ABBREVIATIONS AND SYMBOLS LIST</b>	xvi
<b>APPENDIX LIST</b>	xx
<b>CHAPTER I INTRODUCTION</b>	
1.1. General	1
1.2. Overview of Cement Manufacturing Process	1
1.3. Material Classification	2
1.4. Classification of Conveying Machine	3
1.5. Problem Limit	4
1.6. Purpose	4
<b>CHAPTER II CLINKER HANDLING EQUIPMENT</b>	
2.1. Belt Conveyor	5
2.1.1. General Description and Purpose	5
2.1.2. Design Consideration	6
2.1.2.1. Conveyor Arrangements	6
2.1.2.2. Characteristics and Conveyability of Bulk Materials	6
2.1.2.3. Capacities, Belt Widths, and Speeds	6



## CLINKER HANDLING EQUIPMENT

Nurul Hakim Prasetya, Ir. Gregorius Harjanto

Universitas Gadjah Mada, 2007 | Diunduh dari <http://etd.repository.ugm.ac.id/>

2.1.2.4. Belt Conveyor Idlers	7
2.1.2.5. Belt Tension, Power, and Drive Engineering	7
2.1.2.6. Belt Selection	8
2.1.2.7. Pulley and shaft	8
2.1.2.8. Belt Takeups, Cleaners, and Accessories	9
2.1.2.9. Conveyor Loading and Discharge	10
2.1.2.10. Motors	10
2.1.2.11. Operation, Maintenance, and Safety	11
2.2. Bucket Elevator	11
2.2.1. General Description and Purpose	11
2.2.2. Design Consideration	12
2.2.2.1. Charge and Discharge of the Bucket	12
2.2.2.2. The Buckets	15
2.2.2.3. Pulling Member	17
2.2.2.4. Drive Unit	19
2.2.2.5. Take-Up	19
2.1.2.6. Casing	20
<b>CHAPTER III BELT CONVEYOR DESIGN</b>	
3.1. Belt Design	24
3.2. Driving Power	31
3.2.1. Horizontal no-load axle power	32
3.2.2. Horizontal axle power under load	34
3.3. Belt Tensions	35
3.3.1. Effective tension	36
3.3.2. Slack-side tension	36
3.3.3. Tight-side tension	37
3.3.4. Minimum tension	37
3.3.5. Maximum tension	39
3.4. Tensile Strength of Carcass	40
3.5. Belt Splice	42



**3.6. Roller Idler Design**

3.6.1. Carrying Idler	43
3.6.2. Return Idler	49
<b>3.7. Pulley Design</b>	<b>51</b>
3.7.1. Pulley Diameter	52
3.7.2. Rotating Speed of Pulley	54
3.7.3. Weight of Pulley	54
3.7.4. Pulley Load Rating	55
3.7.5. Pulley Shaft Design	57
3.7.6. Bearing for Pulley Shaft	59
3.7.7. Hub and Bushing	61
3.7.8. Flange Coupling	62
<b>3.8. Motor and Transmission</b>	<b>64</b>
<b>3.9. Auxilary Equipment</b>	<b>68</b>
3.9.1. Belt Take-Up	68
3.9.2. Belt Cleaner	68
3.9.3. Loading Chute	69
3.9.4. Belt Conveyor Cover	71
3.9.5. Belt Conveyor Frame	72

**CHAPTER IV BUCKET ELEVATOR DESIGN**

<b>4.1. Bucket Design</b>	<b>74</b>
4.1.1. Material Selection and Initial Design of Bucket	75
4.1.2. Volume and Weight of Load Calculation	76
4.1.3. Volume and Weight of Bucket	77
4.1.4. Weight of Bucket and One Unit Load	77
4.1.5. Center of Weight of Load	77
4.1.6. Supporting Bolt	80
<b>4.2. Belt Design</b>	<b>81</b>
4.2.1. Maximum Tension	81
4.2.2. Tensile Strength of Carcass	83



UNIVERSITAS  
GADJAH MADA

## CLINKER HANDLING EQUIPMENT

Nurul Hakim Prasetya, Ir. Gregorius Harjanto

Universitas Gadjah Mada, 2007 | Diunduh dari <http://etd.repository.ugm.ac.id/>

4.2.3. Belt Thickness	85
4.2.4. Weight of Belt	87
4.2.5. Belt Splicing	88
4.3. Shaft Design	88
4.3.1. Upper Shaft	88
4.3.2. Lower Shaft	91
4.4. Pulley Design	94
4.4.1. Drive Pulley Selection	94
4.4.2. Take-Up Pulley Selection	95
4.4.3. Hub and Bushing	96
4.5. Drive Unit	97
4.5.1. Cyclo Dive Unit Selection	97
4.5.2. Flange Coupling Selection	99
4.6. Charge and Discharge of the Bucket	100
4.6.1. Charging System	100
4.6.2. Discharge System	100
4.6.3. Discharge Spout	103
4.7. Backstop Design	103
4.7.1. Design of Ratchet and Locking Pen	103
4.7.2. Design of Ratchet Key	108
4.8. Bucket Elevator Take-Up	108
4.9. Bucket Elevator Casing	112
<b>CHAPTER V SUMMARY</b>	
5.1. The Conclusion of Belt Conveyor Design	115
5.2. The Conclusion of Bucket Elevator Design	116
<b>REFERENCE</b>	118
<b>APPENDIX</b>	119