

DAFTAR PUSTAKA

- Ali Hussein, H. *et al.* (2024) ‘Strategy for enhancing energy conversion efficiency and cyclist helmet safety: A theoretical and experimental study of diverse thermoelectric generator models’, *Thermal Science and Engineering Progress*, 55, p. 102998. doi:10.1016/j.tsep.2024.102998.
- Atmoko, N.T., Jamaldi, A. and Riyadi, T.W. (2022) ‘An experimental study of the TEG performance using cooling systems of Waterblock and heatsink-fan’, *Automotive Experiences*, 5(3), pp. 261–267. doi:10.31603/ae.6250.
- Bari, S. (2017) ‘An experimental study of a waste heat recovery system connected to a diesel-gen-set’, *SAE Technical Paper Series* [Preprint]. doi:10.4271/2017-01-0123.
- Bass, J.C. and Allen, D.T. (2002) ‘Milliwatt radioisotope power supply for space applications’, *Eighteenth International Conference on Thermoelectrics. Proceedings, ICT’99 (Cat. No.99TH8407)*, pp. 521–524. doi:10.1109/ict.1999.843443.
- Bass, J.C., Elsner, N.B. and Leavitt, F.A. (1994) ‘Performance of the 1 kW thermoelectric generator for diesel engines’, *AIP Conference Proceedings*, 316, pp. 295–298. doi:10.1063/1.46818.
- Berger, L.I. (2020) *Semiconductor materials* [Preprint]. doi:10.1201/9780138739966.
- Bhakta, S. and Kundu, B. (2024) ‘A review of thermoelectric generators in automobile waste heat recovery systems for improving energy utilization’, *Energies*, 17(5), p. 1016. doi:10.3390/en17051016.
- Chen, Z. *et al.* (2024) ‘Demonstration of efficient Thomson Cooler by electronic phase transition’, *Nature Materials*, 24(1), pp. 34–38. doi:10.1038/s41563-024-02039-z.
- Home - hi-Z technology - San Diego* (2022) *Hi*. Available at: <https://hi-z.com/> (Accessed: 28 May 2025).
- Hu, L. *et al.* (2025) ‘P-type dopability in half-Heusler Thermoelectric semiconductors’, *npj Computational Materials*, 11(1). doi:10.1038/s41524-025-01595-5.

- Janapati, T. and Peetala, R. (2024) 'Design and optimization of thermoelectric generators', *Materials Today: Proceedings*, 115, pp. 132–137. doi:10.1016/j.matpr.2023.07.086.
- Kwon, S., Kim, Y.-G. and Kim, D. (2018) 'All-in-one type apparatus for thermoelectric property measurement at high temperature', *Journal of Physics: Conference Series*, 1065, p. 122014. doi:10.1088/1742-6596/1065/12/122014.
- Kwon, S., Kim, Y.-G. and Kim, D. (2018) 'All-in-one type apparatus for thermoelectric property measurement at high temperature', *Journal of Physics: Conference Series*, 1065, p. 122014. doi:10.1088/1742-6596/1065/12/122014.
- Kwon, S.Y. *et al.* (2011) 'Evaluation system for figure of merit of thermoelectric devices', *Japanese Journal of Applied Physics*, 50(11S). doi:10.1143/jjap.50.11re02.
- Liu, W. *et al.* (2016) 'Importance of high power factor in thermoelectric materials for Power Generation Application: A Perspective', *Scripta Materialia*, 111, pp. 3–9. doi:10.1016/j.scriptamat.2015.07.045.
- Marchenko, O. (2020) 'Energy and Economic Analysis of thermoelectric generator on Wood Fuel', *E3S Web of Conferences*, 209, p. 03017. doi:10.1051/e3sconf/202020903017.
- Muto, A. *et al.* (2009) 'Thermoelectric properties and efficiency measurements under large temperature differences', *Review of Scientific Instruments*, 80(9). doi:10.1063/1.3212668.
- Ononogbo, C. *et al.* (2023) 'Opportunities of waste heat recovery from various sources: Review of Technologies and Implementation', *Heliyon*, 9(2). doi:10.1016/j.heliyon.2023.e13590.
- Pal, S. *et al.* (2017) 'Analysis and experimental investigation of ceramic powder coating on aluminium piston', *IOP Conference Series: Materials Science*
- Rahman, M.M. and Alam, K. (2021) 'Clean Energy, population density, urbanization and Environmental Pollution Nexus: Evidence from Bangladesh', *Renewable Energy*, 172, pp. 1063–1072. doi:10.1016/j.renene.2021.03.103.
- Riyi, L. and Xiaoming, L. (2012) 'Waste heat utilization technology of artesian well diesel engine', *2012 International Conference on Computer Distributed*

Control and Intelligent Environmental Monitoring, pp. 836–839.

doi:10.1109/cdciem.2012.204.

Santana, C.M., Santana, L.L. and Almeida, H.G. (2024) ‘Thermal energy balance of an Otto cycle engine fueled with ethanol and gasoline’, *SAE Technical Paper Series*, 1. doi:10.4271/2024-36-0003.

Shockley, W. (1976) *Electrons and holes in semiconductors*. New York: Krieger.

Snyder, G.J. and Snyder, A.H. (2017) ‘Figure of merit ZT of a thermoelectric device defined from materials properties’, *Energy & Environmental Science*, 10(11), pp. 2280–2283. doi:10.1039/c7ee02007d.

Sugiyanto (2012) ‘PEMANFAATAN PANAS BUANG PADA EXHAUST PIPE SEPEDA MOTOR UNTUK PEMBANGKITAN ENERGI LISTRIK MENGGUNAKAN GENERATOR THERMOELEKTRIK’, *Thesis* Universitas Gadjah Mada

Sugiyanto et al. (2025) ‘An in-situ experimental and numerical evaluation of thermoelectric generators’ performance utilizing diesel engine exhaust heat’, *Jurnal Polimesin*, 23(2549–1999), pp. 696–702.

Sukarno, R. (2016) ‘Pemanfaatan Panas Gas buang sepeda motor Sebagai Sumber Energi Alternatif Menggunakan Teknologi Thermoelektrik’, *Jurnal Konversi Energi dan Manufaktur*, 3(3), pp. 149–156. doi:10.21009/jkem.3.3.6.

The Art of Electronics (2015). Cambridge: Cambridge University Press.